

Cartril-S™

Glucosamine Sulphate 250mg

PRODUCT DESCRIPTION

Cartril-S 250mg Capsule is a capsule printed with 'CARTRIL-S' on cap and body of the capsule containing a creamy white powder

Gelatin for capsule: Bovine source certified with Malaysia's Halal certification

COMPOSITION

Each capsule contains 314 mg of Glucosamine sulphate sodium equivalent to Glucosamine sulphate 250mg.

PHARMACODYNAMIC

Glucosamine possesses arthropic metabolic activity by stimulating the anabolic metabolism of osteocartilaginous tissues, through stimulation of biosynthesis of the mucopolysaccharides (which are essential components of the cartilage ground-substances) and the bone mesenchymal tissues and improvement of the bone calcium intake. Lubricant activity through improvement of synovial fluid viscosity by increasing synovial fluid production.

PHARMACOKINETICS

The pharmacokinetics of glucosamine sulphate was investigated in 6 healthy male volunteers (2 per administration route) using ¹⁴C uniformly labelled glucosamine sulphate and administering it in single dose by intravenous (iv), intramuscular (im), or oral route. After oral administration a proportion close to 90% of glucosamine sulphate is absorbed. Free glucosamine is not detectable in plasma. The radioactivity incorporated in the plasma proteins follows pharmacokinetics patterns which are similar to those after iv or im administration, but its concentration in plasma is about 5 times smaller than that after parenteral administration. The AUC after oral administration is 26% of that after iv or im administration. The plasma levels of radioactivity investigations in rats and dogs showing that also in man glucosamine sulphate is prodrug for glucosamine that is well absorbed after oral administration and that diffuses into several tissues including bones and articular cartilages.

INDICATIONS

Adjunct therapy in Osteoarthritis.

CONTRAINDICATIONS

Patients who are hypersensitive to Glucosamine.

SIDE EFFECTS/ADVERSE REACTIONS

The most frequently observed adverse events occurring after glucosamine treatment were mild digestive problems, including epigastric tenderness, heartburn, diarrhoea and nausea.

Cardiovascular

Peripheral oedema, tachycardia were reported in a few patients following larger clinical trials investigating oral administration in osteoarthritis. Causal relationship has not been established.

Central nervous system

Drowsiness headache, insomnia have been observed rarely during therapy (less than 1%).

Gastrointestinal

Nausea, vomiting, diarrhoea, dyspepsia or epigastric pain, constipation, heartburn and anorexia have been described rarely during oral therapy with glucosamine.

Skin

Skin reactions such as erythema and pruritus have been reported with therapeutic administration of glucosamine.

PRECAUTIONS/WARNING

In pregnancy and lactation, seek medical advice before use. Derived from Seafood

RECOMMENDED DOSAGE, DOSAGE SCHEDULE

Light or moderate osteoarthritis symptoms

Two capsules taken twice daily for at least 6 weeks (or according to medical prescription).

Severe osteoarthritis symptoms

Initial therapy

Two capsules, 3 times daily during a period of at least 8 weeks.

Follow-up therapy

Maintenance therapy should be followed for 3-4 months (or according to medical prescription) by administration of two capsules taken twice daily.

The treatment should be repeated every other 6 months or less according to medical prescription.

Capsules should be taken 15 minutes before each meal.

Route of administration : Oral

PACKING/PACK SIZE

100 capsules in bottle

STORAGE CONDITIONS, USER INSTRUCTIONS, AND PHARMACEUTICAL PRECAUTIONS

Keep container tightly closed.

Store below 30°C in a dry place.

Keep out of reach of children.

Jauhi daripada kanak-kanak.

Product Registration Holder:

DUOPHARMA MARKETING SDN BHD.

Lot No. 2, 4, 6, 8 & 10, Jalan P/7, Section 13, Bangi Industrial Estate, 43650 Bandar Baru Bangi, Selangor, Malaysia.

Manufacturer:

DUOPHARMA MANUFACTURING (BANGI) SDN BHD.

Lot No. 2 & 4, Jalan P/7, Section 13, Bangi Industrial Estate, 43650 Bandar Baru Bangi, Selangor, Malaysia.



1500008538 N1
Revision Date : Jul 2020

150mm(w) x 211mm (h)

Black 100%