

OMS FENBENTHIC 40MG/G PREMIX POWDER

Composition

Each g contains:

Fenbendazole40mg

Product Description

OMS Fenbenthic 40mg/g Premix Powder is a white or almost white powder

Pharmacodynamics

A broad spectrum anthelmintic from the benzimidazole group. Benzimidazoles bind to nematode tubulin, a protein necessary for the formation and viability of microtubules. This occurs primarily in absorptive intestinal cells resulting in a complete absence of microtubules in the intestinal cells of the nematode, which means that these cells cannot absorb nutrients, a consequent reduction in glycogen and effective starvation of the parasites. Structural differences have been shown to exist between tubulin from mammalian and helminth sources, thus resulting in the preferential toxicity of fenbendazole to the helminth and not to the host. Fenbendazole may also inhibit energy production in helminths by inhibition of glucose uptake and glycogen breakdown.

Pharmacokinetics

Fenbendazole is only partially absorbed following oral administration. The absorbed fenbendazole is metabolised to the active compound, oxfendazole (sulfoxide) and the sulfone. In pigs, a significant proportion of the dose of fenbendazole is excreted unchanged in the faeces, and a very small proportion in the urine

Indication

A broad spectrum anthelmintic for the treatment of pigs infected with mature and immature forms of nematodes of the gastro-intestinal and respiratory tracts:

Hyostrogylus rubidus (Red Stomach worm)

Oesophagostomum sp. (Nodular worms)

Ascaris suum (large roundworm)

Trichuris suis (Whipworm)

Also effective in the control of *Metastrongylus apri* (Lungworm).

An ovicidal effect on nematode eggs

Mode of Administration

Orally. Mixed into feed.

Recommended Dosage

To be administered orally, mixed with feed. The dose rate for administration is 5 mg fenbendazole per kg bodyweight. The product may be administered to pigs either as a single dose or by divided dosage over 7 days. It may also be administered to sows over 14 days.

For the treatment of infections with *Trichuris* and for control of *Metastrongylus apri* the dose of 5 mg/kg should be divided and spread over 7 days.

Contraindications

Do not use in cases of hypersensitivity to the active substance or the excipient.

Warnings and Precautions

Special warnings for each target species

None

Special precautions for use

(i) Special precautions for use in animals

When preparing medicated feed for pigs which are to be administered over a number of days, to ensure thorough dispersion a pre-mix should be prepared first. Once mixed, this should then be incorporated with the remaining feed.

Only to be incorporated by a manufacturer who are approved to mix at a rate of below 2 kg per tonne of final feed.

(ii) Special precautions to be taken by the person administering the veterinary medicinal product to animals

Incorporating into the feed must be performed by a suitably approved manufacturer.

Impervious gloves must be worn when handling this product or feed containing this product.

When handling or mixing, care should be taken to avoid direct contact with the skin and inhalation of any dust by wearing protective clothing, rubber gloves and a disposable half-mask respirator with a filter.

Wash hands and exposed skin after handling medicated feedstuffs.

Interactions with Other Medicaments

None known.

Pregnancy and Lactation

OMS Fenbenthic 40mg/g Premix Powder can be safely used during pregnancy and lactation.

Adverse Effects/Undesirable Effects

None known.

Overdose and Treatment

Benzimidazoles have a wide safety margin.

Withdrawal Period(s)

Meat and offal: 3 days

Storage condition

Store in a cool dry place, protected from sunlight. Do not store above 30°C.

Keep out of reach of children/Jauhkan dari kanak-kanak.

Shelf life

Shelf life as packaged for sale: 12 months

Shelf life after reconstitution into feed: 24 hours

Pack size(s)

White pail with handle of 10kg

Product Registration Holder/ Manufacturer

Osmosis Nutrition Sdn. Bhd. (594876A)

Lot 16014(P.T. 24341), Jalan Nilam 3,

Bandar Nilai Utama,

71800 Nilai, Negeri Sembilan, Malaysia.

Tel: +606-799 9090 Fax:+606-799 9155

Date of revision of Package Insert

25/11/2020