Proj title: Thomson Xbido Insert (Malaysia)	
Start date: 7/11/22	Latest: 11/4/25
Proj code: XBI-2	Size: 6.8cm(W) x 9.8cm(H)
	Open Size : 13.6cm(W) x 9.8cm(H)

	Sign 1	Sign 2
Eng	X	
Bm	X	
Chi	X	
Design	X	
Final Proof for Printing		

Applicable for all pack sizes

Back Page

Front Page

XBIDO

Product Registration Holder & Manufacturer:
HERBAL REVIVAL SDN. BHD. 198701000341 (159007-X)
No. 5 & 7, Jalan TSB 6, Taman Industri Sg. Buloh,
47000 Sg. Buloh, Selangor, Malaysia.

Distributed in West Malaysia by:
ZUELLIG PHARMA SDN. BHD.
No. 15, Persiaran Pasak Bumi, Seksyen U8, Perindustrian Bukit Jelutong,
40150 Shah Alam, Selangor, Malaysia.

Sabah by:
APEX PHARMACY MARKETING SDN. BHD.
Lot 24, Karamunsing Warehouse,
88000 Kota Kinabalu, Sabah, Malaysia.

Sarawak by:
APEX PHARMACY MARKETING SDN. BHD.
AH 105-107, Batu Kawah New Township,
Jalan Batu Kawa,
93250 Kuching, Sarawak, Malaysia.

Revision Date/Tarikh Semakan/修改日期: 11 May 2026

XBI-2

XBIDO

•**PRODUCT NAME** Thomson Xbido Tablet. •**INDICATION** Traditionally used for energy and general health. •**PRODUCT DESCRIPTION** Brownish 12mm round tablet with herbal odour and bitter taste. •**COMPOSITION** Each 520mg tablet contains: Eurycoma longifolia root extract (Tongkat Ali root extract) – 50mg, Ginkgo biloba leaf extract, providing 11% (equiv. 30mg) Ginkgo biloba extract – 262.5mg, Apocynum venetum leaf extract (Rafuma leaf extract) – 25mg, Panax ginseng root extract (Red ginseng root extract) – 50mg. •**DESCRIPTION OF PACKAGE** 6, 10, 30, 60, 120 and 300 tablets in white HDPE bottle and white LDPE cap with outer box and leaflet. •**RECOMMENDED ADULT DOSE** 1-2 tablets once daily, before or after a meal. •**PRECAUTION** This is a traditional medicine. Please consult your pharmacist/doctor before taking this product. As the use of Ginkgo may increase the tendency of bleeding, please consult your pharmacist/doctor if you are on or intend to start using any other medicines and before you undergo any surgical/dental procedure. Contraindicated in pregnant women. Safe use in lactating women and children has not been established. Do not exceed the stated dose. Safety on long term use has not been established. •**STORAGE CONDITION** Store below 30°C, protect from light and moisture. Keep out of reach of children. •**SHELF LIFE** 3 years from date of manufacture.

•**NAMA PRODUK** Thomson Xbido Tablet. •**INDIKASI** Digunakan secara tradisional bagi meningkatkan tenaga dan kesihatan. •**MAKLUMAT PRODUK** Tablet bulat 12mm yang berwarna coklat dengan bau herba dan rasa pahit.•**KANDUNGAN** Setiap 520mg tablet mengandungi: Ekstrak akar Eurycoma longifolia (Ekstrak akar Tongkat Ali) - 50mg, Ekstrak daun Ginkgo biloba, membekalkan 11% (bersamaan dengan 30mg) ekstrak Ginkgo biloba - 262.5mg, Ekstrak daun Apocynum venetum (Ekstrak daun Rafuma) - 25mg, Ekstrak akar Panax ginseng (Ekstrak akar ginseng merah) – 50mg. •**MAKLUMAT BUNGKUSAN** 6, 10, 30, 60, 120 dan 300 tablet dalam botol HDPE putih dan penutup LDPE putih dengan kotak luar dan risalah maklumat produk. •**CADANGAN DOS DEWASA** 1-2 tablet sekali sehari, sebelum atau selepas makan. •**PERHATIAN** Ini adalah persediaan tradisional. Sila rujuk ahli farmasi/doktor anda sebelum mengambil produk ini. Memandangkan Ginkgo boleh meningkatkan kemungkinan pendarahan, sila rujuk kepada ahli farmasi/doktor sekiranya anda sedang atau akan menggunakan ubat lain dan sebelum prosedur pembedahan/dental dijalankan. Kontraindikasi pada wanita hamil. Keselamatan pengambilan oleh wanita menyusu dan kanak-kanak tidak terjamin. Jangan melebihi dos yang dinyatakan. Keselamatan penggunaan jangka panjang belum disahkan. •**KAEDAH PENYIMPANAN** Simpan dibawah suhu 30°C, lindungi dari cahaya dan kelembapan. Jauhkan daripada capaian kanak-kanak. •**HAYAT SIMPANAN** 3 tahun dari tarikh pengilang.

•**产品名称** Thomson Xbido Tablet •**主治** 传统上用于提升精力和健康。•**产品说明** 褐色12毫米圆形锭片带有草本气味和苦味。•**成分** 每颗 520毫克锭片含有: 东革阿里根部提取物– 50 毫克, 银杏叶提取物, 提供11% (相等于30毫克) 银杏精华 – 262.5毫克, 罗布麻叶提取物 – 25毫克, 红参根部提取物 – 50毫克。•**包装说明** 白色HDPE塑料罐和白色LDPE塑料盖装在外盒内并附产品信息单, 罐内装 6, 10, 30, 60, 120 和300颗锭片。•**成人建议剂量** 每天一次, 每次1-2颗, 餐前或餐后服用。•**注意** 这是一种传统药物。服用本产品前请咨询您的药剂师/医生。由于服用银杏可能会增加出血的倾向, 如果您正在或打算开始服用任何其他药物, 以及进行任何手术、牙科手术之前, 请咨询您的药剂师、医生。孕妇禁用。尚未确定哺乳期妇女和儿童的安全使用。不要服用超过建议剂量。长期使用的安全性尚未确定。•**储存方式** 储存在摄氏30度以下, 避免光照和潮湿。置放于儿童不能触及之处。•**保质期** 三年。

Kindly take out this guide line during actual printing