

Vime Anti - SCOUR

50 mg/ml Oral Solution

Oral antidiarrhoeal treatment

COMPOSITION: Each ml contains
Spectinomycin..... 50mg
(as spectinomycin dihydrochloride pentahydrate)
Sodium benzoate 0.15% w/v as a preservative

DESCRIPTION: The finished product is yellow viscous solution

PHARMACODYNAMICS

Spectinomycin is an aminocyclitol antimicrobial and has been shown to be produced by two kinds of fungi, *Streptomyces flavopersicus* and *Streptomyces spectabilis*. It is similar to the aminoglycosides, acting by binding to ribosomal 30s subunits of the bacteria. In-vitro tests have shown spectinomycin to be effective against a range of Gram-negative and Gram-positive bacteria, although in the field its spectrum of action is for Gram-negative bacteria. Anaerobic organisms are generally resistant. It has been demonstrated that spectinomycin is more bacteriostatic than bactericidal. The mechanism of action appears to be by inhibition of protein synthesis.

PHARMACOKINETICS

Spectinomycin is poorly absorbed from the alimentary canal. In the blood, protein binding is low at less than 10%. It is almost totally eliminated by renal glomerular filtration with 75% or more cleared in 4 hours.

INDICATION

- For the treatment and control of enteritis caused by strains of *Escherichia coli* sensitive to spectinomycin in piglets.
- For the prevention of bacterial neonatal disease (e.g. watery mouth disease) in lambs which are at risk of colostrum deprivation.

TARGET SPECIES

Pigs (piglets)
Sheep (lambs)

ROUTE OF ADMINISTRATION: By oral administration.

RECOMMENDED DOSE

To ensure a correct dosage, body weight should be determined as accurately as possible to avoid underdosing.

Piglets: Piglets under 4.5 kg (10 lb) - 1 pump (1 mL) twice daily.

Piglets between 4.5 kg (10 lb) and 7.0 kg (15 lb) - 2 pumps (2 mL) twice daily.

Treatment may be continued twice daily for 3-5 days.

If pigs do not improve within 48 hours, re-diagnosis is suggested

Lambs: 1 pump (1 mL) once only as soon as possible after birth.

INTERACTION WITH OTHER MEDICAL PRODUCT: None reported



CONTRA-INDICATION

Known hypersensitivity to the active ingredient.
Do not use in pigs over 4 weeks of age or over 7 kg bodyweight.
Use with caution in animals suffering from renal damage

ADVERSE REACTIONS (frequency and seriousness): None known

USE DURING PREGNANCY, LACTATION OR LAY: Not applicable.

OVERDOSE (Symptoms, emergency procedures, antidotes)

Because the product is so poorly absorbed from the alimentary canal, it is difficult to overdose. The symptoms of over dosage in piglets and lambs are not known. There is no known antidote to over dosage.

WARNING AND PRECAUTION

Special warnings for each target species: None

Special precautions for use, including special precautions to be taken by the person administering the medicinal product to the animals:

- Special precautions for use in animals
Use of the product should be based on susceptibility testing of the bacteria isolated from the animal. If this is not possible, therapy should be based on local (regional, farm level) epidemiological information about susceptibility of the target bacteria.
- Special precautions to be taken by the person administering the medicinal product to animals
Do not handle in case of known hypersensitivity to spectinomycin. In case of accidental plashing on to the skin or eyes, wash the affected area with plenty of clean running water.
Wash hands thoroughly after use.
 - Keep out of reach of children
 - Jauhkan daripada kanak-kanak

SHELF LIFE: 2 years

SHELF LIFE AFTER OPENING: 24 hours

WITHDRAWAL PERIOD

Animals must not be slaughtered for human consumption during treatment.

Pigs: 12 days from the last treatment.

Lambs: 10 days from the last treatment.

STORAGE CONDITION: Store in a cool, dry place, below 30°C. Protect from light.

PACKAGING: 250 ml

REVISED DATE: January 30, 2023



Manufactured by: Vemedim Veterinary Drugs and Probiotics Co. Ltd
(Vemedim Animal Health)
Song Hau Industrial Zone, Dong Phu commune, Chau Thanh District,
Hau Giang Province, Vietnam.

Product Registration Holder: Vemedim Sdn Bhd
15, Jalan USJ 1/31, 47600 Subang Jaya,
Selangor, Darul Ehsan, Malaysia.
Tel: (603) 80247118 Fax: (603) 80247168