

11 cm.



SNAKE BRAND MEDICATED OIL

Product Description	Clear Green Oil With Methyl Salicylate Odour.	
Name & Strength of	Methyl Salicylate	42.86 % v/v
Active Substance(s)	Camphor	7.14 % w/v
	Menthol	3.57 % w/v
	Oil of Thyme	3.57 % w/v

Indication :

For the symptomatic relief of muscular pain and stiffness, rheumatic pain, bruises and minor skin conditions such as insect bites and itching.

Recommended Dosage :

Adults & children above 2 years old:

Apply to the affected area to relieve pain and muscle stress. Rub well at the affected area not more than 3 times daily.

Mode of Administration : Topical

Contraindications :

- Do not use in patients with aspirin or salicylate idiosyncrasy.
- Hypersensitivity to any of the ingredients in the product.
- Product can cause convulsions. Contraindicated in infants below 2 years of age.

Warnings & Precautions :

This product contains methyl salicylate and when applied or rub on to the skin, can be absorbed through the skin into the blood. For patients taking warfarin, excessive application on to the skin for muscle or joint pains may increase the chances of bleeding.

**CAN CAUSE CONVULSION. CONTRAINDICATED IN CHILDREN BELOW 2 YEARS OF AGE.
CAUTION MUST BE EXERCISED WHEN OLDER CHILDREN ARE TREATED. AVOID DIRECT
APPLICATION INTO THE NOSTRILS.**

•It is dangerous to place any camphor-containing product into the nostril of children. A small amount applied this way may cause immediate collapse.

•Children suffering from flu, chickenpox or fever should avoid using this product because salicylates may induce Reyes Syndrome.

•Initially apply a small amount to a limited skin area and observe whether there is discomfort or itch before applying to a larger skin area. Discontinue use if irritation develops.

•Avoid contact with the eyes and mucous membranes.

•Do not apply to open wounds or damaged skin.

•Do not apply over large areas of the body or bandage or use with heating pads.

•If symptoms persist, consult your doctor.

Interactions with Other Medicaments :

Warfarin (refer to Warnings & Precautions).

Pregnancy and Lactation :

If you are pregnant or breastfeeding, consult a healthcare practitioner prior to use.

Side Effects :

Temporary skin reactions such as redness, burning sensation, rashes may occur. Application site burns have been reported. Frequency unknown.

Symptoms and Treatment of Overdose : Over dosage may result in skin irritation.

Misuse :

Swallowing of the medicated oil might cause gastrointestinal symptoms like vomiting and diarrhea. Treatment is symptomatic. Acute poisoning was observed after significant accidental consumption, with nausea, vomiting, abdominal pain, and headache, vertigo, feeling hot / flushing, convulsions, respiratory depression and coma. Patients with severe gastrointestinal or neurological symptoms of poisoning should be observed and treated symptomatically. Do not induce vomiting.

Storage Conditions : Store below 30°C

Dosage Forms and Packaging Available : 30ml, 60ml

Glass bottle with aluminum screw cap packed in unit box



Name & Address of Manufacturer

The British Dispensary (L.P.) Co., Ltd.
272 Teparuk Road, Samutprakarn 10270, Thailand.
Tel. (662) 6451333 Fax. (662) 6450700
Email: customerservice@britishdispensary.com

Product Registration Holder in Malaysia

Carepro Marketing Sdn. Bhd. (735191-H)
No. 54, Jalan Bp 5/11, Bandar Bukit Puchong, 47100
Puchong, Selangor, Malaysia.
Tel : 03-80628889 Email : info@carepro.com.my

Date of Revision of Leaflet
27 / October / 2023

18.5 cm.