KenSentMe   1.0.0   OAS3
/openapi

Authorize 🔓

Authentication ⌄

POST	**/authentication/activate-account** Activate account from e-mail message

POST	**/authentication/finishValidation/{username}/{secret}** Validate U2F Response

POST	**/authentication/login** Login Procedure

POST	**/authentication/login/otp** Validate OTP

POST	**/authentication/recover-password** Request password recovery e-mail

POST	**/authentication/reset-password** Reset password and multi factor auth

GET	**/authentication/startValidation/{username}/{secret}** Get U2F Challenge

Board ⌄

GET	/board/directory/children/prev/{id}/{current}/{firstId}/{limit}	Get previous page of a directory's contents	🔓
GET	/board/directory/children/{id}/{current}/{lastId}/{limit}	Get page of a directory's contents	🔓
POST	/board/keyword	Run a keyword search	🔓
POST	/board/keyword/prev	Get the previous keyword search page	🔓
GET	/board/reports/prev/{current}/{firstId}/{limit}	Get previous page of reports	🔓
GET	/board/reports/{current}/{lastId}/{limit}	Get page of reports	🔓
GET	/board/results	Get the listing of artifact categories	🔓
GET	/board/results/artifacts/prev/{id}/{current}/{firstId}/{limit}	Get previous page of artifact of a specific type	🔓
GET	/board/results/artifacts/setname/prev/{setname}/{current}/{firstId}/{limit}	Get previous page of artifacts of a specific set name	🔓
GET	/board/results/artifacts/setname/{setname}/{current}/{lastId}/{limit}	Get page of artifacts of a specific set name	🔓
GET	/board/results/artifacts/{id}/{current}/{lastId}/{limit}	Get page of artifact of a specific type	🔓
GET	/board/results/generic/{result}	Get the listing of an artifact category	🔓
GET	/board/sources	Get the listing of data sources	🔓
GET	/board/sources/{id}	Get contents of the selected data source	🔓
GET	/board/tags	Get the listing of tag types	🔓
GET	/board/tags/files/prev/{id}/{current}/{firstId}/{limit}	Get previous page of file tags for a specific tag	🔓
GET	/board/tags/files/{id}/{current}/{lastId}/{limit}	Get page of file tags for a specific tag	🔓
GET	/board/tags/results/prev/{id}/{current}/{firstId}/{limit}	Get previous page of file tags for a specific tag	🔓
GET	/board/tags/results/{id}/{current}/{lastId}/{limit}	Get page of result tags for a specific tag	🔓

GET	**/board/tags/{id}** Get the total usages of result and file tags for a tag type	🔓

GET	**/board/views** Get the listing of file views	🔓

GET	**/board/views/deleted/prev/{view}** **/{current}/{firstId}/{limit}** Get previous page of files from a specific deleted files view	🔓

GET	**/board/views/deleted/{view}/{current}** **/{lastId}/{limit}** Get page of files from a specific deleted files view	🔓

GET	**/board/views/filter/prev/{filterId}/{current}** **/{firstId}/{limit}** Get previous page of files filtered by extension	🔓

GET	**/board/views/filter/{filterId}/{current}** **/{lastId}/{limit}** Get page of files filtered by extension	🔓

GET	**/board/views/generic/{view}** Get contents of a specific view	🔓

GET	**/board/views/mimes/prev/{mime}/{current}** **/{firstId}/{limit}** Get previous page of files of a specific mime type	🔓

GET	**/board/views/mimes/{mime}/{current}/{lastId}** **/{limit}** Get page of files of a specific mime type	🔓

GET	**/board/views/size/prev/{view}/{current}** **/{firstId}/{limit}** Get previous page of files from a specific size view	🔓

GET	**/board/views/size/{view}/{current}/{lastId}** **/{limit}** Get page of files from a specific size view	🔓

GET	**/board/volume/prev/{id}/{current}/{firstId}** **/{limit}** Get previous page of a volume's contents	🔓

GET	**/board/volume/{id}/{current}/{lastId}/{limit}** Get page of a volume's contents	🔓

CSV ⌄

GET	**/csv/directory/children/{id}** Get csv of a directory's contents	🔓

POST	**/csv/keyword** Get csv of a keyword search	🔓

GET	**/csv/reports** Get csv of reports	🔓

GET	**/csv/results** Get csv of artifact categories	🔓

GET	**/csv/results/artifacts/setname** **/{setname}** Get csv of artifacts of a specific set name	🔓

GET	**/csv/results/artifacts/{id}** Get csv of artifact of a specific type	🔓
GET	**/csv/results/generic/{result}** Get csv of an artifact category	🔓
GET	**/csv/sources** Get csv of data sources	🔓
GET	**/csv/sources/{id}** Get csv of the selected data source	🔓
GET	**/csv/tags** Get csv of tag types	🔓
GET	**/csv/tags/files/{id}** Get csv of file tags for a specific tag	🔓
GET	**/csv/tags/results/{id}** Get csv of result tags for a specific tag	🔓
GET	**/csv/tags/{id}** Get csv of total usages of result and file tags for a tag type	🔓
GET	**/csv/views** Get csv of file views	🔓
GET	**/csv/views/deleted/{view}** Get csv of files from a specific deleted files view	🔓
GET	**/csv/views/filter/{filterId}** Get csv of files filtered by extension	🔓
GET	**/csv/views/generic/{view}** Get csv of the contents of a specific view	🔓
GET	**/csv/views/mimes/{mime}** Get csv of files of a specific mime type	🔓
GET	**/csv/views/size/{view}** Get csv of files from a specific size view	🔓
GET	**/csv/volume/{id}** Get csv of a volume's contents	🔓

Cases ⌄

GET	**/case** Get the currently open case	🔓
POST	**/case** Create a case	🔓
DELETE	**/case** Delete the currently open case	🔓

GET	`/case/close`	Close the currently open case	🔓
GET	`/case/comment/artifact/{id}`	Get central repository comment for a file using an artifact id	🔓
POST	`/case/comment/artifact/{id}`	Submit central repository comment for a file using an artifact id	🔓
GET	`/case/comment/content/{id}`	Get central repository comment of a file	🔓
POST	`/case/comment/content/{id}`	Submit central repository comment for a file	🔓
GET	`/case/database`	Get a list of the existing case entities	🔓
PUT	`/case/database`	Assign team to case	🔓
DELETE	`/case/database`	Revoke access to a case for a team	🔓
GET	`/case/database/own`	Get a list of the cases the authenticated user has access to	🔓
POST	`/case/datasource/image`	Add a disk image as data source	🔓
POST	`/case/datasource/imager`	Add autopsy logical imager files as data source	🔓
POST	`/case/datasource/logical`	Add logical file set as data source	🔓
GET	`/case/details`	Get the details of the currently open case	🔓
GET	`/case/ingest`	Stop the currently running ingest jobs	🔓
GET	`/case/ingest/running`	Get status of whether an ingest job is running	🔓
GET	`/case/ingest/{id}`	Get a list of enabled ingest modules	🔓
POST	`/case/ingest/{id}`	Run a set of ingest modules	🔓
GET	`/case/metadata`	Get the currently open case's metadata	🔓
POST	`/case/open`	Open a case	🔓

PUT	**/case/picture**	Set the case's picture	🔓
GET	**/case/picture/{id}**	Get a case's image file	🔓
POST	**/case/portable**	Unpack a portable case and open as current case	🔓
GET	**/case/projects**	Get a list of the existing cases	🔓
GET	**/case/recent**	Get a list of the recently opened cases	🔓
GET	**/case/reports**	Get a list of enabled report modules	🔓
POST	**/case/reports**	Generate a report	🔓
POST	**/case/reports/delete**	Delete the selected reports	🔓
GET	**/case/reports/download/{id}**	Download report	🔓
GET	**/case/restore**	Restore database using a backup	🔓
GET	**/case/sources**	Get the contents of the user's ftp directory	🔓
GET	**/case/summary**	Get the current case's data source summary	🔓
GET	**/case/tags**	Get a list of the existing tag names	🔓
POST	**/case/tags/artifact**	Add a result tag	🔓
POST	**/case/tags/artifact/create**	Create a new tag and add a result tag	🔓
POST	**/case/tags/artifact/create/replace**	Create a new tag and replace a result tag	🔓
POST	**/case/tags/artifact/replace**	Replace a result tag	🔓
GET	**/case/tags/artifact/{id}**	Get tags added to an artifact	🔓
DELETE	**/case/tags/artifact/{id}**	Remove a result tag	🔓

POST	**/case/tags/content** Add a file tag	🔓
POST	**/case/tags/content/create** Create a new tag and add a file tag	🔓
POST	**/case/tags/content/create/replace** Create a new tag and replace a file tag	🔓
POST	**/case/tags/content/replace** Replace a file tag	🔓
GET	**/case/tags/content/{id}** Get tags added to a file	🔓
DELETE	**/case/tags/content/{id}** Remove a file tag	🔓
GET	**/case/timezones** Get a list of timezones	🔓

Content   ⌄

GET	**/content/download/{id}** Download the currently selected file	🔓
GET	**/content/file/{id}** Get video or image as file to display in application tab	🔓
GET	**/content/hex/{id}/{page}** Get specific page of the hex contents of a file	🔓
GET	**/content/html/{id}** Get html as file for application tab	🔓
GET	**/content/image/{id}** Get image for thumbnail view	🔓
GET	**/content/indexed/{id}/{artifact}/{page}** Get specific page of the indexed text of a file	🔓
GET	**/content/registry/{id}** Get registry object for application tab	🔓
GET	**/content/results/{id}/{page}** Get specific page of the results tab	🔓
GET	**/content/sqlite/{id}/{table}/{rows}/{page}** Get specific table page of sqlite file	🔓
GET	**/content/text/{id}/{page}** Get specific page of the file's text contents	🔓
GET	**/content/{id}/{artifact}** Get file or artifact details for content viewer	🔓

Explorer ⌄

| GET | **/explorer** Get the case's directory tree | 🔓 |

| GET | **/explorer/{id}** Expand contents of a directory in the tree | 🔓 |

Files ⌄

| GET | **/file** Get a list stored files | 🔓 |

| POST | **/file** Store a file | 🔓 |

| GET | **/file/{id}** Get a file by id | 🔓 |

| PUT | **/file/{id}** Set a stored file's details | 🔓 |

| DELETE | **/file/{id}** Delete a stored file | 🔓 |

Repositories ⌄

| GET | **/repository** Get a list of saved repositories |

| PUT | **/repository** Edit an existing repository entry |

| POST | **/repository** Add a new repository entry |

| POST | **/repository/url** Get a specific repository by URL |

| DELETE | **/repository/{id}** Remove an existing repository entry |

Settings ⌄

| POST | **/settings/clone** Sync repositories based on remote list | 🔓 |

| POST | **/settings/clone/local** Sync repositories based on local list | 🔓 |

| GET | **/settings/ingest** Get list of added ingest modules | 🔓 |

GET	**/settings/ingest/delete/{className}** Remove an ingest module	🔓

GET	**/settings/ingest/disable/{className}** Disable an ingest module	🔓

GET	**/settings/ingest/enable/{className}** Enable an ingest module	🔓

POST	**/settings/nbm** Unsupported - Add NBM module	🔓

GET	**/settings/repo** Get repository list from remote server	🔓

GET	**/settings/report** Get list of added report modules	🔓

GET	**/settings/report/delete/{className}** Remove a report module	🔓

GET	**/settings/report/disable/{className}** Disable a report module	🔓

GET	**/settings/report/enable/{className}** Enable a report module	🔓

GET	**/settings/tags** Get list of tag definitions	🔓

DELETE	**/settings/tags/{index}** Delete a tag definition	🔓

POST	**/settings/zip** Upload module(s) in zip format	🔓

Teams ⌄

GET	**/teams** Get the list of teams	🔓

PUT	**/teams** Add user to a team	🔓

POST	**/teams** Create a new team	🔓

DELETE	**/teams** Delete a team	🔓

PUT	**/teams/name** Change a team's name	🔓

GET	**/teams/own** Get the list of teams the authenticated user is in	🔓

PUT	**/teams/picture** Set a team's picture	🔓

GET	**/teams/picture/{id}** Get a team's image file	🔓

DELETE	**/teams/remove** Remove a user from a team	🔓

Users ⌄

GET	**/users** Get the list of users	🔓

POST	**/users** Store a user join request	🔓

DELETE	**/users** Deny a user application	🔓

PUT	**/users/disable** Disable a user	🔓

PUT	**/users/enable** Enable a user	🔓

POST	**/users/finishRegistration** Validate U2F challenge for registration	🔓

POST	**/users/finishValidation** Validate U2F challenge for factor removal	🔓

PUT	**/users/ftp/disable** Disable a user's FTP access	🔓

PUT	**/users/ftp/enable** Enable a user's FTP access	🔓

PUT	**/users/ftp/quota/{id}** Change a user's FTP quota	🔓

PUT	**/users/investigator** Approve a new user with the investigator role	🔓

PUT	**/users/manager** Approve a new user with the manager role	🔓

POST	**/users/manager** Add a new user to the platform	🔓

GET	**/users/otp/secret** Generate a OTP secret to setup OTP authentication	🔓

PUT	**/users/otp/secret** Validate OTP secret to make permanent	🔓

POST **/users/otp/secret** Remove the OTP authentication factor 🔓

GET **/users/own** Get the authenticated user 🔓

PUT **/users/permissions/{id}** Change a user's content permissions 🔓

PUT **/users/picture** Change user's own picture 🔓

GET **/users/picture/{id}** Get a user's image file 🔓

PUT **/users/role** Change a user's role 🔓

GET **/users/startRegistration** Generate challenge for U2F registration 🔓

GET **/users/startValidation** Generate U2F challenge for factor removal 🔓

Schemas ⌄

ActivateUserRequest

Credentials

Permissions

Role

UserRequest

File

Repository

ListRepository

KeywordRequest

ListLong

AddTagRequest

ImageRequest

LogicalRequest

CaseAddRequest

NewTagRequest

CaseDetails

ModuleAttributes

ListModuleAttributes

ReportModuleItem

ModuleItem

ListModuleItem

TeamAddRequest

TeamChangeRequest

Info