KenSentMe 1.0.0 OAS3

/openapi

Authorize 🔓

Authentication ⌄

POST	**/authentication/activate-account** Activate account from e-mail message

POST	**/authentication/finishValidation/{username}/{secret}** Validate U2F Response

POST	**/authentication/login** Login Procedure

POST	**/authentication/login/otp** Validate OTP

POST	**/authentication/recover-password** Request password recovery e-mail

| POST	**/authentication/reset-password** Reset password and multi factor auth

GET	**/authentication/startValidation/{username}/{secret}** Get U2F Challenge

Board ⌄

GET `/board/directory/children/prev/{id}/{current}/{firstId}/{limit}` Get previous page of a directory's contents 🔓

GET `/board/directory/children/{id}/{current}/{lastId}/{limit}` Get page of a directory's contents 🔓

POST `/board/keyword` Run a keyword search 🔓

POST `/board/keyword/prev` Get the previous keyword search page 🔓

GET `/board/reports/prev/{current}/{firstId}/{limit}` Get previous page of reports 🔓

GET `/board/reports/{current}/{lastId}/{limit}` Get page of reports 🔓

GET `/board/results` Get the listing of artifact categories 🔓

GET `/board/results/artifacts/prev/{id}/{current}/{firstId}/{limit}` Get previous page of artifact of a specific type 🔓

GET `/board/results/artifacts/setname/prev/{setname}/{current}/{firstId}/{limit}` Get previous page of artifacts of a specific set name 🔓

GET `/board/results/artifacts/setname/{setname}/{current}/{lastId}/{limit}` Get page of artifacts of a specific set name 🔓

GET `/board/results/artifacts/{id}/{current}/{lastId}/{limit}` Get page of artifact of a specific type 🔓

GET `/board/results/generic/{result}` Get the listing of an artifact category 🔓

POST `/board/search/prev/{current}/{firstId}/{limit}` Get previous page of a file search query 🔓

POST `/board/search/{current}/{lastId}/{limit}` Get a page of a file search query 🔓

GET `/board/sources` Get the listing of data sources 🔓

GET `/board/sources/{id}` Get contents of the selected data source 🔓

GET `/board/tags` Get the listing of tag types 🔓

GET `/board/tags/files/prev/{id}/{current}/{firstId}/{limit}` Get previous page of file tags for a specific tag 🔓

GET `/board/tags/files/{id}/{current}/{lastId}/{limit}` Get page of file tags for a specific tag 🔓

GET `/board/tags/results/prev/{id}/{current}/{firstId}/{limit}` Get previous page of file tags for a specific tag 🔓

GET `/board/tags/results/{id}/{current}/{lastId}/{limit}` Get page of result tags for a specific tag 🔓

GET `/board/tags/{id}` Get the total usages of result and file tags for a tag type 🔓

GET `/board/views` Get the listing of file views 🔓

GET `/board/views/deleted/prev/{view}/{current}/{firstId}/{limit}` Get previous page of files from a specific deleted files view 🔓

GET `/board/views/deleted/{view}/{current}/{lastId}/{limit}` Get page of files from a specific deleted files view 🔓

GET `/board/views/filter/prev/{filterId}/{current}/{firstId}/{limit}` Get previous page of files filtered by extension 🔓

GET `/board/views/filter/{filterId}/{current}/{lastId}/{limit}` Get page of files filtered by extension 🔓

GET `/board/views/generic/{view}` Get contents of a specific view 🔓

GET `/board/views/mimes/prev/{mime}/{current}/{firstId}/{limit}` Get previous page of files of a specific mime type 🔓

GET `/board/views/mimes/{mime}/{current}/{lastId}/{limit}` Get page of files of a specific mime type 🔓

GET `/board/views/size/prev/{view}/{current}/{firstId}/{limit}` Get previous page of files from a specific size view 🔓

GET `/board/views/size/{view}/{current}/{lastId}/{limit}` Get page of files from a specific size view 🔓

GET `/board/volume/prev/{id}/{current}/{firstId}/{limit}` Get previous page of a volume's contents 🔓

GET `/board/volume/{id}/{current}/{lastId}/{limit}` Get page of a volume's contents 🔓

CSV ⌄

GET `/csv/directory/children/{id}` Get csv of a directory's contents 🔓

POST `/csv/keyword` Get csv of a keyword search 🔓

GET `/csv/reports` Get csv of reports 🔓

GET	**/csv/results** Get csv of artifact categories	🔓
GET	**/csv/results/artifacts/setname /{setname}** Get csv of artifacts of a specific set name	🔓
GET	**/csv/results/artifacts/{id}** Get csv of artifact of a specific type	🔓
GET	**/csv/results/generic/{result}** Get csv of an artifact category	🔓
GET	**/csv/sources** Get csv of data sources	🔓
GET	**/csv/sources/{id}** Get csv of the selected data source	🔓
GET	**/csv/tags** Get csv of tag types	🔓
GET	**/csv/tags/files/{id}** Get csv of file tags for a specific tag	🔓
GET	**/csv/tags/results/{id}** Get csv of result tags for a specific tag	🔓
GET	**/csv/tags/{id}** Get csv of total usages of result and file tags for a tag type	🔓
GET	**/csv/views** Get csv of file views	🔓
GET	**/csv/views/deleted/{view}** Get csv of files from a specific deleted files view	🔓
GET	**/csv/views/filter/{filterId}** Get csv of files filtered by extension	🔓
GET	**/csv/views/generic/{view}** Get csv of the contents of a specific view	🔓
GET	**/csv/views/mimes/{mime}** Get csv of files of a specific mime type	🔓
GET	**/csv/views/size/{view}** Get csv of files from a specific size view	🔓
GET	**/csv/volume/{id}** Get csv of a volume's contents	🔓

Cases ⌄

GET	**/case** Get the currently open case	🔓

POST `/case` Create a case

DELETE `/case` Delete the currently open case

GET `/case/close` Close the currently open case

GET `/case/comment/artifact/{id}` Get central repository comment for a file using an artifact id

POST `/case/comment/artifact/{id}` Submit central repository comment for a file using an artifact id

GET `/case/comment/content/{id}` Get central repository comment of a file

POST `/case/comment/content/{id}` Submit central repository comment for a file

GET `/case/database` Get a list of the existing case entities

PUT `/case/database` Assign team to case

DELETE `/case/database` Revoke access to a case for a team

GET `/case/database/own` Get a list of the cases the authenticated user has access to

POST `/case/datasource/image` Add a disk image as data source

POST `/case/datasource/imager` Add autopsy logical imager files as data source

POST `/case/datasource/logical` Add logical file set as data source

GET `/case/details` Get the details of the currently open case

GET `/case/entity` Get the currently open case entity

GET `/case/export` Export the current case to the user's FTP directory

POST `/case/import` Import a case from the user's FTP directory

GET `/case/ingest` Stop the currently running ingest jobs

GET	`/case/ingest/running` Get status of whether an ingest job is running	🔓
GET	`/case/ingest/{id}` Get a list of enabled ingest modules	🔓
POST	`/case/ingest/{id}` Run a set of ingest modules	🔓
GET	`/case/metadata` Get the currently open case's metadata	🔓
GET	`/case/mimes` Get a list of MIME Types	🔓
POST	`/case/open` Open a case	🔓
PUT	`/case/picture` Set the case's picture	🔓
GET	`/case/picture/{id}` Get a case's image file	🔓
POST	`/case/portable` Unpack a portable case and open as current case	🔓
GET	`/case/projects` Get a list of the existing cases	🔓
GET	`/case/recent` Get a list of the recently opened cases	🔓
GET	`/case/reports` Get a list of enabled report modules	🔓
POST	`/case/reports` Generate a report	🔓
POST	`/case/reports/delete` Delete the selected reports	🔓
GET	`/case/reports/download/{id}` Download report	🔓
GET	`/case/restore/{id}` Restore database using a backup	🔓
GET	`/case/snapshot` Backup current database state	🔓
DELETE	`/case/snapshot/{case}/{id}` Delete database snapshot	🔓
GET	`/case/sources` Get the contents of the user's ftp directory	🔓

GET	**/case/sources/moved** Get info about moved data sources	🔓

POST	**/case/sources/moved** Replace moved data source path	🔓

GET	**/case/summary** Get the current case's data source summary	🔓

GET	**/case/tags** Get a list of the existing tag names	🔓

POST	**/case/tags/artifact** Add a result tag	🔓

POST	**/case/tags/artifact/create** Create a new tag and add a result tag	🔓

POST	**/case/tags/artifact/create/replace** Create a new tag and replace a result tag	🔓

POST	**/case/tags/artifact/replace** Replace a result tag	🔓

GET	**/case/tags/artifact/{id}** Get tags added to an artifact	🔓

DELETE	**/case/tags/artifact/{id}** Remove a result tag	🔓

POST	**/case/tags/content** Add a file tag	🔓

POST	**/case/tags/content/create** Create a new tag and add a file tag	🔓

POST	**/case/tags/content/create/replace** Create a new tag and replace a file tag	🔓

POST	**/case/tags/content/replace** Replace a file tag	🔓

GET	**/case/tags/content/{id}** Get tags added to a file	🔓

DELETE	**/case/tags/content/{id}** Remove a file tag	🔓

GET	**/case/timezones** Get a list of timezones	🔓

Content ⌄

POST	**/content/download** Download the currently selected files	🔓

GET	**/content/file/{id}** Get video or image as file to display in application tab	🔓
GET	**/content/hex/{id}/{page}** Get specific page of the hex contents of a file	🔓
GET	**/content/html/{id}** Get html as file for application tab	🔓
GET	**/content/image/{id}** Get image for thumbnail view	🔓
GET	**/content/indexed/{id}/{artifact}/{page}** Get specific page of the indexed text of a file	🔓
GET	**/content/registry/{id}** Get registry object for application tab	🔓
GET	**/content/results/{id}/{page}** Get specific page of the results tab	🔓
GET	**/content/sqlite/{id}/{table}/{rows}/{page}** Get specific table page of sqlite file	🔓
GET	**/content/text/{id}/{page}** Get specific page of the file's text contents	🔓
GET	**/content/{id}/{artifact}** Get file or artifact details for content viewer	🔓

Explorer ⌄

GET	**/explorer** Get the case's directory tree	🔓
GET	**/explorer/{id}** Expand contents of a directory in the tree	🔓

Files ⌄

GET	**/file** Get a list stored files	🔓
POST	**/file** Store a file	🔓
GET	**/file/{id}** Get a file by id	🔓
PUT	**/file/{id}** Set a stored file's details	🔓
DELETE	**/file/{id}** Delete a stored file	🔓

Repositories

| GET | **/repository** Get a list of saved repositories |

| PUT | **/repository** Edit an existing repository entry |

| POST | **/repository** Add a new repository entry |

| POST | **/repository/url** Get a specific repository by URL |

| DELETE | **/repository/{id}** Remove an existing repository entry |

Settings

| POST | **/settings/clone** Sync repositories based on remote list | 🔒 |

| POST | **/settings/clone/local** Sync repositories based on local list | 🔒 |

| GET | **/settings/ingest** Get list of added ingest modules | 🔒 |

| GET | **/settings/ingest/delete/{className}** Remove an ingest module | 🔒 |

| GET | **/settings/ingest/disable/{className}** Disable an ingest module | 🔒 |

| GET | **/settings/ingest/enable/{className}** Enable an ingest module | 🔒 |

| POST | **/settings/nbm** Unsupported - Add NBM module | 🔒 |

| GET | **/settings/repo** Get repository list from remote server | 🔒 |

| GET | **/settings/report** Get list of added report modules | 🔒 |

| GET | **/settings/report/delete/{className}** Remove a report module | 🔒 |

| GET | **/settings/report/disable/{className}** Disable a report module | 🔒 |

| GET | **/settings/report/enable/{className}** Enable a report module | 🔒 |

| GET | **/settings/tags** Get list of tag definitions | 🔓 |

| DELETE | **/settings/tags/{index}** Delete a tag definition | 🔓 |

| POST | **/settings/zip** Upload module(s) in zip format | 🔓 |

Teams ⌄

| GET | **/teams** Get the list of teams | 🔓 |

| PUT | **/teams** Add user to a team | 🔓 |

| POST | **/teams** Create a new team | 🔓 |

| DELETE | **/teams** Delete a team | 🔓 |

| PUT | **/teams/name** Change a team's name | 🔓 |

| GET | **/teams/own** Get the list of teams the authenticated user is in | 🔓 |

| PUT | **/teams/picture** Set a team's picture | 🔓 |

| GET | **/teams/picture/{id}** Get a team's image file | 🔓 |

| DELETE | **/teams/remove** Remove a user from a team | 🔓 |

Users ⌄

| GET | **/users** Get the list of users | 🔓 |

| POST | **/users** Store a user join request | 🔓 |

| DELETE | **/users** Deny a user application | 🔓 |

| PUT | **/users/disable** Disable a user | 🔓 |

| PUT | **/users/enable** Enable a user | 🔓 |

POST	**/users/finishRegistration** Validate U2F challenge for registration	🔓
POST	**/users/finishValidation** Validate U2F challenge for factor removal	🔓
PUT	**/users/ftp/disable** Disable a user's FTP access	🔓
PUT	**/users/ftp/enable** Enable a user's FTP access	🔓
PUT	**/users/ftp/quota/{id}** Change a user's FTP quota	🔓
PUT	**/users/investigator** Approve a new user with the investigator role	🔓
PUT	**/users/manager** Approve a new user with the manager role	🔓
POST	**/users/manager** Add a new user to the platform	🔓
GET	**/users/otp/secret** Generate a OTP secret to setup OTP authentication	🔓
PUT	**/users/otp/secret** Validate OTP secret to make permanent	🔓
POST	**/users/otp/secret** Remove the OTP authentication factor	🔓
GET	**/users/own** Get the authenticated user	🔓
PUT	**/users/permissions/{id}** Change a user's content permissions	🔓
PUT	**/users/picture** Change user's own picture	🔓
GET	**/users/picture/{id}** Get a user's image file	🔓
PUT	**/users/role** Change a user's role	🔓
GET	**/users/startRegistration** Generate challenge for U2F registration	🔓
GET	**/users/startValidation** Generate U2F challenge for factor removal	🔓

Schemas

Repository ›

ListRepository ›

File ›

TeamAddRequest ›

TeamChangeRequest ›

Info ›

KeywordRequest ›

DataSourceFilter ›

DateSearchFilter ›

HashSearchFilter ›

KnownStatusSearchFilter ›

MimeTypeFilter ›

NameSearchFilter ›

SizeSearchFilter >

ListString >

TimeZone >

ListLong >

SearchRequest >

AddTagRequest >

ImageRequest >

LogicalRequest >

CaseAddRequest >

NewTagRequest >

CaseDetails >

ModuleAttributes >

ListModuleAttributes >

ReportModuleItem >

MovedSource >

ModuleItem >

ListModuleItem >

ActivateUserRequest >

Credentials >

Permissions >

Role >

UserRequest >