



PRE-POOL

DAY 06




PRE-POOL



Code wars

In addition to the tasks below, you must go as far as possible in this code wars collection. Try to solve the first one until the last one without skipping challenges! Work on it as soon as you have a bit of time, or whenever you need a break in you day!



Basic functions

Task 00



Can you explain this piece of code?

```
def f(x):  
    return 2 * x + 1  
  
def g():  
    return 7  
  
y = f(2)  
print(y)  
y = f(5) + g()  
print(y)
```

Task 01



Using the following functions, display a lettuce-tomato-double ham sandwich in your terminal.

```
def bread():  
    print("</////////>")  
  
def lettuce():  
    print("~~~~~")  
  
def tomato():  
    print("0 0 0 0 0 0")  
  
def ham():  
    print("=====")
```



You could write it on Flowgorithm.

Task 02



Make 42 of those lettuce-tomato-double ham sandwiches.



Flowgorithm again and again.

Task 03



Write a function that takes the number of sandwiches to prepare as a parameter and displays as many sandwiches as requested.



You must check that the parameter is correct (strictly positive).
If not, print "I can't do this".

Task 04



Add a new parameter to your previous function.
It should provide the possibility to make a vegetarian sandwich (double vegetables and no ham).
If this option is not specified, by default, the sandwich must be a lettuce-tomato-double ham one.

CHALLENGE

Write a little program that computes the power function as fast as possible.

How long does it take to compute 42^{84} ?

How long does it take to compute 42^{168} ?



You are not allowed to use the system function.

CHALLENGE



Recursion

Task 01



Write a recursive function that tests if a string is a palindrome, such as “kayak”, “never odd or even” or “Was it a car or a cat I saw?”.



You should strip out the spaces and punctuation signs.

Task 02




Write a program that lists all the files and directories in the current directories, as well as all files and directories in its sub-directories and so on.



It should behave similarly as the `ls -R` command.



`os.listdir()`, `os.path`, `os.walk()`,...



Higher-order functions

Task 00



Write 5 functions, each taking a string s and an integer n as parameters and returning a boolean:

- ✓ *funA* checks if s contains at least n lowercase letters;
- ✓ *funB* checks if s contains at least n uppercase letters;
- ✓ *funC* checks if s contains at least n characters;
- ✓ *funD* checks if s contains at least n special characters;
- ✓ *funE* checks if s contains at least n numbers.

Task 01



Write a generic function that checks if a password is valid.
This function should be callable the following way:

```
check_password(lower, 4, "mysecretpassword") and check_password(special, 2, "mysecretpassword")
```

Task 02



Add an error management system to your previous function.





{EPITECH}
LEARN DIFFERENT*