
Training-label separation in the authors' released M1 traces
Descriptive reanalysis of 5,000 rows per condition; no new hardware measurements
Conditional / performance
Conditional / efficiency
Indirect / performance
Indirect / efficiency
1.000 1.000 1.000 1.000 1.000 1.000 1.000 0.509 1.000 0.508 1.000 0.505
1.000 1.000 1.000 1.000 1.000 1.000 1.000 0.505 1.000 0.497 1.000 0.496
1.000 1.000 1.000 0.464 1.000 0.504 1.000 0.495 1.000 0.508 1.000 0.495
1.000 1.000 1.000 0.523 1.000 0.655 1.000 0.516 1.000 0.498 1.000 0.510
User/user Fetch
User/user Execute
User/kernel Fetch
User/kernel Execute
Different ASID Fetch
Different ASID Execute
Phantom User/user Fetch
Phantom User/user Execute
Phantom User/kernel Fetch
Phantom User/kernel Execute
Phantom Different ASID Fetch
Phantom Different ASID Execute
P(T latency < N latency) + 0.5 × ties
1.0
0.8
0.6
0.4
0.2
0.0
0.5 indicates no rank preference; values near 1 mean T is usually faster. This is not an automatic reconstruction of the paper's check marks.
Source: Ravichandran and Yan, Fractal artifact, DOI 10.5281/zenodo.19557478