# Visoka škola strukovnih studija za informacione ikomunikacione tehnologije

# Online video shop

https://xtwofacex.github.io/

Radio: Aleksandar Simić 31/21

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web programiranje 2

# Sadržaj

1.Uvod	3
1.1Korišćeni programski jezici I tehnologije	3
1.20pis funkcionalnosti	3
2.Organizacija	4
2.1Mapa sajta(sitemap)	4
2.2Šema organizacije	5
2.3Organizacija sajta I funkcionalnosti na tim delovima	5
2.3.1Index strana	5
2.3.2Pricing strana	7
2.3.3Examples strana	9
2.3.4Cart strana	11
2.3.5Contact	12
2.3.6About strana	13
3.Kodovi	14
3.1HTML	14
3.1.1Index strana	14
3.1.2Pricing strana	18
3.1.3Examples strana	21
3.1.4Cart strana	24
3.1.5Contact strana	27
3.1.6About strana	29
3.2CSS i responsive	32
3.3JavaScript	40
3.4JSON	64

## 1.Uvod

## 1.1 Korišćeni programski jezici I tehnologije

- HTML 5
- CSS3
- Bootstrap
- Adobe Photoshop
- Adobe Premier Pro
- jQuery
- JavaScript
- JSON
- XML(sitemap)

## 1.20pis funkcionalnosti


- Dinamičko učitavanje navigacionog menija
- Dinamičko učitavanje sekcije tim
- Interaktivno slajder koji sam menja slike na svake 4 sekunde
- Dinamičko učitavanje sekcije projects
- Dinamičko učitana sekcija za formu
- Provera forme kao I klik na taster Send request, u koliko je forma pravilno popunjenja korisniku će ispisati da je uspesno poslat zahtev, u suprotnom će se ispisati greška kao I primer kako treba pravilno popuniti formu.
- Dinamičko učitavanje sekcije Pricing koja ima dva tastera jedan koji vodi ka stranici Examples a drugi taster dodaje paket u korpu. U koliko isti paket postoji u korpi prikazaće se poruka da proizvod vec postoji u korpi
- Dinamičko učitavanje sekcije examples. Sa leve strane je dinamički ucitana sekcija za search, sortiranje, filtriranje (za tipove, format, I dodaci) a sa desne dinamicki prikazani video klipovi.
- U sekciji korpa inicijalno ce biti ispisana poruka da nema proizvoda u korpi a u slucaju da korisnik doda proizvod u korpu ispisaće se blok koji sadrži redni broj sliku paketa, naziv paketa, cenu paketa, kolicinu, ukupna cena za taj paket, polje gde treba korisnik da ubaci video I taster da se taj proizvod izbaci. Zatim ima ukupna cena svih paketa i dva tastera, jedan taster da izbaci sve proizvode iz korpe a drugi taster da korisnik poruci paket.
- Dinamičko učitavanje footera

# 2. Organizacija

## 2.1Mapa sajta(sitemap)


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/0.9">
   <url>
       <loc>https://xtwofacex.github.io/</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>1</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/pricing.html</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>0.98</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/examples.html</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>0.95</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/cart.html</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>0.94</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/contact.html</loc>
       <lastmod>2022-4-2</lastmod>
       <changefreq>daily</changefreq>
       <priority>0.90</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/about.html</loc>
       <lastmod>2022-4-2
       <changefreq>weekly</changefreq>
       <priority>0.80</priority>
   </url>
</urlset>
```

# 2.2 Šema organizacije



# 2.3Organizacija sajta I funkcionalnosti na tim delovima

# 2.3.1 Index strana



About us

Welcome to our editing company. We are from Serbia and we have been editing videos for quite some time now. We started it as a hoby and now we are doing it professionally.

We are mostly doing gaming videos at the moment, but we are looking to improve on some areas and we are trying to learn a lot new stuff for example car commercials etc.

In terms of programs we are using adobe premiere pro for editing, adobe photoshop for thumbnails and some other programs that help us create content for the customers.


#### Meet our team











Our biggest projects









CODEX


U header se dinamički ispisuje navigacioni meni koji ima hover efekat I menja mu se boja u crno. Potom imamo bozadinsku sliku I transparent blok sa sadrzajem. Sekcija meet our team je dinamički ispisan I korišćen je bootstrap card element koji prikazuje sliku I sadržaj. Zatim imamo slajder koji se automatski menja na 4 sekunde. U sekciji Our biggest projects sve je dinamički prikazano I korišćen je bootstrep element Kitchen sink koji smešta ovaj sadržaj. I za kraj footer deo gde se dinamički prikazuje ikonice koje su linkovane ka socijalnim mrezama takodje tu je I logo koji na klik vas vraca na početak strane.


#### 2.3.2 Pricing strana


# Our packages













Dinamičko učitavanje sekcije Pricing iz JSON(order.json) koja ima ime paketa, opis,cena (moze imati staru cenu) i dodatne stavke,i koja ima dva tastera jedan koji vodi ka stranici Examples a drugi taster dodaje paket u korpu. U koliko isti paket postoji u korpi prikazaće se poruka da proizvod vec postoji u korpi


# 2.3.3Examples strana

















Dinamičko učitavanje sekcije examples iz JSON(type,sort,format,extras i products). Sa leve strane je dinamički ucitana sekcija za search, sortiranje, filtriranje (za tipove, format, I dodaci) a sa desne dinamicki prikazani video klipovi. Sve opcije za search sort I filter su sinhronizovane I u slucaju da postoji proizvodi sa zadatom kombinacijom oni će se prikazati. A u slučaju da nema proizvoda za zadatu kombinaciju ispisaće se poruka da nema proizvoda.

#### 2.3.4 Cart strana




The total price is \$80



Quantity must be a number and can be minimum 1 and maximum 5 and video file must end with these formats: .mp4 or .mkv or .m4v


There are no items in the cart You have successfully placed the order U sekciji korpa inicijalno ce biti ispisana poruka da nema proizvoda u korpi a u slucaju da korisnik doda proizvod u korpu ispisaće se blok koji sadrži redni broj sliku paketa, naziv paketa, cenu paketa, kolicinu, ukupna cena za taj paket, polje gde treba korisnik da ubaci video I taster da se taj proizvod izbaci. Zatim ima ukupna cena svih paketa i dva tastera, jedan taster da izbaci sve proizvode iz korpe a drugi taster da korisnik poruci paket pri čemu će se svi proizvodi izbrisati iz korpe I napisaće se poruke da je uspesno poruceno I da je korpa trenutno prazna.

#### 2.3.5 Contact strana



Dinamičko učitana sekcija za formu preko JSON(formContact). Provera forme kao I klik na taster **Send request**, u koliko je forma pravilno popunjenja korisniku će ispisati da je uspesno poslat zahtev, u suprotnom će se ispisati greška kao I primer kako treba pravilno popuniti formu.

#### 2.3.6Autor strana



Autor strana je dinamički ispisana

#### 3.1.1 Index strana

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <!--Title-->
    <title>Codex | Professional editing company</title>
    <link rel="icon" href="assets/img/logo.jpg"/>
    <!--Keywords & Description-->
    <meta name="keywords" content="Codex, Video Editing, business, projects,</pre>
pricing, about us"/>
    <meta name="description" content="Welcome to our editing site.If you need the</pre>
video editor for your YouTube videos, you have come to the right place."/>
    <!--CSS, Responsive CSS-->
    <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
    <!--Bootstrap 5 CSS-->
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
</head>
<body>
    <div class="container-fluid">
        <div class="row">
            <div class="col-12" id="aiax">
            </div>
        </div>
    </div>
    <div class="container-fluid ps-0 pe-0">
        <div class="row">
            <div class="col as-bg-gray">
                <nav class="navbar navbar-expand-lg bg-body-tertiary">
                    <div class="container-fluid">
```

```
<a class="navbar-brand text-black as-font fs-2" id="naslov"</pre>
href="index.html">CODEX</a>
                       <div id="as-navbar" class="blok">
                           </div>
                   </div>
               </nav>
           </div>
       </div>
   </div>
    <div class="container-fluid bg-img pe-0 ps-0">
       <div class="row">
           <div class="col-lg-6 rounded-3 col-11 random as-transparent mx-auto">
               <h1 class="text-black">Are you looking for a professional gaming
video?</h1>
               <h2 class="text-black">You have come to the right place.</h2>
           </div>
       </div>
    </div>
    <div class="container-fluid pe-0 ps-0 ">
       <div class="row">
           <div class="col-12 as-about-h1">
               <h1>About us</h1>
           </div>
       </div>
       <div class="row">
           <div class="col-12 as-about-h1">
               Welcome to our editing company. We are from Serbia and we have
been editing videos for quite some time now. We started it as a hoby and now we
are doing it professionally.
               We are mostly doing gaming videos at the moment, but we are
looking to improve on some areas and we are trying to learn a lot new stuff for
example car commercials etc.
               In terms of programs we are using adobe premiere pro for
editing, adobe photoshop for thumbnails and some other programs that help us
create content for the customers.
           </div>
       </div>
   </div>
    <div class="container-fluid pe-0 ps-0 ">
       <div class="row">
           <div class="col-12 as-about-h2">
             <h2>Meet our team</h2>
           </div>
```

```
</div>
        <div class="row" id="as-tim">
            <!--Dinamicki ispisano-->
        </div>
    </div>
    <div class="container-fluid pe-0 ps-0">
        <div class="row">
            <div class="col" id="slajder">
                <div class="slajd aktivan">
                     <img src="assets/img/slika11.jpg" alt="editing" class="img-</pre>
fluid"/>
                </div>
                <div class="slaid">
                     <img src="assets/img/slika22.jpg" alt="video" class="img-</pre>
fluid"/>
                </div>
                <div class="slajd">
                     <img src="assets/img/slika33.jpg" alt="professional"</pre>
class="img-fluid"/>
                </div>
            </div>
        </div>
    </div>
    <div class="container-fluid pe-0 ps-0">
        <div class="row">
          <div class="col-12 as-about-h1">
              <h1>Our biggest projects</h1>
          </div>
        </div>
        <div class="row" id="as-projects">
          <!--Dinamicki ispisano-->
        </div>
    </div>
    <div class="container-fluid pe-0 ps-0">
        <div class="row">
          <div class="col">
            <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
              <div class="container-fluid as-pozicija as-footer">
                <a class="navbar-brand as-font text-black fs-3 ps-5 as-promena2"</pre>
href="index.html" id="footer">CODEX</a>
                <div id="ikone" class="blok">
                </div>
              </div>
            </nav>
          </div>
```

#### 3.1.2 Pricing strana

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <!--Title-->
    <title>Codex | Professional editing company</title>
    <link rel="icon" href="assets/img/logo.jpg"/>
    <!--Keywords & Description-->
    <meta name="keywords" content="Codex, Pricing, Bronze, Silver, Gold,</pre>
Shorts"/>
    <meta name="description" content="Welcome to our pricing page.You can choose</pre>
a package that you would like to order."/>
    <!--CSS, Responsive CSS-->
    <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
    <!--Bootstrap 5 CSS-->
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
</head>
<body>
    <div class="container-fluid">
        <div class="row">
            <div class="col-12" id="ajax">
                <!--Dinamicki ispisano-->
            </div>
        </div>
    </div>
    <div class="container-fluid ps-0 pe-0">
        <div class="row">
            <div class="col as-bg-gray">
                <nav class="navbar navbar-expand-lg bg-body-tertiary">
                    <div class="container-fluid">
```

```
<a class="navbar-brand text-black as-font fs-2" id="naslov"</pre>
href="index.html">CODEX</a>
                       <div id="as-navbar" class="blok">
                           <!--Dinamicki ispisano-->
                           </div>
                   </div>
               </nav>
           </div>
       </div>
    </div>
    <div class="container-fluid ps-0 pe-0">
       <div class="row">
           <div class="col-12 as-about-h1 pb-3">
               <h1>0ur packages</h1>
           </div>
       </div>
        <div class="row justify-content-center" id="priceshow">
           <!-- Dinamicki ispisano -->
       </div>
    </div>
    <div class="container-fluid pe-0 ps-0">
       <div class="row">
         <div class="col">
           <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
             <div class="container-fluid as-pozicija as-footer">
               <a class="navbar-brand as-font text-black fs-3 ps-5 as-promena2"</pre>
href="index.html" id="footer">CODEX</a>
               <div id="ikone" class="blok">
               </div>
             </div>
           </nav>
         </div>
       </div>
   </div>
    <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
    <!--Bootstrap 5 Js-->
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js
 integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
```

#### 3.1.3 Examples strana

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <!--Title-->
    <title>Codex | Professional editing company</title>
    <link rel="icon" href="assets/img/logo.jpg"/>
    <!--Keywords & Description-->
    <meta name="keywords" content="Codex, Video Editing, Examples"/>
    <meta name="description" content="Welcome to our example page.Here you can</pre>
see our work that we have done in the past."/>
    <!--CSS, Responsive CSS-->
    <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
    <!--Bootstrap 5 CSS-->
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
</head>
<body>
    <div class="container-fluid">
        <div class="row">
            <div class="col-12" id="ajax">
                <!-- Dinamicki ispisano -->
            </div>
        </div>
    <div class="container-fluid ps-0 pe-0">
        <div class="row">
            <div class="col as-bg-gray">
                <nav class="navbar navbar-expand-lg bg-body-tertiary">
                    <div class="container-fluid">
                      <a class="navbar-brand text-black as-font fs-2" id="naslov"</pre>
href="index.html">CODEX</a>
```

```
<div id="as-navbar" class="blok">
                           <!-- Dinamicki ispisano -->
                           </div>
                   </div>
               </nav>
           </div>
       </div>
    </div>
    <div class="container-fluid ps-0 pe-0">
       <div class="row">
           <div class="col-lg-3 col-12 ps-2 pe-5" id="filteri">
           <div class="col-lg-9 col-12" id="videos">
               <!-- Dinamicki ispisano -->
           </div>
       </div>
    </div>
    <div class="container-fluid pe-0 ps-0">
       <div class="row">
         <div class="col">
           <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
             <div class="container-fluid as-pozicija as-footer">
               <a class="navbar-brand as-font text-black fs-3 ps-5 as-promena2"</pre>
href="index.html" id="footer">CODEX</a>
               <div id="ikone" class="blok">
               </div>
             </div>
           </nav>
         </div>
       </div>
   </div>
    <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
    <!--Bootstrap 5 Js-->
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js
 integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
    <!--Java Script-->
   <script src="mojJs/myjs.js" type="text/javascript"></script>
   <!--Jauery-->
```

#### 3.1.4 Cart strana

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <!--Title-->
    <title>Codex | Professional editing company</title>
    <link rel="icon" href="assets/img/logo.jpg"/>
    <!--Keywords & Description-->
    <meta name="keywords" content="Codex, Cart"/>
    <meta name="description" content="Welcome to your cart page.Here you can see</pre>
what you have added in the cart and you can order from this page"/>
    <!--CSS, Responsive CSS-->
    <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
    <!--Bootstrap 5 CSS-->
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
</head>
<body>
    <div class="container-fluid">
        <div class="row">
            <div class="col-12" id="ajax">
                <!-- Dinamicki ispisano -->
            </div>
        </div>
    <div class="container-fluid ps-0 pe-0">
        <div class="row">
            <div class="col as-bg-gray">
                <nav class="navbar navbar-expand-lg bg-body-tertiary">
                    <div class="container-fluid">
                      <a class="navbar-brand text-black as-font fs-2" id="naslov"</pre>
href="index.html">CODEX</a>
```

```
<div id="as-navbar" class="blok">
                           <!-- Dinamicki ispisano -->
                           </div>
                   </div>
               </nav>
           </div>
       </div>
    </div>
    <div class="container-fluid ps-0 pe-0">
       <div class="row justify-content-center mt-5" id="sadrzaj">
           <!-- Dinamicki ispisano -->
       </div>
       <div class="container">
           <div class="row">
               <div class="col-12" id="suma"><!-- Dinamicki ispisano --></div>
           </div>
       </div>
       <div class="container">
           <div class="row">
               <div class="col-12" id="poruceno"><!-- Dinamicki ispisano --</pre>
></div>
           </div>
       </div>
   </div>
   <div class="container-fluid pe-0 ps-0">
       <div class="row">
         <div class="col">
           <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
             <div class="container-fluid as-pozicija as-footer">
               <a class="navbar-brand as-font text-black fs-3 ps-5 as-promena2"</pre>
href="index.html" id="footer">CODEX</a>
               <div id="ikone" class="blok">
               </div>
             </div>
         </div>
       </div>
   </div>
    <!--Ikonice-->
    <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
   <!--Bootstrap 5 Js-->
```

#### 3.1.5 Contact strana

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <!--Title-->
    <title>Codex | Professional editing company</title>
    <link rel="icon" href="assets/img/logo.jpg"/>
    <!--Keywords & Description-->
    <meta name="keywords" content="Codex, Contact"/>
    <meta name="description" content="Welcome to our contact page.If you have any</pre>
questions/problems feel free to contact us."/>
    <!--CSS, Responsive CSS-->
    <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
    <!--Bootstrap 5 CSS-->
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
</head>
<body>
    <div class="container-fluid">
        <div class="row">
            <div class="col-12" id="ajax">
                <!-- Dinamicki ispisano -->
            </div>
        </div>
    <div class="container-fluid ps-0 pe-0">
        <div class="row">
            <div class="col as-bg-gray">
                <nav class="navbar navbar-expand-lg bg-body-tertiary">
                    <div class="container-fluid">
                      <a class="navbar-brand text-black as-font fs-2" id="naslov"</pre>
href="index.html">CODEX</a>
```

```
<div id="as-navbar" class="blok">
                         <!-- Dinamicki ispisano -->
                         </div>
                  </div>
              </nav>
          </div>
       </div>
   </div>
   <div class="container-fluid ps-0 pe-0">
       <div class="row">
           <div class="col-lg-6 col-12" id="tekst">
              <h1 class="as-about-h1 mb-5 my-3">Contact us</h1>
              If you have any questions about our work,
prices or anything feel free to let us know.
              Our service will respond to your email
within 12 hours.
              E-mail: codex@gmail.com
          <div class="col-lg-6 col-12">
              <h1 class="as-about-h1 mb-5 my-3">Fill in the form here</h1>
              <div id="form" class="mb-5">
              </div>
          </div>
       </div>
   </div>
   <div class="container-fluid pe-0 ps-0">
       <div class="row">
         <div class="col">
           <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
            <div class="container-fluid as-pozicija as-footer">
              <a class="navbar-brand as-font text-black fs-3 ps-5 as-promena2"</pre>
href="index.html" id="footer">CODEX</a>
              <div id="ikone" class="blok">
              </div>
            </div>
          </nav>
         </div>
       </div>
   </div>
   <!--Ikonice-->
   <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
```

#### 3.1.6 About strana

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <!--Title-->
    <title>Codex | Professional editing company</title>
    <link rel="icon" href="assets/img/logo.jpg"/>
    <!--Keywords & Description-->
    <meta name="keywords" content="Codex, Cart"/>
    <meta name="description" content="Welcome to your cart page.Here you can see</pre>
what you have added in the cart and you can order from this page"/>
    <!--CSS, Responsive CSS-->
    <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
    <!--Bootstrap 5 CSS-->
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
</head>
```

```
<body>
    <div class="container-fluid">
       <div class="row">
           <div class="col-12" id="ajax">
           </div>
       </div>
   </div>
    <div class="container-fluid ps-0 pe-0">
       <div class="row">
           <div class="col as-bg-gray">
               <nav class="navbar navbar-expand-lg bg-body-tertiary">
                   <div class="container-fluid">
                     <a class="navbar-brand text-black as-font fs-2" id="naslov"</pre>
href="index.html">CODEX</a>
                       <div id="as-navbar" class="blok">
                           </div>
                   </div>
               </nav>
           </div>
       </div>
   </div>
    <div class="container-fluid ps-0 pe-0" id="autordiv">
    </div>
    <div class="container-fluid pe-0 ps-0">
       <div class="row">
         <div class="col">
           <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
             <div class="container-fluid as-pozicija as-footer">
               <a class="navbar-brand as-font text-black fs-3 ps-5 as-promena2"</pre>
href="index.html" id="footer">CODEX</a>
               <div id="ikone" class="blok">
               </div>
             </div>
           </nav>
         </div>
       </div>
    </div>
    <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
    <!--Bootstrap 5 Js-->
```

# 3.2 CSS i responsive

```
padding: 0px;
    margin: 0px;
@font-face {
    font-family: font;
    src: url(OpenSans-VariableFont_wdth\,wght.ttf);
@font-face {
    font-family: fontheader;
    src: url(BungeeShade-Regular.ttf);
body {
    font-family: font;
a {
    text-decoration: none !important;
    color: #000 !important;
    padding-left: 20px;
a:hover {
    color: #000 !important
.as-font {
    font-family: fontheader;
.as-color {
    color: #636363 !important
.as-bg-gray {
    background-color: #f7f7f7 !important;
.as-center {
    text-align: center;
.as-transparent {
    background: rgba(255, 255, 255, 0.9);
.bg-img {
    background-image: url('../img/pozadina1.jpg');
    background-repeat: no-repeat;
    background-position: center;
```

```
padding-top: 300px;
    padding-bottom: 300px;
    background-size: cover;
.random h1 {
    text-align: center;
    padding-top: 50px;
    font-weight: 700;
.random h2 {
    text-align: center;
    padding-bottom: 50px;
    font-weight: 700;
.as-about-h1 {
    text-align: center;
.as-about-h2 {
    text-align: center;
.as-about-h1 h1 {
    padding-top: 50px;
    padding-bottom: 50px;
.as-about-h2 h2 {
    padding-top: 50px;
    padding-bottom: 50px;
.as-about-h1 p {
    font-size: 22px;
.row {
    --bs-gutter-x: 0rem !important;
.sakrij, .slajd{
    display: none;
#slajder .aktivan{
    display: block;
.as-width {
    width: 70%;
    margin-left: 70px;
    margin-bottom: 100px;
    text-align: center;
```

```
.as-project {
    width: 50%;
    margin-top: 50px;
    margin-bottom: 50px;
.as-transparent2 {
    background-color: #f0eded !important
.izbaci {
    display: none;
#form {
    padding-right: 20px;
#tekst {
    padding-right: 20px;
.form-check-input:checked {
    background-color: #212529 !important;
    border-color: #212529 !important;
.form-control {
    box-shadow: 0 0 0 .0rem rgba(0, 0, 0, 1) !important
.form-select {
    box-shadow: 0 0 0 .0rem rgba(0, 0, 0, 1) !important
.vid{
    margin-left: 15px;
    margin-right: 15px;
.opisi{
    text-align: center;
promena{
    color: #fff !important;
.slike{
    width: 100px;
    height: 100px;
table{
    margin: 0px auto;
```

```
#kraj{
    display: flex;
    justify-content: center;
#kraj button{
    margin-right: 1%;
    margin-left: 1%;
.prazno{
    margin: 0px auto;
.pozicija{
    display: flex;
    justify-content: center;
#broj1{
    width: 20%;
#broj2{
    width: 20%;
#broj3{
    width: 20%;
#broj4{
    width: 20%;
#about{
    width: 434PX;
    height: 578px;
#aboutdiv{
    margin: 0px;
    width: 100%;
@media screen and (max-width: 1441px){
    .random h1 {
        font-size: 35px;
    .random h2 {
        font-size: 32px;
    .as-about-h1 p {
       font-size: 20px;
```

```
padding-left: 5px;
        padding-right: 5px;
    .as-width {
        margin-left: 50px;
    .as-project {
        width: 70%;
@media screen and (max-width: 1025px){
    .random h1 {
        font-size: 28px;
    .random h2 {
        font-size: 24px;
    .as-about-h1 p {
        font-size: 19px;
    .as-width {
        margin-left: 75px;
    .as-project {
        width: 80%;
@media screen and (max-width: 993px){}
@media screen and (max-width: 769px){
    .as-width {
        margin-left: 60px;
    .as-project {
        width: 60%;
    #form {
        padding-left: 20px;
    #tekst {
        padding-left: 20px;
    #filteri{
        text-align: center;
        padding-left: 2rem !important;
        padding-right: 2rem !important;
```

```
@media screen and (max-width: 601px){
    #as-navbar{
        width: 100%;
    #naslov{
        margin: 0px auto;
        padding-bottom: 10px;
    #as-navbar ul{
        justify-content: center !important;
    }
    a{
        padding-left: 0px ;
    .as-about-h1 p {
        font-size: 16px;
    .as-width {
        width: 60%;
        margin: 50px auto;
    .as-width2{
        width: 90% !important;
    .ms-3 {
        margin-right: 1rem !important;
@media screen and (max-width: 481px){
    #as-navbar ul li {
        width: 100%;
        text-align: center;
    .random h1 {
        font-size: 25px;
    .random h2 {
        font-size: 21px;
@media screen and (max-width: 426px){
    .random h1 {
        font-size: 22px;
```

```
.random h2 {
        font-size: 19px;
    .as-promena2{
        width: 100%;
        text-align: center;
    .as-promena2 .ps-5 {
        padding-right: 3rem !important;
    #ikone{
        width: 100%;
    #footer{
        padding: 0rem !important;
@media screen and (max-width: 376px){
    .as-about-h1 p {
        font-size: 15px;
        padding-bottom: 5px;
    .as-width {
        width: 70%;
    .as-project {
        width: 70%;
    #about{
        width: 300PX;
        height: 400px;
@media screen and (max-width: 321px){
    .random h1 {
        font-size: 20px;
    .random h2 {
        font-size: 17px;
    .as-about-h1 p {
        padding-bottom: 10px;
    .as-width2{
```

```
width: 95% !important;
}
```

#### 3.3Java Script sa jQuery

```
window.onload = function(){
    $(document).ready(function(){
        let url = document.location.pathname;
        if(url == "/" || url == "/index.html"){
            ajaxCall("meny.json",function(niz){
                console.log(niz);
                ispisMeny(niz, "meny");
            });
            //tim
            ajaxCall("team.json",function(niz){
                console.log(niz);
                ispisTima(niz, "as-tim");
            });
            //projects
            ajaxCall("projects.json", function(niz){
                console.log(niz);
                ispisProjekata(niz, "as-projects");
            });
            //footer
            ajaxCall("footer.json",function(niz){
                console.log(niz)
                ispisFootera(niz, "ikone")
            })
            //slajder
            slajder();
        if(url == "/pricing.html"){
            ajaxCall("meny.json",function(niz){
                console.log(niz);
                ispisMeny(niz,"meny");
            });
            //paketi
            ajaxCall("order.json", function(niz){
                console.log(niz);
                ispisPaketa(niz, "priceshow");
                sacuvajLS("sviPaketi",niz)
                $(".dodaj").click(addToCart);
            })
            //footer
            ajaxCall("footer.json",function(niz){
```

```
console.log(niz)
                ispisFootera(niz, "ikone")
            });
        if(url == "/contact.html"){
            //meny
            ajaxCall("meny.json",function(niz){
                console.log(niz);
                ispisMeny(niz, "meny");
            });
            //form
            ajaxCall("formContact.json",function(niz){
                console.log(niz)
                ispisFormeKontakt(niz, "form");
            })
            //footer
            ajaxCall("footer.json", function(niz){
                console.log(niz)
                ispisFootera(niz,"ikone")
            });
            setTimeout(function(){
                let form = document.querySelector(`#forma`)
                console.log(form)
                $(document).on("click","#proveri",function(){
                    var brojGresaka = 0;
                    let reIme = /^[A-ZČĆŠĐŽ][a-zčćšđž]{2,14}(\s[A-ZČĆŠĐŽ][a-
zčćšđž]{2,14}){0,1}$/;
                    let rePrezime = /^[A-ZČĆŠĐŽ][a-zčćšđž]{2,14}(\s[A-ZČĆŠĐŽ][a-
zčćšđž]{2,14}){0,1}$/;
                    let reEmail = /^[a-z]{3,15}(\.[a-
z]{3,15})?\@((gmail\cdot.com)|(yahoo\cdot.com))$/;
                    let ime = $('#ime').val()
                    let prezime = $('#prezime').val()
                    let email = $('#mail').val()
                    let lista = document.querySelector('#floatingSelect')
                    let pitanje = lista.options[lista.selectedIndex].value
                    let opis = $('#TekstualnoPolje').val()
                    brojGresaka += proveraPodataka(ime, "#ime", reIme, "Name is in
the wrong format the rigth example: Aleksandar", brojGresaka);
                    brojGresaka +=
proveraPodataka(prezime,"#prezime",rePrezime,"Surname is in the wrong format the
rigth example: Simić",brojGresaka);
```

```
brojGresaka += proveraPodataka(email, "#mail", reEmail, "Email
is in the wrong format the rigth example: aca@gmail.com",brojGresaka);
                    if(opis.length < 5 || opis.length > 100){
                        brojGresaka++;
                        $('#TekstualnoPolje').parent().children(":last").removeCl
ass("izbaci")
                        $('#TekstualnoPolje').parent().children(":last").html("Mi
nimum 5 and maximum 100 characters");
                    else{
                        $('#TekstualnoPolje').parent().children(":last").addClass
("izbaci")
                        $('#TekstualnoPolje').parent().children(":last").html('')
                    if(pitanje == "0"){
                        brojGresaka++;
                        $('#floatingSelect').parent().children(":last").removeCla
ss("izbaci")
                        $('#floatingSelect').parent().children(":last").html("You
must choose a option");
                    else{
                        $('#floatingSelect').parent().children(":last").addClass(
"izbaci")
                        $('#floatingSelect').parent().children(":last").html('');
                    let check = $('input[name=ch]:checked')
                    if(check.length == 0){
                        brojGresaka++;
                        $('#flexCheckDefault').parent().next().removeCla
ss("izbaci")
                        $('#flexCheckDefault').parent().next().html("You
must check this");
                    else{
                        $('#flexCheckDefault').parent().next().addClass(
"izbaci")
                        $('#flexCheckDefault').parent().parent().next().html('');
                    console.log(brojGresaka);
                    if(brojGresaka == 0){
                        $('#odlican').children(":last").removeClass("izbaci")
                        document.querySelector('#forma').reset()
```

```
})
    },100)
if(url == "/examples.html"){
    ajaxCall("meny.json",function(niz){
        console.log(niz);
        ispisMeny(niz, "meny");
    });
    //format
    ajaxCall("format.json", function(niz){
        console.log(niz)
        sacuvajLS("sviFormati",niz)
    })
    //type
    ajaxCall("type.json",function(niz){
        console.log(niz)
        sacuvajLS("sviTipovi",niz)
    })
    //extras
    ajaxCall("extras.json", function(niz){
        console.log(niz)
        sacuvajLS("sviDodaci",niz)
    })
    //sort
    ajaxCall("sort.json",function(niz){
        console.log(niz)
        sacuvajLS("svaSortiranja",niz)
    })
    //Primeri
    ajaxCall("products.json", function(niz){
        console.log(niz)
        sacuvajLS("sviPrimeri",niz)
        ispisPrimera(niz)
    })
    //footer
    ajaxCall("footer.json", function(niz){
        console.log(niz)
        ispisFootera(niz,"ikone")
    });
    ispisFilter();
    let search = document.querySelector('#imeVidea')
    search.addEventListener("keyup",provera)
    $(document).on("change",".chf",provera)
```

```
$(document).on("change",".che",provera)
            $(document).on("change",".cht",provera)
            $(document).on("change","#sort",provera);
        if(url == "/cart.html"){
            //meny
            ajaxCall("meny.json",function(niz){
                console.log(niz);
                ispisMeny(niz, "meny");
            });
            //footer
            ajaxCall("footer.json", function(niz){
                console.log(niz)
                ispisFootera(niz, "ikone")
            });
            ispis()
            $(document).on("blur","#broj1",azuriranjeCene)
            $(document).on("blur","#broj2",azuriranjeCene)
            $(document).on("blur","#broj3",azuriranjeCene)
            $(document).on("blur","#broj4",azuriranjeCene)
        if(url == "/about.html"){
            //meny
            ajaxCall("meny.json",function(niz){
                console.log(niz);
                ispisMeny(niz, "meny");
            });
            //footer
            ajaxCall("footer.json", function(niz){
                console.log(niz)
                ispisFootera(niz, "ikone")
            });
            IspisAutora()
    })
//funkcije
//ajax funkcija
function ajaxCall(imeFajla,niz){
    $.ajax({
        url : "json/"+imeFajla,
```

```
method: "get",
       dataType : "json",
       success : niz,
       error: function(jqXHR, exception){
           var msg = '';
           if (jqXHR.status === 0) {
           msg = 'Not connect.\n Verify Network.';
           } else if (jqXHR.status == 400) {
           msg = 'Server understood the request, but request content was
invalid.';
           }else if (jqXHR.status == 404) {
           msg = 'Requested page not found. [404]';
           } else if (jqXHR.status == 500) {
           msg = 'Internal Server Error [500].';
           } else if (jqXHR.status == 503) {
           msg = 'Service unavailable.';
           } else if (exception === 'parsererror') {
           msg = 'Requested JSON parse failed.';
           } else if (exception === 'timeout') {
           msg = 'Time out error.';
           } else if (exception === 'abort') {
           msg = 'Ajax request aborted.';
           } else {
           msg = 'Uncaught Error.\n' + jqXHR.responseText;
           let error = `${msg}``
           document.querySelector("#ajax").innerHTML = error;
       }
   })
//funkcije za ispis
//index
function ispisMeny(niz,blokid){
   let ispis =""
   for(let obj of niz){
       ispis+=`
           <a class="nav-link as-color" href="${obj.href}">${obj.naziv}</a>
       document.querySelector(`#${blokid}`).innerHTML = ispis
function ispisTima(niz,blokid){
   let ispis = "";
```

```
for(let obj of niz){
      ispis+=`<div class="col-xxl-3 col-md-6 col-12 ">
      <div class="card as-width border border-dark">
          <img src="${obj.slika.src}" class="card-img-top"</pre>
alt="${obj.slika.alt}"/>
          <div class="card-body">
             <h5 class="card-title">${obj.ime} ${obj.prezime}</h5>
             ${obj.opis}
          </div>
      </div>
   </div>`
   document.querySelector(`#${blokid}`).innerHTML = ispis;
function ispisProjekata(niz,blokid){
   let ispis = ""
   for(let obj of niz){
      ispis+= `<div class="col-lg-4 col-12">
      <div class="card as-project mx-auto text-center border border-dark">
          <img src="${obj.slika.src}" class="card-img-top"</pre>
alt="${obj.slika.alt}"/>
          <div class="card-body">
             <h5 class="card-title">${obj.naziv}</h5>
             ${obj.opis}
          YouTube subscribers:
${obj.subscribers}
             TikTok followers:
${obj.followers}
          <div class="card-body">
             <a href="${obj.link}" target=" blank" class="btn btn-dark</pre>
promena">YouTube</a>
          </div>
      </div>
   </div>`
   document.querySelector(`#${blokid}`).innerHTML = ispis
function ispisFootera(niz,blokid){
   let html = ``
   for(let obj of niz){
```

```
html+= `
       <a class="nav-link active text-muted" href="${obj.href}"</pre>
target="_blank"><span class="iconify" data-icon="${obj.dataIcon}"></span></a>
        html += ``
   document.querySelector(`#${blokid}`).innerHTML = html
//pricing strana
function ispisPaketa(niz,blokid){
   let ispis = ""
   for(let obj of niz){
       ispis += `<div class="col-xxl-2 col-md-4 col-12 as-transparent2 border</pre>
border-dark ms-3 rounded mb-5 as-width2">
       <h2 class="as-about-h1 pt-3 pb-2">${obj.nazivPaketa}</h2>
       <strong>${obj.opis}</strong>
       ${ispisCene(obj.price.staraCena,obj.price.trenutnaCena)}
       ${proveraPaketa(obj.colorGrading,"Color Grading")}
       ${proveraPaketa(obj.soundDesign, "Sound Design")}
       ${proveraPaketa(obj.motionGraphics, "Motion Graphics")}
       ${proveraPaketa(obj.subtitles, "Subtitles")}
       <span class="iconify me-1 text-success fs-5" data-</pre>
icon="akar-icons:arrow-right"></span>Raw gameplay: <strong >${obj.rawGameplay}
min</strong>
       <span class="iconify me-1 text-success fs-5" data-
icon="akar-icons:arrow-right"></span>Running Time: <strong>${obj.runningTime}
min</strong>
       <span class="iconify me-1 text-success fs-5" data-</pre>
icon="akar-icons:arrow-right"></span>Revisions:
<strong>${obj.revisions}</strong>
       <span class="iconify me-1 text-success fs-5"</pre>
data-icon="akar-icons:arrow-right"></span>Delivery Time:
<strong>${obj.deliveryTime} days</strong>
       <div class="card-body text-center mb-2">
           <a href="examples.html"class="btn btn-dark promena">See the video
examples here!</a>
       </div>
       <div class="card-body text-center mb-2">
          <input type="button" data-id=${obj.id} value="Add to cart" class="btn</pre>
btn-dark promena dodaj">
       An item has
been added to your cart
```

```
Item has
already been added to the cart (you can change the quantity over to the cart
page)
   </div>`
   document.querySelector(`#${blokid}`).innerHTML = ispis;
function proveraPaketa(obj,nazivStavke){
   let html = ""
   if(obj){
       html += `<span class="iconify me-1 text-success"</pre>
fs-5" data-icon="eva:checkmark-fill"></span>${nazivStavke}`
   else{
       html += `<span class="iconify me-1 text-secondary</pre>
fs-5" data-icon="eva:checkmark-fill"></span>${nazivStavke}`
   return html
function ispisCene(objStaraCena,objTrenutnaCena){
   let html = ""
   if(objStaraCena){
       html += `<h3 class="as-about-h1 pt-4"><del>${objStaraCena}$</del></h3>`
   html += `<h2 class="as-about-h1 pt-4 pb-4">${objTrenutnaCena}$</h2>`</h2>`
   return html;
//contact strana
function ispisFormeKontakt(niz,blokid){
   let ispis = `<form action="kontakt.php" id="forma" method="post">`
   for(let obj of niz){
       if(obj.type == "text" || obj.type == "mail"){
           ispis += `<div class="form-floating mb-3">
          <input type="${obj.type}" name="${obj.idname}" class="form-control</pre>
border-dark as-bg-gray" id="${obj.idname}" placeholder="${obj.placeholder}"
required/>
          <label for="${obj.idname}">${obj.labelsadrzaj}</label>
           </div>`
       else if(obj.type == "drop down list"){
          ispis += `<div class="form-floating mb-3">
```

```
<select class="form-select border-dark as-bg-gray"</pre>
id="floatingSelect" aria-label="Floating label select example required">
               <option selected value = "0">Choose</option>`
           for(let i = 0;i<obj.option.length;i++){</pre>
               ispis+=`<option</pre>
value="${obj.option[i].value}">${obj.option[i].sadrzaj}</option>`
           ispis +=`</select>
                  <label for="floatingSelect">Choose a option</label>
               </div>`
   ispis+=`<div class="form-floating mb-3">
           <textarea class="form-control border-dark as-bg-gray"</pre>
placeholder="Leave a comment here" id="TekstualnoPolje" rows="16" cols="20"
required"></textarea>
           <label for="TekstualnoPolje">Tell us something about the
project</label>
           </div>
           <div class="form-check mb-3 mt-3">
                  <input class="form-check-input border-dark" type="checkbox"</pre>
name="ch" class="ch" value="check" id="flexCheckDefault">
                  <label class="form-check-label" for="flexCheckDefault">
                  By checking this we will contact you to your <strong>email
address</strong>.
                  </label>
              </div>
           </div>
           <div class="col-12 mb-5s mt-3">
              <button class="btn btn-light btn-outline-dark" type="button"</pre>
value="Send request" id="proveri">Send request</button>
           </div>
           <div id="odlican">Your
request has been sent</div>
           </div>
   </form>`
   $(`#${blokid}`).html(ispis);
   // document.querySelector(`#${blokid}`).innerHTML = ispis
//example strana
function ispisFilter(){
```

```
let html = `<h1 class="mb-3 mt-3">Search</h1>
    <div class="col-12">
    <input type="text" name="imeVidea" class="form-control border-dark as-bg-</pre>
gray" id="imeVidea" placeholder="Enter video name" required/>
    </div>
    <h1 class="mb-4 mt-3">Filters</h1>
    <h3 class="mt-2">Types</h3>`;
    let type = dohvatiIzLS("sviTipovi");
    let extras = dohvatiIzLS("sviDodaci");
    let formati = dohvatiIzLS("sviFormati");
    let sort = dohvatiIzLS("svaSortiranja");
    for(let obj of type){
        html += `<div class="col-12">
            <div>
                <input class="form-check-input border-dark mt-2 mb-2 cht"</pre>
type="checkbox" name="chtype" value="${obj.id}" id="${obj.naziv}">
                <label class="form-check-label" for="${obj.naziv}">
                ${obj.naziv + brojFiltera(obj.id, "type")}
                </label>
            </div>
        </div>`
    html+=`<h2 class="mt-2">Format</h2>`;
    for(let obj of formati){
        html += `<div class="col-12">
            <div>
                <input class="form-check-input border-dark mt-1 mb-2 chf"</pre>
type="checkbox" name="chformat" value="${obj.id}" id="${obj.naziv}">
                <label class="form-check-label" for="${obj.naziv}">
                ${obj.naziv + brojFiltera(obj.id, "format")}
                </label>
            </div>
        </div>
    html+=`<h2 class="mt-2">Extras</h2>`
    for(let obj of extras){
        html += `<div class="col-12">
            <div>
                <input class="form-check-input border-dark mt-1 mb-2 che"</pre>
type="checkbox" name="chextra" value="${obj.id}" id="${obj.naziv}">
                <label class="form-check-label" for="${obj.naziv}">
                ${obj.naziv + brojFiltera(obj.id, "extras")}
                </label>
            </div>
        </div>
```

```
html+=`<h1 class="mt-2">Sort</h1>
   <div class="form-floating mb-3">
   <select class="form-select border-dark as-bg-gray" id="sort" aria-</pre>
label="Floating label select example required">
   <option value="0">Choose</option>`
   for(let obj of sort){
       html+=`<option value="${obj.vrednost}">${obj.naziv}</option>`
   html+=`</select><label for="sort">Pick a option to sort</label></div>`
   document.querySelector('#filteri').innerHTML = html;
function ispisPrimera(niz){
   let html = ""
   if(niz.length == 0){
       html+=`<div class="container-fluid">
           <div class="row justify-content-center">
               <div class="col-9 mt-5">
                  At the moment there
are no videos
               </div>
           </div>
       </div>`
       document.querySelector('#videos').innerHTML = html;
       return;
   html=`<h1 class="as-about-h1 mb-3 mt-3">Videos</h1>
   <div class="container-fluid ps-0 pe-0">
       <div class="row justify-content-center">`
   for(let obj of niz){
       html+=`<div class="col-xl-3 col-lg-5 col-sm-9 col-11 as-transparent2</pre>
justify-content-center border border-dark mb-3 vid pb-2">
           <div class="col-12">
               <video src="assets/videos/${obj.video.src}" type="video/mp4"</pre>
controls class="col-12"></video>
           </div>
           <div class="opisi">
               <h3 class="pt-2 pb-2">${obj.naziv}</h3>
               Format:
<strong>${ispisFormata(obj.format)}</strong>
               Video type:<strong>
${ispisTipa(obj.type, "type")}</strong>
               Extras:
<strong>${ispisTipa(obj.extras,"extras")}</strong>
```

```
Price:
<strong>$${obj.cena.trenutna}</strong>
               Rating: <span class="iconify as-font" data-</pre>
icon="emojione:star"></span><strong>${obj.rating}</strong>
           </div>
       </div>`
   html+=`</div></div>`
   document.querySelector('#videos').innerHTML = html;
function ispisFormata(obj){
   let formati = dohvatiIzLS("sviFormati");
   let html=""
   for(let fomrat of formati){
       if(fomrat.id == obj){
           html+=`${fomrat.naziv}`
   return html;
function ispisTipa(obj,tip){
   let types = dohvatiIzLS("sviTipovi");
   let extras = dohvatiIzLS("sviDodaci");
   console.log()
   html=""
   if(tip == "type"){
       for(let i =0;i<obj.length; i++){</pre>
           for(let type of types){
               if(obj[i] == type.id){
                   if(i == obj.length - 1){
                       html+=`${type.naziv}`
                   else{
                       html+=`${type.naziv}, `
   if(tip == "extras"){
       for(let i =0;i<obj.length; i++){</pre>
           for(let extra of extras){
               if(obj[i] == extra.id){
```

```
if(i == obj.length - 1){
                        html+=`${extra.naziv}`
                    else{
                        html+=`${extra.naziv}, `
    return html;
//autor
function IspisAutora(){
    let html = `<div class="row" id="centar">
    <div class="col-12 as-about-h2 pb-3 ps-2 pe-2">
        <h2>About me</h2>
    </div>
</div>
<div class="row">
    <div class="col">
        <div class="as-width" id="aboutdiv">
            <img src="assets/img/slika.jpg" class="card-img-top border border-</pre>
dark" id="about" alt="editor">
                <h5 class="card-title">Aleksandar Simić</h5>
                31/21
        </div>
    </div>
</div>`
document.querySelector('#autordiv').innerHTML = html
//funkcije za local storage
function sacuvajLS(naziv, vrednost){
    localStorage.setItem(naziv, JSON.stringify(vrednost))
function dohvatiIzLS(naziv){
    return JSON.parse(localStorage.getItem(naziv))
//provera regularnih izraza
function proveraPodataka(polje,idPolja,regularni,greska,brojGresaka){
    if(!polje.match(regularni)){
        brojGresaka++;
        $(idPolja).parent().children(":last").removeClass("izbaci")
```

```
$(idPolja).parent().children(":last").html(greska);
    else{
        $(idPolja).parent().children(":last").addClass("izbaci")
        $(idPolja).parent().children(":last").html('');
    return brojGresaka
//funkcije za sort i filter
function provera(){
    let primeri = dohvatiIzLS("sviPrimeri");
   primeri = check(primeri, "format")
   primeri = check(primeri, "type")
    primeri = check(primeri, "extras")
   primeri = searchFilter(primeri)
    primeri = sort(primeri)
    ispisPrimera(primeri)
function searchFilter(primeri){
    let val = document.querySelector('#imeVidea').value.toLowerCase()
    return primeri.filter(x=>x.naziv.toLowerCase().includes(val));
function check(primeri, tip){
    izabrani = [];
    if(tip == "format"){
        $(".chf:checked").each(function(el){
            izabrani.push(parseInt($(this).val()))
        })
        if(izabrani.length != 0){
            return primeri.filter(x=>izabrani.includes(x.format))
        return primeri
    else if(tip == "type"){
        $(".cht:checked").each(function(el){
            izabrani.push(parseInt($(this).val()))
        })
        if(izabrani.length != 0){
            return primeri.filter(x=>x.type.some(y=>izabrani.includes(y)))
        return primeri
```

```
else{
        $(".che:checked").each(function(el){
            izabrani.push(parseInt($(this).val()))
        })
        if(izabrani.length !=0){
            return primeri.filter(x=>x.extras.some(y=>izabrani.includes(y)))
        return primeri
    }
function sort(primeri){
    let novi = []
    let val = $("#sort").val()
    if(val == "0"){
        novi = primeri
    else{
        novi = primeri.sort(function(a,b){
            if(val == "name-asc"){
                if(a.naziv < b.naziv){</pre>
                    return -1
                else if(a.naziv > b.naziv){
                    return 1
                else{
                    return 0
            if(val == "name-desc"){
                if(a.naziv < b.naziv){</pre>
                    return 1
                else if(a.naziv > b.naziv){
                    return -1
                else{
                    return 0
            if(val == "rating-asc"){
                return a.rating - b.rating
            if(val == "rating-desc"){
```

```
return b.rating - a.rating
            if(val== "price-asc"){
                return a.cena.trenutna - b.cena.trenutna
            if(val=="price-desc"){
                return b.cena.trenutna - a.cena.trenutna
        })
    return novi
//funkcija za broj Filtera
function brojFiltera(id,tip){
    let primeri = dohvatiIzLS("sviPrimeri")
    let html=""
    let br = 0
    if(tip == "type"){
        for(let primer of primeri){
            for(let i=0;i<primer.type.length;i++){</pre>
                if(id == primer.type[i]){
                br++
        html+=` (${br})`
    else if(tip == "format"){
        for(let primer of primeri){
            if(id == primer.format){
                br++
        html+=` (${br})`
    else{
        for(let primer of primeri){
            for(let i=0;i<primer.extras.length;i++){</pre>
                if(id == primer.extras[i]){
                    br++
        html+=` (${br})`
```

```
return html
//korpa
function ispis(){
   let proizvodi = dohvatiIzLS("korpa");
   if(proizvodi == null){
       prikaziPraznuKorpu()
       $('#suma').html('')
   else{
       prikaziKorpu()
function prikaziPraznuKorpu(){
   $('#sadrzaj').html(`
mt-3 prazno">There are no items in the cart`)
function addToCart(){
   let idProizvoda =$(this).data("id")
   console.log(idProizvoda)
   let proizvodiKorpa = dohvatiIzLS("korpa");
   if(proizvodiKorpa == null){
       dodajPrviPut(idProizvoda)
       document.querySelector('#dodat'+idProizvoda).classList.remove('izbaci')
   else{
       if(daLiVecPostoji(proizvodiKorpa,idProizvoda)){
           document.querySelector('#vecpostoji'+idProizvoda).classList.remove('i
zbaci')
           document.querySelector('#dodat'+idProizvoda).classList.add('izbaci')
       else{
           dodajUKorpu(idProizvoda)
           document.querySelector('#vecpostoji'+idProizvoda).classList.add('izba
ci')
           document.querySelector('#dodat'+idProizvoda).classList.remove('izbaci
```

```
function dodajPrviPut(idProizvoda){
    let proizvod = [
            id: idProizvoda,
            qty : 1
    sacuvajLS("korpa",proizvod)
function daLiVecPostoji(proizvodiKorpa,idProizvoda){
    console.log(proizvodiKorpa)
    console.log(idProizvoda)
    let x = proizvodiKorpa.filter(x=>x.id == idProizvoda)
    if(x.length == 0){
        return false
    else{
        return true
function dodajUKorpu(idProizvoda){
    let proizvodLS = dohvatiIzLS("korpa")
    proizvodLS.push({
        id : idProizvoda,
        qty : 1
    sacuvajLS("korpa",proizvodLS)
function prikaziKorpu(){
    let sviProizvodi = dohvatiIzLS("sviPaketi")
    let proizvodiIzKorpe = dohvatiIzLS("korpa")
    let proizvodi = sviProizvodi.filter(x=>{
        for(let proizvod of proizvodiIzKorpe){
            if(x.id == proizvod.id){
                x.qty = proizvod.qty
                return true
        return false
```

```
console.log(proizvodi)
   prikazProizvoda(proizvodi)
function prikazProizvoda(proizvodi){
   let br=0;
   let html = ""
   let sum = 0;
   for(let obj of proizvodi){
       br++;
       html += teloProizvoda(obj,br)
       sum += (obj.price.trenutnaCena*obj.qty)
   document.querySelector('#sadrzaj').innerHTML = html
   document.querySelector('#suma').innerHTML = `<h4 class="as-about-</pre>
h1"><strong>The total price is $${sum}</strong></h4>
   <div id="kraj" class="mb-5">
       <button class="btn btn-dark promena brisiSve" id="bris">Remove
All</button>
       <button class="btn btn-dark promena poruci">Order</button>
       </div>
   <h4 class="text-danger izbaci mb-2 mt-2 as-about-h1"></h4>`
   $(".brisi").click(izbaciIzKorpe)
   $(".brisiSve").click(izbrisiSveIzKorpe)
   $(".poruci").click(poruci)
function teloProizvoda(obj,br){
   return
       <div class="col-xxl-2 col-md-4 col-12 as-transparent2 border border-dark</pre>
ms-3 rounded mb-5 as-width2">
          Number <strong>${br}</strong>
           <div class="pozicija">${slika(obj.nazivPaketa)}</div>
           <hr/>
           Package name:
<strong>${obj.nazivPaketa}</strong>
           Price:<strong>
$${obj.price.trenutnaCena}</strong>
          <hr/>
          Quantity (Min:1 Max:5)
          <div class="pozicija">
              <input type="text" name="broj" id="broj${obj.id}" data-</pre>
idb="${obj.id}" class="form-control as-about-h1" value="${obj.qty}"/>
```

```
</div>
           <hr/>
           Total price for the package:<strong>
$${obj.price.trenutnaCena * obj.qty}</strong>
           <hr/>
           Select a video
           <div>
               <input type="file" name="file" id="file${obj.id}" class="form-</pre>
control"/>
           </div>
           <div class="pozicija mt-4 mb-4">
              <button class="btn btn-dark promena brisi mt-3 mb-3" data-</pre>
id="${obj.id}">Remove</button>
           </div>
       </div>
function slika(nazivPaketa){
   if(nazivPaketa == "Bronze"){
       return `<img src="assets/img/bronze.png" alt="Bronze" class="img-fluid"</pre>
slike">`
   else if(nazivPaketa == "Silver"){
       return `<img src="assets/img/silver.png" alt="Silver" class="img-fluid</pre>
slike">`
   else if(nazivPaketa == "Gold"){
       return `<img src="assets/img/gold.png" alt="Gold" class="img-fluid
slike">`
   }
   else{
       return `<img src="assets/img/shorts.png" alt="Shorts" class="img-fluid
slike">`
function izbaciIzKorpe(){
   let idP = $(this).data("id");
   console.log(idP)
   let proizvodiIzKorpe = dohvatiIzLS("korpa")
   let filtriran = proizvodiIzKorpe.filter(x=>x.id != idP)
   console.log(filtriran)
   if(filtriran == 0){
       localStorage.removeItem("korpa")
```

```
else{
        sacuvajLS("korpa",filtriran)
    ispis()
function azuriranjeCene(){
    let id = $(this).data("idb")
    console.log(id)
    let vred = $(this).val()
    var provera = isNaN(vred)
    if(provera){
        $(this).parent().children(":last").removeClass('izbaci')
        $(this).parent().children(":last").html('You must enter a number')
        return;
    if(vred < 1){
        $(this).parent().children(":last").removeClass('izbaci')
        $(this).parent().children(":last").html('Quantity must be minimum 1')
        return;
    else if(vred > 5){
        $(this).parent().children(":last").removeClass('izbaci')
        $(this).parent().children(":last").html('Maximum quantity is 5')
        return;
    else{
        $(this).parent().children(":last").addClass('izbaci')
        $(this).parent().children(":last").html('')
    let vredd = parseInt(vred)
    let proizvodi = dohvatiIzLS("korpa")
    for(let p of proizvodi){
        if(p.id == id){
            p.qty = vredd
            sacuvajLS("korpa",proizvodi)
    ispis()
function izbrisiSveIzKorpe(){
    localStorage.removeItem("korpa");
    ispis()
```

```
function poruci(){
    let proizvodi = dohvatiIzLS("korpa")
    let reFajl = /.mp4|.mkv|.m4v$/
    let brojGresaka = 0
    for(let obj of proizvodi){
        let vredQty = document.querySelector(`#broj${obj.id}`).value
       console.log(vredQty)
       let vredFile = document.querySelector(`#file${obj.id}`).value
        console.log(vredFile)
        if(!vredFile.match(reFajl)){
            brojGresaka++
       if(vredQty < 1 || vredQty >5){
           brojGresaka++
       if(isNaN(vredQty)){
            brojGresaka++
    if(brojGresaka > 0){
       $(this).parent().next().removeClass('izbaci')
       $(this).parent().next().html('Quantity must be a number and can be
minimum 1 and maximum 5 and video file must end with these formats: .mp4 or .mkv
or .m4v')
       return;
   else{
        izbrisiSveIzKorpe()
       document.querySelector("#poruceno").innerHTML = `
success mb-3 col-sm-9 col-11 prazno as-about-h1">You have successfully placed the
order
//slajder
var tajmer;
function slajder(){
    let trenutniSlajd = $('#slajder .aktivan')
    let sledeciSlajd = (trenutniSlajd.next().length) ? trenutniSlajd.next() :
trenutniSlajd.parent().children(':first');
    trenutniSlajd.removeClass('aktivan')
    sledeciSlajd.addClass("aktivan")
    tajmer = setTimeout(slajder, 4000);
```

#### **3.4 JSON**

# -extras.json

# -footer.json

```
{
    "href":"https://www.facebook.com/",
    "dataIcon" : "cib:facebook-f"
},
{
    "href":"https://www.instagram.com/",
    "dataIcon" : "akar-icons:instagram-fill"
},
{
    "href":"https://www.youtube.com/",
    "dataIcon" : "ant-design:youtube-outlined"
},
{
    "href":"web2.pdf",
    "dataIcon" : "carbon:document"
},
{
    "href":"sitemap.xml",
    "dataIcon" : "fa:sitemap"
```

```
}
]
```

# -format.json

# -formContact.json

```
"id" : 1,
"type" : "text",
"idname" : "ime",
"placeholder" : "First Name",
"labelsadrzaj" : "Enter your first name"
"id" : 2,
"type" : "text",
"idname" : "prezime",
"placeholder" : "Last Name",
"labelsadrzaj" : "Enter your last name"
"id" : 3,
"type" : "mail",
"idname" : "mail",
"placeholder" : "Email",
"labelsadrzaj" : "Enter your email"
"id" : 4,
"type" : "drop down list",
"labelsadrzaj" : "Tell us with what you need help",
```

# -meny.json

```
"href" : "index.html",
    "naziv" : "Home"
},
    "href" : "pricing.html",
    "naziv" : "Pricing"
},
    "href" : "examples.html",
    "naziv" : "Examples"
},
    "href" : "cart.html",
    "naziv" : "Cart"
},
    "href" : "contact.html",
    "naziv" : "Contact"
    "href" : "about.html",
    "naziv" : "About Me"
```

J

#### -order.json

```
"id" : 1,
"nazivPaketa" : "Bronze",
"opis": "Basic editing with cuts, zooms, music etc.",
"colorGrading" : true,
"soundDesign": true,
"motionGraphics": false,
"subtitles": false,
"rawGameplay": 60,
"runningTime": 10,
"revisions": 2,
"deliveryTime": 2,
"price":{
    "staraCena" : null,
    "trenutnaCena" : 10
"id" : 2,
"nazivPaketa" : "Silver",
"opis" : "Bronze package + memes and sound effects.",
"colorGrading" : true,
"soundDesign": true,
"motionGraphics": true,
"subtitles": false,
"rawGameplay": 105,
"runningTime": 20,
"revisions": 3,
"deliveryTime": 3,
"price":{
    "staraCena" : null,
    "trenutnaCena" : 15
"id" : 3,
"nazivPaketa" : "Gold",
"opis" : "Silver package + subtitles and animations.",
"colorGrading" : true,
```

```
"soundDesign": true,
"motionGraphics": true,
"subtitles": true,
"rawGameplay": 180,
"runningTime": 45,
"revisions": 5,
"deliveryTime": 4,
"price":{
    "staraCena" : 50,
    "trenutnaCena" : 35
"id" : 4,
"nazivPaketa" : "Shorts bundle",
"opis" : "*NEW* Short form Content editing",
"colorGrading" : true,
"soundDesign": true,
"motionGraphics": true,
"subtitles": true,
"rawGameplay": 10,
"runningTime": 60,
"revisions": 5,
"deliveryTime": 8,
"price":{
    "staraCena" : null,
    "trenutnaCena" : 20
```

# -products.json

```
"cena" : {
   "trenutna" : 10
"id" : 2,
"video" : {
   "src" : "2.mp4"
},
"naziv" : "Gaming Montage",
"format" : 1,
"type" : [1,5],
"extras" : [1,4],
"rating" : 5,
"cena" : {
   "trenutna" : 15
"id" : 3,
"video" : {
   "src" : "3.mp4"
"naziv" : "Simulator",
"format" : 1,
"type" : [1],
"extras" : [2,4],
"rating" : 5,
"cena" : {
   "trenutna" : 35
"id" : 4,
"video" : {
   "src" : "4.mp4"
"naziv" : "Sea of Thieves",
"format" : 1,
"type" : [1],
"extras" : [1,2,3,4],
"rating" : 5,
"cena" : {
    "trenutna" : 10
```

```
},
   "id" : 5,
    "video" : {
       "src" : "5.mp4"
    "naziv" : "The Show",
    "format" : 1,
    "type" : [1,3,5],
    "extras" : [2],
    "rating" : 5,
    "cena" : {
       "trenutna" : 15
   "id" : 6,
   "video" : {
       "src" : "16.mp4"
    "naziv" : "Crabsburger",
   "format" : 2,
   "type" : [2,4,5],
    "extras" : [2,3,4],
   "rating" : 5,
   "cena" : {
       "trenutna" : 20
   "id" : 7,
   "video" : {
       "src": "17.mp4"
   "naziv" : "Double Down Dog",
   "format" : 2,
    "type" : [2,4],
    "extras" : [2,3,4],
   "rating" : 5,
    "cena" : {
       "trenutna" : 20
    "id" : 8,
```

```
"video" : {
   "src" : "18.mp4"
"naziv" : "Deli Sandwich",
"format" : 2,
"type" : [4],
"extras" : [2,3,4],
"rating" : 4,
"cena" : {
   "trenutna" : 20
"id" : 9,
"video" : {
   "src": "19.mp4"
"naziv" : "Protein Burrito",
"format" : 2,
"type" : [4,5],
"extras" : [2,3,4],
"rating" : 4,
"cena" : {
   "trenutna" : 20
"id" : 10,
"video" : {
   "src" : "13.mp4"
},
"naziv" : "BCC",
"format" : 1,
"type" : [2,3],
"extras" : [2,4],
"rating" : 4,
"cena" : {
   "trenutna" : 35
"id" : 11,
"video" : {
   "src" : "14.mp4"
```

```
"naziv" : "Darby Alin",
"format" : 1,
"type" : [2,3],
"extras" : [2,4],
"rating" : 4,
"cena" : {
   "trenutna" : 15
"id" : 12,
"video" : {
   "src" : "15.mp4"
"naziv" : "Powerhouse Hobbs",
"format" : 1,
"type" : [2,3],
"extras" : [2,4],
"rating" : 3,
"cena" : {
   "trenutna" : 10
"id" : 13,
"video" : {
   "src" : "10.mp4"
"naziv" : "Never Gonna Give You Up",
"format" : 1,
"type" : [6],
"extras" : [1,2,3,4],
"rating" : 5,
"cena" : {
   "trenutna" : 35
"id" : 14,
"video" : {
   "src" : "11.mp4"
"naziv" : "Lost",
"format" : 1,
"type" : [6],
```

```
"extras" : [1,2,3,4],
    "rating" : 4,
    "cena" : {
        "trenutna" : 15
    }
},
{
    "id" : 15,
    "video" : {
        "src" : "12.mp4"
    },
    "naziv" : "The Perfect Girl",
    "format" : 1,
    "type" : [6],
    "extras" : [1,2,3,4],
    "rating" : 3,
    "cena" : {
        "trenutna" : 10
    }
}
```

# -projects.json

```
"id" : 1,
       "slika" : {
           "src" : "assets/img/ytlogo2.jpg",
           "alt" : "Eu Drip"
       },
        "naziv" : "Eu Drip",
        "opis" : "Very big YouTuber with almost 100k subscribers. He does gaming
content in genereal with some try not laugh challenges here and there.",
        "subscribers": "95k",
       "followers": "6.4m",
       "link" : "https://www.youtube.com/c/EUDrip"
   },
        "id" : 2,
        "slika" : {
           "src" : "assets/img/ytlogo1.jpg",
           "alt" : "Truegawd"
```

```
"naziv" : "Truegawd",
        "opis" : "Very big YouTuber with 188k subscribers. He does mainly reaction
videos but he has a second channel where he plays games.",
        "subscribers": "244k",
        "followers": "9.3k",
        "link" : "https://www.youtube.com/c/TrueGawd"
    },
        "id" : 3,
        "slika" : {
            "src" : "assets/img/ytlogo3.jpg",
            "alt" : "Davej974"
        "naziv" : "Davej974",
        "opis" : "Upcoming star of YouTube with 4.5k subscribers. He does videos
like MrBeast for example donation videos to twitch streamers.",
        "subscribers": "4.5k",
        "followers": "4.4k",
        "link" : "https://www.youtube.com/"
```

#### -sort

```
{
    "vrednost" : "name-asc",
    "naziv" : "Name A-Z"
},
{
    "vrednost" : "name-desc",
    "naziv" : "Name Z-A"
},
{
    "vrednost" : "price-asc",
    "naziv" : "Price ascending"
},
{
    "vrednost" : "price-desc",
    "naziv" : "Price descending"
},
{
    "vrednost" : "rating-asc",
    "naziv" : "Rating ascending"
```

```
},
{
    "vrednost" : "rating-desc",
    "naziv" : "Rating descending"
}
```

#### -team.json

```
"id" : 1,
        "ime" : "Aleksandar",
        "prezime" : "Simić",
        "slika" : {
            "src" : "assets/img/slika.jpg",
            "alt" : "Aleksandar Simić"
        "opis" : "Hi my name is Aleksandar and i am the video editor for gaming
content. I have been editing for quite some time now and i am really enjoying
it."
    },
        "id" : 2,
        "ime" : "Boris",
        "prezime" : "Jovanović",
        "slika" : {
            "src" : "assets/img/tim1.jpg",
            "alt" : "Boris Jovanović"
        },
        "opis" : "Hi my name is Boris and i edit short form content. I have a ton
of experience and i create all kinds of short videos."
    },
        "id" : 3,
        "ime" : "Stefen",
        "prezime" : "Milić",
        "slika" : {
            "src" : "assets/img/tim2.jpg",
            "alt" : "Stefan Milić"
        },
        "opis" : "Hi my name is Stefan and i am the editor for Education, Sport
and Cooking videos. I love what i do and i am excited to help you reach your
goals."
```

```
},
{
    "id" : 1,
    "ime" : "Mateja",
    "prezime" : "Radivojević",
    "slika" : {
        "src" : "assets/img/tim3.jpg",
        "alt" : "Mateja Radivojević"
      },
      "opis" : "Hi my name is Mateja and i am the editor for shorts and for
long form content. I am editing all of the categories and i am always improving."
    }
]
```

# -type.json