Visoka škola strukovnih studija za informacione ikomunikacione tehnologije

Online video shop

https://xtwofacex.github.io/

Radio: Aleksandar Simić 31/21

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web programiranje 1

Sadržaj

1.Uvod	3
1.1Korišćeni programski jezici I tehnologije	3
1.20pis funkcionalnosti	3
2.Organizacija	2
2.1Mapa sajta(sitemap)	4
2.2Šema organizacije	6
2.3Organizacija sajta I funkcionalnosti na tim delovima	6
2.3.1Index strana	6
2.3.2Pricing strana	8
2.3.3Review strana	12
2.3.4Bronze strana	13
2.3.5Silver strana	13
2.3.6Gold strana	14
2.3.7About strana	14
3.Kodovi	15
3.1HTML	15
3.1.1Index strana	15
3.1.2Pricing strana	20
3.1.3Review strana	23
3.1.4Bronze strana	25
3.1.5Silver strana	27
3.1.6Gold strana	29
3.1.7About strana	31
3.2CSS i responsive	33
3.3JavaScript	42

1.Uvod

1.1 Korišćeni programski jezici I tehnologije

- HTML 5
- CSS3
- Bootstrap
- Adobe Photoshop
- Adobe Premier Pro
- jQuery
- JavaScript
- XML(sitemap)

1.20pis funkcionalnosti


- Dinamičko učitavanje navigacionog menija
- Dinamičko učitavanje sekcije tim
- Interaktivno slajder koji sam menja slike na svake 4 sekunde
- Dinamičko učitavanje sekcije projects
- Dinamičko učitana sekcija za formu
- Provera forme kao I klik na taster Place the order, u koliko je forma pravilno popunjenja korisniku će ispisati da je uspesno poručen product, u suprotnom će se ispisati greška kao I primer kako treba pravilno popuniti formu.
- Dinamičko učitavanje sekcije bronze package examples
- Dinamičko učitavanje sekcije silver package examples
- Dinamičko učitavanje sekcije gold package examples
- U sekciji reviews klikom na link Show more sa slideToggle('slow') će se prikazati dodatni paragraf I automatski će link Show more postati Show less I klikom na link će se zatvoriti dodatni paragraf.
- Dinamičko učitavanje linkovanih ikonica

2. Organizacija

2.1Mapa sajta(sitemap)


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/0.9">
       <loc>https://xtwofacex.github.io/</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>1</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/pricing.html</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>0.98</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/gold.html</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>0.95</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/silver.html</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>0.94</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/bronze.html</loc>
       <lastmod>2022-4-2
       <changefreq>daily</changefreq>
       <priority>0.90</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/reviews.html</loc>
       <lastmod>2022-4-2
       <changefreq>weekly</changefreq>
       <priority>0.85</priority>
   </url>
   <url>
       <loc>https://xtwofacex.github.io/about.html</loc>
       <lastmod>2022-4-2</lastmod>
```

2.2 Šema organizacije



2.3Organizacija sajta I funkcionalnosti na tim delovima

2.3.1 Index strana



Welcome to our editing company. We are from Serbia and we have been editing videos for quite some time now. We started it as a hoby and now we are doing it professionally.

We are mostly doing gaming videos at the moment, but we are looking to improve on some areas and we are trying to learn a lot new stuff for example car commercials etc.

In terms of programs we are using adobe premiere pro for editing, adobe photoshop for thumbnails and some other programs that help us create content for the customers.


Meet our team











Our biggest projects








Frequently Asked Questions



CODEX DOBUGERRACES F @ in C dia


U header se dinamički ispisuje navigacioni meni koji ima hover efekat I menja mu se boja u crno. Potom imamo bozadinsku sliku I transparent blok sa sadrzajem. Sekcija meet our team je dinamički ispisan I korišćen je bootstrap card element koji prikazuje sliku I sadržaj. Zatim imamo slajder koji se automatski menja na 4 sekunde. U sekciji Our biggest projects sve je dinamički prikazano I korišćen je bootstrep element Kitchen sink koji smešta ovaj sadržaj. Sekcija Frequently Asked Questions korišćen je bootstrap collapse koji na klik na element prikazuje dodatan sadržaj. I za kraj footer deo gde se dinamički prikazuje ikonice koje su linkovane ka socijalnim mrezama takodje tu je I logo koji na klik vas vraca na početak strane.

2.3.2 Pricing strana



Aleksandar Simić 31/21

Want to place the order? Make sure to fill in the form here.




Choose a payment way ○ PayPal ○ Visa
Please enter your PayPal email here
You can't have a first name as same as the beginning of your email address or the format is not right. The right example for the name Aleksandar is: aca@gmail.com
Choose a payment way O PayPal Visa
Please enter your card number here
You must enter a right format for your card number. A correct example: 1234-5678-9101-1123
Name
Surname
Email address
Tell us something about the project
Pick which package would you like Choose
Choose a payment way PayPal Visa
Please enter your PayPal email here
☐ By checking this you agree to the following Terms of service
Place the order
You have successfully placed the order. Order date placed: 14/12/2022

Sa bootstrap je kreiran I stilizovan sadrzaj u sekciji Our packages, dinamički je prikazan i klikom na tastere nas vode do stranica bronze.html, silver.html, gold.html u zavisnosti od paketa.

Forma je dinamički ispisana, klikom na taster se proverava da li je svaki element ispravno unešen, izabran ili čekiran. Korišćeni su regularni izrazi za proveru tekstualnih polja. Uslovi za textarea, radio button, checkbox, lista. Za svaki radio button klikom na Paypal pojaviće se jos jedno tekstualno polje u koje se unosi mejl za paypal a klikom na visu se pojavljuje tekstualno polje u kome se unosi broj kartice. Svaki od tih blokova ima svoj regularni izraz I u slučaju greške ispis. Za text area je dozvoljeno minmum 10 a maksimum 100 karaktera za unos, u slučaju da ima manje od 10 ili više od 100 karaktera izbaciće se greska. Za listu je potrebno da se izabere tip paketa(bronze,silver,gold) u slučaju da ostane default vrednost Choose izbaciće se greska. Potrebno je čekirati checkbox za prihvatanje Terms of service u slučaju da nije čekiran ispisaće se greška. Mejl ne sme početi sa imenom koji je unešen to važi I za paypal sekciju isto. U slučaju da je sve popunjeno ispravno korisnik će dobiti poruku da je uspešno naručio paket sa datumom kad je naručio.

2.3.3Reviews strana



Here are some of the rewies off our work




















CCDEX DURUKERYACESA f @ in O 🛦

U sekciji reviews je sve dinamički ispisano a na link koji je stilizovan da izgleda kao taster kad se klikne na link show more ce prikazati dodatni paragrf I automatski će menjati link u show less I klikom na link će se skloniti dodatni sadržaj uz lepu animaciju uz pomoć jQuery

2.3.4 Bronze strana




Bronze package examples



Na bronze package examples su svi klipovi dinamički ispisani.

2.3.5 Silver strana




Silver package examples




Na silver package examples su svi klipovi dinamički ispisani.

2.3.6Gold strana



Na gold package examples su svi klipovi dinamički ispisani.

2.3.7Autor strana



Autor strana je dinamički ispisana

3.1.1 Index strana

```
<!DOCTYPE html>
<html lang="en">
      <meta charset="UTF-8"/>
      <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
      <!--Title-->
      <title>Codex | Professional editing company</title>
      <link rel="icon" href="img/logo.jpg"/>
      <!--Keywords & Description-->
      <meta name="keywords" content="Codex, Video Editing, business, projects,</pre>
pricing,about us"/>
      <meta name="description" content="Welcome to our editing site.If you need</pre>
the video editor for your YouTube videos, you have come to the right place."/>
      <!--CSS, Responsive CSS-->
      <link rel="stylesheet" type="text/css" href="css/style.css"/>
      <link rel="stylesheet" type="text/css" href="css/responsive.css"/>
      <!--Bootstrap 5 CSS-->
      Ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
  </head>
 <body>
   <header>
      <div class="container-fluid ps-0 pe-0">
                  <div class="row">
                        <div class="col">
                          <nav class="navbar navbar-expand-lg navbar-light as-</pre>
bg-gray">
                            <div class="container-fluid ">
                              <a class="navbar-brand as-font text-black fs-3 ps-5"
as-padding as-hoverL as-promena2" href="index.html">CODEX</a>
                            <div id="as-navbar" class="blok">
                              <!--Dinamicki ispisani meni-->
                            </div>
                        </div>
                    </nav>
                </div>
            </div>
        </div>
```

```
</header>
    <div class="container-fluid bg-img pe-0 ps-0">
      <div class="row">
          <div class="col-lg-6 rounded-3 col-11 random as-transparent mx-auto">
              <h1 class="text-black">Are you looking for a professional gaming
video?</h1>
              <h2 class="text-black">You have come to the right place.</h2>
          </div>
      </div>
    </div>
    <div class="container-fluid pe-0 ps-0 ">
      <div class="row">
          <div class="col-12 as-about-h1">
              <h1>About us</h1>
          </div>
      </div>
      <div class="row">
          <div class="col-12 as-about-h1">
              Welcome to our editing company. We are from Serbia and we have
been editing videos for quite some time now. We started it as a hoby and now we
are doing it professionally.
              We are mostly doing gaming videos at the moment, but we are
looking to improve on some areas and we are trying to learn a lot new stuff for
example car commercials etc.
              In terms of programs we are using adobe premiere pro for
editing, adobe photoshop for thumbnails and some other programs that help us
create content for the customers.
          </div>
      </div>
      <div class="row">
          <div class="col-12 as-about-h2">
            <h2>Meet our team</h2>
          </div>
     </div>
      <div class="row" id="as-tim">
      </div>
    <div class="container-fluid pe-0 ps-0">
      <div class="row">
            <div class="col" id="slajder">
              <div class="slajd aktivan">
                  <img src="img/slika11.jpg" alt="editing" class="img-fluid"/>
              </div>
              <div class="slaid">
```

```
<img src="img/slika22.jpg" alt="video" class="img-fluid"/>
              </div>
              <div class="slaid">
                  <img src="img/slika33.jpg" alt="professional" class="img-</pre>
fluid"/>
              </div>
            </div>
      </div>
    </div>
    <div class="container-fluid pe-0 ps-0">
      <div class="row">
        <div class="col-12 as-about-h1">
            <h1>Our biggest projects</h1>
        </div>
      </div>
      <div class="row" id="as-projects">
      </div>
    </div>
    <div class="container-fluid pe-0 ps-0">
      <div class="row">
        <div class="col-12 as-about-h1">
            <h1>Frequently Asked Questions</h1>
        </div>
      </div>
      <div class="row justify-content-center">
        <div class="col-md-8 col-10">
          <div class="accordion as-margin" id="accordionExample">
            <div class="accordion-item border-dark ">
              <h2 class="accordion-header" id="headingOne">
                <button class="accordion-button" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#collapseOne" aria-expanded="true" aria-
controls="collapseOne">
                  How can i send videos?
                </button>
              </h2>
              <div id="collapseOne" class="accordion-collapse collapse show"</pre>
aria-labelledby="headingOne" data-bs-parent="#accordionExample">
                <div class="accordion-body text-center">
                  You can send the videos by uploading them to <strong>Google
Drive</strong> and then use share with everyone link so we can download it.
                </div>
              </div>
            </div>
          </div>
```

```
</div>
      </div>
      <div class="row justify-content-center">
        <div class="col-md-8 col-10">
          <div class="accordion-item as-margin border-dark">
            <h2 class="accordion-header" id="headingTwo">
              <button class="accordion-button collapsed" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#collapseTwo" aria-expanded="false" aria-
controls="collapseTwo">
                How does your pricing work?
              </button>
            </h2>
            <div id="collapseTwo" class="accordion-collapse collapse" aria-</pre>
labelledby="headingTwo" data-bs-parent="#accordionExample">
              <div class="accordion-body text-center">
                We have 3 packages in total. The first one is the <strong>Bronze
package $10</strong> then we have the <strong>Silver package $15</strong> and we
have the <strong>Gold package $35</strong>. For more information about each
package click on the link <strong><a href="pricing.html" class="text-
dark">here</a></strong>.
              </div>
            </div>
          </div>
        </div>
      </div>
      <div class="row justify-content-center">
        <div class="col-md-8 col-10">
          <div class="accordion-item as-margin as-margin-3 border-dark">
            <h2 class="accordion-header" id="headingThree">
              <button class="accordion-button collapsed" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#collapseThree" aria-expanded="false" aria-
controls="collapseThree">
                How do i place the order?
              </button>
            <div id="collapseThree" class="accordion-collapse collapse" aria-</pre>
labelledby="headingThree" data-bs-parent="#accordionExample">
              <div class="accordion-body text-center">
                Before placing the order make sure to contact us via
<strong>instagram</strong> or <strong>mail</strong> or <strong>fill in the form
<a href="pricing.html" class="text-dark">here</a></strong> and tell us something
about the project first and then <strong>we will give you all of the information
on how to actually place the order</strong>.
              </div>
           </div>
```

```
</div>
        </div>
      </div>
    </div>
    <div class="container-fluid pe-0 ps-0">
      <div class="row">
        <div class="col">
          <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
            <div class="container-fluid as-pozicija">
              <a class="navbar-brand as-font text-black fs-3 ps-5 as-padding as-</pre>
hoverL as-promena2" href="index.html">CODEX</a>
              <a class="navbar-brand as-font text-black fs-0 ps-5 as-padding as-</pre>
hoverL as-promena3" href="web.pdf" target=" blank">DOKUMENTACIJA</a>
              <div id="ikone" class="blok">
              <!--Dinamicki ispisani footer-->
              </div>
            </div>
          </nav>
        </div>
      </div>
    </div>
        <!--Ikonice-->
        <script
src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
        <!--Bootstrap 5 Js-->
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js
 integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
        <!--Java Script-->
        <script src="JavaScript/custom.js" type="text/javascript"></script>
        <!--Jauery-->
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
    </body>
</html>
```

3.1.2 Pricing strana

```
<!DOCTYPE html>
<html lang="en">
      <meta charset="UTF-8"/>
      <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
      <!--Title-->
      <title>Codex | Professional editing company</title>
      <link rel="icon" href="img/logo.jpg"/>
      <!--Keywords & Description-->
      <meta name="keywords"</pre>
content="Codex,Pricing,Bronze,Silver,Gold,Contact us"/>
      <meta name="description" content="Welcome to our offer page here you ca</pre>
look at the price and what we offer for each of our packages and if you are
interested in placing the order please fill in the form below or contact us via
social media."/>
      <!--CSS, Responsive CSS-->
      <link rel="stylesheet" type="text/css" href="css/style.css"/>
      <link rel="stylesheet" type="text/css" href="css/responsive.css"/>
      <!--Bootstrap 5 CSS-->
      link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
  </head>
  <body>
        <header>
            <div class="container-fluid ps-0 pe-0">
                      <div class="row">
                          <div class="col">
                              <nav class="navbar navbar-expand-lg navbar-light</pre>
as-bg-gray">
                                <div class="container-fluid ">
                                   <a class="navbar-brand as-font text-black fs-3"
ps-5 as-padding as-hoverL as-promena2" href="index.html">CODEX</a>
                                  <div id="as-navbar" class="blok">
                                   <!--Dinamicki ispisani-->
                                  </div>
                                </div>
                              </nav>
                          </div>
```

```
</div>
            </div>
        </header>
        <div class="container-fluid ps-0 pe-0">
            <div class="row">
                <div class="col-12 as-about-h1 pb-3">
                    <h1>Our packages</h1>
                </div>
            </div>
            <div class="row justify-content-center as-promenljiva"</pre>
id="priceshow">
                <!-- Dinamicki ispisano -->
            </div>
        </div>
        <div class="container-fluid ps-0 pe-0">
            <div class="row">
                <div class="col-12 as-about-h2 pb-3 ps-2 pe-2">
                    <h2>Want to place the order? Make sure to fill in the form
here.</h2>
                </div>
            </div>
            <div class="row justify-content-center">
                <div class="col-md-6 col-11" id="blokforme">
                    <form action="porudzbina.php" method="post">
                    </form>
                </div>
            </div>
        </div>
        <div class="container-fluid pe-0 ps-0 mt-5">
            <div class="row">
              <div class="col">
                <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
                  <div class="container-fluid as-pozicija">
                    <a class="navbar-brand as-font text-black fs-3 ps-5 as-
padding as-hoverL as-promena2" href="index.html">CODEX</a>
                    <a class="navbar-brand as-font text-black fs-0 ps-5 as-</pre>
padding as-hoverL as-promena3" href="web.pdf" target="_blank">DOKUMENTACIJA</a>
                    <div id="ikone" class="blok">
                    <!--Dinamicki ispisani-->
                    </div>
                  </div>
                </nav>
              </div>
            </div>
```

3.1.3 Review strana

```
<!DOCTYPE html>
<html lang="en">
      <meta charset="UTF-8"/>
      <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
      <!--Title-->
      <title>Codex | Professional editing company</title>
      <link rel="icon" href="img/logo.jpg"/>
      <!--Keywords & Description-->
      <meta name="keywords" content="Codex,Rewies,5 star editing"/>
      <meta name="description" content="Here you can see some of the rewies off</pre>
our work we have over 300 rewies but here are some of them."/>
      <!--CSS, Responsive CSS-->
      <link rel="stylesheet" type="text/css" href="css/style.css"/>
      <link rel="stylesheet" type="text/css" href="css/responsive.css"/>
      <!--Bootstrap 5 CSS-->
      link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
    </head>
  <body>
        <header>
            <div class="container-fluid ps-0 pe-0">
                  <div class="row">
                      <div class="col">
                          <nav class="navbar navbar-expand-lg navbar-light as-</pre>
bg-gray">
                              <div class="container-fluid ">
                                <a class="navbar-brand as-font text-black fs-3"</pre>
ps-5 as-padding as-hoverL as-promena2" href="index.html">CODEX</a>
                                <div id="as-navbar" class="blok">
                                </div>
                              </div>
                          </nav>
                      </div>
                  </div>
            </div>
        </header>
```

```
<div class="container-fluid ps-0 pe-0">
            <div class="row">
                <div class="col-12 as-about-h1 pb-5">
                    <h1>Here are some of the rewies off our work</h1>
                </div>
            </div>
            <div id="grupaRew">
            </div>
        </div>
        <div class="container-fluid pe-0 ps-0 mt-5">
            <div class="row">
              <div class="col">
                <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
                    <div class="container-fluid as-pozicija">
                      <a class="navbar-brand as-font text-black fs-3 ps-5 as-
padding as-hoverL as-promena2" href="index.html">CODEX</a>
                      <a class="navbar-brand as-font text-black fs-0 ps-5 as-</pre>
padding as-hoverL as-promena3" href="web.pdf" target=" blank">DOKUMENTACIJA</a>
                      <div id="ikone" class="blok">
                      <!--Dinamicki ispisani-->
                      </div>
                    </div>
                </nav>
              </div>
            </div>
          </div>
      <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
      <!--Bootstrap 5 Js-->
      <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js
 integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
     <!--Java Script-->
      <script src="JavaScript/custom.js" type="text/javascript"></script>
     <!--Jauery-->
      <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
    </body>
</html>
```

3.1.4 Bronze strana

```
<!DOCTYPE html>
<html lang="en">
      <meta charset="UTF-8"/>
      <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
      <!--Title-->
      <title>Codex | Professional editing company</title>
      <link rel="icon" href="img/logo.jpg"/>
      <!--Keywords & Description-->
      <meta name="keywords" content="Codex,Pricining,Bronze_package,Examples"/>
      <meta name="description" content="Here you can see some of the examples of</pre>
my work for the bronze package."/>
      <!--CSS, Responsive CSS-->
      <link rel="stylesheet" type="text/css" href="css/style.css"/>
      <link rel="stylesheet" type="text/css" href="css/responsive.css"/>
      <!--Bootstrap 5 CSS-->
      link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
    </head>
  <body>
      <header>
        <div class="container-fluid ps-0 pe-0">
             <div class="row">
                  <div class="col">
                      <nav class="navbar navbar-expand-md navbar-light as-bg-</pre>
gray">
                          <div class="container-fluid ">
                            <a class="navbar-brand as-font text-black fs-3 ps-5"
as-padding as-hoverL as-promena2" href="index.html">CODEX</a>
                            <div id="as-navbar" class="blok">
                             <!--Dinamicki ispisani-->
                            </div>
                          </div>
                      </nav>
                  </div>
              </div>
        </div>
      </header>
```

```
<div class="container-fluid ps-0 pe-0">
       <div class="row">
         <div class="col-12 as-about-h1 pb-5">
          <h1>Bronze package examples</h1>
        </div>
       </div>
       <div id="skup">
       <!--Dinamicki ispisani-->
       </div>
     </div>
     <div class="container-fluid pe-0 ps-0">
       <div class="row">
         <div class="col">
          <nav class="navbar navbar-expand-sm navbar-light as-bg-gray">
              <div class="container-fluid as-pozicija">
                as-hoverL as-promena2" href="index.html">CODEX</a>
                as-hoverL as-promena3" href="web.pdf" target=" blank">DOKUMENTACIJA</a>
                <div id="ikone" class="blok">
                <!--Dinamicki ispisani-->
                </div>
              </div>
          </nav>
        </div>
       </div>
     </div>
     <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
     <!--Bootstrap 5 Js-->
     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js
 integrity="sha384-
MrcW6ZMFYlzcLA8N1+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
     <!--Java Script-->
     <script src="JavaScript/custom.js" type="text/javascript"></script>
     <!--Jauery-->
     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
   </body>
</html>
```

3.1.5 Silver strana

```
<!DOCTYPE html>
<html lang="en">
      <meta charset="UTF-8"/>
      <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
      <!--Title-->
      <title>Codex | Professional editing company</title>
      <link rel="icon" href="img/logo.jpg"/>
      <!--Keywords & Description-->
      <meta name="keywords"</pre>
content="Codex, Pricining, Silver_package, Examples, Memes, Sound_effects"/>
      <meta name="description" content="Here you can see some of the examples of</pre>
my work for the silver package."/>
      <!--CSS, Responsive CSS-->
      <link rel="stylesheet" type="text/css" href="css/style.css"/>
      <link rel="stylesheet" type="text/css" href="css/responsive.css"/>
      <!--Bootstrap 5 CSS-->
      Ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
  </head>
  <body>
      <header>
        <div class="container-fluid ps-0 pe-0">
              <div class="row">
                  <div class="col">
                      <nav class="navbar navbar-expand-lg navbar-light as-bg-</pre>
gray">
                           <div class="container-fluid ">
                             <a class="navbar-brand as-font text-black fs-3 ps-5</pre>
as-padding as-hoverL as-promena2" href="index.html">CODEX</a>
                            <div id="as-navbar" class="blok">
                             <!--Dinamicki ispisani-->
                             </div>
                           </div>
                      </nav>
                  </div>
              </div>
        </div>
```

```
</header>
     <div class="container-fluid ps-0 pe-0">
       <div class="row">
         <div class="col-12 as-about-h1 pb-5">
           <h1>Silver package examples</h1>
       </div>
       </div>
       <div id="skup">
         <!--Dinamicki ispisani-->
       </div>
     </div>
     <div class="container-fluid pe-0 ps-0">
       <div class="row">
         <div class="col">
           <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
              <div class="container-fluid as-pozicija">
                as-hoverL as-promena2" href="index.html">CODEX</a>
                as-hoverL as-promena3" href="web.pdf" target=" blank">DOKUMENTACIJA</a>
                <div id="ikone" class="blok">
                 <!--Dinamicki ispisani-->
              </div>
              </div>
           </nav>
         </div>
       </div>
     </div>
     <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
     <!--Bootstrap 5 Js-->
     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js
 integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
     <!--Java Script-->
     <script src="JavaScript/custom.js" type="text/javascript"></script>
     <!--Jquery-->
     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
   </body>
</html>
```

3.1.6 Gold strana

```
<!DOCTYPE html>
<html lang="en">
      <meta charset="UTF-8"/>
      <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
      <!--Title-->
      <title>Codex | Professional editing company</title>
      <link rel="icon" href="img/logo.jpg"/>
      <!--Keywords & Description-->
      <meta name="keywords"</pre>
content="Codex,Pricining,Gold_package,Examples,Memes,Sound_effects,Subtitles"/>
      <meta name="description" content="Here you can see some of the examples of</pre>
my work for the gold package."/>
      <!--CSS, Responsive CSS-->
      <link rel="stylesheet" type="text/css" href="css/style.css"/>
      <link rel="stylesheet" type="text/css" href="css/responsive.css"/>
      <!--Bootstrap 5 CSS-->
      k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
  </head>
  <body>
      <header>
        <div class="container-fluid ps-0 pe-0">
              <div class="row">
                  <div class="col">
                      <nav class="navbar navbar-expand-lg navbar-light as-bg-</pre>
gray">
                           <div class="container-fluid ">
                             <a class="navbar-brand as-font text-black fs-3 ps-5</pre>
as-padding as-hoverL as-promena2" href="index.html">CODEX</a>
                            <div id="as-navbar" class="blok">
                               <!--Dinamicki ispisani-->
                            </div>
                           </div>
                      </nav>
                  </div>
              </div>
        </div>
```

```
</header>
     <div class="container-fluid ps-0 pe-0">
       <div class="row">
         <div class="col-12 as-about-h1 pb-5">
           <h1>Gold package examples</h1>
       </div>
       </div>
       <div id="skup">
          <!--Dinamicki ispisani-->
       </div>
     </div>
     <div class="container-fluid pe-0 ps-0">
       <div class="row">
         <div class="col">
           <nav class="navbar navbar-expand-lg navbar-light as-bg-gray">
              <div class="container-fluid as-pozicija">
                as-hoverL as-promena2" href="index.html">CODEX</a>
                as-hoverL as-promena3" href="web.pdf" target=" blank">DOKUMENTACIJA</a>
                <div id="ikone" class="blok">
                </div>
              </div>
          </nav>
         </div>
       </div>
     </div>
     <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
     <!--Bootstrap 5 Js-->
     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js
 integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
     <!--Java Script-->
     <script src="JavaScript/custom.js" type="text/javascript"></script>
     <!--Jquery-->
     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
   </body>
</html>
```

3.1.7 About strana

```
<!DOCTYPE html>
<html lang="en">
      <meta charset="UTF-8"/>
      <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
      <!--Title-->
      <title>Codex | Professional editing company</title>
      <link rel="icon" href="img/logo.jpg"/>
      <!--Keywords & Description-->
      <meta name="keywords" content="Codex,Pricining,Bronze_package,Examples"/>
      <meta name="description" content="Here you can see some of the examples of</pre>
my work for the bronze package."/>
      <!--CSS, Responsive CSS-->
      <link rel="stylesheet" type="text/css" href="css/style.css"/>
      <link rel="stylesheet" type="text/css" href="css/responsive.css"/>
      <!--Bootstrap 5 CSS-->
      link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
  </head>
  <body>
      <header>
        <div class="container-fluid ps-0 pe-0">
             <div class="row">
                  <div class="col">
                      <nav class="navbar navbar-expand-md navbar-light as-bg-</pre>
gray">
                          <div class="container-fluid ">
                            <a class="navbar-brand as-font text-black fs-3 ps-5"
as-padding as-hoverL as-promena2" href="index.html">CODEX</a>
                            <div id="as-navbar" class="blok">
                             <!--Dinamicki ispisani-->
                            </div>
                          </div>
                      </nav>
                  </div>
              </div>
        </div>
      </header>
```

```
<div class="container-fluid ps-0 pe-0" id="autordiv">
      </div>
      <div class="container-fluid pe-0 ps-0">
        <div class="row">
          <div class="col">
            <nav class="navbar navbar-expand-sm navbar-light as-bg-gray">
                <div class="container-fluid as-pozicija">
                  <a class="navbar-brand as-font text-black fs-3 ps-5 as-padding"> s-5 as-padding
as-hoverL as-promena2" href="index.html">CODEX</a>
                  <a class="navbar-brand as-font text-black fs-0 ps-5 as-padding"</pre>
as-hoverL as-promena3" href="web.pdf" target=" blank">DOKUMENTACIJA</a>
                  <div id="ikone" class="blok">
                  <!--Dinamicki ispisani-->
                  </div>
                </div>
          </div>
        </div>
      </div>
      <script src="https://code.iconify.design/2/2.2.0/iconify.min.js"></script>
      <!--Bootstrap 5 Js-->
      <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js
  integrity="sha384-
MrcW6ZMFYlzcLA8N1+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
      <!--Java Script-->
      <script src="JavaScript/custom.js" type="text/javascript"></script>
      <!--Jauery-->
      <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
</html>
```

3.2 CSS i responsive

```
padding: 0px;
    margin: 0px;
@font-face {
    font-family: font;
    src: url(OpenSans-VariableFont_wdth\,wght.ttf);
@font-face {
    font-family: fontheader;
    src: url(BungeeShade-Regular.ttf);
body {
    font-family: font;
a {
    text-decoration: none !important
a:hover {
    color: #000 !important
.as-font {
    font-family: fontheader;
.as-bg-gray {
    background-color: #f7f7f7 !important;
.as-hover:hover {
    color: #000 !important;
.bg-img {
    background-image: url('../img/pozadina1.jpg');
    background-repeat: no-repeat;
    background-position: center;
    padding-top: 300px;
    padding-bottom: 300px;
    background-size: cover;
.random h1 {
    text-align: center;
    padding-top: 50px;
    font-weight: 700;
```

```
.random h2 {
   text-align: center;
   padding-bottom: 50px;
   font-weight: 700;
.as-transparent {
   background: rgba(255, 255, 255, 0.9);
.row {
    --bs-gutter-x: Orem !important;
.as-about-h1 {
   text-align: center;
.as-about-h2 {
   text-align: center;
.as-about-h1 h1 {
   padding-top: 50px;
   padding-bottom: 50px;
.as-about-h2 h2 {
   padding-top: 50px;
   padding-bottom: 50px;
.as-about-h1 p {
   font-size: 22px;
.as-width {
   width: 70%;
   margin-left: 70px;
   margin-bottom: 100px;
   text-align: center;
.as-project {
   width: 50%;
   margin-top: 50px;
   margin-bottom: 50px;
.as-margin {
   margin-top: 10px;
   margin-bottom: 10px;
.as-margin-3 {
   margin-bottom: 100px;
```

```
.accordion-button:focus {
    z-index: 3;
    border-color: #1e1e1e;
    outline: 0;
    box-shadow: 0 0 0 .25rem rgba(0, 0, 0, 0.8) !important
.accordion-button:not(.collapsed) {
    background-color: #000 !important
.accordion-button:not(.collapsed) {
    color: #fff !important
.accordion-button::after {
    background-image: none !important
.card {
    border: 1px solid #000;
.as-transparent2 {
    background-color: #e3e3e3 !important
.form-control {
    box-shadow: 0 0 0 .0rem rgba(0, 0, 0, 1) !important
.form-select {
    box-shadow: 0 0 0 .0rem rgba(0, 0, 0, 1) !important
.slika {
    width: 100%;
.slika img {
    margin-left: 80px;
    padding-bottom: 10px;
.as-font {
    font-size: 20px;
    margin-bottom: 4px;
.as-button {
    width: 80%;
video {
    width: 90%;
    margin-left: 25px;
```

```
border: 1px solid #000;
.form-check-input:checked {
    background-color: #212529 !important;
    border-color: #212529 !important;
#as-navbar .fs-5 {
        font-size: 1.0rem !important;
.pojavi{
    display: block;
.izbaci{
    display: none;
.sakrij, .slajd{
    display: none;
#slajder .aktivan{
    display: block;
#TekstualnoPolje{
    height: 100px;
#about{
    width: 434PX;
    height: 578px;
#aboutdiv{
    margin: 0px;
    width: 100%;
@media screen and (max-width: 1441px) {
    .random h1 {
        font-size: 35px;
    .random h2 {
        font-size: 32px;
    .as-width {
        margin-left: 50px;
    .as-about-h1 p {
```

```
font-size: 20px;
        padding-left: 5px;
        padding-right: 5px;
    .as-project {
        width: 70%;
    video {
        margin-left: 17px;
@media screen and (max-width: 1025px) {
    .random h1 {
        font-size: 28px;
    .random h2 {
        font-size: 24px;
    .as-about-h1 p {
        font-size: 19px;
    .as-width {
        margin-left: 75px;
    .as-project {
        width: 80%;
    video {
        margin-left: 25px;
@media screen and (max-width: 993px) {
@media screen and (max-width: 769px){
    header .container-fluid .as-padding {
        padding-left: 10px !important;
    #navbarNav li {
        padding-left: 10px !important;
        padding-right: 0px !important;
    .as-about-h1 p {
        font-size: 17px;
        padding-left: 10px;
```

```
padding-right: 10px;
    .as-width {
        margin-left: 60px;
    .as-project {
        width: 60%;
    .as-promenljiva .col-12 {
        width: 70%;
    .as-promenljiva .ms-3 {
        margin-left: 0px !important
    video {
        margin-left: 19px;
@media screen and (max-width: 601px) {
    .bg-img {
        padding-top: 250px;
        padding-bottom: 250px;
    .as-about-h1 p {
        font-size: 16px;
    .as-width {
        width: 60%;
        margin: 50px auto;
    video {
        margin-left: 30px;
    .as-promena1{
        width: 100%;
    .as-promena1 li {
        margin:0px auto;
    .as-pozicija a {
        width: 100%;
        margin-bottom: 10px;
        text-align: center;
        padding: Opx !important
```

```
.as-pozicija a {
        margin-right: 0px !important
    .as-promena2{
        width: 100%;
        text-align: center;
    .as-promena3{
        width: 100%;
    .blok{
        width: 100%;
@media screen and (max-width: 481px) {
    .random h1 {
        font-size: 25px;
    .random h2 {
        font-size: 21px;
    .as-pozicija a {
        width: 100%;
        margin-bottom: 10px;
        text-align: center;
        padding: Opx !important
    .as-pozicija a {
        margin-right: 0px !important
    .as-pozicija ul {
        width: 100%;
        padding: Opx !important
    .as-pozicija li {
        margin: 0px auto;
    video {
        margin-left: 23px;
    .as-promena2{
        width: 100%;
        text-align: center;
```

```
.as-promena3{
        width: 100%;
@media screen and (max-width: 426px) {
    .random h1 {
        font-size: 22px;
    .random h2 {
        font-size: 19px;
    .as-promenljiva .col-12 {
        width: 90%;
    video {
        margin-left: 21px;
    #about{
        width: 335PX; /*404-78 = 325 548 - 78= 470*/
        height: 470px;
    }
@media screen and (max-width: 376px) {
    .as-width {
        width: 70%;
    .as-project {
        width: 70%;
    .as-about-h1 p {
        font-size: 15px;
        padding-bottom: 5px;
    .as-promenljiva .col-12 {
        width: 92%;
    video {
        margin-left: 19px;
@media screen and (max-width: 321px) {
    .random h1 {
        font-size: 20px;
    .random h2 {
```

```
font-size: 17px;
}
.as-about-h1 p {
    padding-bottom: 10px;
}
video {
    margin-left: 17px;
}
#as-navbar .fs-5 {
    font-size: 0.77rem !important;
}
#about{
    width: 318PX;
    height: 440px;
}
}
```

3.3Java Script sa jQuery

```
window.onload = function(){
    $(document).ready(function(){
    let url = document.location.pathname;
    console.log(url);
    if(url == "/" || url == "/index.html"){
        IspisMeny();
        IspisFooterLinks();
        //tim
        let nizSlika =
["img/slika.jpg","img/tim1.jpg","img/tim2.jpg","img/tim3.jpg"];
        let nizAltAtt = ["editor", "animator", "photoshop", "business"];
        let nizNaslova = ["Aleksandar Simić", "Boris Jovanović", "Stefan
Milić","Mateja Radivojević"];
        let nizSadrzaja = ["Hi my name is Aleksandar and i am the video editor of
the group. I have been editing for quite some time now and i am really enjoying
it.","Hi my name is Boris and i am a animator of the group. I make custom intros
and outros and making some animations for the YouTube videos.","Hi my name is
Stefan and i am the photographer of the group. At the moment i am creating
thumbnails for the YouTube videos.", "Hi my name is Mateja and i am the
administrator of the group. I am sending all of the information to others in
terms of oreders (mail) etc."];
        IspisTima(nizSlika,nizAltAtt,nizNaslova,nizSadrzaja);
        //projekti
        let nizSlika1 = ["img/ytlogo2.jpg","img/ytlogo1.jpg","img/ytlogo3.jpg"];
        let nizAltAtt1 = ["Eu_Drip","Truegawd","Davej974"];
        let naslov = ["Eu Drip", "Truegawd", "Davej974"];
        let opis = ["Very big YouTuber with almost 100k subscribers. He does
gaming content in genereal with some try not laugh challenges here and
there.", "Very big YouTuber with 188k subscribers. He does mainly reaction videos
but he has a second channel where he plays games.", "Upcoming star of YouTube with
4.5k subscribers. He does videos like MrBeast for example donation videos to
twitch streamers."];
        let broj1 = ["YouTube subscribers: 95k","YouTube subscribers:
188k", "YouTube subscribers: 4.5k"];
        let broj2 = ["TikTok followers: 6.4m","2nd channel subscribers:
9.3k", "Twitch followers: 4.4k"];
        let link =
["https://www.youtube.com/c/EUDrip","https://www.youtube.com/c/TrueGawd","https:/
/www.youtube.com/"];
        IspisProjekata(nizSlika1,nizAltAtt1,naslov,opis,broj1,broj2,link);
        slajder();
    if(url == "/pricing.html"){
```

```
IspisMeny();
        IspisPaketa();
        IspisFooterLinks();
        //forma
        let type =["text","text","email"];
        let id =["ime","prezime","email"];
        let placeholder =["Name", "Surname", "name@example.com"];
        let sadrzaj =["Name","Surname","Email address"];
        let valueListe = ["1","2","3"]
        let optionliste = ["Bronze", "Silver", "Gold"];
        let idradio =["flexRadioDefault1","flexRadioDefault2"];
        let valueradio=["P","V"];
        let sadrzajradio=["PayPal","Visa"];
        IspisForme(type,id,placeholder,sadrzaj,valueListe,optionliste,idradio,val
ueradio,sadrzajradio);
        reIme = /^[A-ZČĆŠĐŽ][a-zčćŠđž]{2,14}(\s[A-ZČĆŠĐŽ][a-
zčćšđž]{2,14}){0,1}$/;
        rePrezime = /^[A-ZČĆŠĐŽ][a-zčćšđž]{2,14}(\s[A-ZČĆŠĐŽ][a-
zčćšđž]{2,14}){0,1}$/;
        reEmail = /^[a-z]{3,15}(\.[a-z]{3,15})?\@((gmail\.com))(yahoo\.com))$/;
        rePayPal = /^[a-z]{3,15}(\.[a-z]{3,15})?\@((gmail\.com)|(yahoo\.com))$/;
        reVisaNumber = /^[0-9]{4}(\-([0-9]{4})){3}$/
        //Obrada
            $('#taster').click(function(){
            ProveraForme(reIme, "#ime", "You have entered a wrong format for name.
This is an correct example: Aleksandar", greska1);
            ProveraForme(rePrezime, "#prezime", "You have entered a wrong format
for surname. This is an correct example: Simić",greska2);
            ProveriKarticu(reVisaNumber, "#visa", "You must enter a right format
for your card number. A correct example: 1234-5678-9101-1123",greska5);
            DodatnaProvera(rePayPal, "#pyapal", "#ime", "You can't have a first name
as same as the beginning of your email address or the format is not right. The
right example for the name Aleksandar is: aca@gmail.com",greska4)
            let ime = document.querySelector('#ime').value;
            let value = document.querySelector('#email').value;
            if(value.indexOf(ime.toLowerCase()) == 0 ||
!$('#email').val().match(reEmail)){
                $('#email').parent().children(':last').removeClass('izbaci');
                $('#email').parent().children(':last').html("You can't have a
first name as same as the beginning of your email address or the format is not
right. The right example for the name Aleksandar is: aca@gmail.com");
                console.log("Greska");
                greska3 = true;
            }
            else{
```

```
console.log("Uspeh")
               $('#email').parent().children(':last').addClass('izbaci');
               $('#email').parent().children(':last').html("");
               greska3 = false
           //textarea
           provera = $('#TekstualnoPolje').val().length;
           if(provera <10 || provera >100){
               $('#TekstualnoPolje').parent().children(':last').removeClass('izb
aci');
               $('#TekstualnoPolje').parent().children(':last').html("Note must
have minimum 10 and maximum 100 characters");
               greska6 = true
           else{
              $('#TekstualnoPolje').parent().children(':last').addClass('izbaci'
);
              $('#TekstualnoPolje').parent().children(':last').html("");
              greska6 = false
           //radio button
           let tipPlacanja = $('input[name=flexRadioDefault]:checked');
           if($(tipPlacanja).length ==0){
               $('#flexRadioDefault1').parent().children(':last').remov
eClass('izbaci');
               $('#flexRadioDefault1').parent().children(':last').html(
"You must choose a payment way");
               greska7 = true
           }else{
               $('#flexRadioDefault1').parent().children(':last').addCl
ass('izbaci');
               $('#flexRadioDefault1').parent().children(':last').html(
"");
               greska7 = false
           //padajuca lista
           let lista = document.querySelector("#floatingSelect");
           let listavalue = lista.options[lista.selectedIndex].value;
           console.log(listavalue);
           let listatext = lista.options[lista.selectedIndex].text;
           console.log(listatext);
           if(listavalue == "0"){
               $('#floatingSelect').parent().children(':last').removeClass('izba
ci');
```

```
$('#floatingSelect').parent().children(':last').html("You must
choose a package");
               greska8 = true
           else{
               $('#floatingSelect').parent().children(':last').addClass('izbaci'
);
               $('#floatingSelect').parent().children(':last').html("");
               greska8 = false
           //checkbox
           let robotcheck = $('input[name=ch]:checked');
           if($(robotcheck).length == 0){
               $('#flexCheckDefault').parent().children(':last').remove
Class('izbaci');
               $('#flexCheckDefault').parent().children(':last').html("
You must agree to the following.");
               greska9 = true
           else{
               $('#flexCheckDefault').parent().children(':last').addCla
ss('izbaci');
               $('#flexCheckDefault').parent().children(':last').html("
');
               greska9= false
           //potvrda
           if(!greska1 && !greska2 && !greska3 && !greska6 && !greska7 &&
!greska8 && !greska9 && (!greska4 && greska5 || greska4 && !greska5)){
               IspisKonacan();
           else{
               ResetKonacan();
       })
       //radio check i skriveni blokovi
       $('#flexRadioDefault1').on('click',function(){
           if("#flexRadioDefault1 input:checked"){
               $('#dodatni1').removeClass('izbaci')
               $('#dodatni1').parent().find('#dodatni2').addClass('izbaci')
               $('#flexRadioDefault1').parent().children(':last').addCl
ass('izbaci');
               $('#flexRadioDefault1').parent().children(':last').html(
"");
```

```
else{
                $('#dodatni1').parent().children(':next').removeClass('izbaci')
                $('#dodatni1').addClass('izbaci')
        })
        $('#flexRadioDefault2').on('click',function(){
            if("#flexRadioDefault1 input:checked"){
                $('#dodatni2').removeClass('izbaci')
                $('#dodatni2').parent().find('#dodatni1').addClass('izbaci')
                $('#flexRadioDefault1').parent().children(':last').addCl
ass('izbaci');
                $('#flexRadioDefault1').parent().children(':last').html(
"");
            else{
                $('#dodatni2').parent().children(':next').removeClass('izbaci')
                $('#dodatni2').addClass('izbaci')
            }
        })
    if(url == "/reviews.html"){
        IspisMeny();
        IspisFaq();
        IspisFooterLinks();
        //Jquery
            let brojac = 0,brojac2 = 0,brojac3 = 0,brojac4 = 0,brojac5 =
0,brojac6 = 0,brojac7 = 0,brojac8 = 0;
            $('#promeni').click(function(e){
                e.preventDefault();
                if(brojac % 2 == 0){
                    $("#more").slideToggle('slow').removeClass('izbaci');
                    $(this).html("Show less");
                }else{
                    $("#more").slideToggle('slow').addClass('izbaci');
                    $(this).html("Show more");
                brojac++
            });
            $('#promeni2').click(function(e){
                e.preventDefault();
                if(brojac2 % 2 == 0){
                    $("#more2").slideToggle('slow').removeClass('izbaci');
                    $(this).html("Show less");
                }else{
                    $("#more2").slideToggle('slow').addClass('izbaci');
```

```
$(this).html("Show more");
   brojac2++
});
$('#promeni3').click(function(e){
    e.preventDefault();
    if(brojac3 \% 2 == 0){
        $("#more3").slideToggle('slow').removeClass('izbaci');
        $(this).html("Show less");
    }else{
        $("#more3").slideToggle('slow').addClass('izbaci');
        $(this).html("Show more");
   brojac3++
});
$('#promeni4').click(function(e){
    e.preventDefault();
   if(brojac4 % 2 == 0){
        $("#more4").slideToggle('slow').removeClass('izbaci');
        $(this).html("Show less");
    }else{
        $("#more4").slideToggle('slow').addClass('izbaci');
        $(this).html("Show more");
   brojac4++
});
$('#promeni5').click(function(e){
    e.preventDefault();
    if(brojac5 \% 2 == 0){
        $("#more5").slideToggle('slow').removeClass('izbaci');
        $(this).html("Show less");
    }else{
        $("#more5").slideToggle('slow').addClass('izbaci');
       $(this).html("Show more");
   brojac5++
});
$('#promeni6').click(function(e){
   e.preventDefault();
    if(brojac6 % 2 == 0){
        $("#more6").slideToggle('slow').removeClass('izbaci');
        $(this).html("Show less");
    }else{
        $("#more6").slideToggle('slow').addClass('izbaci');
        $(this).html("Show more");
```

```
brojac6++
                                                             });
                                                             $('#promeni7').click(function(e){
                                                                                e.preventDefault();
                                                                                if(brojac7 \% 2 == 0){
                                                                                                     $("#more7").slideToggle('slow').removeClass('izbaci');
                                                                                                    $(this).html("Show less");
                                                                                 }else{
                                                                                                     $("#more7").slideToggle('slow').addClass('izbaci');
                                                                                                    $(this).html("Show more");
                                                                                brojac7++
                                                             });
                                                             $('#promeni8').click(function(e){
                                                                                e.preventDefault();
                                                                                if(brojac8 % 2 == 0){
                                                                                                     $("#more8").slideToggle('slow').removeClass('izbaci');
                                                                                                    $(this).html("Show less");
                                                                                                     $("#more8").slideToggle('slow').addClass('izbaci');
                                                                                                    $(this).html("Show more");
                                                                                brojac8++
                                                            });
                    if(url == "/bronze.html"){
                                        IspisMeny();
                                        let nizsrc =
["video/b1.mp4","video/b2.mp4","video/b3.mp4","video/b4.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","video/b5.mp4","vide
o/b6.mp4","video/b7.mp4","video/b8.mp4"];
                                        IspisVideo(nizsrc);
                                        IspisFooterLinks();
                    if(url == "/silver.html"){
                                        IspisMeny();
                                        let nizsrc=
["video/2.mp4","video/1.mp4","video/s3.mp4","video/s4.mp4","video/s5.mp4","video/s5.mp4","video/s5.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/s7.mp4","video/
s6.mp4","video/s7.mp4","video/s8.mp4"];
                                       IspisVideo(nizsrc);
                                        IspisFooterLinks();
                    if(url == "/gold.html"){
                                       IspisMeny();
```

```
let nizsrc =
["video/g1.mp4","video/g2.mp4","video/g3.mp4","video/g4.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4","video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp4",video/g5.mp5.mp4",video/g5.mp5.mp4",vi
o/g6.mp4","video/g7.mp4","video/g8.mp4"];
                  IspisVideo(nizsrc);
                  IspisFooterLinks();
         if(url == "/about.html"){
                  IspisMeny();
                  IspisAutora();
                  IspisFooterLinks();
})
//ispis menija
function IspisMeny(){
         let navv = document.querySelector("#as-navbar");
         let nizHref = ["index.html","pricing.html","reviews.html","about.html"];
         let nizImena = ["Home", "Pricing", "Reviews", "About me"]
         let ispis = ``
         for(let i=0;i<nizHref.length;i++){</pre>
                  ispis += `
                                             <a class="nav-link text-muted as-hover"</pre>
href="${nizHref[i]}">${nizImena[i]}</a>
                                                `
         ispis += ``
         navv.innerHTML = ispis;
//ispis footer ikona
function IspisFooterLinks(){
         let nizHref =
["https://www.facebook.com/","https://www.instagram.com/","https://www.linkedin.c
om/","https://www.youtube.com/","sitemap.xml"];
         let nizdataicon = ["cib:facebook-f","akar-icons:instagram-fill","akar-
icons:linkedin-fill", "ant-design:youtube-outlined", "fa:sitemap"];
         let blok = document.querySelector("#ikone")
         let ispis = ``
         for(let i=0;i<nizHref.length;i++){</pre>
                  ispis += `
                                              <a class="nav-link active text-muted" href="${nizHref[i]}"</pre>
target="_blank"><span class="iconify" data-icon="${nizdataicon[i]}"></span></a>
                                                ispis += ``
         blok.innerHTML = ispis;
```

```
//ispis FaQ sekcije
function IspisFaq(){
    let divIspis = document.querySelector("#grupaRew");
    let br = 0;
    let ispis = `<div class="row">`
    let ispis2 = `<div class="row">`
    let img =["img/ytlogo3.jpg","img/ytlogo4.jpg",
    "img/ytlogo6.jpg","img/ytlogo7.jpg","img/ytlogo2.jpg","img/ytlogo8.jpg"
    ,"img/ytlogo9.jpg","img/ytlogo10.jpg"];
    let alt = ["dave", "hothousemoss", "TrueGawd", "fourOeight",
    "Eu_Drip","hillbilly","ijolp","jrocks26"];
    let h = ["Davej974","Hothousemoss","TrueGawd","Four0eight",
    "Eu Drip", "Hillbilly", "Ijolp", "Jrocks26"];
    let p1 = ["Another great edit, always follows instructions, pleasure to work
with.",
    "This is my second time working with this seller. He's always super nice,
gets it done on time and the editing is always amazing. Glad i chose to work with
him again.",
    "Great work! Very understanding. I love working with him!",
    "Great working with the seller! He was quick to respond, open to feedback,
and then adjusted based on my feedback. Exactly what I was hoping for!",
    "I absolutely loved how he edited my video. I'm looking forward to working
with him more.",
    "Another great vid done by him requested a little longer of a video and he
hooked it up. Thanks mate!",
    "The video is awesome! I will for sure be sending you more business!",
    "Quality was amazing. Highlighted all the best parts and made it look very
professionally made. Would and will easily buy again. Thank you!"]
    let p2 = [`A youtuber with 4.5k subscribers he is also streaming on twitch
and on there he has 4.4k followers.
    He creates content like MrBeast and he is making twitch donations type of
videos. He is very skilled at what he does and i think he will have
    a bright future`,
    `He has 118 subscribers and he is making minecraft survival and funny moments
type of videos.He is still
    strating out so he is just learning things like how to record a video with
obs.`,
    `He is a very big youtuber with 188k subscribers. He does mainly reaction
videos but he has a second channel
    where he plays games. And he also streams gaming or reactions over on his
twitch channel. He has an amazing audience and i am happy to be a bart of
it.`,
    `He has 5k subscribers and he is making modded minecraft gameplays.He is not
as consistant as a
```

```
youtuber should be but i think he is on the right path.`,
    `Very funny youtuber who came from TikTok with 6m followers and now on
YouTube has 95k subscribers. In Terms of content he does horror types of games
and the videos are so enjoyable to watch.`,
    `He started posting videos on YouTube 3 month ago and at the moment he has 77
subscribers.
   He does mainly Call of Duty: Warzone videos. He is a regular buyer and it
means a lot to see him come back every time.
   He can do a lot of cool stuff on youtube just give him some time.`,
    `Ijolp has 209 subscribers and he mainly does Sea of Thieves videos.
   He also streams on twitch and has his very own podcast. And i really like his
podcasts so i would recommend for you to go and check it out when
   you have the time. `,
    `They have 80 subscribers at the moment and they are making Guild Wars 2
videos.
    They also have their twitch channel were they stream those games. They are
focusing more on the streaming at the moment which is fantastic since they
   very popular on the twitch platform`]
    let idtekst =
["more", "more2", "more3", "more4", "more5", "more6", "more7", "more8"]
    let ida =
["promeni", "promeni2", "promeni3", "promeni4", "promeni5", "promeni6", "promeni7", "pro
meni8"]
   for(let i=0;i<img.length;i++){</pre>
        ispis += `<div class="col-xxl-3 col-md-6 col-12 ">
                    <div class="card as-width border border-dark">
                        <img src="${img[i]}" class="card-img-top"</pre>
alt="${alt[i]}"/>
                        <div class="card-body">
                            <h5 class="card-title">${h[i]} <span class="iconify"</pre>
as-font" data-icon="emojione:star"></span>5</h5>
                            ${p1[i]}
                           id="${idtekst[i]}">${p2[i]}
                        </div>
                        <div>
                           <a href="reviews.html" class="btn btn-dark btn-</pre>
outline-light as-button mx-auto mb-4 mt-3" id="${ida[i]}">Show more</a>
                        </div>
                    </div>
               </div>`
       br++;
        if(br == 4){
            for(let i=4;i<img.length;i++){</pre>
                ispis2+=`<div class="col-xxl-3 col-md-6 col-12 ">
```

```
<div class="card as-width border border-dark">
                                <img src="${img[i]}" class="card-img-top"</pre>
alt="${alt[i]}"/>
                               <div class="card-body">
                                    <h5 class="card-title">${h[i]} <span
class="iconify as-font" data-icon="emojione:star"></span>5</h5>
                                   ${p1[i]}
                                   id="${idtekst[i]}">${p2[i]}
                               </div>
                               <div>
                                   <a href="reviews.html" class="btn btn-dark</pre>
btn-outline-light as-button mx-auto mb-4 mt-3" id="${ida[i]}">Show more</a>
                               </div>
                            </div>
                       </div>
            break;
    ispis+="</div>";
    ispis2+="</div>";
    divIspis.innerHTML = ispis;
    divIspis.innerHTML += ispis2;
//ispis Paketa
function IspisPaketa(){
    let divPaketi = document.querySelector("#priceshow");
    let ispis =""
    let title =["Bronze", "Silver", "Gold"];
    let opis1 =["Basic editing with cuts, zooms, music etc.", "Bronze package +
memes and sound effects.","Silver package + subtitles and animations."];
    let cena =["$10","$15","$35"];
    let opis2 =["Basic but effective videos", "Funny type of video +
thumbnail", "Professional videos"];
    let motiontick =["text-secondary","text-success","text-success"];
    let subtitlestick =["text-secondary","text-secondary","text-success"];
    let minutes1 =["up to 60 minutes","up to 105 minutes","up to 180 minutes"];
    let minutes2 =["10 minutes","20 minutes","45 minutes"];
    let revisions =["2","3","5"];
    let delivery =["2 days","3 days","4 days"];
    let links =["bronze.html","silver.html","gold.html"];
    for(let i=0;i<title.length;i++){</pre>
        ispis+=`<div class="col-lg-3 col-12 as-transparent2 border border-dark</pre>
ms-3 rounded mb-5 as-width2">
```

```
<h2 class="as-about-h1 pt-3 pb-2">${title[i]}</h2>
                 edit"><strong>${opis1[i]}</strong>
                 <h2 class="as-about-h1 pt-4 pb-4">${cena[i]}</h2>
                 edit"><strong>${opis2[i]}</strong>
                 <span class="iconify me-1 text-success"</pre>
fs-5" data-icon="eva:checkmark-fill"></span>Color Grading
                 <span class="iconify me-1 text-success"</pre>
fs-5" data-icon="eva:checkmark-fill"></span>Sound Design
                 <span class="iconify me-1"</pre>
${motiontick[i]} fs-5" data-icon="eva:checkmark-fill"></span>Motion Graphics
                 <span class="iconify me-1</pre>
${subtitlestick[i]} fs-5" data-icon="eva:checkmark-fill"></span>Subtitles
                 <span class="iconify me-1 text-success"</pre>
fs-5" data-icon="akar-icons:arrow-right"></span>Raw gameplay: <strong
>${minutes1[i]}</strong>
                 <span class="iconify me-1 text-success</pre>
fs-5" data-icon="akar-icons:arrow-right"></span>Running Time:
<strong>${minutes2[i]}</strong>
                 <span class="iconify me-1 text-success"</pre>
fs-5" data-icon="akar-icons:arrow-right"></span>Revisions:
<strong>${revisions[i]}</strong>
                 <span class="iconify me-1 text-</pre>
success fs-5" data-icon="akar-icons:arrow-right"></span>Delivery Time:
<strong>${delivery[i]}</strong>
                 <div class="card-body text-center mb-2">
                 <a href="${links[i]}"class="btn btn-dark btn-outline-</pre>
light">See the video examples here!</a>
                 </div>
              </div>`
   divPaketi.innerHTML = ispis;
//ispisi videa
function IspisVideo(nizsrc){
   let divskup = document.querySelector("#skup");
   let br = 0;
   let ispis = `<div class="row">`
   let ispis2 = `<div class="row">`
   for(let i=0;i<nizsrc.length;i++){</pre>
       ispis+= `<div class="col-xxl-3 col-md-6 col-12 mb-5 ">
              <video src="${nizsrc[i]}" type="video/mp4" controls></video>
              </div>`
       br++
```

```
if(br == 4){
            for(let i=4;i<nizsrc.length;i++){</pre>
                ispis2+= `<div class="col-xxl-3 col-md-6 col-12 mb-5 ">
                        <video src="${nizsrc[i]}" type="video/mp4"</pre>
controls></video>
                        </div>`
            break;
        }
    ispis+="</div>";
    ispis2+="</div>";
    divskup.innerHTML = ispis;
    divskup.innerHTML += ispis2;
//ispisivanje tima
function IspisTima(nizSlika,nizAltAtt,nizNaslova,nizSadrzaja){
    let divTima = document.querySelector("#as-tim");
    let ispis = "";
    for(let i=0;i<nizSlika.length;i++){</pre>
        ispis +=`<div class="col-xxl-3 col-md-6 col-12 ">
                    <div class="card as-width border border-dark">
                        <img src="${nizSlika[i]}" class="card-img-top"</pre>
alt="${nizAltAtt}"/>
                        <div class="card-body">
                             <h5 class="card-title">${nizNaslova[i]}</h5>
                             ${nizSadrzaja[i]}
                        </div>
                    </div>
                </div>`
    divTima.innerHTML = ispis;
//ispisivanje projekata
function IspisProjekata(img,alt,naslov,opis,broj1,broj2,link){
    let divProjekta = document.querySelector("#as-projects");
    let ispis = "";
    for(let i=0;i<img.length;i++){</pre>
        ispis +=` <div class="col-lg-4 col-12">
                    <div class="card as-project mx-auto text-center border</pre>
border-dark">
                         <img src="${img[i]}" class="card-img-top"</pre>
alt="${alt[i]}"/>
                        <div class="card-body">
                            <h5 class="card-title">${naslov[i]}</h5>
```

```
${opis[i]}
                     </div>
                     ${broj1[i]}
                         ${broj2[i]}
                     <div class="card-body">
                         <a href="${link[i]}" target="_blank" class="btn btn-</pre>
dark btn-outline-light">YouTube</a>
                     </div>
                  </div>
              </div>`
   divProjekta.innerHTML = ispis;
//slajder
var tajmer;
function slajder(){
   let trenutniSlajd = $('#slajder .aktivan')
   let sledeciSlajd = (trenutniSlajd.next().length) ? trenutniSlajd.next() :
trenutniSlajd.parent().children(':first');
   trenutniSlajd.removeClass('aktivan')
   sledeciSlajd.addClass("aktivan")
   tajmer = setTimeout(slajder, 4000);
//forma ispis i provera
greska1=false,greska2=false,greska3=false,greska4=true,greska5=true,greska6=false
,greska7=false,greska8=false,greska9=false
function
IspisForme(type,id,placeholder,sadrzaj,valueliste,optionliste,idradio,valueradio,
sadrzajradio){
   let ispis = `<form action="porudzbina.php" id="forma" method="post">`;
   //ispis tekstualnih polja
   for(let i = 0;i<type.length;i++){</pre>
       ispis +=`<div class="form-floating mb-3">
                  <input type="${type[i]}" class="form-control border-dark as-</pre>
bg-gray" id="${id[i]}" placeholder="${placeholder[i]}" required/>
                 <label for="${id[i]}">${sadrzaj[i]}</label>
                  </div>`
   //ispis textarea
       ispis +=`<div class="form-floating mb-3">
```

```
<textarea class="form-control border-dark as-bg-gray"</pre>
placeholder="Leave a comment here" id="TekstualnoPolje" rows="16" cols="20"
required"></textarea>
                  <label for="TekstualnoPolje">Tell us something about the
project</label>
                      </div>
   //ispis liste
       ispis +=`<div class="form-floating mb-3">
                  <select class="form-select border-dark as-bg-gray"</pre>
id="floatingSelect" aria-label="Floating label select example required">
                      <option selected value = 0>Choose</option>`
       for(let i = 0;i<valueliste.length;i++){</pre>
           ispis+=`<option value="${valueliste[i]}">${optionliste[i]}</option>`
       ispis +=`</select>
                  <label for="floatingSelect">Pick which package would you
like</label>
                      </div>`
   //ispis radio
   ispis+=`<label class="form-check-label fs-5" for="${idradio[2]}">
              Choose a payment way
           </label>
           <div>`
       for(let i=0;i<idradio.length;i++){</pre>
           ispis += `<div class="form-check ">
                      <input class="form-check-input border-dark" type="radio"</pre>
name="flexRadioDefault" id="${idradio[i]}" value="${valueradio[i]}"/>
                      <label class="form-check-label" for="${idradio[i]}">
                          ${sadrzajradio[i]}
                      </label>
                  </div>`
   ispis+=`</div>
           <div class="form-floating mb-3 mt-3 izbaci"id="dodatni1">
               <input type="email" class="form-control border-dark as-bg-gray"</pre>
id="pyapal" placeholder="PayPal"/>
               <label for="pyapal">Please enter your PayPal email here</label>
               </div>
           <div class="form-floating mb-3 mt-3 izbaci" id="dodatni2">
               <input type="text" class="form-control border-dark as-bg-gray"</pre>
id="visa" placeholder="Visa"/>
```

```
<label for="pyapal">Please enter your card number here</label>
               </div>
    ispis+=` <div>
               <div class="form-check mb-3 mt-3">
                   <input class="form-check-input border-dark" type="checkbox"</pre>
name="ch" value="check" id="flexCheckDefault">
                   <label class="form-check-label" for="flexCheckDefault">
                   By checking this you agree to the following <a
href="https://www.google.com/" target="_blank">Terms of service</a>
                   </label>
               </div>
               </div>
           <div class="col-12 mb-5s mt-3">
               <button class="btn btn-light btn-outline-dark" type="button"</pre>
value="Place the order" id="taster">Place the order</button>
           </div>
           <div id="odlican"></div>
           </div>`
    ispis +=`</form>`
    $('#blokforme').html(ispis);
function ProveraForme(reg,idpolja,greska,provera){
    if(!$(idpolja).val().match(reg)){
       $(idpolja).parent().children(':last').removeClass('izbaci');
       $(idpolja).parent().children(':last').html(greska)
       provera = true;
   else{
       $(idpolja).parent().children(':last').addClass('izbaci');
       $(idpolja).parent().children(':last').html('');
       provera = false;
function IspisKonacan(){
    let date = new Date();
   let day = date.getDate();
    let month = date.getMonth() + 1;
    let year = date.getFullYear();
    let divIspis = document.querySelector("#odlican")
    divIspis.setAttribute("class", "alert alert-success mt-4");
    divIspis.innerHTML = `You have successfully placed the order. Order date
placed: ${day}/${month}/${year}`;
    document.guerySelector('#forma').reset();
```

```
function ResetKonacan(){
    let divIspis = document.querySelector("#odlican")
    divIspis.removeAttribute("class","alert alert-success mt-4");
    divIspis.innerHTML = '';
function IspisAutora(){
    let divautor = document.querySelector("#autordiv");
    let isipsautor = `<div class="row" id="centar">
    <div class="col-12 as-about-h2 pb-3 ps-2 pe-2">
        <h2>About me</h2>
    </div>
</div>
<div class="row">
    <div class="col">
        <div class="as-width" id="aboutdiv">
            <img src="img/slika.jpg" class="card-img-top border border-dark"</pre>
id="about" alt="editor,animator,photoshop,business">
                <h5 class="card-title">Aleksandar Simić</h5>
                31/21
        </div>
    </div>
</div>
    divautor.innerHTML = isipsautor;
function DodatnaProvera(reg,idpolja,imeId,greska,provera){
    let ime = document.querySelector(imeId).value;
    let paypalval = document.querySelector(idpolja).value;
    if(paypalval.indexOf(ime.toLowerCase()) == 0 ||
!$(idpolja).val().match(reg)){
        $(idpolja).parent().children(':last').removeClass('izbaci');
        $(idpolja).parent().children(':last').html(greska);
        console.log("Greska");
        greska4 = true;
    else{
        console.log("Uspeh")
        $(idpolja).parent().children(':last').addClass('izbaci');
        $(idpolja).parent().children(':last').html("");
        greska4 = false;
function ProveriKarticu(reg,idpolja,greska,provera){
    if(!$(idpolja).val().match(reg)){
        $(idpolja).parent().children(':last').removeClass('izbaci');
```

```
$(idpolja).parent().children(':last').html(greska)
    greska5 = true;
}
else{
    $(idpolja).parent().children(':last').addClass('izbaci');
    $(idpolja).parent().children(':last').html('');
    greska5 = false;
}
```