PRÁCTICA JFLP SESIÓN 1

Jorge Rodriguez Fraile 100405951 Grupo 81 Carlos Rubio Olivares 100405834 Grupo 81 Ejercicio 1.a:


OBTENER EL AFD EQUIVALENTE:

	0	1	λ	λ*	λ*0λ*	λ*1λ*
->q0	q1,q2	-	1	q0	q1,q2,q3, q4	
q1	q2	-	q2	q1,q2,q3,q4	q2,q3,q4	q3, q4
q2	1	q3,q4	q3,q4	q2,q3,q4	1	q3, q4
q3	1	q4	1	q3	1	q4
*q4				q4		

	0	1	
->{q0}	{q1,q2,q3, q4}	Ф	
* {q1,q2,q3, q4}	{q2}	{q3,q4}	
*{q2,q3,q4}	Ф	{q3,q4}	
*{q3,q4}	Ф	{q4}	
{q4}	Ф	Ф	
Ф	Ф	Ф	

AFND:

AFD EQUIVALENTE:



MANUAL

Ejercicio 1.b: Mínimo del AFD equivalente: q1,2,3,4 = q1

q2,3,4 = q2


q3,4 = q3

	0	1	Q/E1 0	Q/E1 1	Q/E2 0	Q/E2 1	Q/E3 0	Q/E3 1
->q0	q1	Ф	C1	C1	C1	C1	C1	C4
*q1	q2	q3	C1	C1	C1	C3	C1	C3
*q2	Ф	q3	C1	C1	C1	C3	C4	C3
*q3	Ф	q4	C1	C2		-	-	-
*q4	Ф	Ф	-			-	-	-
Φ	Ф	Ф	C1	C1	C1	C1	C4	C4

```
Q/E0 = \{C1 = \{q0,q1,q2,q3,\Phi\}, C2 = \{q4\}\}
Q/E1 = \{C1 = \{q0,q1,q2,\Phi\}, C2 = \{q4\}, C3 = \{q3\}\}
Q/E2 = \{C1 = \{q1,q2\}, C2 = \{q4\}, C3 = \{q3\}, C4 = \{q0,\Phi\}\}
```

Q/E3 = {C1= {q1}, C2 = {q4}, C3 = {q3}, C4={q0}, C5 ={
$$\Phi$$
}, C6 ={q2}}


ES IGUAL AL AFD ANTERIOR, POR TANTO, EL AFD YA ERA MÍNIMO.




Ejercicio 1.c: Mínimo del AFD equivalente:

El lenguaje que reconocen estos autómatas es 0^m 1^n tal que 1<=m<=2 y
0<=n<=2


MÍNIMO TEST




AFD EQUIVALENTE TEST




EJERCICIO 2: AFND:



AFD:



AFD Mínimo:



TEST LENGUAJE:

