

Changes

3.7.0 [2025/11/15] - CODE BLUE Release

New Features:

- Added a `-V`, `--validate-checksums` option to check chunk header checksums in the `csv-timeline` and `json-timeline` commands. (#1709) (@fukusuket)

Enhancements:

- Added four new command-line options `--include-channel`, `--exclude-channel`, `--include-filename`, and `--exclude-filename` to the `log-metrics` command. (#1715) (@fukusuket)
- Updated the Timesketch install readme to support Timesketch on ARM-based Macs. (#1719) (@fukusuket)

Bug Fixes:

- When `validate_checksum` is disabled (default), an infinite loop and memory leak when the `data_size` of an event is set to zero was fixed. (omerbenamram/evtx#264)
- `-t`, `--threads` was not working in the `computer-metrics` and `search` commands. (#1563) (@hach1yon)
- `computer-metrics` was giving incorrect results when logs from multiple computers were scanned. (#1713) (@fukusuket)

3.6.0 [2025/09/25] - Nezamezuki Release

Enhancements:

- Event and record IDs with multiple possibilities due to correlation rules are now outputted as empty strings instead of `-` for easier parsing. (#1694) (@fukusuket)
- We now output first and last detection timestamps instead of just the first and last timestamps found in the `Results Summary` of the `csv-timeline` and `json-timeline` commands. (#1688) (@fukusuket)
- The guide on how to import Hayabusa JSONL results into SOF-ELK (Elastic Stack) was updated. (#1091) (@yamatosecurity)
- Output an empty string instead of `-` in the rule's modified date if it is not defined to make importing into a SIEM easier. (#1702) (@yamatosecurity)
- Empty fields in rule metadata like `RuleModifiedDate`, etc... are not outputted to JSON if they are empty in order to make parsing easier and decrease file size. (#1702) (@fukusuket)

Bug Fixes:

- `-T`, `--visualize-timeline` would output incorrect results if `-s`, `--sort` was not specified so we now require `-s` when `-T` is used. (#1690) (@yamatosecurity)
- Records outside the range specified by the time range options (`--timeline-start` / `--timeline-end`) were being displayed because we were filtering with the timestamps in the record headers instead of the timestamps in the records themselves. (#1689) (@fukusuket)
- GeoIP lookup was not working with `json-timeline`. (#1693) (@fukusuket)
- The `search` command would not consistently abbreviate fields. (#1697) (@fukusuket)

3.5.0 [2025/08/16] - Obon Release

Enhancements:

- Hayabusa now supports the `base64` field modifier. (#1677) (@fukusuket)

3.4.0 [2025/08/01] - Black Hat Arsenal USA 2025 Release

Enhancements:

- Field names are now abbreviated in the `search` command. You can disable with `-b, --disable-abbreviations`. (#1627) (@hitenkoku)
- 32-bit version of Hayabusa will now also run on 64-bit OSes. (#1665) (@akkuman)
- We now put a return character after the last line in JSON/L files so that filebeat will not miss the last event. (#1666) (@fukusuket)

Bug Fixes:

- Levels would be abbreviated even when `--disable-abbreviations` was enabled. (#1672) (@fukusuket)

3.3.0 [2025/03/22] - AUSCERT/SINCON Release

Enhancements:

- Now output file size in base 1024 (Ex: `KiB`, `MiB`, `GiB`). (#1648) (@fukusuket)
- Improved the uptime calculation in the `computer-metrics` command. (#1656) (@fukusuket)

Bug Fixes:

- The `computer-metrics` command was not working with the Windows live response package. (#1654) (@fukusuket)
- `ruletype` field was returned to being an optional field. (#1660) (@fukusuket)

3.2.0 [2025/04/02] - Vegemite Release

Enhancements:

- Added uptime and timezone info to the `computer-metrics` command. (#1638) (@fukusuket)
- Improved checking and logging of invalid rules. (#1601) (@fukusuket)
- Added first and last timestamp to the default output. (#1616) (@fukusuket)

Bug Fixes:

- Scans would fail if the `.evtx` file was not able to be opened. (#1634) (@fukusuket)
- Elapsed time and saved file information was not being outputted in the HTML report. (#1643) (@fukusuket)

3.1.1 [2025/03/12] - Laksa Release

Enhancements:

- Updated Rust edition to 2024. (@fukusuket)
- Added OS information to the `computer-metrics` command. (#1629) (@fukusuket)

Bug Fixes:

- The number of `expand` rules was not being properly displayed on the terminal. (#1598) (@fukusuket)

- Rules without the `status` field defined would be loaded even if you specified `status: test`, `stable`, etc... in the Scan Wizard. (#1602) (@fukusuket)
- `expand` rules were being loaded without configuration. (#1606) (@fukusuket)
- Detecting double Base64 encoding was not working properly with the `extract-base64` command. (#1607) (@fukusuket)
- The terminal text would sometimes turn red after an error message. (#1610) (@fukusuket)
- The progress bar would not display when `-d` option was used but `-o` was not used for some commands. (#1617) (@fukusuket)
- The `pivot-keywords-list` command was broken. (#1619) (@fukusuket)
- Field data mapping was not working when `details` was not defined. (#1614) (@fukusuket)
- When the `details` field was not set, duplicate data was outputted to both the `Details` column and `ExtraFieldInfo` column. Now it is just outputted to the `Details` column. (#1623) (@fukusuket)

3.1.0 [2025/02/22] - Ninja Day Release

New Features:

- `-X`, `--remove-duplicate-detections` option to `eid-metrics` and `logon-summary` commands. (#1552) (@fukusuket)
- New "Emergency Alerts" and severity level adjustment based on critical systems. Add a list of the computer names of critical systems (Ex: Domain Controllers, File Servers, etc...) to `config/critical_systems.txt` and all of the alerts above `low` will be adjusted one higher. That is, `low` will become `medium`, `medium` will become `high`, etc... `critical` alerts will become new `emergency` alerts. (#1551) (@fukusuket)
- New `config-critical-systems` command to automatically find domain controllers and file servers to add to the `./config/critical_systems.txt` file. (#1570) (@fukusuket)
- Added a `-S`, `--tab-separator` option in the `csv-timeline`, `search` and `log-metrics` commands to separate field information by tabs. (#1587) (@fukusuket)

Enhancements:

- Added `--timeline-start/--timeline-end` options to the `search` command. (#1543) (@fukuseket)
- Significantly improved the speed of the `logon-summary` command with channel filtering. (#1544) (@fukusuket)
- The `extract-base64` command now also works on PowerShell Classic EID 400 events. (#1549) (@fukusuket)
- The `extract-base64` command now also scans PowerShell Core logs as well. (#1558) (@fukusuket)
- The `extract-base64` command now also scans System 7045 (Service Creation) events. (#1583) (@fukusuket)
- `search` command uses much less memory and is faster as it does not sort results by default now. You can sort results like before with the new `-s`, `--sort` option. (#1475) (@hach1yon)

Bug Fixes:

- An unneeded file was being created with `logon-summary` and `pivot-keywords-list` commands. (#1553) (@fukusuket)
- MITRE tactics JSON output was not consistent for a few rules. (#1573) (@fukusuket)
- Rule authors would not be outputted to the HTML report in version `v3.0.x`. (#1571) (@fukusuket)

- The rule file name for correlation rules would not be outputted in the JSON timeline when the live response encoded rules were used. (#1572) (@fukusuket)
- The `level-tuning` command was not working. (#1584) (@fukusuket)

Other:

- The `-s`, `--sort-events` options have been renamed to `-s`, `--sort`. (@YamatoSecurity)
- Added the `RuleID` to all profiles except `minimal`. (@YamatoSecurity)
- Code refactoring: use default trait to reduce unnecessary initialization codes in `StoredStatic`. (#1588) (@fukusuket)

3.0.1 [2024/12/29] - 3rd Year Anniversary Release

Bug Fixes:

- Hayabusa would fail in rule parse checking on the backend with `expand` rules. (#1537) (@fukusuket)

3.0.0 [2024/12/25] - 3rd Year Anniversary Release

New Features:

- New `extract-base64` command to extract and decode base64 strings from events. (#1512) (@fukusuket)
- New `expand-list` command to output placeholder names used for rules with the `expand` modifier. (#1513) (@fukuseket)
- Support for `expand` field modifiers. (#1434) (@fukusuket)
- Support for Temporal Proximity (`temporal`) correlation rules. (#1446) (@fukusuket)
- Support for Temporal Ordered Proximity (`temporal_ordered`) correlation rules. (#1447) (@fukusuket)

Enhancements:

- Log file size added to `log-metrics` command. (#1528) (@fukusuket)

Bug Fixes:

- Sorting with `csv-timeline` was not done perfectly when record IDs were outputted. (#1519) (@fukusuket)
- `-J`, `--JSON-input` would only accept `.json` files, not `.jsonl` files so now both are supported. (#1530) (@fukusuket)

2.19.0 [2024/11/26] - "Every Day Is A Good Day" Release

New Features:

- Support for the `gt`, `gte`, `lt`, `lte` field modifiers. (#1433) (@fukusuket)
- New `log-metrics` command to get information about `.evtx` files. (computer names, event count, first timestamp, last timestamp, channels, providers) (#1474) (@fukusuket)
- New `-b`, `--disable-abbreviations` options for the following commands to disable `Channel` and `Provider` abbreviations for when you want to check the original values. (#1485) (@fukusuket)
 - `csv-timeline`
 - `json-timeline`
 - `eid-metrics`
 - `log-metrics`

- o `search`
- Support for `utf16/utf16be/utf16le/wide` field modifiers to be used with the `base64offset|contains` field modifier. (#1432) (@fukusuket)
 - o `utf16|base64offset|contains`
 - o `utf16be|base64offset|contains`
 - o `utf16le|base64offset|contains`
 - o `wide|base64offset|contains`

Enhancements:

- Updated the `yaml-rust` crate to `yaml-rust2`. (#461) (@yamatosecurity)
- `windash` characters are now being dynamically read from `rules/config/windash_characters.txt`. (#1440) (@fukusuket)
- `logon-summary` command now displays logon information from RDP events. Note: Hayabusa will output more detailed information when saving to a file. (#1468) (@fukusuket)
- The colors were updated to make it easier to read. (#1480) (@yamatosecurity)
- Added start and finish messages of the day. (#1492) (@fukusuket)
- New color scheme added to output. (#1491) (@fukusuket)
- File size is now displayed next to the file name under the progress bar. (#1471) (@fukusuket)

Bug Fixes:

- `logon-summary` command would sometimes crash with corrupted logs. (#1477) (@fukusuket)
- Some results would be displayed after the progress bar when outputting results to the terminal with `csv-timeline` and `json-timeline`. (#1459) (@fukusuket)
- The detailed field value results in aggregation rule alerts were not sorted so `csv-timeline` and `json-timeline` would not output completely exact results each time. (#1466) (@fukusuket)
- Updated `hayabusa-evtx` crate to `0.8.12`. (@yamatosecurity)
 - o JSON field output order is now preserved according to the original XML. (omerbenamram/evtx #241)
 - o Multiple sub-nodes with attributes and the same name would be overwritten and only the last one kept. (omerbenamram/evtx #245)
- `logon-summary` and `eid-metrics` would sometimes output multiple progress bars. #1479 (@fukusuket)
- The progress bar has been removed when outputting to terminal and not sorting events as is unneeded. #1508 (@fukusuket)

Other:

- The `--timeline-offset` option has been renamed to `--time-offset`. (#1490) (@yamatosecurity)

2.18.0 [2024/10/23] - SecTor Release

New Features:

- Support for the `fieldref` modifier (alias to the `equalsfield` modifier). (#1409) (@hitenkoku)
- The `fieldref|endswith` modifier was created as an alias to `endswithfield` to replace it in the future. (#1437) (@fukusuket)
- Support for `fieldref|startswith` and `fieldref|contains` modifiers. (#1439) (@fukusuket)
- Support for XOR encoded rules to minimize files put on the system as well as bypass anti-virus products that give false positives on rules. (#1419) (@fukusuket)

- We will include packages in the Releases page that are already configured to use this. If you wanted to manually configure this though, download [encoded_rules.yml](#) and place it in the Hayabusa's root folder. This file is created from the rules in the hayabusa-rules repository and is automatically updated anytime there is a rule update. Delete all of the files inside the `rules` folder except for the `config` directory as those files are not yet contained in a single file.
- Note: The report generated by the `-H` option cannot create a link to the rule (only the rule name is outputted.)
- `rules/config` config files are now loaded from a single file [rules_config_files.txt](#) to reduce the number of files needed to be stored on a target system for live response. (#1420) (@fukusuket)

Bug Fixes:

- Unneeded line breaks when using `-o` in the `search` command. (#1425) (@fukusuket)
- Sigma correlation rules required the `group-by` field but now it is optional. (#1442) (@fukusuket)
- Hayabusa will give an error message if the rules referenced by a correlation rule are not found. (#1444) (@fukusuket)
- Field information was not being outputted when the `all-field-info` profiles were used. (#1450) (@fukusuket)

Other:

- License is changed from GPL-3.0 to AGPL-3.0. (@yamatosecurity)

2.17.0 [2024/08/23] "HITCON Community Release"

New Features:

- Support for the Sigma V2 `|re:` submodifiers. (#1399) (@fukusuket)
 - Reference: <https://github.com/SigmaHQ/sigma-specification/blob/main/appendix/sigma-modifiers-appendix.md>
 - `|re|i:` : (insensitive) disable case-sensitive matching.
 - `|re|m:` : (multi-line) match across multiple lines. `^` / `$` match the start/end of line.
 - `|re|s:` : (single-line) the dot character (`.`) matches all characters, including the newline character.
- Support for the Sigma V2 `|exists:` modifier. (#1400) (@hitenkoku)
- Support for the Sigma V2 `|cased:` modifier. (#1401) (@hitenkoku)

Enhancements:

- Support for the newer version 0.6.x `cidr-utils` crate. (#1366) (@hitenkoku)
- Added support for Sigma correlation rule's `name` lookup. (#1363) (@fukusuket)
- Enabled low memory mode by default. `-s, --low-memory-mode` is now `-s, --sort-events` - Sort events before outputting results. (warning: this uses much more memory!). (#1361) (@hitenkoku)
 - Note: you need to enable sorting in order to use `-R, --remove-duplicate-data` and `-X, --remove-duplicate-detections`.
- Sigma correlation reference rules now do not output alerts by default. You can enable them by adding `generate: true` to the rule. (#1367) (@fukusuket)

- Data fields are now displayed as indexed strings instead of as all Data fields or in an array for JSON. (#1371) (@fukusuket)
 - Before: "Data": ["17514", "Multiprocessor Free", "Service Pack 1"]
 - After: "Data[3]": "17514", "Data[4]": "Multiprocessor Free", "Data[5]": "Service Pack 1"
- The configuration files in the config folder are now also embedded in the binary to reduce the number of files in the release package. (#1370) (@hitenkoku)
 - Note: you will not be able to run the set-default-profile command without the config directory files as it relies on config/default_profile.yaml .
- Aggregation rule alerts now show Channel and EventID information even when there are multiple results. (#1342) (@fukusuket)
- In the JSON timeline, when there is no information in the Details field, we changed the default output of "-" to {} in order to make parsing easier. (#1386) (@hitenkoku)
- Added support for the – (en dash), – (em dash), and – (horizontal bar) characters for the windash modifier to prevent signature bypass. (#1392) (@hitenkoku)
- Updated the MITRE ATT&CK tags to support Sigma version 2 format. (Ex: defense_evasion => defense-evasion) (@fukusuket)
- Updated the evtx crate to the latest for enhancements and bug fixes.

Bug Fixes:

- Sigma correlation rule count was not showing up in Events with hits . (#1373) (@fukusuket)
- Correlation rule count was not showing up in Events with hits . (#1374) (@fukusuket)
- Aggregation condition rule count was not showing up in Events with hits . (#1375) (@fukusuket)
- In rare cases, the list of rule authors would not be displayed to the terminal. (#1383) (@fukusuket)

2.16.0 [2024/06/11] "FIRSTCON24 Release"

New Features:

- By default now, only rules that are applicable to loaded evtx files will be enabled. This is based on the Channel field in .evtx file and .yaml rule. For example, if Security.evtx was being scanned, then only rules that have Channel: Security defined will be used against this file. In our benchmarks, this usually gives a speed benefit of around 20% when scanning single evtx files but can give up a 10x speed performance depending on the file. If you think there are multiple channels being used in a single .evtx file or you want to use rules that do not have the Channel field defined in order to scan all .evtx files regardless of the channel, then you can turn off this filtering with the -A, --enable-all-rules option in csv-timeline and json-timeline . (#1317) (@fukusuket)
 - Currently, the only two detection rules that do not have Channel defined and are intended to scan all .evtx files are the following:
 - [Possible Hidden Shellcode](#)
 - [Mimikatz Use](#)
- By default now, .evtx files that have applicable rules will be loaded. So for example, if you are scanning a directory of various event logs but only enable a rule that is looking for Channel: Security then Hayabusa will ignore all non-security event logs. In our benchmarks, this gives a speed benefit of around 10% with normal scans and up to 60%+ performance increase when scanning with a single rule. If you want to load all .evtx files regardless of channel, then you can

turn off this filtering with the `-a, --scan-all-evtx-files` option in `csv-timeline` and `json-timeline`. (#1318) (@fukusuket)

- Note: Channel filtering only works with .evtx files and you will receive an error if you try to load event logs from a JSON file with `-J, --json-input` and also specify `-A` or `-a`. (#1345) (@fukusuket)
- Support for Sigma Correlation's Event Count. (#1337) (@fukusuket)
- Support for Sigma Correlation's Value Count. (#1338) (@fukusuket)

Enhancements:

- You can now specify multiple directories with the `-d, --directory` option. (#1335) (@hitenkoku)
- You can now analyze Splunk logs exported from the REST API. (#1083) (@hitenkoku)
- You can now specify multiple groups with `count`. Ex: `count()` by `IpAddress,SubStatus,LogonType >= 2` Also, the output has been updated. Ex: `[condition] count(TargetUserName) by IpAddress > 3 in timeframe [result] count: 4 TargetUserName:tanaka/Administrator/adsyncadmin/suzuki IpAddress:- timeframe:5m - > Count: 4 | TargetUserName: tanaka/Administrator/adsyncadmin/suzuki | IpAddress: -` (#1339) (@fukusuket)
- Added support for specifying an optional `Provider_Name` field in field data mapping files (`rules/config/data_mapping/*.yaml`) as well as support for `Data[x]` notation. (#1350) (@fukusuket)
- JSON output in count rules now separates field information. (#1342) (@fukusuket)
 - Before: `"Details": "[condition] count() by IpAddress >= 5 in timeframe [result] count:3558 IpAddress:192.168.198.149 timeframe:5m"`
 - After: `"Details": { "Count": 3558, "IpAddress": "192.168.198.149" }`

2.15.0 [2024/04/20] "Sonic Release"

Enhancements:

- Added support for `windash` field modifier (ex. `|contains|windash:` , `|contains|all|windash:`) in sigma rules. (#1319) (@hitenkoku)
 - <https://sigmahq.io/docs/basics/modifiers.html#windash>
 - Note: currently on the backend we convert the use of `windash` in rules so they are compatible with previous versions of Hayabusa, however, around the end of May we will start to keep the use of `windash` as-is so please update to this version before then or else you will receive rule parsing errors if you update rules.

Bug Fixes:

- `-T` detection frequency timeline was not usable in version 2.14.0. (#1322) (@fukusuket)
- Fixed `windash` not working when there is a wildcard. (#1327) (@hitenkoku)

2.14.0 [2024/03/30] "BSides Tokyo Release"

New Features:

- Added `--include-status` option: You can specify rules based on their `status`. (#1193) (@hitenkoku)
- Added a `-s, --low-memory-mode` option that uses up to 95% less memory. However, in order to do this, Hayabusa cannot sort results nor use `-R, --remove-duplicate-data` and/or `-X, --remove-duplicate-detections` in combination. (#1254) (@hach1yon @hitenkoku)

Enhancements:

- Removed unused crates. (@YamatoSecurity)
- JSON input now supports the format exported from Splunk. (#1083) (@hitenkoku)
- Performance enhancements. (#1277, #1278) (@fukusuket)
- Reordered `search` result fields to look similar to the `csv-timeline` command results. (#1297) (@hitenkoku)
- Added master piece character in ascii art eggs. R.I.P. lovely master hidden behind the gas mask. (#1304) (@hitenkoku)
- Unified help option format in `computer-metrics` command with other commands. (#1314) (@hitenkoku)

Bug Fixes:

- JSON output of the `search` command was missing the `AllFieldInfo` field. (#1251) (@hitenkoku)
- The time the user took to choose options in the scan wizard was included in elapsed time so we now exclude that. (#1291) (@hitenkoku)
- Fixed `-h, --help` option is being displayed multiple times. (#1309) (@hitenkoku)

2.13.0 [2024/02/11] "Year Of The Dragon Release"

Enhancements:

- Adjusted the `search` command's Filter option to be an exact match and support wildcard characters. (#1240) (@hitenkoku)
- Any time there is a change in a detection rule, it will be displayed when running the `update-rules` command. Previously, only rules that updated their `modified` field would be displayed. (#1243) (@hitenkoku)
- The `json-timeline` command now outputs in JSON format when outputting to the terminal. (#1197) (@hitenkoku)
- Added support for parsing JSON input when the data is inside an array. (#1248) (@hitenkoku)
- Changed the `||` separator into a `·` separator to make it easier to read and render properly on older terminals. (#1258) (@YamatoSecurity)
- Added a `-h, --help` option to General Options for all commands. (#1255) (@hitenkoku)
- Changed the `Details` output in the `json-timeline` command from alphabetical order to the original order.
- Loading detection rules is now skipped when running commands that do not need them. (#1263) (@hitenkoku)
- Improved the standard output colors in the `csv-timeline` command. (#1271) (@hitenkoku)
- Refactoring and performance enhancements. (#1268, #1260) (@hach1yon)

Bug Fixes:

- Removed newline characters in the `search` command output. (#1253) (@hitenkoku)
- Fixed the progress bar and wizard colored output when the `--no-color` option is used. (#1256) (@hitenkoku)
- Fixed a panic when the local timezone was not able to be identified. This was fixed in the `chrono` crate version 0.4.32. (#1273)

2.12.0 [2023/12/23] "SECCON Christmas Release"

Enhancements:

- `%MitreTactics%` , `%MitreTags%` , `%OtherTags%` fields are now outputted as an array of strings in JSON output. (#1230) (@hitenkoku)
- Added a summary of MITRE ATT&CK tactics that were detected for each computer in the HTML report. In order to use this feature, you need to use a profile that includes the `%MitreTactics%` field. (#1226) (@hitenkoku)
- Output messages about reporting issues and false positives when using `csv-timeline` or `json-timeline` commands. (#1236) (@hitenkoku)

Bug Fixes:

- In JSON output, multiple field names with the same names were not outputted as an array so only one result would be returned when parsing with `jq` . We fixed this by outputting multiple field data with the same field name inside an array. (#1202) (@hitenkoku)
- Fixed a bug in the `csv-timeline` , `json-timeline` , `eid-metrics` , `logon-summary` , `pivot-keywords-list` and `search` commands so that Hayabusa will quit whenever no input option (`-l` , `-f` or `-d`) is specified. (#1235) (@hitenkoku)

2.11.0 [2023/12/03] "Nasi Lemak Release"

New Features:

- Extraction of fields from PowerShell classic logs. (Can disable with `--no-pwsh-field-extraction`) (#1220) (@fukusuket)

Enhancements:

- Added rule count in the scan wizard. (#1206) (@hitenkoku)

2.10.1 [2023/11/13] "Kamemushi Release"

Enhancements:

- Added questions to the scan wizard. (#1207) (@hitenkoku)

Bug Fixes:

- `update-rules` command would output `You currently have the latest rules` even if new rules were downloaded in version `2.10.0` . (#1209) (@fukusuket)
- Regular expressions would sometimes be incorrectly handled. (#1212) (@fukusuket)
- In the rare case that there is no `Data` field such as for JSON input, a panic would occur. (#1215) (@fukusuket)

2.10.0 [2023/10/31] "Halloween Release"

Enhancements:

- Added a scan wizard to help new users choose which rules they want to enable. Add the `-w` , `--no-wizard` option to run Hayabusa in the traditional way. (Scan for all events and alerts, and customize options manually.) (#1188) (@hitenkoku)
- Added the `--include-tag` option to the `pivot-keywords-list` command to only load rules with the specified `tags` field. (#1195) (@hitenkoku)
- Added the `--exclude-tag` option to the `pivot-keywords-list` command to exclude rules with specific `tags` from being loaded. (#1195) (@hitenkoku)

Bug Fixes:

- Fixed that field information defined in `Details` was also output to `ExtraFieldInfo` in some cases. (#1145) (@hitenkoku)
- Fixed output of newline and tab characters in `AllFieldInfo` in JSON output. (#1189) (@hitenkoku)
- Fixed output of space characters in some fields in standard output. (#1192) (@hitenkoku)

2.9.0 [2023/09/22] "Autumn Rain Release"

Enhancements:

- Added an error message to indicate that when you can't load evtx files in Windows due to specifying a directory path with spaces in it, you need to remove the trailing backslash. (#1166) (@hitenkoku, thanks for the suggestion from @joswr1ght)
- Optimized the number of records to load at a time for performance. (#1175) (@yamatosecurity)
- Replaced double backslashes in paths under the progress bar on Windows systems with single forward slashes. (#1172) (@hitenkoku)
- Made the `Details` field for `count` rules a string in the JSON output for easier parsing. (#1179) (@hitenkoku)
- Changed the default number of threads from number of CPUs to the estimate of the default amount of parallelism a program should use (`std::thread::available_parallelism`). (#1182) (@hitenkoku)

Bug Fixes:

- Fixed JSON fields would not be correctly parsed in rare cases. (#1145) (@hitenkoku)

Other:

- Removed the unmaintained `hmmss` crate that uses an old `time` crate in order to pass the code coverage CI checks. (#1181) (@hitenkoku)

2.8.0 [2023/09/01] "Double X Release"

New Features:

- Added support for `HexToDecimal` in the field mapping configuration files to convert hex values to decimal. (Useful for converting the original process IDs from hex to decimal.) (#1133) (@fukusuket)
- Added `-x`, `--recover-records` option to `csv-timeline` and `json-timeline` to recover evtx records through file carving in evtx slack space. (#952) (@hitenkoku) (Evtx carving feature is thanks to @forensicmatt)
- Added `-X`, `--remove-duplicate-detections` option to `csv-timeline` and `json-timeline` to not output any duplicate detection entries. (Useful when you use `-x`, include backup logs or logs extracted from VSS with duplicate data, etc...)
- Added a `--timeline-offset` option to `csv-timeline`, `json-timeline`, `logon-summary`, `eid-metrics`, `pivot-keywords-list` and `search` commands to scan just recent events based on a offset of years, months, days, hours, etc... (#1159) (@hitenkoku)
- Added a `-a`, `--and-logic` option in the `search` command to search keywords with AND logic. (#1162) (@hitenkoku)

Other:

- When using `-x`, `--recover-records`, an additional `%RecoveredRecord%` field will be added to the output profile and will output `Y` to indicate if a record was recovered. (#1160) (@hitenkoku)

2.7.0 [2023/08/03] "SANS DFIR Summit Release"

New Features:

- Certain code numbers are now mapped to human-readable messages based on the `.yaml` config files in `./rules/config/data_mapping`. (Example: `%%2307` will be converted to `ACCOUNT LOCKOUT`). You can turn off this behavior with the `-F, --no-field-data-mapping` option. (#177) (@fukusuket)
- Added the `-R, --remove-duplicate-data` option in the `csv-timeline` command to replace duplicate field data with the string `DUP` in the `%Details%`, `%AllFieldInfo%`, `%ExtraFieldInfo%` columns to reduce file size. (#1056) (@hitenkoku)
- Added the `-P, --proven-rules` option in `csv-timeline` and `json-timeline` commands. When used, Hayabusa will only load rules that have been proven to work. These are defined by rule ID in the `./rules/config/proven_rules.txt` config file. (#1115) (@hitenkoku)
- Added the `--include-tag` option to `csv-timeline` and `json-timeline` commands to only load rules with the specified `tags` field. (#1108) (@hitenkoku)
- Added the `--exclude-tag` option to `csv-timeline` and `json-timeline` commands to exclude rules with specific `tags` from being loaded. (#1118) (@hitenkoku)
- Added `--include-category` and `--exclude-category` options to `csv-timeline` and `json-timeline` commands. When using `--include-category`, only rules with the specified `category` field will be loaded. `--exclude-category` will exclude rules from being loaded based on `category`. (#1119) (@hitenkoku)
- Added the `computer-metrics` command to list up how many events there are based on computer name. (#1116) (@hitenkoku)
- Added `--include-computer` and `--exclude-computer` options to `csv-timeline`, `json-timeline`, `metrics`, `logon-summary` and `pivot-keywords-list` commands. The `--include-computer` option only scans the specified computer(s). `--exclude-computer` excludes them. (#1117) (@hitenkoku)
- Added `--include-eid` and `--exclude-eid` options to `csv-timeline`, `json-timeline`, and `pivot-keywords-list` commands. The `--include-eid` option only scans the specified EventID(s). `--exclude-eid` excludes them. (#1130) (@hitenkoku)
- Added the `-R, --remove-duplicate-data` option to the `json-timeline` command to replace duplicate field data with the string `DUP` in the `%Details%`, `%AllFieldInfo%`, `%ExtraFieldInfo%` fields to reduce file size. (#1134) (@hitenkoku)

Enhancements:

- Ignore corrupted event records with timestamps before 2007/1/31 when Windows Vista was released with the new `.evtx` log format. (#1102) (@fukusuket)
- When `--output` is set in the `metrics` command, the results will not be displayed to screen. (#1099) (@hitenkoku)
- Added the `-C, --clobber` option to overwrite existing output files in the `pivot-keywords-list` command. (#1125) (@hitenkoku)
- Renamed the `metrics` command to `eid-metrics`. (#1128) (@hitenkoku)
- Reduced progress bar width to leave room for adjustment of the terminal. (#1135) (@hitenkoku)
- Added support for outputting timestamps in the following formats in the `search` command: `--European-time`, `--ISO-8601`, `--RFC-2822`, `--RFC-3339`, `--US-time`, `--US-military-time`, `-U`, `--UTC`. (#1040) (@hitenkoku)
- Replaced the ETA time in the progress bar with elapsed time as the ETA time was not accurate. (#1143) (@YamatoSecurity)

- Added `--timeline-start` and `--timeline-end` to the `logon-summary` command. (#1152) (@hitenkoku)

Bug Fixes:

- The total number of records being displayed in the `metrics` and `logon-summary` commands differed from the `csv-timeline` command. (#1105) (@hitenkoku)
- Changed rule count by rule ID instead of path. (#1113) (@hitenkoku)
- Fixed a problem with incorrect field splitting in the `CommandLine` field in JSON output. (#1145) (@hitenkoku)
- `--timeline-start` and `--timeline-end` were not working correctly with the `json-timeline` command. (#1148) (@hitenkoku)
- `--timeline-start` and `--timeline-end` were not working correctly with the `pivot-keywords-list` command. (#1150) (@hitenkoku)

Other:

- The total count of unique detections are now based on rule IDs instead of rule file paths. (#1111) (@hitenkoku)
- Renamed the `--live_analysis` option to `--live-analysis`. (#1139) (@hitenkoku)
- Renamed the `metrics` command to `eid-metrics`. (#1128) (@hitenkoku)

2.6.0 [2023/06/16] "Ajisai Release"

New Features:

- Added support for `'|all':` keyword in sigma rules. (#1038) (@kazuminn)

Enhancements:

- Added `%ExtraFieldInfo%` alias to output profiles which will output all of the other fields that do not get outputted in `Details`. This is now included in the default `standard` output profile. (#900) (@hitenkoku)
- Added error messages for incompatible arguments. (#1054) (@YamatoSecurity)
- The output profile name is now outputted to standard output and in the HTML report. (#1055) (@hitenkoku)
- Added rule author names next to rule alerts in the HTML report. (#1065) (@hitenkoku)
- Made the table width shorter to prevent tables breaking in smaller terminal sizes. (#1071) (@hitenkoku)
- Added the `-C`, `--clobber` option to overwrite existing output files in `csv-timeline`, `json-timeline`, `metrics`, `logon-summary`, and `search` commands. (#1063) (@YamatoSecurity, @hitenkoku)
- Made the HTML report portable by embedding the images and inlining CSS. (#1078) (@hitenkoku, thanks for the suggestion from @joswr1ght)
- Speed improvements in the output. (#1088) (@hitenkoku, @fukusuket)
- The `metrics` command now performs word wrapping to make sure the table gets rendered correctly. (#1067) (@garigariganzy)
- `search` command results can now be outputted to JSON/JSONL. (#1041) (@hitenkoku)

Bug Fixes:

- `MitreTactics`, `MitreTags`, `OtherTags` fields were not being outputted in the `json-timeline` command. (#1062) (@hitenkoku)

- The detection frequency timeline (`-T`) would not output when the `no-summary` option was also enabled. (#1072) (@hitenkoku)
- Control characters would not be escaped in the `json-timeline` command causing a JSON parsing error. (#1068) (@hitenkoku)
- In the `metrics` command, channels would not be abbreviated if they were lowercase. (#1066) (@garigariganzy)
- Fixed an issue where some fields were misaligned in the JSON output. (#1086) (@hitenkoku)

2.5.1 [2023/05/14] "Mothers Day Release"

Enhancements:

- Reduced memory usage by half when using newly converted rules. (#1047) (@fukusuket)

Bug Fixes:

- Data in certain fields such as `AccessMask` would not be separated by spaces when outputted from the `details` field. (#1035) (@hitenkoku)
- Multiple spaces would be condensed to a single space when outputting to JSON. (#1048) (@hitenkoku)
- Output would be in color even if `--no-color` was used in the `pivot-keywords-list` command. (#1044) (@kazuminn)

2.5.0 [2023/05/07] "Golden Week Release"

Enhancements:

- Added `-M`, `--multiline` option to search command. (#1017) (@hitenkoku)
- Deleted return characters in the output of the `search` command. (#1003) (@hitenkoku)
- `regex` crate updated to 1.8 which allows unnecessary escapes in regular expressions reducing parsing errors. (#1018) (@YamatoSecurity)
- Deleted return characters in output of the `csv-timeline` command. (#1019) (@hitenkoku)
- Don't show new version information with the `update-rules` command when building a newer dev build. (#1028) (@hitenkoku)
- Sorted `search` timeline order. (#1033) (@hitenkoku)
- Enhanced `pivot-keywords-list` terminal output. (#1022) (@kazuminn)

Bug Fixes:

- Unconverted sigma rules that search for a string that end in a backslash would not be detected. Also `|contains` conditions would not match if the string was located in the beginning. (#1025) (@fukusuket)
- In versions 2.3.3-2.4.0, informational level alerts in the Results Summary would show the top 5 events twice instead of the top 10 events. (#1031) (@hitenkoku)

2.4.0 [2023/04/19] "SANS Secure Korea Release"

New Features:

- Added `search` command to search for specified keywords in records. (#617) (@itiB, @hitenkoku)
- Added `-r`, `--regex` option in the `search` command to search for regular expressions. (#992) (@itiB)

Enhancements:

- Alphabetically sorted commands. (#991) (@hitenkoku)
- Added attribute information of `Event.UserData` to the output of `AllFieldInfo` in `csv-timeline`, `json-timeline` and `search` commands. (#1006) (@hitenkoku)
- Updated Aho-Corasick crate to 1.0. (#1013) (@hitenkoku)

Bug Fixes:

- Fixed timestamps that did not exist from being displayed in the event frequency timeline (`-T`, `--visualize-timeline`) in version 2.3.3. (#977) (@hitenkoku)

2.3.3 [2023/04/07] "Sakura Release"

Enhancements:

- Removed an extra space when outputting the rule `level` to files (CSV, JSON, JSONL). (#979) (@hitenkoku)
- Rule authors are now outputted in multiple lines with the `-M`, `--multiline` option. (#980) (@hitenkoku)
- Approximately 3-5% speed increase by replacing String with CoW. (#984) (@hitenkoku)
- Made sure text after the logo does not turn green with recent clap versions. (#989) (@hitenkoku)

Bug Fixes:

- Fixed a crash when the `level-tuning` command was executed on version 2.3.0. (#977) (@hitenkoku)

2.3.2 [2023/03/22] "TMCIT Release-3"

Enhancements:

- Added `-M`, `--multiline` option in the `csv-timeline` command. (#972) (@hitenkoku)

2.3.1 [2023/03/18] "TMCIT Release-2"

Enhancements:

- Added double quotes in CSV fields of `csv-timeline` output to support multiple lines in fields. (#965) (@hitenkoku)
- Updated `logon-summary` headers. (#964) (@yamatosecurity)
- Added short-hand option `-D` for `--enable-deprecated-rules` and `-u` for `--enable-unsupported-rules`. (@yamatosecurity)
- Reordered option in Filtering and changed option help contents. (#969) (@hitenkoku)

Bug Fixes:

- Fixed a crash when the `update-rules` command was executed on version 2.3.0. (#965) (@hitenkoku)
- Fixed long underlines displayed in the help menu in Command Prompt and PowerShell prompt. (#911) (@yamatosecurity)

2.3.0 [2023/03/16] "TMCIT Release"

New Features:

- Added support for `|cidr`. (#961) (@fukusuket)
- Added support for `1 of selection*` and `all of selection*`. (#957) (@fukusuket)

- Added support for the `|contains|all` pipe keyword. (#945) (@hitenkoku)
- Added the `--enable-unsupported-rules` option to enable rules marked as `unsupported`. (#949) (@hitenkoku)

Enhancements:

- Approximately 2-3% speed increase and memory usage reduction by improving string contains check. (#947) (@hitenkoku)

Bug Fixes:

- Some event titles would be displayed as `Unknown` in the `metrics` command even if they were defined. (#943) (@hitenkoku)

2.2.2 [2023/2/22] "Ninja Day Release"

New Features:

- Added support for the `|base64offset|contains` pipe keyword. (#705) (@hitenkoku)

Enhancements:

- Reorganized the grouping of command line options. (#918) (@hitenkoku)
- Reduced memory usage by approximately 75% when reading JSONL formatted logs. (#921) (@fukusuket)
- Channel names are now further abbreviated in the `metrics`, `json-timeline`, `csv-timeline` commands according to `rules/config/generic_abbreviations.txt`. (#923) (@hitenkoku)
- Reduced parsing errors by updating the `evtx` crate. (@YamatoSecurity)
- Provider names (`%Provider%` field) are now abbreviated like channel names according to `rules/config/provider_abbreviations.txt` and `rules/config/generic_abbreviations.txt`. (#932) (@hitenkoku)
- Print the first and last timestamps in the `metrics` command when the `-d` directory option is used. (#935) (@hitenkoku)
- Added first and last timestamp to Results Summary. (#938) (@hitenkoku)
- Added Time Format options for `logon-summary`, `metrics` commands. (#938) (@hitenkoku)
- `\r`, `\n`, and `\t` characters are preserved (not converted to spaces) when saving results with the `json-output` command. (#940) (@hitenkoku)

Bug Fixes:

- The first and last timestamps in the `logon-summary` and `metrics` commands were blank. (#920) (@hitenkoku)
- Event titles stopped being shown in the `metrics` command during development of 2.2.2. (#933) (@hitenkoku)

2.2.0 [2023/2/12] "SECCON Release"

New Features:

- Added support for input of JSON-formatted event logs (`-J`, `--JSON-input`). (#386) (@hitenkoku)
- Log enrichment by outputting the ASN organization, city and country of source and destination IP addresses based on MaxMind GeoIP databases (`-G`, `--GeoIP`). (#879) (@hitenkoku)
- Added the `-e`, `--exact-level` option to scan for only specific rule levels. (#899) (@hitenkoku)

Enhancements:

- Added the executed command line to the HTML report. (#877) (@hitenkoku)
- Approximately 3% speed increase and memory usage reduction by performing exact string matching on Event IDs. (#882) (@fukusuket)
- Approximately 14% speed increase and memory usage reduction by filtering before regex usage. (#883) (@fukusuket)
- Approximately 8% speed increase and memory usage reduction by case-insensitive comparisons instead of regex usage. (#884) (@fukusuket)
- Approximately 5% speed increase and memory usage reduction by reducing regex usage in wildcard expressions. (#890) (@fukusuket)
- Further speed increase and memory usage reduction by removing unnecessary regex usage. (#894) (@fukusuket)
- Approximately 3% speed increase and 10% memory usage reduction by reducing regex usage. (#898) (@fukusuket)
- Improved `-T`, `--visualize-timeline` by increasing the height of the markers to make it easier to read. (#902) (@hitenkoku)
- Reduced memory usage by approximately 50% when reading JSON/L formatted logs. (#906) (@fukusuket)
- Alphabetically sorted options based on their long names. (#904) (@hitenkoku)
- Added JSON input support (`-J`, `--JSON-input` option) for `logon-summary`, `metrics` and `pivot-keywords-list` commands. (#908) (@hitenkoku)

Bug Fixes:

- Fixed a bug when rules with 4 consecutive backslashes in their conditions would not be detected. (#897) (@fukusuket)
- When parsing PowerShell EID 4103, the `Payload` field would be separated into multiple fields when outputting to JSON. (#895) (@hitenkoku)
- Fixed a crash when looking up event log file size. (#914) (@hitenkoku)

Vulnerability Fixes:

- Updated the git2 and gitlib2 crates to prevent a possible SSH MITM attack (CVE-2023-22742) when updating rules and config files. (#888) (@YamatoSecurity)

2.1.0 [2023/01/10] "Happy Year of the Rabbit Release"

Enhancements:

- Speed improvements. (#847) (@hitenkoku)
- Improved speed by up to 20% by improving I/O processing. (#858) (@fukusuket)
- The timeline order of detections are now sorted to a fixed order even when the timestamp is identical. (#827) (@hitenkoku)

Bug Fixes:

- Successful login CSV results were not correctly being outputted when using the logon timeline function. (#849) (@hitenkoku)
- Removed unnecessary line breaks that would occur when using the `-J`, `--jsonl` option. (#852) (@hitenkoku)

2.0.0 [2022/12/24] "Merry Christmas Release"

New Features:

- Command usage and help menu are now done by subcommands. (#656) (@hitenkoku)

1.9.0 [2022/12/24] "Merry Christmas Release"

New Features:

- Added a new pipe keyword. (`|endswithfield`) (#740) (@hach1yon)
- Added `--debug` option to display memory utilization at runtime. (#788) (@fukusuket)

Enhancements:

- Updated clap crate package to version 4 and changed the `--visualize-timeline` short option `-V` to `-T`. (#725) (@hitenkoku)
- Added output of logon types, source computer and source IP address in Logon Summary as well as failed logons. (#835) (@garigariganzy @hitenkoku)
- Optimized speed and memory usage. (#787) (@fukusuket)
- Changed output color in eggs ascii art. (#839) (@hitenkoku)
- Made the `--debug` option hidden by default. (#841) (@hitenkoku)
- Added color to the ascii art eggs. (#839) (@hitenkoku)

Bug Fixes:

- Fixed a bug where evtX files would not be loaded if run from a command prompt and the directory path was enclosed in double quotes. (#828) (@hitenkoku)
- Fixed unneeded spaces outputted when there were rule parsing errors. (#829) (@hitenkoku)

1.8.1 [2022/11/21]

Enhancements:

- Specified the minimum Rust version `rust-version` field in `Cargo.toml` to avoid build dependency errors. (#802) (@hitenkoku)
- Reduced memory usage. (#806) (@fukusuket)
- Added the support for the `%RenderedMessage%` field in output profiles which is the rendered message in logs forwarded by WEC. (#760) (@hitenkoku)

Bug Fixes:

- Fixed a problem where rules using the `Data` field were not being detected. (#775) (@hitenkoku)
- Fixed a problem where the `%MitreTags%` and `%MitreTactics%` fields would randomly miss values. (#807) (@fukusuket)

1.8.0 [2022/11/07]

New Features:

- Added the `--ISO-8601` output time format option. This good to use when importing to Elastic Stack. It is exactly the same as what is in the original log. (#767) (@hitenkoku)

Enhancements:

- Event ID filtering is now turned off by default. Use the `-e`, `--eid-filter` option to filter by Event ID. (Will usually be 10%+ faster but with a small chance of false negatives.) (#759) (@hitenkoku)
- Print an easy to understand error message when a user tries to download new rules with a different user account. (#758) (@fukusuket)
- Added total and unique detection count information in the HTML Report. (#762) (@hitenkoku)

- Removed unnecessary array structure in the JSON output. (#766) (@hitenkoku)
- Added rule authors (`%RuleAuthor%`), rule creation date (`%RuleCreationDate%`), rule modified date (`%RuleModifiedDate%`), and rule status (`%Status%`) fields to output profiles. (#761) (@hitenkoku)
- Changed Details field in JSON output to an object. (#773) (@hitenkoku)
- Removed `build.rs` and changed the memory allocator to `mimalloc` for a speed increase of 20-30% on Intel-based OSes. (#657) (@fukusuket)
- Replaced `%RecordInformation%` alias in output profiles to `%AllFieldInfo%`, and changed the `AllFieldInfo` field in JSON output to an object. (#750) (@hitenkoku)
- Removed `HBFI-` prefix in `AllFieldInfo` field of json output. (#791) (@hitenkoku)
- Don't display result summary, etc... when `--no-summary` option is used. (This is good to use when using as a Velociraptor agent, etc... It will usually be 10% faster.) (#780) (@hitenkoku)
- Reduced memory usage and improved speed performance. (#778 #790) (@hitenkoku)
- Don't display Rule Authors list when authors list is empty. (#795) (@hitenkoku)
- Added rule ID (`%RuleID%`) and Provider Name (`%Provider%`) fields to output profiles. (#794) (@hitenkoku)

Bug Fixes:

- Fixed rule author unique rule count. (It was displaying one extra.) (#783) (@hitenkoku)

1.7.2 [2022/10/17]

New Features:

- Added `--list-profiles` option to print a list of output profiles. (#746) (@hitenkoku)

Enhancements:

- Moved the saved file line and shortened the update option output. (#754) (@YamatoSecurity)
- Limited rule author names of detected alerts to 40 characters. (#751) (@hitenkoku)

Bug Fixes:

- Fixed a bug where field information would get moved over in JSON/JSONL output when a drive letter (ex: `c:`) was in the field. (#748) (@hitenkoku)

1.7.1 [2022/10/10]

Enhancements:

- Hayabusa now checks Channel and EID information based on `rules/config/channel_eid_info.txt` to provide more accurate results. (#463) (@garigariganzy)
- Do not display a message about loading detection rules when using the `-M` or `-L` options. (#730) (@hitenkoku)
- Added a table of rule authors to standard output. (#724) (@hitenkoku)
- Ignore event records when the channel name is `null` (ETW events) when scanning and showing EID metrics. (#727) (@hitenkoku)

Bug Fixes:

- Fixed a bug where the same Channel and EID would be counted separately with the `-M` option. (#729) (@hitenkoku)

1.7.0 [2022/09/29]

New Features:

- Added a HTML summary report output option (`-H, --html-report`). (#689) (@hitenkoku, @nishikawaakira)

Enhancements:

- Changed Event ID Statistics option to Event ID Metrics option. (`-s, --statistics -> -M, --metrics`) (#706) (@hitenkoku) (Note: `statistics_event_info.txt` was changed to `event_id_info.txt`.)
- Display new version of Hayabusa link when updating rules if there is a newer version. (#710) (@hitenkoku)
- Added logo in HTML summary output. (#714) (@hitenkoku)
- Unified output to one table when using `-M` or `-L` with the `-d` option. (#707) (@hitenkoku)
- Added Channel column to metrics output. (#707) (@hitenkoku)
- Removed First Timestamp and Last Timestamp of `-M` and `-L` option with the `-d` option. (#707) (@hitenkoku)
- Added csv output option(`-o --output`) when `-M` or `-L` option is used. (#707) (@hitenkoku)
- Separated Count and Percent columns in metric output. (#707) (@hitenkoku)
- Changed output table format of the metric option and logon information crate from prettytable-rs to comfy_table. (#707) (@hitenkoku)
- Added favicon.png in HTML summary output. (#722) (@hitenkoku)

v1.6.0 [2022/09/16]

New Features:

- You can now save the timeline to JSON files with the `-j, --json` option. (#654) (@hitenkoku)
- You can now save the timeline to JSONL files with the `-J, --jsonl` option. (#694) (@hitenkoku)

Enhancements:

- Added top alerts to results summary. (#667) (@hitenkoku)
- Added `--no-summary` option to not display the results summary. (#672) (@hitenkoku)
- Made the results summary more compact. (#675 #678) (@hitenkoku)
- Made Channel field in channel_abbreviations.txt case-insensitive. (#685) (@hitenkoku)
- Changed pipe separator character in output from `|` to `||`. (#687) (@hitenkoku)
- Added color to Saved alerts and events / Total events analyzed. (#690) (@hitenkoku)
- Updated evtX crate to 0.8.0. (better handling when headers or date values are invalid.)
- Updated output profiles. (@YamatoSecurity)

Bug Fixes:

- Hayabusa would crash with `-L` option (logon summary option). (#674) (@hitenkoku)
- Hayabusa would continue to scan without the correct config files but now will print an error and gracefully terminate. (#681) (@hitenkoku)
- Fixed total events from the number of scanned events to actual events in evtX. (#683) (@hitenkoku)

v1.5.1 [2022/08/20]

Enhancements:

- Re-released v1.5.1 with an updated output profile that is compatible with Timesketch. (#668) (@YamatoSecurity)

v1.5.1 [2022/08/19]

Bug Fixes:

- Critical, medium and low level alerts were not being displayed in color. (#663) (@fukusuket)
- Hayabusa would crash when an evtx file specified with `-f` did not exist. (#664) (@fukusuket)

v1.5.0 [2022/08/18]

New Features:

- Customizable output of fields defined at `config/profiles.yaml` and `config/default_profile.yaml`. (#165) (@hitenkoku)
- Implemented the `null` keyword for rule detection. It is used to check if a target field exists or not. (#643) (@hitenkoku)
- Added output to JSON option (`-j` and `--json-timeline`) (#654) (@hitenkoku)

Enhancements:

- Trimmed `./` from the rule path when updating. (#642) (@hitenkoku)
- Added new output aliases for MITRE ATT&CK tags and other tags. (#637) (@hitenkoku)
- Organized the menu output when `-h` is used. (#651) (@YamatoSecurity and @hitenkoku)
- Added commas to summary numbers to make them easier to read. (#649) (@hitenkoku)
- Added output percentage of detections in Result Summary. (#658) (@hitenkoku)

Bug Fixes:

- Fixed miscalculation of Data Reduction due to aggregation condition rule detection. (#640) (@hitenkoku)
- Fixed a race condition bug where a few events (around 0.01%) would not be detected. (#639 #660) (@fukusuket)

v1.4.3 [2022/08/03]

Bug Fixes:

- Hayabusa would not run on Windows 11 when the VC redistribute package was not installed but now everything is compiled statically. (#635) (@fukusuket)

v1.4.2 [2022/07/24]

Enhancements:

- You can now update rules to a custom directory by combining the `--update-rules` and `--rules` options. (#615) (@hitenkoku)
- Improved speed with parallel processing by up to 20% with large files. (#479) (@kazuminn)
- When saving files with `-o`, the `.yaml` detection rule path column changed from `RulePath` to `RuleFile` and only the rule file name will be saved in order to decrease file size. (#623) (@hitenkoku)

Bug Fixes:

- Fixed a runtime error when hayabusa is run from a different path than the current directory. (#618) (@hitenkoku)

v1.4.1 [2022/06/30]

Enhancements:

- When no `details` field is defined in a rule nor in `./rules/config/default_details.txt`, all fields will be outputted to the `details` column. (#606) (@hitenkoku)
- Added the `-D, --deep-scan` option. Now by default, events are filtered by Event IDs that there are detection rules for defined in `./rules/config/target_event_ids.txt`. This should improve performance by 25~55% while still detecting almost everything. If you want to do a thorough scan on all events, you can disable the event ID filter with `-D, --deep-scan`. (#608) (@hitenkoku)
- `channel_abbreviations.txt`, `statistics_event_info.txt` and `target_event_ids.txt` have been moved from the `config` directory to the `rules/config` directory in order to provide updates with `-U, --update-rules`.

v1.4.0 [2022/06/26]

New Features:

- Added `--target-file-ext` option. You can specify additional file extensions to scan in addition to the default `.evtx` files. For example, `--target-file-ext evtx_data` or multiple extensions with `--target-file-ext evtx1 evtx2`. (#586) (@hitenkoku)
- Added `--exclude-status` option: You can ignore rules based on their `status`. (#596) (@hitenkoku)

Enhancements:

- Added default details output based on `rules/config/default_details.txt` when no `details` field in a rule is specified. (i.e. Sigma rules) (#359) (@hitenkoku)
- Updated clap crate package to version 3. (#413) (@hitenkoku)
- Updated the default usage and help menu. (#387) (@hitenkoku)
- Hayabusa can be run from any directory, not just from the current directory. (#592) (@hitenkoku)
- Added saved file size output when `output` is specified. (#595) (@hitenkoku)

Bug Fixes:

- Fixed output error and program termination when long output is displayed with color. (#603) (@hitenkoku)
- Ignore loading yml files in `rules/tools/sigmac/testfiles` to fix `Excluded rules` count. (#602) (@hitenkoku)

v1.3.2 [2022/06/13]

Enhancements:

- Changed the evtx Rust crate from 0.7.2 to 0.7.3 with updated packages. (@YamatoSecurity)

v1.3.1 [2022/06/13]

New Features:

- You can now specify specific fields when there are multiple fields with the same name (Ex: `Data`). In the `details` line in a rule, specify a placeholder like `%Data[1]%` to display the first `Data`

field. (#487) (@hitenkoku)

- Added loaded rules status summary. (#583) (@hitenkoku)

Enhancements:

- Debug symbols are stripped by default for smaller Linux and macOS binaries. (#568) (@YamatoSecurity)
- Updated crate packages (@YamatoSecurity)
- Added new output time format options. (`--US-time` , `--US-military-time` , `--European-time`) (#574) (@hitenkoku)
- Changed the output time format when `--rfc-3339` option is enabled. (#574) (@hitenkoku)
- Changed the `-R / --display-record-id` option to `-R / --hide-record-id` and now by default the event record ID is displayed. You can hide the record ID with `-R / --hide-record-id` . (#579) (@hitenkoku)
- Added rule loading message. (#583) (@hitenkoku)

Bug Fixes:

- The RecordID and RecordInformation column headers would be shown even if those options were not enabled. (#577) (@hitenkoku)

v1.3.0 [2022/06/06]

New Features:

- Added `-V / --visualize-timeline` option: Event Frequency Timeline feature to visualize the number of events. (Note: There needs to be more than 5 events and you need to use a terminal like Windows Terminal, iTerm2, etc... for it to properly render.) (#533, #566) (@hitenkoku)
- Display all the `tags` defined in a rule to the `MitreAttack` column when saving to CSV file with the `--all-tags` option. (#525) (@hitenkoku)
- Added the `-R / --display-record-id` option: Display the event record ID (`<Event><System><EventRecordID>`). (#548) (@hitenkoku)
- Display dates with most detections. (#550) (@hitenkoku)
- Display the top 5 computers with the most unique detections. (#557) (@hitenkoku)

Enhancements:

- In the `details` line in a rule, when a placeholder points to a field that does not exist or there is an incorrect alias mapping, it will be outputted as `n/a` (not available). (#528) (@hitenkoku)
- Display total event and data reduction count. (How many and what percent of events were ignored.) (#538) (@hitenkoku)
- New logo. (#536) (@YamatoSecurity)
- Display total evtx file size. (#540) (@hitenkoku)
- Changed logo color. (#537) (@hitenkoku)
- Display the original `Channel` name when not specified in `channel_abbreviations.txt` . (#553) (@hitenkoku)
- Display separately `Ignored rules` to `Exclude rules` , `Noisy rules` , and `Deprecated rules` . (#556) (@hitenkoku)
- Display results message when `output` option is set. (#561) (@hitenkoku)

Bug Fixes:

- Fixed the `--start-timeline` and `--end-timeline` options as they were not working. (#546) (@hitenkoku)

- Fixed crash bug when level in rule is not valid. (#560) (@hitenkoku)

v1.2.2 [2022/05/20]

New Features:

- Added a logon summary feature. (`-L` / `--logon-summary`) (@garigariganzy)

Enhancements:

- Colored output is now on by default and supports Command and Powershell prompts. (@hitenkoku)

Bug Fixes:

- Fixed a bug in the update feature when the rules repository does not exist but the rules folder exists. (#516) (@hitenkoku)
- Fixed a rule parsing error bug when there were .yml files in a .git folder. (#524) (@hitenkoku)
- Fixed wrong version number in the 1.2.1 binary.

v1.2.1 [2022/04/20] Black Hat Asia Arsenal 2022 RC2

New Features:

- Added a `Channel` column to the output based on the `./config/channel_abbreviations.txt` config file. (@hitenkoku)
- Rule and rule config files are now forcefully updated. (@hitenkoku)

Bug Fixes:

- Rules marked as noisy or excluded would not have their `level` changed with `--level-tuning` but now all rules will be checked. (@hitenkoku)

v1.2.0 [2022/04/15] Black Hat Asia Arsenal 2022 RC1

New Features:

- Specify config directory (`-C` / `--config`): When specifying a different rules directory, the rules config directory will still be the default `rules/config`, so this option is useful when you want to test rules and their config files in a different directory. (@hitenkoku)
- `|equalsfield` aggregator: In order to write rules that compare if two fields are equal or not. (@hach1yon)
- Pivot keyword list generator feature (`-p` / `--pivot-keywords-list`): Will generate a list of keywords to grep for to quickly identify compromised machines, suspicious usernames, files, etc... (@kazuminn)
- `-F` / `--full-data` option: Will output all field information in addition to the fields defined in the rule's `details`. (@hach1yon)
- `--level-tuning` option: You can tune the risk `level` in hayabusa and sigma rules to your environment. (@itib and @hitenkoku)

Enhancements:

- Updated detection rules and documentation. (@YamatoSecurity)
- Mac and Linux binaries now statically compile the OpenSSL libraries. (@YamatoSecurity)
- Performance and accuracy improvement for fields with tabs, etc... in them. (@hach1yon and @hitenkoku)

- Fields that are not defined in eventkey_alias.txt will automatically be searched in Event.EventData. (@kazuminn and @hitenkoku)
- When updating rules, the names of new rules as well as the count will be displayed. (@hitenkoku)
- Removed all Clippy warnings from the source code. (@hitenkoku and @hach1yon)
- Updated the event ID and title config file (timeline_event_info.txt) and changed the name to statistics_event_info.txt . (@YamatoSecurity and @garigariganzy)
- 32-bit Hayabusa Windows binaries are now prevented from running on 64-bit Windows as it would cause unexpected results. (@hitenkoku)
- MITRE ATT&CK tag output can be customized in output_tag.txt . (@hitenkoku)
- Added Channel column output. (@hitenkoku)

Bug Fixes:

- .yaml files in the .git folder would cause parse errors so they are now ignored. (@hitenkoku)
- Removed unnecessary newline due to loading test file rules. (@hitenkoku)
- Fixed output stopping in Windows Terminal due a bug in Terminal itself. (@hitenkoku)

v1.1.0 [2022/03/03]

New Features:

- Can specify a single rule with the -r / --rules option. (Great for testing rules!) (@kazuminn)
- Rule update option (-u / --update-rules): Update to the latest rules in the [hayabusa-rules](#) repository. (@hitenkoku)
- Live analysis option (-l / --live-analysis): Can easily perform live analysis on Windows machines without specifying the Windows event log directory. (@hitenkoku)

Enhancements:

- Updated documentation. (@kazuminn , @hitenkoku , @YamatoSecurity)
- Updated rules. (20+ Hayabusa rules, 200+ Sigma rules) (@YamatoSecurity)
- Windows binaries are now statically compiled so installing Visual C++ Redistributable is not required. (@hitenkoku)
- Color output (-c / --color) for terminals that support True Color (Windows Terminal, iTerm2, etc...). (@hitenkoku)
- MITRE ATT&CK tactics are included in the saved CSV output. (@hitenkoku)
- Performance improvement. (@hitenkoku)
- Comments added to exclusion and noisy config files. (@kazuminn)
- Using faster memory allocators (rpmalloc for Windows, jemalloc for macOS and Linux.) (@kazuminn)
- Updated cargo crates. (@YamatoSecurity)

Bug Fixes:

- Made the clap library version static to make cargo update more stable. (@hitenkoku)
- Some rules were not alerting if there were tabs or carriage returns in the fields. (@hitenkoku)

v1.0.0-Release 2 [2022/01/27]

- Removed Excel result sample files as they were being flagged by anti-virus. (@YamatoSecurity)
- Updated the Rust evtx library to 0.7.2 (@YamatoSecurity)

v1.0.0 [2021/12/25]

- Initial release.