

Creating an Application using AWS Bean Stalk

STEPS ARE AS FOLLOWS–

1. 'Open the AWS Management Console':

- Search for Elastic Beanstalk.

2. 'Create Application':

- Click on "Create Application."
- Name your application (e.g., "My first EB Website").

3. 'Set Up Environment':

- Choose "Web server environment."
- The environment name will be generated automatically.

4. 'Configure Domain (Optional)':

- You can add a custom domain name or use the default.

5. 'Select Platform':

- Choose the managed platform for your application (e.g., Node.js).

6. 'Key Pair for SSH Access':

- Select a key pair for SSH access. If you don't have one, create it in EC2 and refresh the list. (Already created like Demo2.pem)

7. 'Attach Instance Profile':

- Attach an instance profile with necessary permissions (e.g., S3 read-only). (Already done in Practical 2)

8. 'Choose VPC and Subnets':

- Select your default VPC and subnets.
- Assign a public IP address.

9. 'Security Group':

- Select or create a security group with port 80 open for web access.

10. 'Instance Type':

- Choose an instance type (e.g., T2 micro). delete the remaining instances

11. 'Health Reporting (Optional)':

- Enable or disable health reporting based on your preference.

12. 'Platform Updates': Un check it

- Decide whether to enable managed platform updates.

13. 'Review and Submit':

- Review all settings.
- Click "Submit" to create the application.

14. 'Deployment':

- Wait for the deployment process to complete.(Min 3 to 5 Mins)
- Monitor the events to ensure a successful launch.

15. 'Access Your Application':

- Once deployed, access your application using the provided URL.

16. 'Manage and Monitor':

- Use the EC2 console to manage instances.
- Connect via SSH if needed.
- Monitor service metrics and logs.

That's it! Your web application should now be running on AWS Elastic Beanstalk. Still you have clarification, Video tutorial is shared for your reference

Create REST API G...AWS PRACTICAL-...Untitled document...Tutorial: Create a...New Tab...PRACTICAL 4.docxWelcome | Elastic...+

us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/welcome

AppsGmailYouTubeFrontend Developer R...MapsDeveloper Roadmaps...Adobe Photoshop 20...AppDoze - THE TRUS...Telegram: Join Group...dot batchAll Bookmarks

Search[Alt+S]

United States (N. Virginia)tanisha2023

Compute

Amazon Elastic Beanstalk

End-to-end web application management.

Amazon Elastic Beanstalk is an easy-to-use service for deploying and scaling web applications and services developed with Java, .NET, PHP, Node.js, Python, Ruby, Go, and Docker on familiar servers such as Apache, Nginx, Passenger, and IIS.

Get started

Easily deploy your web application in minutes.

Create application

Pricing

There's no additional charge for Elastic Beanstalk. You pay for Amazon Web Services resources that we create to store and run your web application, like Amazon S3 buckets and Amazon EC2 instances.

Getting started

Launch a web application

More resources

Documentation

Get started

You simply upload your code and Elastic Beanstalk automatically handles the deployment, from capacity provisioning, load balancing, and automatic scaling to web application health monitoring, with ongoing fully managed patch and security updates. [Learn more](#)

Benefits and features

Easy to get started

Elastic Beanstalk is the simplest way to deploy and run your web application on Amazon Web Services. Elastic Beanstalk automatically handles the deployment details of capacity provisioning, load

Complete resource control

You have the freedom to select the Amazon Web Services resources, such as Amazon EC2 instance types, that are optimal for your web application. Additionally, Elastic Beanstalk lets you manage

CloudShellFeedback© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Create REST API Guide...Untitled document - Go...Configure environment...Tutorial: Create a REST...New Tab...PRACTICAL 4.docx...+

us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

AppsGmailYouTubeFrontend Developer R...MapsDeveloper Roadmaps...Adobe Photoshop 20...AppDoze - THE TRUS...Telegram: Join Group...dot batchAll Bookmarks

Search[Alt+S]

United States (N. Virginia)tanisha2023

Step 1

Configure environment

Step 2

Configure service access

Step 3 - optional

Set up networking, database, and tags

Step 4 - optional

Configure instance traffic and scaling

Step 5 - optional

Configure updates, monitoring, and logging

Step 6

Review

Configure environment

Environment tier

Amazon Elastic Beanstalk has two types of environment tiers to support different types of web applications.

☒ **Web server environment**
Run a website, web application, or web API that serves HTTP requests. [Learn more](#)

☐ **Worker environment**
Run a worker application that processes long-running workloads on demand or performs tasks on a schedule. [Learn more](#)

Application information

Application name

my first EB website

Maximum length of 100 characters.

Application tags (optional)

Environment information

Choose the name, subdomain and description for your environment. These cannot be changed later.

Environment name

MyfirstEBwebsite-env

Must be from 4 to 40 characters in length. The name can contain only letters, numbers, and hyphens. It can't start or end with a hyphen. This name must be unique within a region in your account.

Domain

Leave blank for autogenerated value .us-east-1.elasticbeanstalk.com

Check availability

Environment information

Provide details that Elastic Beanstalk needs to create an environment.

An *environment* is a collection of AWS resources running a version of your application code. When you create an environment, Elastic Beanstalk provisions the resources needed to run the application version you specified.

Key details you provide here:

- Environment name
- Domain – A subdomain for accessing your web application.
- Environment description (optional)

Was this content helpful?

Yes No

Learn more

The create new environment wizard
AWS Elastic Beanstalk platforms
Configuration options

CloudShellFeedback© 2025, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Create REST API Guide xUntitled document - Go xConfigure environment xTutorial: Create a REST xNew Tab xPRACTICAL 4.docx x+--

us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

AppsGmailYouTubeFrontend Developer R...MapsDeveloper Roadmaps...Adobe Photoshop 20...AppDoze - THE TRUS...Telegram: Join Group...dot batchAll Bookmarks

awsSearch[Alt+S]United States (N. Virginia)tanisha2023

Platform info

Platform type

☒ Managed platform
Platforms published and maintained by Amazon Elastic Beanstalk. [Learn more](#)

☐ Custom platform
Platforms created and owned by you. This option is unavailable if you have no platforms.

Platform

Node.js

Platform branch

Node.js 22 running on 64bit Amazon Linux 2023

Platform version

6.4.3 (Recommended)

Application code info

Sample application

☒ Existing version
Application versions that you have uploaded.

☐ Upload your code
Upload a source bundle from your computer or copy one from Amazon S3.

Presets info

Configuration presets

☒ Single instance (free tier eligible)
☐ Single instance (using spot instance)
☐ High availability

Environment information

Provide details that Elastic Beanstalk needs to create an environment.

An *environment* is a collection of AWS resources running a version of your application code. When you create an environment, Elastic Beanstalk provisions the resources needed to run the application version you specified.

Key details you provide here:

- Environment name
- Domain – A subdomain for accessing your web application.
- Environment description (optional)

Was this content helpful?

Learn more - [Link](#)
The create new environment wizard
[AWS Elastic Beanstalk platforms](#)
[Configuration options](#)

CloudShellFeedback© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Create REST API Guide xUntitled document - Go xConfigure service access xTutorial: Create a REST xNew Tab xPRACTICAL 4.docx x+--

us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

AppsGmailYouTubeFrontend Developer R...MapsDeveloper Roadmaps...Adobe Photoshop 20...AppDoze - THE TRUS...Telegram: Join Group...dot batchAll Bookmarks

awsSearch[Alt+S]United States (N. Virginia)tanisha2023

Step 1
Configure environment

Step 2
Configure service access

Step 3 - optional
Set up networking, database, and tags

Step 4 - optional
Configure instance traffic and scaling

Step 5 - optional
Configure updates, monitoring, and logging

Step 6
Review

Configure service access info

Service access

IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions. [Learn more](#)

Service role

☒ Create and use new service role
☐ Use an existing service role

Service role name

Enter the name for an IAM role that Elastic Beanstalk will create to assume as a service role. Beanstalk will attach the required managed policies to it.

aws-elasticbeanstalk-service-role

[View permission details](#)

EC2 key pair

Select an EC2 key pair to securely log in to your EC2 instances. [Learn more](#)

Choose a key pair

EC2 instance profile

Choose an IAM instance profile with managed policies that allow your EC2 instances to perform required operations.

[View permission details](#)

Cancel

[Skip to review](#)

[Previous](#)

[Next](#)

Configure service access

Configure the service access for your environment and its Amazon EC2 instances.

Elastic Beanstalk is allowed to access other services to manage your environment by assuming a service role. Choose an existing role or create a new role.

The default service role is `aws-elasticbeanstalk-service-role`. Select this role or another existing one from the drop-down list.

Alternatively, you may choose to create a new service role. Elastic Beanstalk attaches the same permission policies to the service roles created from this screen. You may later modify them through the AWS Identity and Access Management (IAM) service.

A typical case for creating a new service role is a test environment that has different permission requirements than a production environment. In this case the test and production environments would each require a different service role.

Things you can do on this page:

- Choose a service role for

CloudShellFeedback© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

← → ↻ ap-south-1.console.aws.amazon.com/elasticbeanstalk/home?region=ap-south-1#/create-environment ☆

aws Search [Alt+S] Asia Pacific (Mumbai) tanisha2023

STEP 1

- Configure environment
- Step 2
- Configure service access**
- Step 3 - optional
- Set up networking, database, and tags
- Step 4 - optional
- Configure instance traffic and scaling
- Step 5 - optional
- Configure updates, monitoring, and logging
- Step 6
- Review

Configure service access Info

Service access
IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions. [Learn more](#)

Service role

☐ Create and use new service role

☒ Use an existing service role

Existing service roles
Choose an existing IAM role for Elastic Beanstalk to assume as a service role. The existing IAM role must have the required IAM managed policies.

EC2 key pair
Select an EC2 key pair to securely log in to your EC2 instances. [Learn more](#)

EC2 instance profile
Choose an IAM instance profile with managed policies that allow your EC2 instances to perform required operations.

[View permission details](#)

[Cancel](#) [Skip to review](#) [Previous](#) [Next](#)

← → ↻ ap-south-1.console.aws.amazon.com/elasticbeanstalk/home?region=ap-south-1#/create-environment

aws iam Asia Pacific (Mumbai) tanisha2023

STEP 1

- Configure environment
- Step 2
- Configure service access
- Step 3 - optional
- Set up networking, database, and tags
- Step 4 - optional
- Configure instance traffic and scaling**
- Step 5 - optional
- Configure updates, monitoring, and logging
- Step 6
- Review

Configure instance traffic and scaling - optional Info

Instances Info
Configure the Amazon EC2 Instances that run your application.

Root volume (boot device)

Root volume type
(Container default)

Size
The number of gigabytes of the root volume attached to each instance.
 GB

IOPS
Input/output operations per second for a provisioned IOPS (SSD) volume.
 IOPS

Throughput
The desired throughput to provision for the Amazon EBS root volume attached to your environment's EC2 instance.
 MIB/s

Amazon CloudWatch monitoring
The time interval between when metrics are reported from the EC2 instances.

Monitoring interval

[CloudShell](#) [Feedback](#) © 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

aws

iam

Elastic Beanstalk

Environments

EBwebsite-env

Applications

Environments

Change history

Application: EB website

Application versions

Saved configurations

Environment: EBwebsite-env

Go to environment

Configuration

Events

Health

Logs

Monitoring

Alarms

Managed updates

Tags

Environment successfully launched.

EBwebsite-env

Info

Actions

Upload and deploy

Environment overview

Platform

Health

Green

Environment ID

e-p9yhjhmad5

Domain

EBwebsite-env.eba-8dyzd3ra.ap-south-1.elasticbeanstalk.com

Application

EB website

Platform

Corretto 21 running on 64bit Amazon Linux 2023/4.4.4

Running version

-

Platform state

Supported

Events

Health

Logs

Monitoring

Alarms

Managed updates

Tags

Events (13)

Info

Filter events by text, property or value

Time	Type	Details
February 25, 2025 22:47:39 (UTC+5:30)	INFO	Successfully launched environment: EBwebsite-env
February 25, 2025 22:47:39 (UTC+5:30)	INFO	Application available at EBwebsite-env.eba-8dyzd3ra.ap-south-1.elasticbeanstalk.com.

iam

Asia Pacific (Mumbai)tanisha2023

Elastic Beanstalk

Environments

EBwebsite-env

Elastic Beanstalk

Applications

Environments

Change history

Application: EB website

Application versions

Saved configurations

Environment: EBwebsite-env

Go to environment

Configuration

Events

Health

Logs

Monitoring

Alarms

Managed updates

Tags

Elastic Beanstalk is launching your environment. This will take a few minutes.

EBwebsite-env

Environment overview

Health

Unknown

Domain

-

Environment ID

e-p9yhjmad5

Application name

EB website

Platform

Corretto 21 running on 64bit Amazon Linux 2023/4.4.4

Running version

-

Platform state

Supported

Actions

Upload and deploy

Change version

Events

Health

Logs

Monitoring

Alarms

Managed updates

Tags

Events (2)

Filter events by text, property or value

Time

Type

Details

February 25, 2025 22:45:20 (UTC+5:30)

INFO

Using elasticbeanstalk-ap-south-1-354918381618 as Amazon S3 storage bucket for environment data.

February 25, 2025 22:45:19 (UTC+5:30)

INFO

createEnvironment is starting.

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

← → ↻ ⚠ Not secure ebwebsite-env.eba-8dyzd3ra.ap-south-1.elasticbeanstalk.com ☆ 👤 ⋮

Congratulations

Your first AWS Elastic Beanstalk Corretto application is now running on your own dedicated environment in the AWS Cloud

This environment is launched with Elastic Beanstalk Corretto Platform

What's Next?

- AWS Elastic Beanstalk overview
- AWS Elastic Beanstalk concepts