TR 95


Motor: 220V/60C/1-3 PHASE

Height: 57" Length: 23" Width: 14.3"

TR110

Motor: 220V/60C/1-3

Height: 57" Length: 23" Width: 18"




- 1 1 Endless Screw Conveyor
- 2 1 Fixed Sleeve Bearing Support
- 3 1 Die Retaining Ring

TECHNICAL DATA


- 4 1 Rotating Cutter Support Arm
- 5 1 Fixed Cutter Support Base
- 6 1 Cutter Motor
- (7) 1 Cutter Single Blade
- 8 1 Cutter Triple Blade
- 9 1 Mixer Support Head Rotating
- 10 1 Mixer Support Head Bearing Front
- 1 Rotating Mixer Support Shaft

- 12) 1 Mixer Support Bushing Guide
- 13) 1 Mixer
- (14) 1 Cover Holder
- 15 1 Cover Support Rod
- 16) 1 Cover Safety Switch Cam
- (17) 1 Steel Top Cover
- (18) 1 Mixer Upper Bearing Support
- (19) 1 Rear Mixer Bearing
- (20) 1 Upper Gear Mixer Drive
- (21) 1 Rear Flange Bearing
- 1 Upper Gear Mixer Shaft



- 23) 1 Upper Mixer Support
- 24 1 Double Link 3/8" Chain
- 25 1 Drive Pulley
- 26 1 Lower Conveyor Bushing
- 27 1 Rear Lower Conveyor Bearing
- 28) 1 Lower Conveyor Bushing
- 29 1 Lower Gear Conveyor Drive
- 30) 1 Gear Reducer
- (31) 1 Mounting Flange

- (32) 2 V-Belt Rubber
- (33) 1 Motor Hanger
- (34) 1 Motor Mounting Base
- 35) 1 Motor 220V/60C/1PHASE
- (36) 1 Motor Drive Pulley
- (37) 1 Cooling Fan
- (38) 1 Drying Screen Support Rods
- (39) 1 Plastic Cutting Blade Cover




The TR/110 is designed with a water cooled die head unit. This feature permits your Pasta Machine to run continually, keeping the Die Head at the constant recommended temperatures, outlined in this manual. Local water pressure is acceptable. (Approximately 35 psi)

POSITION

QUANITY DESCRIPTION

- 1 Endless Screw Conveyor
- 2 1 Fixed Sleeve Bearing Support
- 3 1 Die Retaining Ring
- (4) 1 Rotating Cutter Support Arm
- (5) 1 Fixed Cutter Support Base
- (6) 1 Cutter Motor
- 7 1 Cutter Single Blade
- 8 1 Cutter Triple Blade
- (9) 1 Mixer Support Head Rotating
- 10 1 Mixer Support Head Bearing Front
- (11) 1 Rotating Mixer Support Shaft

- 12) 1 Mixer Support Bushing Guide
- (13) 1 Mixer
- 14 1 Cover Holder
- (15) 1 Cover Support Rod
- 16 1 Cover Safety Switch Cam
- 17) 1 Steel Top Cover
- (18) 1 Mixer Upper Bearing Support
- (19) 1 Rear Mixer Bearing
- (20) 1 Upper Gear Mixer Drive
- (21) 1 Rear Flange Bearing
- 1 Upper Gear Mixer Shaft
- (23) 1 Pulley



- 24) 1 Gear Box
- 25) 1 Gear Complete with Double Link Chain Tensioner
- 26) 1 Double Link 3/8" Chain
- 27) 1 Lower Conveyor Bushing
- 28) 1 Rear Lower Conveyor Bearing
- 29 1 Motor Drive Shaft to Conveyor
- 30 1 Lower Gear Conveyor Dirve
- 31 1 Support Unit
- (32) 2 V-Belt Rubber

- 33 1 Lower Motor Pulley
- 34) 1 Motor 220V/60C/1-3 PHASE
- 35) 1 Motor Mounting Base
- (36) 2 Drying Screen Support Rods
- (37) 1 Cooling Fan
- 38) 1 Cutter Motor Power Plug Attachment
- (39) 1 Plastic Cutting Blade Cover
- (40) 1 Motor Hanger
- * Water Cooling Inlet and Outlet Ports on Fixed Sleeve Conveyor Bearing Support (Ref: Position 2)

6