

## Contents

|                                |          |
|--------------------------------|----------|
| <b>vdcmaniac</b>               | <b>1</b> |
| Contents . . . . .             | 1        |
| Inspiration . . . . .          | 1        |
| Screenshots . . . . .          | 2        |
| Known issues . . . . .         | 6        |
| Requirements . . . . .         | 7        |
| Building from source . . . . . | 7        |
| License . . . . .              | 8        |
| Changelog . . . . .            | 9        |

## vdcmaniac

A modern Commodore 128 VDC (8563/8568, 80-column chip) demo, written from scratch in C with the [Oscar64](#) cross-compiler.

### Contents

- [Inspiration](#)
- [Screenshots](#)
- [Known issues](#)
- [Requirements](#)
- [Building from source](#)
- [License](#)
- [Changelog](#)
- Further documentation: [ARCHITECTURE.md](#) (code layout), [vdc\\_reference\\_manual.md](#) (VDC registers/modes), [raster\\_lib\\_manual.md](#) (raster bar/IRQ library), [krill\\_manual.md](#) (fastloader integration)

### Inspiration

This project is inspired by **VDC Mode Mania**, a 2012 demo by **Tokra** and **Mike of Akronyme Analogiker**, originally released at the Connected 9 party (Sep 2, 2012), later extended twice (an 800x600 mode in 2015, a 960x540 mode in 2023). VDC Mode Mania was a slideshow showcasing the C128's rare, little-used 64KB-VDC-RAM graphics modes -- interlaced and non-interlaced colour and monochrome modes at resolutions far beyond the VIC-II's usual 320x200, from 480x252 colour up to 960x540 monochrome -- with converted picture assets and BASIC-based viewers. The original demo, including its BASIC source and image converters, is available from CSDb: <https://csdb.dk/release/?id=234174>

A second main inspiration: Peter Hulstede's "VDC-Intromaker: Perfektes Rasterzeilen-Timing", **64'er Sonderheft 95**, p.45 -- its example CIA-timer VDC raster-sync routine (SYNC / WAIT-LINE / WAITJUMP / LINEND, 6502 listing) is the basis this project's own `raster_synch()` / `raster_wait_line()` (`include/vdc_raster.c`) are translated from into C, driving every raster-bar effect in the demo -- see that file's own credit comment for the full technical mapping.

vdcmaniac is **not a port** of that BASIC codebase. It's a from-scratch reimplementation in C, targeting the same family of rare VDC modes but built around this project's own tooling and techniques:

- **Oscar64**, a modern C cross-compiler for 6502 targets, instead of interpreted BASIC.
- **Krill's fastloader**, with on-the-fly TSCrunch decompression, for asset loading -- see `krill_manual.md`.
- A **custom raster-IRQ trampoline**, installed directly on the CPU's hardware interrupt vector (not the KERNAL soft vector, which this project's own boot sequence makes unreliable), driving per-scanline VDC colour effects and, going forward, synced SID music playback -- see `raster_lib_manual.md`.
- A **from-scratch VDC mode/register library** (`include/vdc_core.c`) and its own picture converters (`tools/vdc_convert.py`) rather than the original's PC-side C converters -- see `vdc_reference_manual.md`.

The set of VDC modes being brought back is the same one VDC Mode Mania demonstrated (see the original's own README, linked above, for the full list and Tokra's own notes on real-hardware/monitor compatibility per mode); the techniques driving them are new.


**On pictures:** every showcase section uses this project's own sourced artwork, converted via `tools/vdc_convert.py` -- public-domain paintings/ prints and CC-licensed photographs, each with a full attribution/licence note in `include/defines.h`'s own credit block. None of Tokra's original converted images are used.

## Screenshots


Captured in VICE (x128). VDC pixels are not square, so a raw capture misrepresents every mode's true on-screen proportions -- each screenshot below is cropped to that mode's own visible content and restored to a standard 4:3 aspect ratio. Full picture licence/attribution detail lives in `include/defines.h`'s own credit block; the captions below summarise it per picture.

### Intro sequence

---



System diagnostics (PAL/NTSC, VDC revision, 64KB check)



idi8b logo section




Title screen, raster bar underneath




Main menu, raster-bar row highlight


### VDC-FLI (480x252, colour, non-interlace) + VDC-HFLI (640x400, colour, non-interlace)




"Wheat Field with Cypresses"  
(1889), Vincent van Gogh,  
The Met, public domain




"Starry Night Over the  
Rhone" (1888), Vincent van  
Gogh, Musee d'Orsay, public  
domain




"Vase with Irises Against a  
Yellow Background" (1890),  
Vincent van Gogh, Van Gogh  
Museum, public domain



"The Great Wave off  
Kanagawa" (c. 1831),  
Katsushika Hokusai, public  
domain




"Fine Wind, Clear Morning"  
("Red Fuji", c. 1830-1832),  
Katsushika Hokusai, public  
domain



"Ejiri in Suruga Province" (c.  
1830-1832), Katsushika  
Hokusai, public domain

### VDC-IFLI: VDC-IHFLI (640x480, colour, interlace) + VDC-ITFLI (640x576, colour, interlace)






"Passiflora caerulea (makro close-up)" by Petar Milosevic, CC BY-SA 4.0




"Sonnenblume Helianthus 1" by Bohringer Friedrich, CC BY-SA 2.5




"Keel-billed Toucan, Caves Branch Jungle Lodge, Belize" by Judy Gallagher, CC BY 2.0



"Tutanchamun Maske" (funerary mask) by MykReeve, CC BY-SA 3.0 / GFDL 1.2+



"Hyacinth macaw head", the Pantanal, Brazil, by Charles J. Sharp, CC BY-SA 4.0




"De Hamburgerbrug met de Oudegracht en de Domtoren in de Stad Utrecht" by Jan dijkstra, CC BY-SA 4.0


---

**VDC-mono: VDC-IMONO (720x700, interlace) + VDC-IM800 (800x600, interlace)**

---



"Strasbourg Cathedral Exterior" by David Iliff (Diliff), CC BY-SA 3.0 / GFDL 1.2+



"Zebras Ngorongoro Crater" by Muhammad Mahdi Karim, GFDL 1.2



"Portrait de femme en tenue traditionnelle de Berbere Algerien" by Samia Dib Benkaci, CC BY-SA 4.0



---

"Portrait-of-a-woman" by  
Mark Sherman, CC BY 2.0


"The History of Apple Pie -  
Kelly Lee Owens (2013)" by  
Sylvain lasco, CC BY-SA 4.0

---


"Maupi", the author's own cat

### Plasma effect / Colour rotation effect

---



Sine-table plasma, own procedural content




Colour-cycling bitmap, own procedural content


---

### VDC-SCROLL: VDC-VSCROLL + VDC-PANORAMA + VDC-PANORAMA 2D

---



"Kinryuzan Temple,  
Asakusa", print #99 from  
One Hundred Famous Views  
of Edo (1856), Utagawa  
Hiroshige, public domain --  
vertical scroll



"Nine Dragons" (1244),  
Chen Rong, Museum of Fine  
Arts, Boston, public domain  
-- horizontal pan




"The Last Stand of the  
Kusunoki at Shijonawate"  
(1857), Utagawa Kuniyoshi,  
British Museum, public  
domain -- combined 2D pan

---


### VDC Spectrum (256x192, doubled to 512x192)



"np" (2015), prof4d, 1st place at CC Winter - DiHalt Lite 2015



"Prisoner of Time" (2001), Pheel, 1st place at Chaos Constructions 2001



"Cursed Eighth" (2010), Piesiu, 1st place at the Chaos Constructions 2010 ZX Graphics compo

---

### End demo + credits



Scrolling-text and colour-cycling-bars credits sequence.

### Known issues

- **Monitor compatibility varies by VDC mode.** Not every one of the VDC's rare bitmap modes displays cleanly on every monitor -- this is a real-hardware VDC characteristic, not a bug in this demo (see the original VDC Mode Mania's own README, linked in "Inspiration" above, for Tokra's own notes on the same thing). A **Commodore 1901** monitor is confirmed to show every mode correctly, but may still need its own horizontal/vertical size and centering controls adjusted per mode -- as may any other monitor.
- **z64k:** the title screen renders mangled. Every other mode is unaffected. VICE shows every mode correctly.
- **RGBtoHDMI:** each VDC mode needs its own RGBtoHDMI mode definition. This project does not currently provide RGBtoHDMI mode definitions for any of its VDC modes.
- **VICE/z64k under WSL2/WSLg:** SID music playback can noticeably slow down in some sections -- a WSL2/WSLg performance characteristic, not reproduced on native Windows/Linux or real hardware. For accurate timing/audio, prefer running VICE/z64k natively rather than under



WSL2.

## Requirements

- **Krill's fastloader requires exclusive use of the IEC bus.** Only one device may be active on the bus: the drive holding the demo disk, at device ID 8. Power off (or otherwise disable) any other IEC device -- printers, second drives, etc. -- before running the demo.
- **Only a D81 disk image is supported.** D71 and especially D64 would need far more disk swapping to fit this project's own asset sizes, so neither is built or supported.
- **SD2IEC is not supported.** Krill's loader needs cycle-exact IEC bus timing, which SD2IEC's own IEC emulation does not provide. Use a real 1541/1571/1581 (or equivalent, e.g. an Ultimate II+) drive.

## Building from source

### Prerequisites

| Tool                    | Purpose                              | Install                                                                        |
|-------------------------|--------------------------------------|--------------------------------------------------------------------------------|
| <a href="#">oscar64</a> | C compiler targeting C128            | Build from source or download release                                          |
| c1541                   | Disk image creation (part of VICE)   | <code>sudo apt install vice</code>                                             |
| wput                    | FTP upload to Ultimate II+           | <code>sudo apt install wput</code>                                             |
| java (JRE 8+)           | Run <a href="#">z64k</a> (make z64k) | <code>sudo apt install default-jre</code> (optional)                           |
| pandoc + texlive-xetex  | Regenerate README.pdf from README.md | <code>sudo apt install pandoc texlive-xetex</code> (optional)                  |
| python3 + Pillow        | Regenerate converted picture assets  | <code>pip install Pillow</code> (optional -- build warns and skips if missing) |

The compiler is expected at `/home/xahmol/oscar64/bin/oscar64`. Edit the `CC` variable in the Makefile if yours is installed elsewhere.

### Deployment setup (.env)

Create a `.env` file in the project root to configure deployment to your Ultimate II+. This file is gitignored and will never be committed:

```
ULTIP1 = 192.168.1.xx      # IP of your primary Ultimate II+
# ULTIP2 = 192.168.1.yy    # optional second machine
# ULTIP3 = 192.168.1.zz    # optional real-hardware test machine (make
↪  deploy3)
```

The Makefile constructs the FTP path for `deploy` / `deploy2` as `ftp://$(ULTIP1)/usb1/temp/`. Override `ULTUSB` `?= usb1` in `.env` if your USB port is numbered differently. `deploy3` uses its own

dedicated path (ULTPATH3, default /USB1/idi8b/dev/) instead -- override that in .env too if you want it elsewhere.

### Make targets

| Target          | Description                                                                                                                                                                                                                                          |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| make / make all | Build the program, boot sector and the Krill-fastloader D81 disk image (see krill_manual.md)                                                                                                                                                         |
| make krill      | Same D81 build, invokable on its own                                                                                                                                                                                                                 |
| make clean      | Remove all build artefacts                                                                                                                                                                                                                           |
| make vice       | Launch VICE x128 with the D81 -- <b>needs True Drive Emulation enabled</b> (VICE Settings -> Drive, or x128 -drive8truedrive); Krill's loader runs drive-side install code (M-E / M-R) that silently hangs at the "loading assets" screen without it |
| make z64k       | Launch <a href="#">z64k</a> with the D81 (downloads Z64K.jar on first use; Java 8+ required) -- a second, independently-implemented C128/VDC emulator, useful when VICE doesn't reproduce a real-hardware issue                                      |
| make deploy     | Upload build to primary Ultimate II+ (requires ULTIP1 in .env)                                                                                                                                                                                       |
| make deploy2    | Upload to second Ultimate II+ (requires ULTIP2 in .env)                                                                                                                                                                                              |
| make deploy3    | Upload build to a real-hardware test machine (requires ULTIP3 in .env)                                                                                                                                                                               |
| make docs       | Regenerate README.pdf from README.md (requires pandoc)                                                                                                                                                                                               |
| make zip        | Build build/vdcmaniac_<version>.zip -- the D81 plus README.pdf, for distribution                                                                                                                                                                     |

### License

This project's own code is licensed under the **GNU General Public License v3.0**. Krill's fastloader (krill/) and TSCrunch (krill/loader/tools/tscrunch/) are vendored third-party components under their own, separate, permissive attribution-required licenses -- both are credited in-demo (the end-credits scroller) and in this README's own Inspiration section, per their own license terms. Every picture/artwork/music asset has its own individual attribution and licence noted in include/defines.h's credit block -- see "On pictures" above.



## **Changelog**

### **v1.0.0**

Initial public release: all eight VDC bitmap-mode showcases (VDC-FLI, VDC-HFLI, VDC-IHFLI, VDC-ITFLI, VDC-IMONO, VDC-IM800, VDC Spectrum, plus the Plasma and Colour rotation procedural effects), the scripted VDC-SCROLL family (vertical, horizontal, and combined 2D pan), a real-hardware-verified raster-IRQ engine, Krill-fastloader/TSCrunch asset loading, and complete documentation -- verified on real Commodore 128D/ 128DCR hardware with an Ultimate II+, not just in emulation.