k8s workshop - 1

Introduction & concepts walkthrough

2017-09-07

Agenda

1. **The Kubernetes project**
   Community and maturity
2. **K8s cluster**
   Overview and components
3. **Basic resources**
   Pods, Deployments, Services, Ingress
4. **Advanced concepts**
   Config, secrets, volumes
5. **Tips**
   Pattern & Best practices

1 - k8s Project

1 - k8s project

General	Kubernetes	docker swarm	Apache Mesos
Project Activity	Very High Activity	Moderate Activity	Very High Activity
Open Hub Data Quality	Updated about 16 hours ago	Updated 1 day ago	Updated about 18 hours ago
Homepage	kubernetes.io	github.com	mesos.apache.org
Project License	Apache-2.0	Apache-2.0	Apache-2.0
Estimated Cost	$19,848,427	$3,936,674	$9,944,713
All Time Statistics			
Contributors (All Time) View as graph	1633 developers	207 developers	298 developers
Commits (All Time) View as graph	54469 commits	3485 commits	26406 commits
Initial Commit	over 3 years ago	almost 3 years ago	over 6 years ago
Most Recent Commit	about 21 hours ago	1 day ago	1 day ago
12 Month Statistics			
Contributors (Past 12 Months)	806 developers	30 developers	113 developers
Commits (Past 12 Months)	19,165 commits	276 commits	6,998 commits
Files Modified	18,858 files	1,302 files	2,576 files
Lines Added	8,703,184 lines	377,858 lines	364,178 lines
Lines Removed	7,742,380 lines	332,198 lines	157,560 lines
Year-Over-Year Commits	Stable	Decreasing	Stable

https://www.openhub.net/p/_compare?project_0=Kubernetes&project_1=docker+swarm&project_2=Apache+Mesos

leboncoin

1 - k8s project



https://trends.google.com/trends/explore?q=kubernetes,Apache%20Mesos,Docker%20Swarm

leboncoin

1 - k8s project



https://github.com/cncf/landscape

leboncoin

2 - k8s Cluster



leboncoin

2 - k8s Cluster



leboncoin

2 - k8s Cluster



2 - k8s Cluster



leboncoin

2 - k8s Cluster



leboncoin

2 - k8s Cluster



leboncoin

2 - k8s Cluster



2 - k8s Cluster



leboncoin

2 - k8s Cluster



leboncoin

3 - Resources

1 - Pods

2 - *Sets

3 - Deployment

4 - Services

3.1 - Pods

{Pod} = Group of containers

- smallest “**Unit**” in k8s
- Logical group of **multiple** containers (1 or N)
- **Share**
  - Network namespace
  - Filesystem namespace
  - IPC
- **Co-scheduled** on the same node



https://kubernetes.io/docs/concepts/workloads/pods/pod/

3.1 - Pods

{Pod} = Group of containers

- smallest “**Unit**” in k8s
- Logical group of **multiple** containers (1 or N)
- **Share**
  - Network namespace
  - Filesystem namespace
  - IPC
- **Co-scheduled** on the same node

```yaml
apiVersion: v1
kind: Pod
metadata:
  name: nginx
spec:
  containers:
  - name: nginx
    image: nginx:1.13.3
    ports:
    - containerPort: 80
```

https://kubernetes.io/docs/concepts/workloads/pods/pod/

3.1 - Pods



https://kubernetesbootcamp.github.io/kubernetes-bootcamp/

leboncoin

3.2. - *Sets

ReplicatSet

*“ReplicaSet ensures that a specified **number of pod replicas** are running at any given time“*

https://kubernetes.io/docs/concepts/workloads/controllers/replicaset/

```yaml
apiVersion: extensions/v1beta1
kind: ReplicaSet
metadata:
  name: nginx
spec:
  replicas: 2
  selector:
    matchLabels:
      app: nginx
  template:
    metadata:
      labels:
        app: nginx
    spec:
      containers:
      - name: nginx
        image: nginx:1.13.3
        ports:
        - containerPort: 80
```

3.2. - *Sets

ReplicatSet

*“ReplicaSet ensures that a specified **number of pod replicas** are running at any given time“*

https://kubernetes.io/docs/concepts/workloads/controllers/replicaset/

```yaml
apiVersion: extensions/v1beta1
kind: ReplicaSet
metadata:
  name: nginx
spec:
  replicas: 2
  selector:
    matchLabels:
      app: nginx
  template:
    metadata:
      labels:
        app: nginx
    spec:
      containers:
      - name: nginx
        image: nginx:1.13.3
        ports:
        - containerPort: 80
```

3.2. - *Sets

ReplicatSet

*“ReplicaSet ensures that a specified **number of pod replicas** are running at any given time“*

https://kubernetes.io/docs/concepts/workloads/controllers/replicaset/

```yaml
apiVersion: extensions/v1beta1
kind: ReplicaSet
metadata:
  name: nginx
spec:
  replicas: 2
  selector:
    matchLabels:
      app: nginx
  template:
    metadata:
      labels:
        app: nginx
    spec:
      containers:
      - name: nginx
        image: nginx:1.13.3
        ports:
        - containerPort: 80
```

3.2. - *Sets

ReplicatSet

*“ReplicaSet ensures that a specified **number of pod replicas** are running at any given time“*



https://kubernetes.io/docs/concepts/workloads/controllers/replicaset/

leboncoin

3.2. - *Sets

StatefulSets

- Stable, unique network identifiers.
- Stable, persistent storage.
- Ordered, graceful deployment and scaling.
- Ordered, graceful deletion and termination.
- Ordered, automated rolling updates.

https://kubernetes.io/docs/concepts/workloads/controllers/statefulset/

DaemonSets

- Run 1 pod on all (or some) nodes
- Auto schedule a pod when a node is added to the cluster

Examples: *Log collection daemons, storage daemons, monitoring daemons, ...*

https://kubernetes.io/docs/concepts/workloads/controllers/daemonset/

3.3 - Deployment

Replicas Controller with control

- Bring up a **Replica Set** and **Pods**.
- Check the **status** of a Deployment.
- **Update** that Deployment (e.g. new image, labels).
- **Rollback** to an earlier Deployment revision.
- **Pause** and **resume** a Deployment.

https://kubernetes.io/docs/concepts/workloads/controllers/deployment/

3.3 - Deployment



3.3 - Deployment



leboncoin

3.3 - Deployment



leboncoin

3.3 - Deployment



3.3 - Deployment



leboncoin

3.3 - Deployment



leboncoin

3.3 - Deployment



3.3 - Deployment



3.3 - Deployment



leboncoin

3.3 - Deployment



leboncoin

3.3 - Deployment

```yaml
apiVersion: extensions/v1beta1
kind: ReplicaSet
metadata:
  name: nginx
spec:
  replicas: 2
  selector:
    matchLabels:
      app: nginx
  template:
    metadata:
      labels:
        app: nginx
    spec:
      containers:
      - name: nginx
        image: nginx:1.13.3
        ports:
        - containerPort: 80
```

```yaml
apiVersion: apps/v1beta1
kind: Deployment
metadata:
  name: nginx
spec:
  replicas: 2
  selector:
    matchLabels:
      app: nginx
  template:
    metadata:
      labels:
        app: nginx
    spec:
      containers:
      - name: nginx
        image: nginx:1.13.3
        ports:
        - containerPort: 80
```

3.4 - Service

Service

- ClusterIP
  - IP only reachable from within the cluster
- NodePort
  - A port allocated and exposed on every nodes
- LoadBalancer
  - Implementing clouds ELBs



https://kubernetes.io/docs/concepts/services-networking/service/

3.4 - Service

Service

- ClusterIP
  - IP only reachable from within the cluster
- NodePort
  - A port allocated and exposed on every nodes
- LoadBalancer
  - Implementing clouds ELBs

https://kubernetes.io/docs/concepts/services-networking/service/

```yaml
apiVersion: v1
kind: Service
metadata:
  name: nginx
spec:
  type: ClusterIP
  selector:
    app: nginx
  ports:
  - protocol: TCP
    port: 80
    targetPort: 80
```

3.4 - Service



leboncoin

3.5 - Ingress

What is an Ingress ?

- Services and pods have IPs only routable by the cluster network

- An Ingress is a collection of **rules** that allow inbound connections to reach the cluster services.



https://kubernetes.io/docs/concepts/services-networking/ingress/

leboncoin

3.5 - Ingress

What is an Ingress ?

- Services and pods have IPs only routable by the cluster network

- An Ingress is a collection of **rules** that allow inbound connections to reach the cluster services.

```yaml
apiVersion: extensions/v1beta1
kind: Ingress
metadata:
  name: example-com
spec:
  rules:
  - host: example.com
    http:
      paths:
      - path: /foo
        backend:
          serviceName: foo
          servicePort: 80
      - path: /bar
        backend:
          serviceName: bar
          servicePort: 80
```

https://kubernetes.io/docs/concepts/services-networking/ingress/

4 - Advanced

1 - ConfigMaps

2 - Secrets

3 - Volumes

4.1 - Config Maps

ConfigMap

```
$ ls docs/user-guide/configmap/kubectl/
game.properties
ui.properties

$ kubectl create configmap game-config --from-file=docs/user-guide/configmap/kubectl
```

- Decouple configuration from image
  - configuration is a runtime attribute
- Can be consumed by pods thru:
  - env
  - volumes

```
$ kubectl get configmaps game-config -o yaml

apiVersion: v1
data:
  game.properties: |-
    enemies=aliens
    lives=3
    enemies.cheat=true
    enemies.cheat.level=noGoodRotten
    secret.code.passphrase=UUDDLRLRBABAS
    secret.code.allowed=true
    secret.code.lives=30
  ui.properties: |
    color.good=purple
    color.bad=yellow
    allow.textmode=true
    how.nice.to.look=fairlyNice
kind: ConfigMap
metadata:
  creationTimestamp: 2016-02-18T18:34:05Z
  name: game-config
  namespace: default
  resourceVersion: "407"
  selfLink: /api/v1/namespaces/default/configmaps/game-config
  uid: 30944725-d66e-11e5-8cd0-68f728db1985
```

4.1 - Config Maps

ConfigMap Volume

```
$ kubectl create configmap example-redis-config --from-file=docs/user-guide/configmap/redis/redis-config

$ kubectl get configmap example-redis-config -o yaml
```

```
apiVersion: v1
data:
  redis-config: |
    maxmemory 2mb
    maxmemory-policy allkeys-lru
kind: ConfigMap
metadata:
  creationTimestamp: 2016-03-30T18:14:41Z
  name: example-redis-config
  namespace: default
  resourceVersion: "24686"
  selfLink: /api/v1/namespaces/default/configmaps/example-redis-config
  uid: 460a2b6e-f6a3-11e5-8ae5-42010af00002
```

```
  volumeMounts:
  - mountPath: /redis-master-data
    name: data
  - mountPath: /redis-master
    name: config
volumes:
  - name: data
    emptyDir: {}
  - name: config
    configMap:
      name: example-redis-config
      items:
      - key: redis-config
        path: redis.conf
```

- **No need** to use Persistent Volume
- Think about Etcd

4.2 - Secrets

Secret

```
$ kubectl create secret generic db-user-pass --from-file=./username.txt --from-file=./password.txt
secret "db-user-pass" created
```

```
apiVersion: v1
kind: Secret
metadata:
  name: mysecret
type: Opaque
data:
  password: MWYyZDF1MmU2N2Rm
  username: YWRtaW4=
```

- Tip: credentials for accessing the k8s API is automatically added to your pods as secret

```
spec:
  containers:
    - name: mycontainer
      image: redis
      env:
        - name: SECRET_USERNAME
          valueFrom:
            secretKeyRef:
              name: mysecret
              key: username
        - name: SECRET_PASSWORD
          valueFrom:
            secretKeyRef:
              name: mysecret
              key: password
```

```
"spec": {
  "containers": [{
    "name": "mypod",
    "image": "redis",
    "volumeMounts": [{
      "name": "foo",
      "mountPath": "/etc/foo",
      "readOnly": true
    }]
  }],
  "volumes": [{
    "name": "foo",
    "secret": {
      "secretName": "mysecret"
    }
```


leboncoin

4.3 - Volumes

Persistent Volumes (-v host_path:container_path)

1. **Attach networked storage to host path**
   a. mounted to host_path

2. **Mount hots path as container volume**
   a. bind mount container_path with host_path
   b. Independent volume control loop

4.3 - Volumes

Persistent Volumes | Persistent Volume “Claim”

1. **SRE / Administrator**
   a. **Create a Volume** (access, capacity, recycling policy)

2. **Dev / Users**
   a. **Request a volume** (Access mode, resource, selector)

4.4 - Health Checks

Readiness → Is the app ready to start serving traffic?

- Won’t be added to a service endpoint until it passes
- Required for a “production app” in my opinion

Liveness → Is the app still running?

- Default is “process is running”
- Possible that the process can be running but not working correctly
- Good to define, might not be 100% necessary

5 - Workshop

https://github.com/xakraz/k8s-workshops/tree/master/1

Sources

Shamefully raped from:

- https://speakerdeck.com/superbrothers/how-kubernetes-works
- https://www.slideshare.net/resouer/kubernetes-walk-through-zhanglei