

Feasibility Study of Real Time Path Tracing

Or: How Much Noise Is Too Much?

Sven-Hendrik Haase

Department of Computer Science
University of Hamburg

February 2, 2016

Table of Contents

Introduction

Motivation

Real Time Path Tracing Explained

Physically Based Approach

Theoretical Basis

History of Path Tracing

Current State of Technology

Research

Implementation Design Overview

Results

Evaluation

Conclusion and Outlook

Conclusion

Outlook

Motivation

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Motivation

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Motivation

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Motivation

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Motivation

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



Design Overview

1. herp
2. derp

Results

1. herp
2. derp

Evaluation

1. herp
2. derp

Conclusion

- ▶ Recall the goal: When will real time path tracing be viable on commodity hardware?
- ▶ Real time means 60 FPS

Conclusion

- ▶ Recall the goal: When will real time path tracing be viable on commodity hardware?
- ▶ Real time means 60 FPS
- ▶

Outlook

Many venues for improvement:

Outlook

Many venues for improvement:

- ▶ Overall: Faster hardware

Outlook

Many venues for improvement:

- ▶ Overall: Faster hardware
- ▶ Software: Memory access optimizations



Outlook

Many venues for improvement:

- ▶ Overall: Faster hardware
- ▶ Software: Memory access optimizations
- ▶ Intersection: Acceleration Data Structure (BVH, kd-tree)

Outlook

Many venues for improvement:

- ▶ Overall: Faster hardware
- ▶ Software: Memory access optimizations
- ▶ Intersection: Acceleration Data Structure (BVH, kd-tree)
- ▶ Convergence: Bidirectional path tracing + Multiple Importance Sampling

Outlook

Many venues for improvement:

- ▶ Overall: Faster hardware
- ▶ Software: Memory access optimizations
- ▶ Intersection: Acceleration Data Structure (BVH, kd-tree)
- ▶ Convergence: Bidirectional path tracing + Multiple Importance Sampling
- ▶ Image filtering: Bilateral filter

Outlook

Many venues for improvement:

- ▶ Overall: Faster hardware
- ▶ Software: Memory access optimizations
- ▶ Intersection: Acceleration Data Structure (BVH, kd-tree)
- ▶ Convergence: Bidirectional path tracing + Multiple Importance Sampling
- ▶ Image filtering: Bilateral filter
- ▶ Research: Who knows?

Outlook

Many venues for improvement:

- ▶ Overall: Faster hardware
- ▶ Software: Memory access optimizations
- ▶ Intersection: Acceleration Data Structure (BVH, kd-tree)
- ▶ Convergence: Bidirectional path tracing + Multiple Importance Sampling
- ▶ Image filtering: Bilateral filter
- ▶ Research: Who knows?

⇒ Real time path tracing possible within 4 years