

Tree Reconstruction

Unlike linear data structures (Array, Linked List, Queues, Stacks, etc) which have only one logical way to traverse them, binary tree can be traversed in different ways.

In depth first traversal applications, a binary tree could be traversed in three different ways: Preorder, Inorder and Postorder. For example, in the Inorder traversal, we first traverse the left subtree, then the root, and finally the right subtree, hence we could obtain the order of nodes in this traversal.

Explanations for Preorder, Inorder and Postorder Traversals:

Preorder Traversal:

Algorithm Preorder(tree)

1. Visit the root.
2. Traverse the left subtree, i.e., call Preorder(left-subtree)
3. Traverse the right subtree, i.e., call Preorder(right-subtree)

Inorder Traversal:

Algorithm Inorder(tree)

1. Traverse the left subtree, i.e., call Inorder(left-subtree)
2. Visit the root.
3. Traverse the right subtree, i.e., call Inorder(right-subtree)

Postorder Traversal:

Algorithm Postorder(tree)


1. Traverse the left subtree, i.e., call Postorder(left-subtree)
2. Traverse the right subtree, i.e., call Postorder(right-subtree)
3. Visit the root.

Here is an example of three different traversals:

(a) Preorder (Root, Left, Right) : 1 2 4 5 3

(b) Inorder (Left, Root, Right) : 4 2 5 1 3

(c) Postorder (Left, Right, Root) : 4 5 2 3 1



Given the result of inorder and preorder traversal, can you get the result of postorder traversal?

Input:

The first line of input is an integer T ($1 \leq T \leq 200$) indicating the number of test cases.

Each test case will follow the format shown below:

The first line: One integer N ($1 \leq N \leq 100$) indicating the number of tree nodes (numbered from 1 to N) in the binary tree.


The second line: N integers n_1, n_2, \dots, n_N showing the result of preorder traversal.

The third line: N integers m_1, m_2, \dots, m_N showing the result of inorder traversal.

Output:

For each test case, print a single line containing N integers showing the result of postorder traversal for each test case, separate two integers by one space.

Sample Input	Sample Output
2	7 4 2 5 8 6 3 1
8	4 5 2 3 1
1 2 4 7 3 5 6 8	
4 7 2 1 5 3 8 6	
5	
1 2 4 5 3	
4 2 5 1 3	



Hints:

In the second test case, by definition the first element in the preorder (1 2 4 5 3) must be the root of the binary tree, i.e. node {1} is the root, hence combining with the inorder (4 2 5 1 3), we conclude that nodes {4 2 5} are from the left subtree, and {3} is from the right subtree. And we reconstruct the left subtree and right subtree using recursion. Once we finish reconstructing the binary tree, it is not difficult to print the postorder of the binary tree.