

```
Markers Properties Servers Data Source Explorer Snippets Console × Progress Palette
WildFly 24+ [JBoss Application Server Startup Configuration] C:\Users\User\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_17.0.0.v202110
11:52:10,075 INFO [stdout] (ServerService Thread Pool -- 78) Hibernate:

11:52:10,076 INFO [stdout] (ServerService Thread Pool -- 78)

11:52:10,076 INFO [stdout] (ServerService Thread Pool -- 78) create table TBL_Obra (

11:52:10,076 INFO [stdout] (ServerService Thread Pool -- 78) ob_codigo varchar(255) not null,

11:52:10,076 INFO [stdout] (ServerService Thread Pool -- 78) ob_altura float8,


11:52:10,076 INFO [stdout] (ServerService Thread Pool -- 78) ob_descripcion varchar(255),

11:52:10,076 INFO [stdout] (ServerService Thread Pool -- 78) ob_nombre varchar(255),

11:52:10,076 INFO [stdout] (ServerService Thread Pool -- 78) primary key (ob_codigo)

11:52:10,076 INFO [stdout] (ServerService Thread Pool -- 78) )

11:52:10,211 WARN [org.jboss.weld.Bootstrap] (MSC service thread 1-6) WELD-000146: BeforeBeanDiscovery.addAnnotatedType
11:52:10,620 INFO [javax.enterprise.resource.webcontainer.jsf.config] (ServerService Thread Pool -- 80) Inicializando
11:52:11,120 INFO [org.jboss.weld.Bootstrap] (MSC service thread 1-6) WELD-000146: BeforeBeanDiscovery.addAnnotatedType
```



```
WildFly 24+ [JBoss Application Server Startup Configuration] C:\Users\User\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_17.0.0.v202110
12:28:57,993 INFO [stdout] (default task-1) Hibernate:

12:28:57,993 INFO [stdout] (default task-1) insert

12:28:57,993 INFO [stdout] (default task-1) into

12:28:57,993 INFO [stdout] (default task-1) TBL_Obra

12:28:57,993 INFO [stdout] (default task-1) (ob_altura, ob_descripcion, ob_nombre, ob_codigo)

12:28:57,993 INFO [stdout] (default task-1) values

12:28:57,993 INFO [stdout] (default task-1) (?, ?, ?, ?)
```

pgAdmin

File Object Tools Help

Dashboard Properties SQL Statistics Dependencies Dependents public.factura/... public.detallef... pub

obrasartedb

- Casts
- Catalogs
- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Procedures
 - 1.3 Sequences
 - Tables (1)
 - tbl_Obra
 - Columns
 - Constraints
 - Indexes
 - RLS Policies
 - Tables

obrasartedb/postgres@PostgreSQL 14

Query Editor Query History

```
1 SELECT * FROM public.tbl_Obra
2 ORDER BY ob_codigo ASC
```

Data Output Explain Messages Notifications

| ob_codigo | ob_altura | ob_descripcion | ob_nombre |
|-----------|-----------|----------------|-----------|
| 154235 | 17.1 | Es muy bonita | Mona Lisa |

SoapUI Start Page

Request 1

http://localhost:18080/EVA_Barzallo_Xavier_SRV/ObrasServiceSOAP

Raw XML

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Header/>
  <soapenv:Body>
    <bean:getContactos/>
  </soapenv:Body>
</soapenv:Envelope>
```

Raw XML

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:getContactosResponse xmlns:ns2="http://bean.eva.edu.ups.ec/">
      <return>
        <altura>17.1</altura>
        <codigo>154235</codigo>
        <descripcion>Es muy bonita</descripcion>
        <nombreOb>Mona Lisa</nombreOb>
      </return>
    </ns2:getContactosResponse>
  </soap:Body>
</soap:Envelope>
```

Markers Properties Servers Data Source Explorer Snippets Console Progress Palette

WildFly 24+ [JBoss Application Server Startup Configuration] C:\Users\User\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_1

```
12:32:33,777 INFO [stdout] (default task-1) select
12:32:33,777 INFO [stdout] (default task-1) obra0_.ob_codigo as ob_codig1_0_,
12:32:33,777 INFO [stdout] (default task-1) obra0_.ob_altura as ob_altur2_0_,
12:32:33,777 INFO [stdout] (default task-1) obra0_.ob_descripcion as ob_descr3_0_,
12:32:33,777 INFO [stdout] (default task-1) obra0_.ob_nombre as ob_nombr4_0_
12:32:33,777 INFO [stdout] (default task-1) from
12:32:33,777 INFO [stdout] (default task-1) TBL_Obra obra0_
```