

The Dual-Scale String Theory:

Mechanized Foundations, Singularity Resolution, Mathieu
Moonshine,
and a Zero-Free-Parameter Cosmological Conjecture on $K3 \times T^2$

Xavier Callens¹
SocrateAI Scientific Agora Collaboration¹

¹*SocrateAI Research Laboratory for Mathematical Physics & Formal Verification*

Revision 2 — September 2026

Abstract

We present a Lean 4 companion formalization for a dual-scale scenario of type II string theory on $K3 \times T^2$, and we state precisely what is, and is not, machine-checked. The Lean artifact (51 files, 554 declarations, toolchain v4.33.1, **no Mathlib dependency**, standard axioms only — `#print axioms` logs in Appendix B) certifies exact integer and rational identities used in the argument: the positivity of the dual scale $R + \alpha'/R$ on integer radii; the $K3$ topological invariants $\chi = 24$, $\sigma = -16$, $\text{ind}(\not{D}) = 2$; the elliptic-genus arithmetic $A_2 \cdot 60 = 4A_1 \cdot 77 = 27720$ with $|M_{24}| = 27720 \cdot 8832$; and a corrected, genuinely unique-minimum toy potential (an earlier revision of this corpus contained a `Nat`-truncation bug that made the claimed minimum non-unique; Section 5 and Appendix A document the fix). The differential-geometric, index-theoretic and cosmological statements built on top of this arithmetic — Double Field Theory, the Atiyah–Singer index theorem, moduli stabilization, and the tensor-to-scalar ratio, CP phase, and dark-energy predictions — are either drawn from the literature or proposed here as conjectures, and are labeled by epistemic tier throughout (**Tier A — Lean kernel** / **Tier L — literature** / **Tier C — conjecture / proposal**). In particular we discuss the obstruction that $\mathcal{N} = 4$ non-renormalization poses for moduli stabilization on $K3 \times T^2$, and we confront the paper’s speculative numerical relations for r , δ_{CP} , and (w_0, w_a) with current data, including the DESI DR2 preference for a time-evolving dark-energy equation of state at 3.1σ over $(w_0, w_a) = (-1, 0)$. We close with a roadmap for promoting the central real-analytic claims (currently Tier L or Tier C) to kernel-checked Tier A theorems using Mathlib.

Contents

1	Introduction: The Landscape Problem and the Scope of This Paper	3
1.1	Epistemic tiers	3
1.2	What changed in this revision	3
1.3	AI-assisted tooling	4
2	Double Field Theory and $O(D, D)$ Generalized Riemannian Geometry	4
3	The Effective Dual Scale and Singularity Resolution	5
4	Trans-Planckian Censorship: A Conditional Bound	6
5	Compactification on $K3 \times T^2$: Topology and the Moduli Obstruction	6
5.1	The moduli-stabilization obstruction	7
6	Mathieu M_{24} Moonshine, Holographic Codes, and the 27720 Integer	7
7	Diophantine Coincidences and a Zero-Free-Parameter Conjecture	8
8	Confrontation with Data	9
8.1	Primordial tensor-to-scalar ratio r (Tier C)	9
8.2	Leptonic Dirac CP phase δ_{CP} (Tier C, corrected)	9
8.3	Dark energy equation of state (Tier C, contingent, in tension with data)	10
8.4	Scalar spectral index n_s (Tier C, consistent)	10
9	The Lean 4 Artifact: Scope, Reproducibility, and Roadmap	10
9.1	What is in the repository	10
9.2	Reproducibility	11
9.3	Related formalized-physics work	11
9.4	Roadmap: promoting Tier L/C claims toward Tier A	11
10	Conclusion	12
A	Claim Ledger	12
B	Axiom Audit	13

1 Introduction: The Landscape Problem and the Scope of This Paper

The pursuit of a consistent, unified quantum theory of gravity has constituted a central goal of theoretical high-energy physics for over half a century. Superstring theory provides an anomaly-free perturbative framework uniting non-abelian gauge fields with general relativity in ten spacetime dimensions, but its physical realization in four dimensions confronts the **Landscape Problem**: in traditional flux compactifications (e.g. the KKLT and Large Volume Scenarios), an estimated 10^{500} metastable vacua arise from the interplay of hundreds of geometric moduli with under-constrained flux choices [1–3]. In the absence of a stabilizing mechanism, these moduli remain massless, generating unphysical fifth forces and leaving gauge couplings, Yukawa hierarchies, and the cosmological constant undetermined.

Separately, modern theoretical physics faces a practical **verification problem**: papers in string theory and cosmology routinely involve long chains of tensor algebra, differential forms, and representation-theoretic bookkeeping that are tedious and error-prone to check by hand. Interactive theorem provers such as Lean 4 [4] offer a way to make specific algebraic claims within such an argument kernel-checkable.

This paper is a case study in doing exactly that — for a restricted, honestly-scoped set of claims about a proposed **Dual-Scale** scenario for type II string theory compactified on $K3 \times T^2$. We adopt the following convention throughout, adapted from the tiered-evidence discipline used elsewhere in this research programme:

1.1 Epistemic tiers

- **Tier A — Lean kernel** — **Lean kernel**: the Lean 4 kernel accepted the exact statement, with no `sorry`, and its axiom footprint is only the three standard Lean axioms (`propext`, `Classical.choice`, `Quot.sound`; verified in Appendix B). Tier A is a claim about a specific formal statement, not about the informal sentence next to it in this paper — Appendix A gives the exact Lean type for every Tier A claim so the reader can check the two match.
- **Tier L — literature** — **literature**: an established result quoted from a peer-reviewed source, not independently re-derived or re-verified here.
- **Tier C — conjecture / proposal** — **conjecture** / **proposal**: a claim original to this paper, or a numerical pattern-match, that is neither kernel-checked nor an established literature result. Tier C claims are falsifiable proposals, not derivations.

A claim may not rest, even transitively, on a claim of a lower tier without that dependency being stated. Adjectives (“rigorous”, “striking”, “decisive”) are never a substitute for a tier.

1.2 What changed in this revision

An earlier revision of this manuscript stated that “every mathematical definition, lemma, and master theorem has been certified” and was “100% machine-certified.” A statement-adequacy audit — comparing each cited Lean declaration’s actual type against the LaTeX sentence citing it — found that this was not accurate: several headline claims were true only of a much narrower Lean statement than the one stated in prose (e.g. a bound over $\mathbb{N}$ presented as holding over $\mathbb{R}$), one Lean theorem contained a genuine bug (a non-unique “unique minimum” caused by `Nat` truncation), several numbers were arithmetically wrong (the factorization $8832 = 2^6 \times 3 \times 23$, which should read $2^7 \times 3 \times 23$; the CP-phase evaluation 282.4° , which should read 283° ; a rounded value of r inconsistent with the exact fraction it was supposed to approximate), and the confrontation with observational data did not reflect current results (in particular, DESI DR2 already disfavors the paper’s dark-energy prediction). This revision documents and fixes each of

these issues in place; the full audit is `papers/publication/PAPER7_IMPROVEMENT_PROPOSAL.md` in the repository, and every fix is a separate, reviewable commit.

1.3 AI-assisted tooling

The Lean formalization, the audit that produced this revision, and portions of this manuscript’s prose were produced with the assistance of large-language-model-based agents operating under human direction and review (Xavier Callens). All Lean proofs are independently checked by the Lean 4 kernel regardless of how they were produced (Appendix B); no LLM output is treated as establishing a claim’s tier (Section 1.1). This is disclosed here in place of listing an AI system as an author.

2 Double Field Theory and $O(D, D)$ Generalized Riemannian Geometry

Standard Riemannian geometry treats spacetime as a pseudo-Riemannian manifold $(M, g_{\mu\nu})$ where the metric $g_{\mu\nu}$ determines geodesic motion and the Kalb-Ramond 2-form $B_{\mu\nu}$ is an auxiliary background field. Closed strings, however, possess two distinct topological quantum numbers along any compact cycle: center-of-mass momentum $n \in \mathbb{Z}$ and string winding $w \in \mathbb{Z}$.

In **Double Field Theory (DFT)** [5, 6], the tangent bundle TM and cotangent bundle T^*M are unified into the generalized tangent bundle $\mathbb{T}M = TM \oplus T^*M$. A generalized vector field $X^M \in \Gamma(\mathbb{T}M)$ combines a tangent vector $v \in \Gamma(TM)$ and a 1-form $\xi \in \Gamma(T^*M)$, and $\mathbb{T}M$ carries the canonical $O(D, D)$ split-signature metric

$$\eta_{MN} = \begin{pmatrix} 0 & \mathbf{1}_D \\ \mathbf{1}_D & 0 \end{pmatrix}, \quad \langle X, Y \rangle_\eta = X^M \eta_{MN} Y^N = \xi_\mu u^\mu + \zeta_\mu v^\mu \quad (1)$$

for $X = (v, \xi)$, $Y = (u, \zeta)$.

Definition 2.1 (Generalized metric). *Tier L — literature* The gravitational and Kalb-Ramond fields combine into $\mathcal{H}_{MN} = \begin{pmatrix} g - Bg^{-1}B & Bg^{-1} \\ -g^{-1}B & g^{-1} \end{pmatrix}$, parameterizing the coset $\mathcal{H} \in O(D, D)/(O(D) \times O(D))$ with $\mathcal{H}^T \eta \mathcal{H} = \eta$, $\mathcal{H}^2 = \mathbf{1}_{2D}$.

Generalized coordinate transformations are generated by the **Courant C-bracket** $[X, Y]_C = [v, u]_{\text{Lie}} + (\mathcal{L}_v \zeta - \mathcal{L}_u \xi - \frac{1}{2}d(\iota_v \zeta - \iota_u \xi))$, whose Jacobiator is an exact 1-form, $\text{Jac}(X, Y, Z) = [[X, Y]_C, Z]_C + \text{cycl.} = d\text{Nij}(X, Y, Z)$, with vanishing vector projection $\pi_{TM}(\text{Jac}) = 0$; this guarantees closure of the generalized-diffeomorphism gauge algebra modulo trivial transformations. Closure additionally requires the **strong section condition** $\eta^{MN} \partial_M \Phi \partial_N \Psi = 0$, which in the physical frame ($\tilde{\partial}^i = 0$) collapses DFT onto ordinary 10D supergravity.

Scope of Lean 4 verification

The Lean modules `DoubleFieldTheory.CourantAlgebroid` and `DoubleFieldTheory.GeneralizedGeometry` certify (Tier A) the *algebraic shape* of this structure on a **1-dimensional scalar model**: a `CourantSection` is a pair of `Ints` (v, α) , and the bracket $[X, Y]_C$ reduces to $X.v \cdot Y.v - Y.v \cdot X.v$, which is identically zero on scalars by commutativity of multiplication. The certified antisymmetry (`cbracket_antisymm`) and Jacobiator-vanishing (`jacobiator_vector_vanishes`) theorems are therefore true, but largely because every bracket in the scalar model is trivial; they are *consistency checks on the algebraic shape* of the definitions, not a formalization of the Courant algebroid on $TM = TM \oplus T^*M$ for an actual manifold M . Promoting this to a genuine bundle-valued formalization (vector fields and 1-forms on $K3 \times T^2$, with a nontrivial Lie bracket) is future work and would require Mathlib’s `VectorBundle` and differential-forms libraries; see Section 9.

3 The Effective Dual Scale and Singularity Resolution

The Hawking-Penrose singularity theorems show that under generic energy conditions a contracting universe in general relativity inevitably reaches a curvature singularity: $a(t) \rightarrow 0 \implies \mathcal{R} \rightarrow \infty$. String theory changes this conclusion kinematically. Closed strings propagating on a circle of coordinate radius R have mass spectrum $M^2 = n^2/R^2 + w^2 R^2/\alpha'^2 + \frac{2}{\alpha'}(N + \tilde{N} - 2)$, invariant under the Buscher T-duality $\mathcal{T} : R \leftrightarrow \alpha'/R, n \leftrightarrow w$ [7].

Definition 3.1 (Effective dual scale). *Tier L — literature* The physical scale probed by a propagating string is governed by

$$R_{\text{eff}}(R) = R + \frac{\alpha'}{R} = \frac{R^2 + \alpha'}{R}, \quad \alpha'\text{-units: } \alpha' = 1. \quad (2)$$

This function — also called the “zero-point-length” or *minimal-length effective radius in the T-duality/non-commutative-geometry literature* — and the string-gas cosmology it motivates were introduced by Brandenberger and Vafa [8] and developed by Giveon, Porrati and Rabinovici [9]; we adopt their construction rather than proposing a new one.

Theorem 3.2 (Global minimum of the effective scale). *Tier L — literature* (real form)

Tier A — Lean kernel (integer instance, below)

For all $R \in \mathbb{R}^+$, $R_{\text{eff}}(R) = R + \alpha'/R \geq 2\sqrt{\alpha'} > 0$, with equality iff $R = \sqrt{\alpha'}$ (by AM–GM, or $f'(R) = 1 - \alpha'/R^2 = 0 \Rightarrow R = \sqrt{\alpha'}, f'' > 0$).

Scope of Lean 4 verification

Module `DualScaleValidation.UseCase1`, theorem `self_dual_is_global_minimum`, certifies (Tier A) the **integer instance** of Theorem 3.2: for $R : \mathbb{N}, R \geq 1 \Rightarrow R^2 + 1 \geq 2$ (i.e. $R_{\text{eff}}(R) \cdot R \geq 2$ at $\alpha' = 1$). It does not formalize real radii, the square root, or the strict-minimality/uniqueness clause of Theorem 3.2 — those remain Tier L pending a Mathlib-based real-analytic proof (Section 9 gives a compiled-free sketch). Separately, theorem `genesis_no_singularity` in module `DualScaleM24Formalization.DualScale.EffectiveMetric` certifies that a *piecewise* representation of R_{eff} on exact positive rationals always has a positive numerator and denominator by construction of the underlying `PosScale` type; this is true essentially by definition of the data structure and should not be read as an independent proof of non-singularity.

Corollary 3.3 (Kinematic bounce). *Tier L — literature* As the coordinate radius contracts ($R \rightarrow 0$), momentum modes decouple while winding modes become light, and $R_{\text{eff}}(R) \rightarrow \infty$: the string-frame

probe distance does not go to zero. This is a kinematic statement about the mass spectrum, following Brandenberger–Vafa string-gas cosmology [8]. It is not, by itself, a dynamical proof that a homogeneous cosmology governed by some equations of motion for $a(t)$ must bounce smoothly through this regime for every choice of those equations of motion; that stronger claim would require specifying and solving the dynamics, which is beyond the scope of the present formalization.

4 Trans-Planckian Censorship: A Conditional Bound

The **Trans-Planckian Censorship Conjecture (TCC)** [10] asserts that in any consistent theory of quantum gravity, sub-Planckian quantum fluctuations can never cross the cosmological horizon: $\frac{a_f}{a_i} \cdot \frac{\ell_{\text{Pl}}}{d_H(t_f)} \leq 1 \implies \frac{a_f}{a_i} \leq M_{\text{Pl}}/H_{\text{inf}}$.

Theorem 4.1 (Wavelength floor). *Tier C — conjecture / proposal (as a TCC-satisfaction argument) / Tier A — Lean kernel (arithmetic instance, below) Writing the physical wavelength of a comoving mode as $\lambda_{\text{phys}}(R, \lambda_0) = R_{\text{eff}}(R) \cdot \lambda_0$, for integer $R \geq 1$, $\lambda_0 \geq 1$ (Planck units), one has $(R^2 + 1)\lambda_0 \geq 2 > \ell_{\text{Pl}}$: this discrete family of modes never falls below the Planck length.*

Scope of Lean 4 verification

`Lean5Corpus.Problems.DualScaleTCC.tcc_cosmic_protection_contract` certifies (Tier A) the conjunction of the arithmetic bound above with $p.\text{planck_mass}/p.\text{hubble_scale} \geq 1$, where `InflationParameters` is a structure carrying `hubble_scale < planck_mass` as a *field* (an assumed hypothesis), not a derived consequence. The theorem is therefore a conditional statement (“if the Hubble scale during inflation is sub-Planckian and the comoving-mode/radius family lies in this discrete range, then this arithmetic inequality holds”), not an unconditional proof that the TCC is satisfied “regardless of the duration of inflation” for the dual-scale scenario’s actual dynamics. We correct the earlier revision’s *Corollary* (“Unconditional Horizon Protection”) accordingly: horizon protection here is conditional on the same discrete-radius, sub-Planckian-Hubble regime, not unconditional.

5 Compactification on $K3 \times T^2$: Topology and the Moduli Obstruction

We consider Type II string theory on $M_{10} = \mathbb{R}^{3,1} \times K3 \times T^2$. $K3$ is a Calabi–Yau 2-fold with $SU(2)$ holonomy and $\chi(K3) = 24$, $\sigma(K3) = -16$, $b_2(K3) = 22$, $h^{1,1} = 20$, $h^{2,0} = 1$, and middle homology $H_2(K3, \mathbb{Z}) \cong 2(-E_8) \oplus 3U$. By the Hirzebruch signature theorem specialized to a spin 4-manifold, the Dirac index is $\text{ind}(\not{D}) = -\sigma/8$ [12]; for $K3$,

$$\text{ind}(\not{D}) = -\frac{-16}{8} = 2, \quad (3)$$

consistently with the Todd-genus cross-check $\chi(\mathcal{O}_{K3}) = \chi_{\text{top}}/12 = 24/12 = 2$ required by Hirzebruch–Riemann–Roch for a Calabi–Yau surface (an earlier revision of this manuscript instead wrote $\frac{1}{24} \int c_2 \times 2$, an unmotivated formula that happened to give the right numerical answer; the corrected derivation above is the standard one). Type IIA on $K3$ yields 6D $\mathcal{N} = (1, 1)$ supergravity (16 supercharges); further compactification on T^2 yields 4D $\mathcal{N} = 4$ (still 16 supercharges) [11].

Scope of Lean 4 verification

`DoubleFieldTheory.K3Topology` certifies (Tier A) the purely arithmetic instances of these facts: $\chi(K3) = 1 - 0 + 22 - 0 + 1 = 24$ from the Betti numbers, and $\text{ind}(\mathcal{D}) = -(-16)/8 = 2$, both by `decide`. It does not formalize $K3$ as a manifold, its Betti numbers as (co)homology dimensions, or the Atiyah–Singer index theorem itself — those are Tier L, standard, and correctly quoted, but not re-derived here.

5.1 The moduli-stabilization obstruction

Type II theory on $K3 \times T^2$ preserves $\mathcal{N} = 4$ supersymmetry in 4D. **This is the central physical difficulty for any claim of full moduli stabilization on this background:** $\mathcal{N} = 4$ non-renormalization theorems forbid a perturbative or non-perturbative superpotential from lifting the classical moduli space (the $K3$ sigma-model moduli, of real dimension $80 + 1$, and the T^2 complex-structure/Kähler moduli) without additional ingredients — background fluxes, orientifolds/branes with associated tadpole cancellation, or explicit supersymmetry breaking. An earlier revision of this paper asserted a “Non-Perturbative Moduli Vacuum Stabilization Theorem” claiming that the generalized Ricci scalar $\mathcal{R}_{\text{DFT}}$ generates a potential $V(\phi) = (\phi - \phi_0)^2$ stabilizing *all* $K3 \times T^2$ moduli with “positive Hessian.” We withdraw that claim as stated: no derivation connects $\mathcal{R}_{\text{DFT}}$ (Definition 2.1) to this potential, and the potential itself does not engage the $80 + 1$ -dimensional $K3$ moduli space at all. What remains, honestly scoped, is the following.

Proposition 5.1 (Toy potential — corrected). Tier A — Lean kernel Define, over $\mathbb{Z}$, $V(\phi, \phi_0) = (\phi - \phi_0)^2$. Then

$$\phi = \phi_0 \implies V(\phi, \phi_0) = 0 \quad (\text{moduli_vacuum_stability}) \quad (4)$$

$$V(\phi, \phi_0) \geq 0 \text{ for all } \phi, \phi_0 \quad (\text{moduli_potential_nonneg}) \quad (5)$$

$$V(\phi, \phi_0) = 0 \iff \phi = \phi_0 \quad (\text{moduli_potential_zero_iff, uniqueness}) \quad (6)$$

Scope of Lean 4 verification

An earlier revision of `UseCase1_ModuliStabilization.lean` defined this potential over `Nat` with ordinary (truncated) subtraction. Under `Nat` truncation, $\phi - \phi_0 = 0$ whenever $\phi < \phi_0$, so the earlier potential vanished on the entire ray $\phi \leq \phi_0$ — the “unique minimum” claimed in prose was not in fact unique in the formalized statement. The definition has been changed to `Int`, and the genuinely new theorem `moduli_potential_zero_iff` above now proves the uniqueness that was previously only asserted. This is a one-dimensional single-field toy model illustrating what a stabilizing potential would look like near an isolated minimum; it is *not* a formalization of the $K3 \times T^2$ moduli-space potential, and does not by itself resolve the $\mathcal{N} = 4$ non-renormalization obstruction above. A genuine treatment would need to (a) introduce a concrete flux or brane configuration, (b) verify its own consistency (flux quantization, tadpole cancellation), and (c) derive a potential on the actual moduli space from it — none of which is attempted in this corpus. We list this as the top item in the roadmap of Section 9.

6 Mathieu M_{24} Moonshine, Holographic Codes, and the 27720 Integer

Eguchi, Ooguri, and Tachikawa (EOT) observed that the $K3$ elliptic genus decomposes into $\mathcal{N} = 4$ superconformal characters with multiplicities that are (twice) dimensions of irreducible representations of the sporadic simple Mathieu group M_{24} [13]; this was subsequently proved in

full by Gannon [15]. Schematically (see [13, 15] for the precise normalization),

$$\chi(K3; \tau, z) = 24 \operatorname{ch}_{1/4,0}(\tau, z) - 2 \sum_{n=0}^{\infty} A_n \operatorname{ch}_{1/4+n,1/2}(\tau, z), \quad (7)$$

with $A_1 = 90 = \mathbf{45} \oplus \overline{\mathbf{45}}$, $A_2 = 462 = \mathbf{231} \oplus \overline{\mathbf{231}}$, $A_3 = 1540 = \mathbf{770} \oplus \overline{\mathbf{770}}$, $A_4 = 4554 = \mathbf{2277} \oplus \overline{\mathbf{2277}}$.

Theorem 6.1 (BPS character lock). Tier A — Lean kernel $\frac{A_2}{N_Q \cdot A_1} = \frac{462}{360} = \frac{77}{60}$ for $N_Q = 4$, with $\gcd(77, 60) = 1$ and $462 \times 60 = 360 \times 77 = 27720$.

Theorem 6.2 (Mathieu order factorization — corrected). Tier A — Lean kernel

$|M_{24}| = 244,823,040 = 27720 \times 8832$, where $8832 = 2^7 \times 3 \times 23$ (an earlier revision of this paper wrote $2^6 \times 3 \times 23 = 4416 \neq 8832$; the exponent is 7, not 6).

Scope of Lean 4 verification

Module `DualScaleValidation.UseCase2`, theorems `bps_cross_multiplication_lock` and `bps_ratio_coprime`, certify (Tier A) the integer identities in Theorems 6.1 and 6.2 by `decide`. **Interpretive caveat:** for any fraction p/q in lowest terms, $p \cdot q' = q \cdot p' = \operatorname{lcm}(p, q)$ whenever cross-multiplied against itself; concretely, $27720 = \operatorname{lcm}(1, 2, \dots, 12)$, and *any* integer whose prime factorization contains $2^3, 3^2, 5, 7, 11$ is automatically a multiple of 27720 — which $|M_{24}| = 2^{10} 3^3 5^1 7^1 11^1 23^1$ is. The divisibility in Theorem 6.2 is therefore weaker evidence for a physical “lock” than it may appear; we flag it explicitly rather than presenting it as a nontrivial coincidence. The weighting $N_Q = 4$ in Theorem 6.1 is likewise a modeling choice, not independently derived here (Tier C).

The Mathieu group M_{24} is the automorphism group of the extended binary Golay code $\mathcal{G}_{24} \subset \mathbb{F}_2^{24}$, a $[24, 12, 8]$ self-dual linear code.

Proposition 6.3 (Golay code parameters). Tier A — Lean kernel $|\mathcal{G}_{24}| = 2^{12} = 4096$; minimum distance 8 gives error-correction radius $\lfloor (8-1)/2 \rfloor = 3$; the code is self-dual ($24-12=12$).

Theorem `golay_holography_master_contract` (module `GolayHolography`; full path in Appendix B) certifies Proposition 6.3 (Tier A, standard coding theory). The further claim that this code’s automorphism structure “preserves the phase coherence of 1/4-BPS black hole microstates against Hawking radiation decoherence” is a Tier C physical narrative attached to the Tier A coding-theory fact, following the general holographic quantum-error-correction picture of Almheiri–Dong–Harlow and Pastawski et al. [16, 17]; it is not itself formalized or derived here.

7 Diophantine Coincidences and a Zero-Free-Parameter Conjecture

An earlier revision of this paper stated a “Zero Free Parameter Theorem” and cited the module `DualScaleValidation.Observables` as its Lean proof. **No such theorem exists anywhere in this corpus** — we could not find, and did not write, a Lean declaration whose type states anything resembling $\dim \mathcal{M}_{K3 \times T^2}^{\text{phys}} = 0$. The claim is withdrawn as a theorem and restated as Conjecture 7.1 below: a conjecture, Tier C, motivated by — but not following from — the five integer facts in Table 1, each individually Tier A (as an arithmetic identity) or Tier L (as a topological input).

Conjecture 7.1 (Zero free parameters — restated). Tier C — conjecture / proposal *There exists a consistent completion of the dual-scale $K3 \times T^2$ scenario (specifying whatever additional data —*

Table 1: **Five integer facts used to motivate Conjecture 7.1.** None of these facts, by itself or in conjunction, constrains a *continuous* modulus of the compactification; see the discussion following the table.

Fact	Value	Origin	Tier / module
1	$R_{\text{eff}} \geq 2\sqrt{\alpha'}$	Buscher T-duality stationary point	Tier L/A, Theorem 3.2
2	$\mathcal{K}_{\text{BPS}} = 27720$	$A_2 \times 60 = 4A_1 \times 77$	Tier A, Theorem 6.1
3	$\mathcal{M}_{\text{quot}} = 8832$	$ M_{24} /27720$	Tier A, Theorem 6.2
4	$\text{ind}(\not{D}) = 2$	$-\sigma(K3)/8$	Tier L/A, Section 5
5	$\chi(K3) = 24$	Euler characteristic	Tier L/A, Section 5

fluxes, branes, SUSY-breaking sector — is needed to resolve the obstruction of Section 5.1) whose physical continuous-parameter space has dimension zero, with the discrete data of that completion pinned by facts of the kind listed in Table 1.

This is stated as an open target for future formalization, not a result. In particular: no formal definition of $\mathcal{M}_{K3 \times T^2}^{\text{phys}}$ is given in this corpus, so “dim = 0” is not yet a statement that can be assigned a tier above C; and Table 1 fixes five *integers*, none of which is a priori a coordinate on the moduli space of vacua (a continuous modulus being frozen at, say, the self-dual radius is a dynamical claim requiring the potential of Section 5.1, not a consequence of Fact 1 alone).

8 Confrontation with Data

Because Conjecture 7.1 would, if established, leave no continuous parameters to fit, Tier C numerical relations attached to it are maximally falsifiable *if they could be derived*. None of the three relations below is derived from a Lagrangian or an explicit compactification calculation; each is a pattern-match between an integer from Table 1 and an observable. We report each with full data provenance (value $\pm$ uncertainty, dataset/release, what it measures, and its role: measurement, benchmark, or forecast), following standard practice for this kind of falsifiability claim.

8.1 Primordial tensor-to-scalar ratio r (Tier C)

$$r \stackrel{\text{Tier C}}{=} \frac{2}{27720/55} = \frac{110}{27720} = \frac{1}{252} \approx 0.0039683 \quad (8)$$

stored in Lean as the exact reduced fraction 1/252 (theorem `tensor_to_scalar_ratio_reduction`, module `Observables`; an earlier revision stored a rounded decimal, 0.00396, inconsistent with the fraction it was supposed to approximate). LiteBIRD targets a total (systematics-inclusive) sensitivity $\delta r \approx 0.001$, with a Japan-fiscal-year-2032 launch target [20] (*forecast*). The current 95%-CL upper bound from BICEP/Keck combined with Planck is $r \lesssim 0.03\text{--}0.04$ [21] (*measurement*, current bound). **Verdict: untestable now, forecast pending.** A ± 0.0005 “discovery window” around the prediction, as stated in an earlier revision, is narrower than LiteBIRD’s own forecast 1σ and would not by itself constitute a decisive test; a fair statement is that a LiteBIRD non-detection consistent with $r < 10^{-3}$ would disfavor the prediction, while a detection at $r \sim 4 \times 10^{-3}$ would be consistent with (not proof of) it.

8.2 Leptonic Dirac CP phase δ_{CP} (Tier C, corrected)

$$\delta_{\text{CP}} \stackrel{\text{Tier C}}{=} 360^\circ \times \left(1 - \frac{77}{360}\right) = 283^\circ \quad (9)$$

(an earlier revision reported 282.4° , obtained by silently mixing the fraction $77/360$ used here with the unrelated ratio $77/60$ of Theorem 6.1; the exact value of the stated formula is 283°). NuFIT 5.2 (without Super-Kamiokande atmospheric data) reports, for **normal ordering**, $\delta_{\text{CP}} = 197^\circ_{-25}^{+42}$ (3σ : 108° – 404°), and for **inverted ordering**, $\delta_{\text{CP}} = 286^\circ_{-32}^{+27}$ (3σ : 192° – 360°) [19] (*measurement*, global fit). **Verdict: consistent within 3σ under either ordering, but the prediction sits close to the *inverted*-ordering best fit and far from the *normal*-ordering best fit**, which current global data mildly prefer; DUNE, whose neutrino beam is now expected around 2031 with full exposure targets extending to 2035 [22] (*forecast*, timeline revised from an earlier 2026–2030 estimate), together with Hyper-Kamiokande, aims for degree-level precision on δ_{CP} and on the mass ordering itself.

8.3 Dark energy equation of state (Tier C, contingent, in tension with data)

An earlier revision claimed $w_0 = -1$, $w_a = 0$ as a consequence of moduli stabilization “at the self-dual point” with $V(\phi_0) = 0$. Taken literally, $V(\phi_0) = 0$ is a *Minkowski* vacuum (zero cosmological constant), not a de Sitter vacuum with $w = -1$ and nonzero dark-energy density; matching observed dark energy would require an additional, undetermined source of vacuum energy that this corpus does not derive (Tier C, contingent on the unresolved obstruction of Section 5.1). Independently of that internal gap: DESI DR2 baryon acoustic oscillations combined with CMB and supernova data find the time-evolving quadrant $w_0 > -1$, $w_a < 0$ preferred over Λ CDM at 3.1σ [23, 24] (*measurement*). **Verdict: in tension with current leading data**, not merely “to be tested” by a future survey as an earlier revision stated.

8.4 Scalar spectral index n_s (Tier C, consistent)

$n_s = 0.965$, consistent with Planck 2018, $n_s = 0.9649 \pm 0.0042$ [18] (*benchmark*, not a joint fit with any data of this paper). This is the one relation in this section not currently in tension with data, though it is also the least distinctive (a wide range of inflationary models predict n_s close to this value).

Table 2: **Confrontation summary.** All predictions are Tier C (Section 8); none is derived from a Lagrangian.

Observable	Prediction	Current data (value, dataset, role)	Verdict
r	$1/252 \approx 0.00397$	$\lesssim 0.03$ – 0.04 (BICEP/Keck+Planck, meas.); $\delta r \approx 0.001$ (LiteBIRD, forecast)	untestable now
δ_{CP}	283°	$197^\circ_{-25}^{+42}$ NO / $286^\circ_{-32}^{+27}$ IO (NuFIT 5.2, meas.)	consistent (near IO); tension w/ preferred NO tension
(w_0, w_a)	$(-1, 0)$	$w_0 > -1$, $w_a < 0$ at 3.1σ (DESI DR2+CMB+SNe, meas.)	tension
n_s	0.965	0.9649 ± 0.0042 (Planck 2018, benchmark)	consistent

9 The Lean 4 Artifact: Scope, Reproducibility, and Roadmap

9.1 What is in the repository

The formalization comprises **51 Lean 4 files** and **554 declarations** (*theorem* / *lemma* / *def* / *structure* / *inductive* / *instance* / *abbrev*) on toolchain `leanprover/lean4:v4.33.1`, across five libraries:

`lake build` completes all 61 jobs with no errors and no `sorry` warnings. **This project has no external dependency** (`lake-manifest.json` lists zero packages): it uses only Lean 4 core (`Init`), with *no Mathlib*. This is the direct explanation for why every proof in this paper is over `Nat`, `Int`, or an ad hoc rational-pair structure rather than over $\mathbb{R}$ — core Lean does not provide real numbers, manifolds, or differential-geometric structures. We regard stating this limitation plainly as more useful than the earlier revision’s blanket claim of “100% certified physics.”

9.2 Reproducibility

Every theorem cited by name in this paper was re-verified at the commit given in Appendix B using `#print axioms`:

```
lake env lean -stdin < axiom_audit_script.lean
```

run from `papers/publication/`; the full output is in `axiom_audit_log.txt` in the same directory, and reproduced in Appendix B. Every declaration depends on at most the three standard Lean axioms; none depends on `sorryAx` or on any custom axiom. A companion Appendix A gives, for every headline claim in this paper, the exact Lean identifier, its type (informally), its tier, and a one-line adequacy note — the same table used to produce the corrections in this revision, so that a reader can re-run the audit rather than trust it.

The dependency DAG of the corpus (generated by `tools/leangraph_corpus_analyzer.py`; data in `graph/leangraph.json`) reports 538 nodes and 807 edges, verified acyclic (`is_dag = True`), with 13 redundant transitive edges identified for Hasse-diagram pruning. (An earlier revision of this paper, and the separate internal `PEER_REVIEW_REPORT.md`, quote different node/edge counts, 528/785 and 422/554 respectively; these are stale snapshots from different points in the corpus’s history rather than three independent measurements of the same state. We recommend regenerating this figure immediately before each release rather than carrying it forward across revisions.)

9.3 Related formalized-physics work

This is a small, narrowly-scoped artifact relative to general-purpose physics formalization libraries. `PhysLean/HepLean` (Tooby-Smith et al.) formalizes index notation and a growing body of high-energy-physics results directly in Lean 4 on top of `Mathlib` [25]; `Mathlib` itself contains substantial differential geometry (manifolds, vector bundles, and Riemannian metrics) that the present corpus does not use. A natural next step is re-expressing Theorem 3.2 and Proposition 5.1 in that setting.

9.4 Roadmap: promoting Tier L/C claims toward Tier A

The following sketches are **written but not compiled** (they require adding `Mathlib` as a dependency, which this repository currently does not have); we present them as a concrete, falsifiable roadmap rather than claim them as verified.

```
import Mathlib

/-- Real AM-GM form of Theorem 3.2, with equality iff self-dual. -/
theorem reff_lower_bound {a R : Real} (ha : 0 < a) (hR : 0 < R) :
  2 * Real.sqrt a <= R + a / R := by
  have hs : Real.sqrt a ^ 2 = a := Real.sq_sqrt ha.le
  nlinarith [sq_nonneg (R - Real.sqrt a), hs, Real.sqrt_nonneg a,
```

```
mul_pos hR hR]
```

```
-- Real form of Proposition 5.1, matching the Int version already proved. -/
theorem toy_potential_zero_iff (phi phi0 : Real) :
  (phi - phi0) ^ 2 = 0 <-> phi = phi0 := by
  simp [sub_eq_zero]
```

Promoting Conjecture 7.1 to any tier above C requires, at minimum: (1) a concrete flux or brane completion consistent with the $\mathcal{N} = 4$ non-renormalization obstruction of Section 5.1; (2) a derivation, not an assertion, connecting that completion’s potential to the discrete data of Table 1; and (3) a first-principles derivation of at least one of the three relations in Section 8 from that potential.

10 Conclusion

This paper is narrower than its earlier revision claimed. It kernel-certifies (Tier A) a set of exact integer and rational identities — the positivity of a dual-scale bound on integer radii, $K3$ topological arithmetic, the M_{24} elliptic-genus cross-multiplication and its corrected factorization, Golay-code parameters, and a genuinely-unique-minimum toy potential (after fixing a real bug) — and it states, without conflating tiers, which further claims are established literature (Tier L: Double Field Theory, the Atiyah–Singer index theorem, string-gas kinematics) and which are this paper’s own conjectures (Tier C: the zero-free-parameter proposal and its three numerical phenomenology relations, one of which, the dark-energy prediction, is already in tension with DESI DR2). We consider this an improvement, not a retreat: a claim that survives being checked against its own formal artifact and against current data is worth more than a stronger claim that does not.

A Claim Ledger

§	Module	Theorem	Tier	Adequacy note
3	UseCase1	self_dual_is_global_minimum	A	N-instance only; real bound is Tier L
3	DualScale	genesis_no_singularity	A	true by construction of PosScale
4	DualScaleTCC	tcc_cosmic_protection_contract	A	conditional on an assumed field, not derived
5	K3Topology	k3_atiyah_singer_dirac_index	A	correct arithmetic instance of a Tier L theorem
5	UseCase1	moduli_potential_zero_iff (new)	A	fixes the Nat-truncation bug (see box in §5.1)
6	UseCase2	bps_cross_multiplication_lock	A	correct; physical interpretation ($N_Q = 4$) is Tier C
6	GolayHolography	golay_holography_master_contract	A	coding theory only; holographic narrative is Tier C
7	(none)		—	no “zero free parameters” theorem exists; restated as Conjecture 7.1, Tier C
8	Observables	tensor_to_scalar_ratio_reduction (rewritten)	A	exact-fraction identity; the value $r = 1/252$ itself is Tier C
8	Observables	observables_windows_master_contract (rewritten)	A	arithmetic-window conjunction; each window is illustrative, not a confidence interval

B Axiom Audit

Generated from `papers/publication/` by:

```
lake env lean -stdin < axiom_audit_script.lean
```

at commit `e831efb` on toolchain `v4.33.1`; full output in `axiom_audit_log.txt` (same directory).

Declaration	Axioms
<code>K3Topology.k3_euler_characteristic</code>	none
<code>K3Topology.k3_atiyah_singer_dirac_index</code>	none
<code>CourantAlgebroid.jacobiator_vector_vanishes</code>	propext, Quot.sound
<code>CourantAlgebroid.strong_section_condition</code>	propext, Quot.sound
<code>UseCase1.self_dual_is_global_minimum</code>	propext, Quot.sound
<code>UseCase1.moduli_vacuum_stability</code>	propext
<code>UseCase1.moduli_potential_nonneg</code>	propext, Quot.sound
<code>UseCase1.moduli_potential_zero_iff</code>	propext, Quot.sound
<code>UseCase2.bps_cross_multiplication_lock</code>	none
<code>UseCase2.bps_ratio_coprime</code>	none
<code>Observables.tensor_to_scalar_ratio_reduction</code>	none
<code>Observables.observables_windows_master_contract</code>	propext, Classical.choice, Quot.sound
<code>SocrateAI.DualScale.genesis_no_singularity</code>	none
<code>SocrateAI.DualScale.buscher_involution</code>	propext, Quot.sound
<code>DualScaleTCC.tcc_cosmic_protection_contract</code>	propext, Quot.sound
<code>GolayHolography.golay_holography_master_contract</code>	none

No declaration in this table depends on `sorryAx` or on any axiom beyond the three standard Lean 4 axioms. A separate search for a bare `sorry/admit` tactic (as opposed to the word appearing in a docstring) across all five libraries returns zero matches.

References

- [1] C. Vafa, “The String Landscape and the Swampland,” *arXiv:hep-th/0509212* (2005).
- [2] M. R. Douglas, “The Statistics of String / M Theory Vacua,” *JHEP* 05 (2003) 046, *arXiv:hep-th/0303194*.
- [3] S. Kachru, R. Kallosh, A. Linde, S. P. Trivedi, “de Sitter Vacua in String Theory,” *Phys. Rev. D* 68 (2003) 046005, *arXiv:hep-th/0301240*.
- [4] L. de Moura and S. Ullrich, “The Lean 4 Theorem Prover and Programming Language,” in *Automated Deduction – CADE 28*, Springer (2021) 625–635.
- [5] C. Hull and B. Zwiebach, “Double Field Theory,” *JHEP* 09 (2009) 099, *arXiv:0904.4664*.
- [6] O. Hohm, C. Hull, and B. Zwiebach, “Generalized gauge transformations in double field theory,” *JHEP* 08 (2010) 008, *arXiv:1006.4823*.
- [7] T. H. Buscher, “A symmetry of the string background field equations,” *Phys. Lett. B* 194 (1987) 59–62.
- [8] R. Brandenberger and C. Vafa, “Superstrings in the Early Universe,” *Nucl. Phys. B* 316 (1989) 391–410.
- [9] A. Giveon, M. Porrati, and E. Rabinovici, “Target space duality in string theory,” *Phys. Rept.* 244 (1994) 77–202, *arXiv:hep-th/9401139*.

- [10] A. Bedroya and C. Vafa, “Trans-Planckian Censorship and the Swampland,” *JHEP* 09 (2020) 123, *arXiv:1909.11063*.
- [11] E. Witten, “String Theory Dynamics In Various Dimensions,” *Nucl. Phys. B* 443 (1995) 85–126, *arXiv:hep-th/9503124*.
- [12] M. F. Atiyah and I. M. Singer, “The Index of Elliptic Operators I,” *Annals of Mathematics* 87 (1968) 484–530.
- [13] T. Eguchi, H. Ooguri, and Y. Tachikawa, “Notes on the K3 Surface and the Mathieu Group M_{24} ,” *Exper. Math.* 20 (2011) 91–96, *arXiv:1004.0956*.
- [14] M. C. N. Cheng, “K3 Surfaces, $N = 4$ Dyons, and the Mathieu Group M_{24} ,” *Commun. Num. Theor. Phys.* 4 (2010) 623–657, *arXiv:1005.5415*.
- [15] T. Gannon, “Much ado about Mathieu,” *Adv. Math.* 301 (2016) 322–358, *arXiv:1211.5531*.
- [16] A. Almheiri, X. Dong, and D. Harlow, “Bulk Locality and Quantum Error Correction in AdS/CFT,” *JHEP* 04 (2015) 163, *arXiv:1411.7041*.
- [17] F. Pastawski, B. Yoshida, D. Harlow, and J. Preskill, “Holographic quantum error-correcting codes: Toy models for the bulk/boundary correspondence,” *JHEP* 06 (2015) 149, *arXiv:1503.06237*.
- [18] Planck Collaboration, “Planck 2018 results. X. Constraints on inflation,” *Astron. Astrophys.* 641 (2020) A10, *arXiv:1807.06211*.
- [19] I. Esteban, M. C. Gonzalez-Garcia, M. Maltoni, T. Schwetz, A. Zhou, “The fate of hints: updated global analysis of three-flavor neutrino oscillations,” *JHEP* 09 (2020) 178, *arXiv:2007.14792*; NuFIT 5.2 (2022) tables, <http://www.nu-fit.org>.
- [20] E. Allys et al. (LiteBIRD Collaboration), “Probing Cosmic Inflation with the LiteBIRD Cosmic Microwave Background Polarization Survey,” *PTEP* 2023 (2023) 042F01, *arXiv:2202.02773*; see also *arXiv:2406.02724*.
- [21] BICEP/Keck Collaboration, “Improved Constraints on Primordial Gravitational Waves using Planck, WMAP, and BICEP/Keck Observations through the 2018 Observing Season,” *Phys. Rev. Lett.* 127 (2021) 151301, *arXiv:2110.00483*.
- [22] DUNE Collaboration, “DUNE: science and status,” *arXiv:2502.08493* (2025).
- [23] DESI Collaboration, “DESI DR2 Results II: Measurements of Baryon Acoustic Oscillations and Cosmological Constraints,” *arXiv:2503.14738* (2025).
- [24] DESI Collaboration, “Extended Dark Energy analysis using DESI DR2 BAO measurements,” *arXiv:2503.14743* (2025).
- [25] J. Tooby-Smith, “Formalization of physics index notation in Lean 4,” *arXiv:2411.07667* (2024); PhysLean/HepLean project, <https://github.com/HEPLearn/PhysLean>.
- [26] X. Callens and the SocrateAI Agora Collaboration, “Certified Dual-Scale String Theory, Double Field Theory, and the Lean 5 Scientific Agora Corpus,” *SocrateAI Laboratory for Mathematical Physics & Formal Verification* (2026), <https://github.com/xaviercallens/SocrateAI-Scientific-Agora-LeanMaster>.