



$$A = \{1, 2, 3\}$$

$$A = \{n \in \mathbb{N} \mid \text{Es gibt } 1 \leq n \leq 3\}$$




Euler-Baum


$$\emptyset = \{ \}$$




$$\mathbb{N} = \{0, 1, 2, 3, \dots\}$$



$$A = \{a, b, c\}$$



$$d \notin A$$



$$B = \{1, 2, c\}$$

$$C = \{3, 4\}$$

$$1 \in B$$

$$3 \in C$$

$$2 \in B$$

$$3 \notin B$$

$$C \in B$$

$$A = \{1, 2, 3\}$$

$$B = \{1, 3\} \quad \boxed{A \neq B}$$

$$\boxed{B \subset A}$$

$$A \not\subset B$$

A, B conjuntos

$$A \subset B \stackrel{\text{def.}}{\iff} \text{Si } x \in A \text{ entonces } x \in B, \text{ para todos los } x \text{ de } A.$$

$$\underline{A \subset B} \stackrel{\text{def.}}{\iff} \left[\forall x \in A, x \in A \Rightarrow x \in B \right]$$

$$\left. \begin{array}{l} A \subset B \\ B \subset A \end{array} \right\} \iff \boxed{A = B}$$

$$A = \{ \cancel{5}, \cancel{6} \}$$

$$B = \{ \cancel{6}, \cancel{5} \}$$

$$\boxed{A = B}$$

$$\left. \begin{array}{l} A \subset B \\ B \subset A \end{array} \right\} \Rightarrow A = B$$

$$C = \{ \cancel{5}, \cancel{6}, \cancel{5} \}$$




$$C \stackrel{?}{=} A$$

$$C \stackrel{?}{=} B$$

$$\left(\begin{array}{l} A \subseteq C \\ C \subset A \end{array} \right)$$

$$\Rightarrow A = C$$

$$A = \{1, 2, 3, 4\}$$



$n \quad 0, 1$

n	$\neg n$
0	1
1	0

n, q

n	q	$n \wedge q$	$n \vee q$	$n \rightarrow q$
0	0	0	0	1
0	1	0	1	1
1	0	0	1	0
1	1	1	1	1

$$A = \{1, 2\}$$

$$B = \{1, 4\}$$

Unión de A y B : $A \cup B$

son los elementos que están en A

o en B

$$A \cup B = \{1, 2, 4\}$$

A, B

$$A \cup B = \{x \mid x \in A \vee x \in B\}$$


$$A \subset A$$

$$A \not\subset A$$

$$A = \{1, 2, 3\}$$

$$1 \in A$$

$$A \in A$$



$$A \cup B = \{2, 1, 4\}$$