




# LittleBrain manual

1. To download Docker, go to: <https://www.docker.com/community-edition> and scroll down until you see these options. Download the Docker version that is compatible with your operating system (e.g. windows, mac):


## Download Docker Community Edition


Developer Desktops



### DOCKER CE FOR MAC


An integrated, easy-to-deploy Docker development environment on the Mac for building, assembling, and shipping applications.

[Download from Docker Store](#)  [Learn More](#)




### DOCKER CE FOR WINDOWS

A native Windows desktop application to easily setup a Docker development environment on a Windows PC.


[Download from Docker Store](#)  [Learn More](#)


Linux Servers



### DOCKER CE FOR CENTOS DISTRIBUTION


Installer for CentOS distribution environments  
Also available with support and certification with Docker EE for CentOS distribution.


[Download from Docker Store](#)  [Learn More](#)



### DOCKER CE FOR DEBIAN

Installer for Debian environments


[Download from Docker Store](#)  [Learn More](#)




### DOCKER CE FOR FEDORA

Installer for Fedora environments

Looking for enterprise Linux? is available as [certified infrastructure with support](#).


[Download from Docker Store](#)  [Learn More](#)



### DOCKER CE FOR UBUNTU

Installer for Ubuntu environments

Also available with support and certification with Docker EE for Ubuntu.

[Download from Docker Store](#)  [Learn More](#)



2. Once the program “Docker” is installed, start the program “Docker” in your computer. Then open the terminal of your computer (mac: look for “Terminal”; windows: look for “Command Prompt”). Type the following in your terminal in order to download the LittleBrain docker container (this will use approximately 2.5GB of space):

If using mac or linux, type this:

```
docker pull xaviergp/littlebrain:2.0.0
```

If using windows, type this:

```
docker.exe pull xaviergp/littlebrain:2.0.0
```

3. To start LittleBrain, follow these steps:

3.1 - Start the program “Docker” in your computer.

3.2 - When Docker is running (it may take a while for Docker to start running), open the terminal of your computer (mac or linux: look for “Terminal”; windows: look for “Command Prompt”). Then type the following in your terminal:

If using mac or linux, type this in the terminal:

```
docker run --rm -p 8888:8888 xaviergp/littlebrain:2.0.0
```

If using windows, type this in the terminal:

```
docker.exe run --rm -p 8888:8888 xaviergp/littlebrain:2.0.0
```

3.3 - Copy the password that has been generated after the word “token” shown in your terminal (shown in red in the image below).

```
INFO: /root/matlab/startup.m does not exist ... creating
Some packages in this Docker container are non-free
If you are considering commercial use of this container, please consult the relevant
license:
https://fsl.fmrib.ox.ac.uk/fsl/fslwiki/Licence
[I xx:xx:xx.xxx NotebookApp] Writing notebook server cookie secret to
/root/.local/share/jupyter/runtime/notebook_cookie_secret
[I xx:xx:xx.xxx NotebookApp] Serving notebooks from local directory: /src
[I xx:xx:xx.xxx NotebookApp] 0 active kernels
[I xx:xx:xx.xxx NotebookApp] The Jupyter Notebook is running at:
[I xx:xx:xx.xxx NotebookApp] http://62136cb37e2d:8888/?token=72c3aa5b5d18320d2ff5a2fa2beff5db7040ba7fb48d1370
[I xx:xx:xx.xxx NotebookApp] Use Control-C to stop this server and shut down all
kernels (twice to skip confirmation).
[C xx:xx:xx.xxx NotebookApp]

Copy/paste this URL into your browser when you connect for the first time,
to login with a token:
http://64156cb37e3d:8888/?token=72c3aa5b3d18320d2ff5a2fa2beff5db7040ba7fb48d1370&token=72c3aa5b3d18320d2ff5a2fa2beff5db7040ba7fb48d1370
```


Copy this password

(not this password)


If an error occurs, re-start Docker and repeat step 3 (this will solve the issue if port 8888 is being used by a previously opened jupyter notebook).





**3.4 - Open your internet browser (for example, firefox), type the address “localhost:8888”, and copy the password in the text box that will appear:**




**4. To upload the clusters that you want to map, go to “LittleBrain”, then go to “LOAD\_NIFTI\_FILE\_HERE”, and then click “Upload”.**





5. To start LittleBrain, go back to the “LittleBrain” folder and click “RUN\_LittleBrain”





## 6. Follow the instructions that will appear in the screen.

**A**

2nd click here

1st click here

1) Go to the first tab that opened in your internet browser, go to the "LOAD\_NIFTI\_FILE\_HERE" folder, and then upload the nifti (.nii) files that you want to map using the "Upload" button in the top right corner of the page.

2) Run LittleBrain:  
Click on the cell below and then click on the "Run" button at the top of this page. Then follow the instructions.

```
In [ ]: from IPython.display import display, clear_output; import ipywidgets as widgets; from ipywidgets import Layout; import glob; import
uploadedfileslist=glob.glob('/src/LittleBrain/LOAD_NIFTI_FILE_HERE/*.nii'); oldfileslist=glob.glob('/src/LittleBrain/OUTPUT_FILES/
for x in oldfileslist:
```

**B**

```
example_cluster3.nii
example_cluster2.nii
example_cluster1.nii
example_cluster4.nii
```

The list above shows the nifti files you have uploaded in the "LOAD\_NIFTI\_FILE\_HERE" folder.  
Copy name of nifti file you want to map (including the ".nii" termination) and paste it in the box below:

← 1st copy name of cluster you want to map here

Write a threshold number in the box below if you want to threshold your file; if no threshold leave blank:

← 2nd write threshold you want to use, or leave blank

← 3rd click here


## 7. To download the scatterplot, go to the other tab that was opened in your browser:

Click here




## 8. Go to the “OUTPUT\_FILES” folder, and download “MAP.png”:

**A**



**B**



## 9. Additional options include:

- Check transformations (cerebellar masking, 2mm resolution change) that have occurred to the uploaded cerebellar data. This can be visualized by clicking the button “check transformations” after a map is generated.
- Generate non-binary maps. These can be generated by clicking the button “see nonbinary map” after a map is generated.
- Download Gradient 1 and Gradient 2 values for the clusters that have been mapped. These values can be downloaded from the “OUTPUT\_FILES” folder as “GRADIENT1\_values.csv” and “GRADIENT2\_values.csv”.

If you are considering commercial use of FSL, please consult their license at <https://fsl.fmrib.ox.ac.uk/fsl/fslwiki/Licence>