HALLIBURTON

Apr 25 2023 | Logged in as : Goytia, Renzo Nicolas NicolÃ¡s

Introduction

Baroid Core Homework 14

Assessment Feedback

Congratulations, you passed.

Total score: 33 out of 33, 100%

Question Feedback

Question

1 of 6

What are the types of salts that can be found in the water phase salinity of the fluid?

- [x] $CaCl_2$
- [ ] NaOH
- [x] NaCl
- [ ] $CaCO_3$
- [ ] $PbCl_2$
- [ ] AgCl

2 out of 2

Question

2 of 6

What is Excess Lime?

- ( ) Slight excess of water added to hydrate quicklime
- (•) Total alkalinity of the whole drilling fluids
- ( ) Extra lime added into drilling fluid to convert bicarbonates to carbonates
- ( ) Lime concentration in whole drilling fluids exceeding formulation concentration

1 out of 1

Question

3 of 6

Select all the importance of Water Phase Salinity (WPS):

- [x] Balance the exchange of water to/from the formation
- [x] Avoid formation instability
- [x] Identify contaminants
- [ ] To provide hydrostatic pressure for wellbore control
- [ ] Balance the exchange of salt to/from the formation
- [ ] To help determine the amount of active solids in drilling fluid
- [x] Identify the presence of undissolved salts

4 out of 4

Question

4 of 6

Select the correct definition for the terms below:

Corrected solids: Solids without the dissolved solids

Retort solids: All solids (including the dissolved solids left behind after heating)

2 out of 2

Question

5 of 6

The calcium content of drilling fluid can come from:

- [ ] NaCl
- [x] Drilled up Gypsum or anhydrite
- [x] Lime
- [x] $CaCl_2$
- [ ] Water

3 out of 3

Question

6 of 6

Using the following data, complete the Water Phase Salinity analysis for a sample of ENCORE® IEF:

- Mud weight (ppg) = 15
- Calcium content (mg/L) = 16500
- Chlorides (mg/L) = 25000
- Fraction of water (φ_w) from retort = 16%
- Oil from retort = 50%
- Specific gravity of Oil = 0.84

Calculate:

Water Phase Salinity, ppm 196500
Specific gravity of brine, sg 1.17192
ASG, sg 3.568
Low gravity solids, % 13.04
Low gravity solids, ppb 118.83
High gravity solids, % 19.97
High gravity solids, ppb 293.98

21 out of 21