HALLIBURTON

May 03 2023 | Logged in as : Liyana, Hafizah

Introduction

Baroid Core Homework 22

Assessment Feedback

Congratulations, you passed.

Total score: 20 out of 20, 100%

Question Feedback

Question

1 of 20

Which of the following best describes abnormal (sur-normal) pore pressure?

- (selected) Pore pressure greater than the defined normal
- Pore pressure less than the defined normal
- Pore pressure equal to the defined normal
- None of the above

1 out of 1

Question

2 of 20

Which of the following best describes sub-normal pore pressure?

- (selected) Pore pressure less than the defined normal
- Pore pressure equal to the defined normal
- Pore pressure greater than the defined normal
- None of the above

1 out of 1

Question

3 of 20

Which of the following can cause abnormal (sur-normal) pore pressure?

- [x] Tectonic movement
- [x] Rapid deposition
- [ ] Reservoir length
- [x] Clay diagenesis
- [x] Reservoir structure

- [ ] Clay mineralogy
- [ ] Slow deposition

1 out of 1

Question

4 of 20

Which of the following can lead to wellbore instability?

- ○ Drill string
- ○ Drilling fluids
- ○ Drilling operations
- ○ Formation properties
- ◉ All of the above
- ○ None of the above

1 out of 1

Question

5 of 20

How can frequent tripping lead to well bore instability?

- ◉ Surge and swab pressures
- ○ Not enough circulating time
- ○ Not cleaning the hole
- ○ None of the above

1 out of 1

Question

6 of 20

What is the most common formation type that causes wellbore instability?

- ◉ Shale
- ○ Sandstone
- ○ Limestone
- ○ None of the above

1 out of 1

Question

7 of 20

Which of the following can cause a key seat?

- ○ Thick sticky wall cake
- ○ Under-gauge bit
- ○ Water sensitive shale

- Crooked hole with short dog-legs

1 out of 1

Question

8 of 20

Which of the following can cause differentially stuck pipe?

- Thick sticky wall cake across a sand
- Under-gauge bit
- Water sensitive shale
- Crooked hole with short dog-legs

1 out of 1

Question

9 of 20

Which of the following can lead to an under gauge hole?

- Thick sticky wall cake
- Crooked hole with short dog-legs
- Water sensitive shale
- Under-gauge bit

1 out of 1

Question

10 of 20

What is the minimal amount of annular footage a spacer should cover in a vertical well?

- 500ft
- 250ft
- 300ft
- 400ft

1 out of 1

Question

11 of 20

When displacing a water based fluid with a Non Aqueous fluid. Which fluid should be used as a base for the spacer?

- Fresh Water
- Base oil
- Non Aqueous fluid
- Water based fluid

1 out of 1

Question

12 of 20

When displacing the wellbore the weight of the spacer should be?

- ○ Equal to the new fluid
- ○ Less than the new fluid
- ○ Greater than the new fluid
- ◉ An average of the two fluids

1 out of 1

Question

13 of 20

The fluid pumped through the bit nozzles while drilling is in transitional flow:

- ○ True
- ◉ False

1 out of 1

Question

14 of 20

Which of the following problems can be caused by poor hole cleaning?

- ☐ Formation damage
- ☐ Tight hole
- ☐ Stuck pipe
- ☑ All of the above

1 out of 1

Question

15 of 20

In a high angle wellbore which of the following sweeps could be used to indicate effectiveness of hole cleaning?

- ○ LCM sweep
- ○ High viscosity
- ◉ Weighted
- ○ None of the above

1 out of 1

Question

16 of 20

In general, how much over current mud weight should a weighted sweep weight?

- 1.0 ppg over
- 1.5 ppg over
- 2.0 ppg over
- 2.5 ppg over
- None of the above

1 out of 1

Question

17 of 20

At the same flow rate, a fully concentric drill pipe has a higher pressure drop than does an eccentric pipe in the same hole section

- True
- False

1 out of 1

Question

18 of 20

The frictional pressure which causes the wellbore pressure to be lower when the BHA and drill string are withdrawn from the hole is called

- Swab
- Surge
- Slip
- Avalanche

1 out of 1

Question

19 of 20

Surpassing the formation fracture pressure can lead to wellbore instability and loss circulation events

- True
- False

1 out of 1

Question

20 of 20

The chemistry of the drilling fluid is important, because it can cause wellbore instability

- True
- False