


```
C:\Users\jmart\Documents\Pruebas>git init
Initialized empty Git repository in C:/Users/jmart/Documents/Pruebas/.git/

C:\Users\jmart\Documents\Pruebas>
```



```
C:\Users\jmart\Documents\Pruebas>git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    "Pr\303\241ctica 1 GIT.pdf"
    home.html

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\jmart\Documents\Pruebas>
```

Ya había creado el html y por eso sale

```
C:\Users\jmart\Documents\Pruebas>git add home.html

C:\Users\jmart\Documents\Pruebas>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   home.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    "Pr\303\241ctica 1 GIT.pdf"

C:\Users\jmart\Documents\Pruebas>
```

He añadido el html sin añadir el pdf de la práctica

```
C:\Users\jmart\Documents\Pruebas>git commit -m "Comenzamos el proyecto"
[master (root-commit) c7160b8] Comenzamos el proyecto
1 file changed, 12 insertions(+)
create mode 100644 home.html
```

```
C:\Users\jmart\Documents\Pruebas>
```

Hacemos el commit con su respectivo mensaje

```
C:\Users\jmart\Documents\Pruebas>git log
commit c7160b8a75d050063c8c1e6df0f7328f7796e420 (HEAD -> master)
Author: Francisco Javier Martín-Lunas Escobar <jmartinlunasescobar@gmail.com>
Date: Wed Feb 11 19:48:09 2026 +0100
```

```
    Comenzamos el proyecto
```

```
C:\Users\jmart\Documents\Pruebas>
```

El resultado del git log

```
C:\Users\jmart\Documents\Pruebas>git log --oneline
c7160b8 (HEAD -> master) Comenzamos el proyecto
```

```
C:\Users\jmart\Documents\Pruebas>
```

Resultado de git log con el modificador --oneline

```
C:\Users\jmart\Documents\Pruebas>git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   home.html
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        "Pr\303\241ctica 1 GIT.pdf"
```

```
no changes added to commit (use "git add" and/or "git commit -a")
```

```
C:\Users\jmart\Documents\Pruebas>git add home.html
```

```
C:\Users\jmart\Documents\Pruebas>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   home.html
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        "Pr\303\241ctica 1 GIT.pdf"
```

```
C:\Users\jmart\Documents\Pruebas>
```

```

C:\Users\jmart\Documents\Pruebas>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   home.html

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   home.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        "Pr\303\241ctica 1 GIT.pdf"

C:\Users\jmart\Documents\Pruebas>git diff
diff --git a/home.html b/home.html
index 6a5d0fe..66958fe 100644
--- a/home.html
+++ b/home.html
@@ -5,6 +5,7 @@
     <meta http-equiv="X-UA-Compatible" content="IE-edge"
     <meta name="viewport" content="width=device-width, initial-scale=1.0">
     <h1>El cambio</h1>
+   <h2>El otro cambio</h2>
     <title>Nter</title>
</head>
<body>

C:\Users\jmart\Documents\Pruebas>

```

Vemos los cambios que hay en el staging area y en el local

```

C:\Users\jmart\Documents\Pruebas>git commit -m "Estamos trabajando en..."
[master 52f8fd7] Estamos trabajando en...
 1 file changed, 1 insertion(+)

C:\Users\jmart\Documents\Pruebas>git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   home.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        "Pr\303\241ctica 1 GIT.pdf"

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\jmart\Documents\Pruebas>

```