Unofficial English translation, made for demonstration purposes. Layout simplified; this is not the original document. Original: tijhuisingenieurs.nl/files/co2-prestatieladder-tijhuis-ingenieurs-2023-handboek.pdf

CO2 PERFORMANCE LADDER LEVEL 5

HANDBOOK – ANNUAL REPORT 2023

V1.0

CO2 PERFORMANCE LADDER LEVEL 5

HANDBOOK – ANNUAL REPORT 2023

Colophon Tijhuis Ingenieurs BV

Dampten 24C | Softwareweg 4B | Marie Curieweg 27

1624 NR Hoorn | 3821 BP Amersfoort | 8501 DA Joure

Project name: CO2 performance ladder level 5

Component: Handbook – annual report 2022

Date: March 2024

Number of pages: 20

Version: V05

Status: Draft

Archive code: CO2.handboek.0402

Authors: H.G.S. Reus

Approval: B. Schilling

CO2-performance ladder level 5

Handbook - annual report 2023

0

Version 1.0

Table of contents

1 Introduction 1

2 Sustainability at Tijhuis Ingenieurs 2

2.1 The company
..... 2

2.2 The sustainability project team
..... 3

2.3 Tijhuis Ingenieurs – Sustainable advice in and around water
..... 3

3 Our CO2 footprint 5

3.1 CO2 footprint versus type of company
..... 5

3.2 Scopes
..... 6

3.3 CO2 emission data
..... 7

3.4 CO2 footprint calculations for previous years .....
8

3.5 CO2 footprint 2023
..... 11

3.6 Scope 3
..... 12

3.7 CO2 footprint related to turnover 13

3.8 Energy consumption analysis
..... 13

3.9 Emissions per scope
..... 14

4 CO2 reduction policy 15

4.1 Policy statement of the board of directors
..... 15

4.2 Reduction targets scope 1 & 2 16

4.3 Reducing CO2 in our chain .....
17

4.4 Conclusion on achieving targets 19

4.5 CO2 sample analyses 20

4.6 Sustainable energy 20

4.7 Green driving 21

5 Energy management plan 22

5.1 Measures for CO2 reduction 22

6 Chain initiatives 27

6.1 Possible initiatives 27

6.2 Ongoing initiatives 27

7 CO2 performance ladder communication plan 30

7.1 Target groups 30

7.2 Communication objectives 30

7.3 Communication tools – when will you deploy them? 31

8 Assurance 32

8.1 Internal audit 32

8.2 Management review 32

8.3 Publications 33

Appendices

Appendix 1: CO2 footprints

Appendix 2: Measures

Appendix 3: Projects with award advantage

CO2 Performance Ladder Level 5

CO2 Performance Ladder Level 5 Handbook – Annual Report 2023

1

Version 1.0

1 Introduction

As a company, we take our responsibility in the field of sustainable business seriously.

Our goal in January 2021 was to certify under CO2 Performance Ladder Level 4. This goal was achieved in April 2021. In April 2022, during our renewal audit, we decided that we were ready to attain Level 5. The CO2 Performance Ladder Level 5 certificate was obtained on 26 April 2022. From that moment, our sustainability ambitions have gained considerable momentum. In 2023, we again achieved excellent results. This document describes all our steps in the field of sustainability.

Step-by-Step Plan

To implement the CO2 Performance Ladder, we used the document CO2 Performance Ladder Handbook version 3.1 as our guideline. We went through the following steps:

■ Forming a project team;

■ Calculating the CO2 footprint;

■ Formulating measures;

■ Communication and assurance.

Reader's Guide

The results of these steps are described in this document. Chapter 2 first provides an explanation of our company and the project team. Chapter 3 then calculates the zero situation: our CO2 footprint. Chapter 4 contains the management's policy statement and addresses our quantitative targets, our reduction objectives and the steps we are taking to reduce our emissions. Chapter 5 presents, in tabular form, all the measures we are taking and have taken. Furthermore, we seek to influence our supply chain in various ways, which is described in Chapter 6. How we communicate about all of this within the company and externally is set out in Chapter 7. Finally, Chapter 8 covers assurance.

This document revises the 2022 CO2 handbook (version 4) and looks back at 2023, the current situation and the objectives for 2024. All text changed compared with the previous version is printed in green.

2 Sustainability at Tijhuis Ingenieurs

2.1 The company

We are an independent and leading engineering firm in the field of regional water management in the Netherlands. Our fields of work are: water bed and dredging, water quality and ecology, banks and structures, and GIS and data. Within these fields, we provide the entire process, from data acquisition and the preparation of plans and specifications through to supervision of execution. We are pioneers in the digital acquisition, processing, analysis and presentation of data using GIS applications.

With 50 colleagues, we have extensive knowledge of the planning phase, the preparatory investigation phase and the practical execution phase of dredging works. From our offices in Hoorn, Amersfoort and Sneek, we undertake projects throughout the country. 9 certified field workers and 4 field workers in training (BRL2003) carry out daily sampling and measurements of the water bed and the water.

We carry out our activities from the three offices in Hoorn, Amersfoort and Joure. These three offices fall under the company 'Tijhuis Ingenieurs BV'. Administratively, Tijhuis Ingenieurs BV falls successively under 'Tijhuis Groep BV' and 'Tijhuis Beheer BV'. Only Tijhuis Ingenieurs falls under the CO2 certificate. Within the organisational boundaries, Tijhuis Ingenieurs BV has no parent company or subsidiaries that are included in the implementation process of the CO2 Performance Ladder. The organisation of Tijhuis Ingenieurs is shown in the figure below.

Figure 2.1: Organisational chart

Tijhuis Ingenieurs BV

Office Amersfoort

Office Hoorn

Office Joure

We are included on the list of Kwalibo-registered soil intermediaries. Tijhuis Ingenieurs BV holds the following relevant certificates:

ISO 9001: 2015;

VCA*: 2017/6.0;

BRL 2000: protocol 2003;

BRL 6000: protocol 6003;

CO2 Performance Ladder Level 5.

2.2 The Sustainability Project Team

To further shape our sustainable organisation, we have formed a broadly oriented project team under the leadership of the KAM coordinator. The project organisation is further detailed in the organisational chart below.

Figure 2.2: Organisational chart of the CO2 project team

The project team has made the emission factors transparent. Subsequently, the reduction measures were formulated and, after approval, signed by the management board. The project team is responsible for the implementation and execution of all measures. Monitoring and adjustment are carried out by the KAM coordinator.

2.3 Tijhuis Ingenieurs – Sustainable Advice In and Around Water

In 2023, we sharpened our sustainability goals. As part of this, Phi Factory, in collaboration with colleagues, drew up a roadmap in which a goal has been set for each of the following themes:

■ Water (bed) quality

■ Ecology

■ Materials

■ Energy

■ In Your Strength

Our overarching goal is as follows: "By 2030, Tijhuis Ingenieurs will be *the* expert in sustainable regional water in the Netherlands." In addition, our objective is to be climate neutral by 2030. WIT is the means by which we see a way to achieve a large part of our goals.

CO2 Performance Ladder Level 5

Handbook - Annual Report 2023

4

Version 1.0

From Ambition to Practice: The Journey with Phi-factory

When it comes to sustainability, we have been committed for several years now. Solar panels are on the roof, the first electric cars have been added to the company fleet, and all field teams use electric outboard motors. Significant steps have already been taken in the area of sustainability, and there are plenty of ideas. In 2023, we made our sustainability plans concrete and structured them together with Phi-factory. This will enable us to become even more sustainable in the future, both within our projects and across the organisation.

Approach

Phi-factory based its structured approach to making Tijhuis Ingenieurs more sustainable on the following steps:

■ An internal analysis to gain a clear picture of Tijhuis Ingenieurs' current situation. This drew on this handbook and other documents prepared for obtaining CO2 Performance Ladder level 5. This was then translated into a powerful ambition and strategy.

■ Using the first step as a starting point, it was determined where opportunities lie within Tijhuis Ingenieurs for achieving the ambitions and objectives. In addition, it was determined which elements have priority and how we can make our progress measurable.

■ Ultimately, these steps led to the creation of a visual roadmap and the writing of an implementation programme setting out the sustainability ambition and objectives.

Outcome

Together with Phi-factory, we have created tools that everyone within the company can get started with. In this way, we can make Tijhuis Ingenieurs even more sustainable and, in addition, fulfil a pioneering role within our sector.

CO2 Performance Ladder Level 5

Handbook – Annual Report 2023

5

Version 1.0

3 Our CO2 Footprint

In the process of certification for the CO2 Performance Ladder Level 4, we calculated our CO2 footprint for the first time, based on data from 2020. We then began reporting our footprint every six months for our Level 5 certification. This chapter sets out the justification for this in more detail.

3.1 CO2 Footprint by Company Type

To determine which category Tijhuis Ingenieurs falls into, we calculated our CO2 footprint. This amounts to 144 tonnes per year (scope 1 and 2 emissions in 2020). Based on this value, we are classified as a 'small company' (see the reference table below).

Table 2.1: CO2 emissions by size of organisation

| Category | Maximum scope 1&2 emissions in tonnes CO2 per year | | | |

|---|---|---|---|---|

| | Works and supplies | Services | Construction sites and production locations | Offices and business premises |

| Small | 2.000 | 500 | 500 | |

| Medium | 10.000 | 2.500 | 2.500 | |

| Large | >10.000 | >2.500 | >2.500 | |

Scope 1 and 2

To calculate emissions, we used the Milieubarometer programme of the Stichting Stimular foundation up to and including 2023. We have since set up our own calculation file. Our calculation is based on data from 2019, 2020, 2021, 2022 and 2023. The figure below shows our emissions. Chapter 3 also presents emissions by half-year.

Figure 2.1: Multi-year chart of scope 1&2 emissions

In 2019, total CO2 emissions for scope 1 and 2 were 193 tonnes; in 2020 they were 138 tonnes of CO2, in 2021 they were 138 tonnes, and in 2022 emissions amounted to 149 tonnes. In 2023, CO2 emissions fell compared with 2022, to 127 tonnes of CO2. In addition, turnover has risen, so emissions relative to turnover (tonnes per euro) have also decreased compared with 2019.

Scope 3

In addition to our own emissions, we indirectly emit CO2, for example through hiring field workers and having sample analyses carried out. For scope 3, we have looked at sources

the most emissions. For 2019, the scope 3 emissions amount to 433 tonnes, for 2020 451 tonnes, for 2021 292 tonnes, for 2022 657 tonnes and for 2023 2,170 tonnes.

We have carried out an analysis of the most significant emissions. This analysis showed that we have the greatest influence on the PMC activity: 'Advice: Transport of dredged material by road'. Our ambition is to reduce our scope 1 & 2 footprint during the supervision works; see chapter 4 for this.

3.2 Scopes

The CO2 footprint has been calculated in accordance with scopes 1, 2 and 3 as included in the SKAO handbook, version 3.1. The scopes are understood as follows (see also figure 3.1):

Scope 1 (direct emissions): emissions released by installations owned or controlled by the organisation, such as emissions from the organisation's own gas use (for example gas boilers, combined heat and power installations and furnaces) and its own vehicle fleet.

Scope 2 (indirect emissions): emissions arising from the generation of electricity, heat, cooling and steam in installations that do not belong to the organisation but which are used by it, such as, for example, the emissions released when generating electricity in power plants.

Scope 3 (other indirect emissions): emissions arising as a consequence of the organisation's activities but which originate from sources that are not owned by the organisation and are not managed by it. Examples are emissions arising from the production of purchased materials (upstream) and the use of the work, project, service or delivery offered/sold by the organisation (downstream).

Figure 3.1: Scope diagram

Organisational boundary within Tijhuis Ingenieurs BV

The CO2 footprint is based on the consumption of energy, use of materials and transport of the offices in Hoorn, Amersfoort and Joure. The emission-causing factors are:

■ Energy consumption of the offices and garage boxes (Hoorn and Nieuwegein);

■ Fuel for lease cars and vans (including fieldwork vans);

■ Declared kilometres for work-related travel in private cars;

■ Energy consumption during fieldwork;

■ Waste from the offices.

Emission Factors for Hired-in Services at Tijhuis Ingenieurs BV

The CO2 footprint was drawn up taking into account the emission factors within the company itself. Tijhuis Ingenieurs carries out work for clients on a project basis. Most of the work is performed by Tijhuis Ingenieurs itself. Where there is insufficient capacity, use is made of hired-in services: freelancers D. Holtjer and J. Borst, Ingenieursbureau Land, Heijdra Milieuservices bv and Waders Milieu bv carried out fieldwork for us in 2023. Hired-in services fall under scope 3 of the ladder. The volume of hired-in services varies considerably from year to year. An estimate has nonetheless been made of the kilometres driven, so that the CO2 emissions can be included within scope 3. Such external emission factors are documented as far as possible, so that opportunities for CO2 reduction can also be identified here. However, there are fewer opportunities here than within the organisation itself.

3.3 CO2 Emissions Data

From 2019 onwards, CO2 emissions have been calculated every half year. To calculate our emissions and, ultimately, the effect of the measures, we used the Milieubarometer of the Stichting Stimular up to and including 2022. The Milieubarometer was drawn up in accordance with the emission factors, units and consumption as provided by the SKAO. The factors used comply with the requirements of the CO2 Performance Ladder. From 2023 onwards, we determine our emissions using our own overview, in which all required figures are multiplied by the CO2 emission conversion factors available at https://www.co2emissiefactoren.nl/.

The first CO2 footprint was determined in the course of 2020. In 2020, no reduction measures had yet been implemented within the organisation. At the beginning of 2021, solar panels were installed on the roof of the Amersfoort office as the first reduction measure. In addition, a great deal was learned from digital working during the pandemic. Digital working contributes to reducing CO2 emissions in the years ahead. Furthermore, the 'Leaseplan Tijhuis Ingenieurs' was launched in January 2022. This is a first step towards making electric driving the norm. In 2023, additional solar panels were installed in Amersfoort and electric pool cars were purchased, so that colleagues need to use private cars less often.

This CO2 handbook of Tijhuis Ingenieurs was updated at the beginning of 2024.

Data Sources

The data have been obtained in the following ways:

■ Internal administration

The input data were supplied from our internal administration. Overviews, accounts and invoices can be made readily available here.

■ Leasing company reports

Use was made of the reports prepared by the leasing companies for the lease cars and fieldwork vans.

■ Interviews with colleagues

Other emission factors were identified through direct contact with colleagues, such as sustainable choices made within the organisation.

Selection of Data and Accuracy

To determine which components are relevant for calculating our carbon footprint, we used the Milieubarometer. We selected the factors that cause the most emissions and that we can influence. We can monitor these, and we can set realistic targets for reducing them. These 'core figures' mainly consist of fuel consumption (of employees) and fixed costs such as electricity and gas consumption.

The core figures for fuel consumption in 2023 (approx. 20 vehicles) are accurate. Within Tijhuis Ingenieurs, business travel and commuting are by far the largest emission sources. We can request an annual report of the fuel consumed from the leasing companies (Hitachi Mobility Service and Athlon). This gives us an accurate core figure for determining our CO2 footprint.

Electricity and gas consumption at our offices has been available since 2020. Therefore, 2020 was used as the baseline year for electricity and gas instead of 2019 (when these figures were estimated). Furthermore, the output of the solar panels is recorded as far as possible.

Specification of CO2 Emissions by Project

At least 65% of the scope 1 & 2 CO2 emissions are certainly linked to executed projects:

■ Transport to and from project locations

This mainly comes down to the kilometres driven by fieldwork teams in vans, including equipment. In addition, the business-claimed kilometres to projects by advisers and project managers. Commuting is not included here.

■ Outboard motors

For projects based on the award advantage of the CO2 Performance Ladder, the emissions are allocated based on the financial allocation method (allocation of costs).

3.4 CO2 Footprint Calculations for Previous Years

To calculate the CO2 footprint, the emission data up to and including 2022 have been entered into the Milieubarometer. Subsequently, the total emissions were calculated in tonnes of CO2 per year (scope 1 & 2). The tables and graphs below quantify the emissions per category for each year. In addition, the most important findings are presented for each year. The full footprint calculation is included in Appendix 1.

2019

Table 3.1: CO2 emissions per category 2019 (scope 1 & 2)

Category | Emissions (tonnes CO2)

Scope 1

Mobile machinery | 1.14

Fuel and heat | 22.3

Business travel | 143

Scope 2

Electricity | 25.8

Total | 193

Figure 3.2: CO2 emissions in tonnes by category, 2019 (source: milieubarometer)

2019

Key findings 2019:

■ In 2019, total CO2 emissions within scope 1 & 2 were 193 tonnes.

■ Business travel produced emissions of 143 tonnes per year. This is the largest emission factor of the CO2 footprint (scope 1 & 2).

2020

Table 3.2: CO2 emissions by category, 2020 (scope 1 & 2)

Category | Emissions (tonnes CO2) | ½ 2020 | 2020

Scope 1

Mobile machinery | 0.30 | 0.46

Fuel and heat | 15.2 | 32.4

Business travel | 40.9 | 83.5

Scope 2

Electricity | 11.1 | 22.1

Total | 67 | 138

Figure 3.3: CO2 emissions in tonnes by category, 2020 (source: milieubarometer)

Key findings 2020:

■ In 2020, total CO2 emissions within scope 1 & 2 were 138 tonnes. 67.4 tonnes came from the first half of the year.

■ Business travel produced emissions of 83.5 tonnes per year. This is the largest emission factor of the CO2 footprint (scope 1 & 2). This is lower than in 2019, presumably due to the pandemic.

2021

Table 3.3: CO2 emissions by category, 2021 (scope 1 & 2)

Category | Emissions (tonnes CO2) | ½ 2021 | 2021

Scope 1

Mobile machinery | 0.5 | 0.9

Fuel and heat | 10.6 | 21.2

Business travel | 44.9 | 94

Scope 2

Electricity | 9.43 | 20.9

| Category | Emissions (tonnes CO2) | ½ 2021 | 2021 |

|---|---|---|---|

| Total | 65 | 137 | |

Figure 3.4: CO2 emissions in tonnes in 2021 by category (source: milieubarometer)

Key findings 2021:

■ In 2021, total CO2 emissions from scope 1 & 2 were 139 tonnes. 66 tonnes came from the first half of the year.

■ Business travel produced 94 tonnes of emissions per year. This is the largest emission factor of the CO2 footprint (scope 1 & 2). It is higher than last year, presumably due to the greater amount of work acquired.

2022

Table 3.4: CO2 emissions by category 2022 (scope 1 & 2)

| Category | Emissions (tonnes CO2) | ½ 2022 | 2022 |

|---|---|---|---|

| **Scope 1** | | | |

| Mobile machinery | 0,69 | 0,84 | |

| Fuel and heat | 4,64 | 9,27 | |

| Business travel | 54,06 | 120,31 | |

| **Scope 2** | | | |

| Electricity | 9,43 | 18,9 | |

| Total | 69 | 149,3 | |

Figure 3.5: CO2 emissions in tonnes in 2022 by category (source: milieubarometer)

Key findings 2022:

■ In 2022, total CO2 emissions from scope 1 & 2 were 149 tonnes. 69 tonnes came from the first half of the year.

■ Business travel produced 120 tonnes of emissions per year. At 81%, this is the largest emission factor of the CO2 footprint (scope 1 & 2). It is higher than last year, presumably due to the greater amount of work acquired.

3.5 CO2 Footprint 2023

To calculate the CO2 footprint, the emission data were entered into Excel and multiplied by the prevailing emission factors. The total emissions were then calculated in tonnes of CO2 per year (scope 1 & 2). Table 3.4 quantifies the emissions per category. The full calculation of the footprint is included in Appendix 1. Figure 3.5 shows the distribution by category relative to total emissions, in both tonnes and percentages.

Table 3.4: CO2 emissions by category 2022 (scope 1 & 2)

| Category | Emissions (tonnes CO2) 1st half 2023 | Emissions (tonnes CO2) 2023 |

|---|---|---|

| Scope 1 | | |

| Mobile machinery | 0.19 | 0.41 |

| Fuel and heat | 5.3 | 9.3 |

| Business travel | 40.3 | 91.2 |

| Scope 2 | | |

| Electricity | 12.3 | 25.6 |

| Total | 58 | 126.5 |

Figure 3.5: Tonnes of CO2 emissions in 2023 by category (source: milieubarometer)

The following can be concluded:

In 2023, total CO2 emissions for scope 1 & 2 amounted to 127 tonnes, of which 58 tonnes were emitted in the first half of the year.

Business travel produced 91 tonnes of emissions per year. At 80%, this is the largest source within our CO2 footprint (scope 1 & 2). This percentage is slightly lower than last year, while our electricity consumption increased by approximately 25%. This is probably due to the purchase and use of electric shared cars. Energy consumption has not risen significantly, as more solar panels have been in use in Amersfoort since 2023.

3.6 Scope 3

To calculate the CO2 footprint for scope 3, the emission data were entered into the Milieubarometer. The total emissions were then calculated in tonnes of CO2 for 2019, 2020, 2021, 2022 and 2023. The emission sources consist mainly of hired-in fieldwork and indirect emissions from sample analyses. The table and figure below quantify the emissions per category. The full footprint calculation is included in Appendix 1.

Table 3.5: CO2 emissions by category up to and including 2022 (scope 3)

| Category | Emissions (tonnes CO2) 2019 | 2020 | 2021 | 2022 | 2023 |

|---|---|---|---|---|---|

| Hired-in fieldwork | 8,95 | 1,54 | 1,46 | 0,69 | 11 |

| Sample analyses | 426 | 450 | 270 | 649 | 803 |

| Transport of dredged material | n/a | n/a | n/a | n/a | 1335 |

| Other | 0 | 0 | 0,5 | 1,23 | 1,4 |

| Total | 435 | 451 | 272 | 651 | 2170 |

Figure 3.6: Scope 3 emissions (tonnes per year)

The following can be concluded:

The total CO2 emissions from scope 3 were 435 tonnes in 2019, 451 tonnes in 2020, 272 tonnes in 2021, 651 tonnes in 2022 and 2150 tonnes in 2023.

Compared with 2022, emissions in 2023 have increased. This is partly explained by the fact that more work was carried out in 2023. In addition, since 2023 the transport of dredged material (baggerspecie) has been included in scope 3.

The largest emission source is the transport of dredged material. Within our projects, we always seek to minimise transport distances, but transport cannot be avoided.

Another major emission source is the analysis of samples, mainly due to the drying of sample material.

Emissions from hired-in fieldwork in 2023 are higher than in all previous years (2019, 2020, 2021 and 2022).

3.7 CO2 Footprint Related to Turnover

Subsequently, the total CO2 footprint is related to turnover. The table below provides a summary.

Table 3.6: CO2 emissions by turnover

| Year | Emissions scope 1 and 2 (tonnes CO2) | Emissions scope 1 and 2 (kg CO2/€1,000) | Target | Result (%) Reduction | Corrected for turnover |

|---|---|---|---|---|---|

| 2019 | 189,2 | 47 | Reference | - | - |

| 2020 | 135,8 | 37 | 5,0% | 28% | 22% |

| 2021 | 138,4 | 30 | 7,5% | 27% | 36% |

| 2022 | 149,5 | 29 | 20,5% | 21% | 38% |

| 2023 | 126,5 | 21 | 23% | 33% | 56% |

Emissions are expressed in kilograms per €1,000 of turnover. Because turnover has changed considerably over the years, this is the most effective way to quantify and demonstrate reductions. The targets for the coming years are explained in section 4.2.

3.8 Energy Consumption Analysis

Figure 3.5 shows the breakdown of the various emission sources. The following figure shows that, within scope 1 and 2, business travel is the largest emission source. Within scope 3, sample analyses are the largest emission source (99,8%).

Figure 3.7: Energy consumption by emission source in scope 1 and 2

2019

Fuel & heat (7%)

Business waste (0,50%)

Electricity (8%)

Business travel (82%)

Hazardous waste (0,03%)

Mobile machinery (2%)

Freight transport (0,68%)

2023

Fuel & heat (8,2%)

Electricity (10,8%)

Transport (80,1%)

Mobile machinery (0,36%)

Water and wastewater (0,55%)

2019 is the baseline against which each new year is compared. In 2023, a reduction of 33% can be demonstrated; corrected for turnover, the reduction rises to 56%. The proportions between the various emission sources have remained broadly the same compared with 2019. However, electricity now accounts for a larger share of our total emissions, because we have started driving electric vehicles more.

3.9 Emissions per Scope

The emission sources have been allocated to the three scopes as described in section 3.1. Appendix 1 calculates the CO2 equivalent per scope. The table below summarises this.

Table 3.7: CO2 equivalent per scope

Scope	CO2 equivalent (tonnes CO2) 2019	CO2 equivalent (tonnes CO2) 2023
1 Direct emissions	147	101
2 Indirect emissions	27,2	25,6
3 Other indirect emissions	433	2170

■ The total emissions in scope 1 amount to 101 tonnes per year, which is 46 tonnes less than in 2019. The most significant emission source is the fuel consumption of the field vehicles, with emissions of 64 tonnes per year.

■ Scope 2 has total emissions of 25,6 tonnes per year, which is just over 1 tonne less than in 2019. The most significant emission sources are the purchased electricity for office buildings and the charging of electric cars.

■ Scope 3 has total emissions of 2170 tonnes per year, making it by far the highest scope. The analysis (including drying) of sample material has a major impact on emissions (803 tonnes). These emissions are considerably higher than in 2019, because more sampling and analyses were carried out. In addition, since 2023 the transport of dredged material has been included in our scope 3, and the emissions from this transport amount to 1335 tonnes.

4 CO2 Reduction Policy

4.1 Management Policy Statement

At Tijhuis Ingenieurs, we have in recent years increasingly focused on sustainability, resulting in ever more sustainable choices being made. Part of this is reducing our CO2 emissions in order to obtain the level 5 certificate of the CO2 Performance Ladder. Our objective is to reduce our scope 1 & 2 emissions by at least 25,5% by 2024, compared with 2019. We set the new reduction target for the coming year annually in the management review: the guideline is a 2,5 % reduction compared with the previous year.

We have chosen to achieve level 5 of the CO2 Performance Ladder as our objective because we want to start ambitiously with reducing our CO2 footprint. Since 2019 we have monitored more precisely and can identify more opportunities for CO2 reduction, energy saving and sustainability. During our quarterly company-wide meetings, CO2 reduction and sustainability are a standing item, so that all colleagues remain attentive to the subject. In addition, we have had a sustainability team since 2023.

The whole company must remain informed of our CO2 footprint, and it is the task of the entire organisation to reduce it. The reduction must be traceable to the measures included in this handbook. For reduction, we initially focus on our largest emission sources:

■ Scope 1: Delivery vans (field service vans);

■ Scope 2: Purchased electricity and business travel;

■ Scope 3: Advisory services.

Important steps we want to take in the coming years include greening our vehicle fleet as quickly as possible. Every new lease car will be electric, and our electric cars are already charged using charge cards with guaranteed Dutch green electricity. To reduce traffic from privately owned petrol cars, we have had two electric pool cars in our fleet since June 2023. When a good electric alternative becomes available for our field service vans, we will purchase it as soon as possible. An electric field service van will be delivered in early 2025, with which we will start a pilot. In addition, since 2023 we have had the following ambitious objective: 'in 2030 we want to be CO2 neutral'.

Continuous Improvement

The CO2 reduction process is based on the PDCA system: 'Plan – Do – Check – Act' (see Figure 4.1). This continuously repeating process is aimed at continuous improvement, and with it we aim to safeguard systematic CO2 reduction.

Figure 4.1: PDCA system, source: SKAO

4.2 Scope 1 & 2 Reduction Targets

The target is based on our 2019 CO2 footprint. The ambition for 2024 is a reduction of at least 25,5% in scope 1 & 2 compared with 2019. The tables below show the targets per year and the reduction plan for 2024.

Table 4.1: Targets per year

| Year | Target |

|---|---|

| 2019 | Reference |

| 2020 | 5,0% |

| 2021 | 7,5% |

| 2022 | 20,5% |

| 2023 | 23,0% |

| 2024 | 25,5% |

Table 4.2: Reduction results 2023

| Component | Reduction target 2023 vs 2019 | Emissions 2019 (tonnes) | Emissions 2023 (tonnes) | Already reduced vs 2019 (tonnes CO2) | Already reduced vs 2019 (%) | Reduction target 2024 vs 2019 |

|---|---|---|---|---|---|---|

| Scope 1 2019 | | | | | | |

| Reducing emissions from business diesel use | 32% | 89,8 | 64,4 | 25,4 | 28% | 31% |

| Reducing emissions from business petrol use | 10% | 32,8 | 26,7 | 6,1 | 18% | 20% |

| Replacing outboard motors with electric alternatives | 85% | 1,4 | 0,4 | 1,0 | 71% | 73% |

| Total scope 1 | 26% | 124 | 91,6 | 32,4 | 26% | 28% |

| | | | | | | | |

| Scope 2 2019 | | | | | | |

| Reducing electricity consumption per m² with solar panels | 25% | 25,8 | 20,7 | 7,6 | 20% | 25% |

| Total scope 2 | 25% | 25,8 | 20,7 | 7,6 | 20% | 25% |

| | | | | | | | |

| Total scope 1 & 2 | 23% | 150 | 112 | 38 | 25% | 27% |

*Total percentages are weighted averages.

Table 4.2 sets out the most significant emission sources for each scope. These sources offer the greatest scope for reducing our emissions. The reduction in emissions is shown for each component. The measures to achieve this reduction are included in the energy management plan in chapter 5.

In February 2024, the targets and results were assessed and new goals were set. For the time being, a total reduction of at least 2,5% per year appears achievable.

Reflection on emission reduction targets within scope 1

■ Reducing emissions from business diesel consumption.

In the first half of 2024, the last old vans will be replaced with the most sustainable diesel vehicles currently available on the market. Unfortunately, the technology is not yet advanced enough for our field workers to drive electric vehicles, as the range of electric vans does not yet meet our requirements. We will, however, carry out a pilot with an electric van at the beginning of 2025, so that we can map out the opportunities and challenges. In 2024 we expect emissions to be the same as or slightly lower than in 2023.

■ Reducing emissions from business petrol consumption.

Over recent years we have won more and more clients and more and more work, and at the same time there has been less and less home working, meaning the number of kilometres driven has increased. The electrification of our vehicle fleet is progressing steadily, so we hope to emit next year the same amount as in 2019 in this category. By 2025 we want 75% of our petrol cars to have been replaced by electric cars; after that we hope to tighten our target further. By encouraging the use of shared electric cars, we hope to reduce the use of petrol cars in the short term.

■ Replacing outboard motors with an electric alternative.

In 2022 we purchased electric outboard motors for all field work teams. 2023 was the first year in which as much as possible was sailed fully electrically. A small amount of emissions remains, because electric motors sometimes do not meet requirements in projects involving a lot of boating. There is no longer any possibility for improvement here. This target will be replaced by a new target in 2024.

Reflection on emission reduction targets within scope 2

■ Reducing electricity consumption per m² with solar panels.

Our electricity consumption is rising because we are electrifying our vehicle fleet. In 2023 we therefore invested in additional solar panels on the roof of our premises in Amersfoort. We hope to maintain a reduction of approximately 25% compared with 2019 in 2024 as well. Further reduction through solar panels on our own buildings is no longer an option after 2024 (2024 will be the first year with the maximum number of solar panels).

Future plan

As already mentioned in the reflection above, for some of the targets the maximum reduction has been achieved (outboard motors) or is within reach (solar panels). In 2024 we will therefore set new targets per scope.

4.3 Reducing CO2 in our chain

At Tijhuis Ingenieurs, the transport of dredged material (per axle), the hiring of field work and commuting are the most material emissions within scope 3. This chapter elaborates on these three

components. For the transport of dredged material (per axle), which by far produces the largest emissions in our chain, a summary of the emissions generated in 2023 is also provided.

Commuting

Our employees' commuting generates a relatively large CO2 emission. Through the commuting allowance and expense claims, we have a fairly accurate picture of the kilometres driven in private cars. Commuting falls under scope 3 according to the standard rules, but we try to work on it just as much as on emissions within scope 1 and 2. The measures we take in the area of transport in scope 1 and 2 therefore also apply to commuting. Our target for commuting is thus the same as our target for business travel.

Hired Fieldwork Staff

The quantity of CO2 emitted by our hired fieldwork staff when driving to our sites is significant. We make these emissions as transparent as possible. Using the invoices from external parties, we can see how much work they carry out for us. Based on average output and average daily driving distance (derived from our own fieldwork team), we estimate how many kilometres they drive on our behalf. Unfortunately, we have little influence over the sustainable choices made by external parties. Our objective is to give preference, when selecting external workers, to self-employed individuals (zzp-ers) and companies that place sustainability high on their agenda.

Transport of Dredged Material

When carrying out dredging work, we have the greatest influence over CO2 emissions from transporting dredged material per axle. Examples include encouraging the processing of dredged material on adjacent plots, reducing the average transport distance, using sustainable fuels and other initiatives. Ultimately, we aim to be CO2-neutral by 2030. The following table summarises the emissions for 2020, 2021, 2022 and 2023.

The report "Rapport ketenanalyse 2023" describes the results and new targets in detail. The summary below outlines these points.

To achieve the desired reduction of 40%, we have formulated the following sub-targets that contribute to the desired result:

■ The use of HVO biodiesel instead of regular diesel.

■ Reducing the average transport distance.

■ Supplying CO2 emissions as standard in the WIT multi-year plan.

In the coming years, the above targets must become a matter of course, and we remain open to even more sustainable solutions at all times.

Transport of Dredged Material: Summary 2023

By steering towards spreading dredged material on the banks, 1019 tonnes of CO2 have been saved on the transport of dredged material by lorry.

The objective was to reduce emissions (scope 1+2) during project execution in 2023 by 40% compared with 2021, which equates to a reduction of 50,6 tonnes of CO2. Table 4.3 summarises the outcomes of the calculation.

Table 4.3: Emissions for PMC activity "Transport per axle".

| Year | Dredged (m3) | On the banks (%) | Transport (%) | Sustainable fuel (%) | Average transport distance | Emissions per m3 (kg CO2) | Total emissions (tonnes CO2) | Reduction vs regular fuel (tonnes CO2) |

|---|---|---|---|---|---|---|---|---|

| 2020 | 287.439 | 63 | 37 | 49 | 1,23 | 354 | 0 | |

| 2021 | 303.623 | 30 | 70 | 51 | 2,46 | 748 | 160 | |

| 2022 | 405.317 | 50 | 50 | 49 | 1,62 | 657 | 26,8 | |

| 2023 | 709.192 | 35 | 65 | 44 | 1,9 | 1335 | 20,6 | |

The following points should be noted with regard to the table:

■ Considerably more projects were carried out in 2023 than in 2022.

■ In 2022, sustainable fuels were used in 5 projects. This saved 20,6 tonnes of CO2.

■ In 2022, we carried out 12 projects with sustainability as an award criterion. These projects emitted 8,7 tonnes of CO2. The projects with an award advantage, including the calculated emissions, can be found in Appendix 3.

■ For the sub-target "processing a proportionally greater share of dredged material on adjacent banks", the proportion in 2023 is comparable to that in 2022.

■ The target "Reducing the average transport distance" was achieved in 2023, with the distance reduced by 5–7 km.

CO2 Performance Ladder Level 5

Handbook: Annual Report 2023

19

Version 1.0

In addition, in 2023 we took the following positive steps:

■ In the 'Hennipsloot en zijsloten te Zevenhuizen' project, drying the sludge meant that only 4,000 m³ was removed instead of 11,339 m³. Drying also resulted in a total of 46 tonnes less CO2 being emitted by lorry transport.

■ By dredging hydraulically, lorry traffic was limited in 2 projects.

■ In one project, HVO50 was also used for the dredging equipment. Unfortunately, the resulting saving is not yet quantifiable.

Conclusion 2023

By reducing the number of transport kilometres, 33% (weighted percentage) less CO2 per m³ of dredged material was emitted. This means that 1,019 tonnes more CO2 would have been emitted had all the dredged material been removed (see chain analysis). The use of HVO fuel also achieved a reduction of 18 tonnes of CO2. Furthermore, in one project 46 tonnes of CO2 was saved on transport because the dredged material was dried. This means that our scope 1 & 2 emissions are well below the reduction achieved in our projects.

4.4 Conclusion on Achieving Objectives

Table 3.8: Conclusion on achieving objectives

| Emissions | 2019 | Target for 2023 | Emissions 2023 | Reduction | Achieved? | Target for 2024 |

|---|---|---|---|---|---|---|

| Scope 1 | 166.4 | 23% reduction | 100.9 | 39.4% | Yes | 32% reduction |

| Scope 2 | 25.8 | 23% reduction | 25.6 | 0.8% | No | 3% reduction |

| Scope 1 & 2 | 192.2 | 23% reduction | 126.5 | 34.5% | Yes | 26.1% reduction |

| Scope 3 | 435 | 40% reduction of scope 1 and 2 in projects (50.6 tonnes CO2) | 2,170 | 1,019 tonnes CO2 | Yes | 100% reduction of scope 1 and 2 in projects (? tonnes CO2) |

4.5 CO2 Sample Analyses

The most significant Scope 3 emission source is the laboratory. For the analysis of our samples, it emits 803 tonnes of CO2 per year. Our supplier is currently orientating itself towards achieving the CO2 Performance Ladder. The laboratory has stated that it aims to be fully climate neutral by 2025. It is currently certified to ISO 14001, which supports sustainable business practice. We have not set a target for the laboratory's current emissions. Reasonably, there are no opportunities for Tijhuis Ingenieurs to achieve reductions, as we have no influence over the choices of other companies.

The contract with this supplier ran until the end of 2022. In July 2022, we launched a new selection round. In it, the level of CO2 emissions and the laboratory's ambition were taken into account in assessing the new supplier. Going forward, we will include CO2 emissions in the supplier assessment for all critical suppliers. Our supplier, the laboratory, remained the same after the new selection round. We continue to discuss with the laboratory the sustainability of, for example, logistics and the use of packaging (see Table 5.3).

4.6 Renewable Energy

The most significant Scope 2 emission source is the electricity consumption of our offices. By using alternative energy sources, we aim to reduce this. In January 2021, solar panels were installed on the roof of our office in Amersfoort, and in the second half of 2023, the same number of solar panels was added. Tijhuis Ingenieurs holds a 40% share in these. This resulted in 19.200 kWh of renewable energy in 2021, equivalent to a saving of 10 tonnes of CO2. In 2022, the solar panels yielded 17.400, equivalent to a saving of 9.1 tonnes of CO2. In 2023, the solar panels yielded 19.000, equivalent to a saving of 9.9 tonnes of CO2. Solar panels were also installed by the landlord at the office in Hoorn in 2022, which is estimated to save approximately 6.8 tonnes of CO2. The yield from the additional solar panels in Amersfoort will be available from 2024, but is estimated at approximately 37.000 kWh.

4.7 Green driving

Making the vehicle fleet more sustainable

In January 2022, the 'Leaseplan Tijhuis Ingenieurs' was launched. This is a first step towards making electric driving the norm. From now on, all lease cars that need to be replaced will be replaced with electric variants over the coming 3 to 5 years.

Making field service vans more sustainable

Replacing diesel field service vans with electric ones is currently still a technical challenge. Our field service vans are heavily loaded, and field workers drive many kilometres per day. Because Tijhuis Ingenieurs likes to pioneer in the field of sustainability, we have nevertheless decided to start a trial with an electric field service van as soon as possible. The first electric field service van is expected to be delivered at the beginning of 2025. Eurofins Analytico faces the same problems and would like to work with us.

Electric pool cars – reducing journeys by private cars

In February 2023, it was announced that Tijhuis Ingenieurs would come into possession of two electric pool cars in August 2023. In the end, both cars were delivered as early as June 2023. There is now an electric car at both the Hoorn office and the Amersfoort office. These shared cars may be used by all employees for business journeys and for travel between the two offices. In this way, we limit journeys by private cars, which are not always very fuel-efficient. This allows us to make business travel more sustainable and reduce CO2 emissions in that area. This is the solution to the high share of business travel in our CO2 emissions at present.

Sustainable charging cards

For both the electric lease cars and the electric pool cars, Tijhuis Ingenieurs has purchased charging cards from a sustainable energy supplier, with which Dutch green electricity can be charged. This means that from 2024 onwards, we can be certain that all cars are charged on the road with truly sustainable energy.

5 Energie managementplan

De meest kosteneffectieve manier om CO2-uitstoot te beperken is het besparen van energie. Dit kan gedaan worden door efficiëntere apparatuur en zuinigere voertuigen te gebruiken. Wanneer dit niet mogelijk is, kan dit opgelost worden door duurzame energie en brandstoffen te gebruiken.

De CO2-prestatieladder werkt met 3 scopes:

■ Scope 1: alle emissies door gas (voor bijvoorbeeld gasboilers, warmtekrachtinstallaties en ovens) en brandstof voor het eigen wagenpark en materieel.

■ Scope 2: alle emissies die ontstaan door de opwekking van elektriciteit die de organisatie gebruikt, emissies door zakelijke vliegkilometers en emissies door zakelijk gereden kilometers met privéauto's.

■ Scope 3: betreft alle overige indirecte emissies.

Dit hoofdstuk bespreekt de reductiemaatregelen die wij kunnen nemen. Hierin is onderscheid gemaakt tussen de verschillende scopes en ambities. Verder hebben we ook de maatregelen opgenomen die al zijn genomen, los van de prestatieladder.

5.1 Maatregelen voor CO2-reductie

De maatregelen komen uit de lijst die opgezet is door de SKAO. Vanuit de Milieubarometer zijn maatregelen gekozen voor de 3 scopes. De lijst is als bijlage 2 opgenomen. Jaarlijks wordt de voortgang en effectiviteit van de maatregelen getoetst tijdens de directiebeoordeling.

Tabel 5.1: Scope 1 - brandstof

Maatregel | Reeds voldaan | Gepland | Te onderzoeken

Zakelijk verkeer

Oplaadpunt voor elektrische voertuigen | Zowel bij vestiging Amersfoort en Hoorn zijn 2 plekken beschikbaar. In het leaseplan worden mogelijkheden aangeboden voor laadpalen thuis. | | Hoe garanderen we dat voor het opladen bij de kantoren groene stroom wordt gebruikt?

Duurzame laadpassen | Laadpassen voor duurzame energie aangeschaft. | Altijd in de gaten houden hoe duurzaam de laadpassen zijn en of er duurzamere alternatieven zijn. | Is de elektriciteit die wordt geladen met de huidige laadpassen 100% Nederlands en duurzaam?

Elektrische leaseauto's | 5 werknemers rijden in een volledig elektrische auto. | Leaseplan opgesteld, elke nieuwe leaseauto wordt (redelijkerwijs) een elektrische variant | Elke nieuwe leaseauto wordt (redelijkerwijs) een elektrische variant. Hoe zorgen we ervoor dat we zo snel mogelijk zo efficiënt en veel mogelijk elektrisch rijden? Welke auto's? Wie krijgen als eerste een elektrische auto?

Elektrische deelauto's | Er zijn elektrische deelauto's aanwezig, 1 bij kantoor Amersfoort en 1 bij kantoor Hoorn. | Gebruik van deelauto's stimuleren. |

Elektrische veldwerkbussen | Elektrische veldwerkbus besteld voor pilot, verwachte levering in januari 2025. | Proef met elektrische veldwerkbus zodra er veldwerkbussen zijn die (mogelijk) voldoen aan de eisen voor ons werk. | Ontwikkelingen op het gebied van elektrische bussen (accuduur) in de gaten houden. Onderzoeken welke bus voldoet aan de eisen voor het type werk. Voordelen versus nadelen?

Schone/zuinige bestelauto's | Alle veldwerkbussen zijn recente modellen, voorzien van roetfilters en AdBlue-motoren. | | Waar kunnen de schone bussen HVO tanken, hoe borgen we dit?

Banden op spanning | Elke 3 maanden bandenspanning van bussen en leaseauto's controleren. | Elke 3 maanden bandenspanning van bussen en leaseauto's controleren. |

Brandstofbesparende apparatuur | Veldwerkbussen: • Cruise control • Schakeladvies | | |

Measure | Already implemented | Planned | To be investigated

• Start-stop system for new buses | Energy-efficient driving style, eco-driving | We have a young fieldwork team. They learned this when obtaining their driving licences. | Fuel savings to be discussed and brought to attention during fieldwork meetings | Online education module?

Choose the best tyres (rolling resistance) | The leasing company takes care of maintenance for the buses and lease cars. | Make careful trade-offs between costs and "eco" tyres at purchase | Can we choose tyres with lower rolling resistance? What benefit can we achieve in terms of CO2 reduction and costs?

Promote cycling | Since the end of 2023 we have provided a cycling allowance equal to the mileage allowance for commuting car trips, for all colleagues who cycle between 0 and 30 km. | Design a cycling plan for all colleagues. | Folding bicycles for fieldworkers | Investigate whether purchasing bicycles for fieldworkers is cost-effective. | Explore possibilities for use within fieldwork.

Gas & heat | Optimising the control (of start-up) of heating | Optimise the control (of start-up) of heating | Optimising the control (of start-up) of heating | Optimising the control (of start-up) of heating | Improve insulation | Improve insulation | Improve insulation | Improve insulation | Time switch clock for space heating | Time switch clock for space heating | Time switch clock for space heating | Time switch clock for space heating | Improve draught sealing | Improve draught sealing | Improve draught sealing | Improve draught sealing

Table 5.2: Scope 2 – Electricity

Measure | Already implemented | Planned | To be investigated

Electricity | Sustainable energy contracts: For both the Hoorn office and the Amersfoort office, it is being investigated whether sustainable energy contracts are, or can be, concluded by the landlord. | Switch off equipment outside working hours | (Future) electric cars. Use charging passes with which electric cars are always charged with genuine Dutch green electricity. | Continuous monitoring that charging passes supply Dutch green electricity.

Solar panels (PV panels) | Solar panels were installed on the roof of the Amersfoort office in 2021. Tijhuis Ingenieurs holds a 40% share. In 2021 this amounted to 7,501 kWh (4.2 tonnes CO2). Halfway through 2023, more solar panels were installed in Amersfoort. In 2024 we will be able to read off the annual yield from these. | In 2022, 615 solar panels were installed by the landlord of our Hoorn premises. We use 6% of the building, which amounts to approximately 36 solar panels. This generates 12,789 kWh per year (6.2 tonnes CO2). | Are there possibilities for more accurately quantifying solar power generated in Hoorn?

Digital meetings where possible, for both internal and external meetings | In 2020, most meetings took place digitally. As a result, electricity and fuel use decreased. Employees are now given the option to work from home 1–2 days, this | Keep interim external project meetings digital. Start-up meetings remain according to the regular method.

Measure | Already implemented | Planned | To be investigated

leads to a reduction in home-to-work traffic.

We encourage clients to hold interim and short meetings online.

Energy-efficient electric motor

All field teams have an electric outboard motor. Where possible, it is used. Besides CO2 reduction, this also benefits working conditions.

Investigate how to make the electric outboard motors last as long as possible.

Capacity-controlled room ventilation

The air conditioning at the Amersfoort office (not present in Hoorn) is adjusted based on the occupancy rate of the room in the building.

Switch lighting per (part of) room

In the offices, lighting can be switched on per room or segment. Given the occupancy rate of the offices, it appears unnecessary to further divide the segments with switches.

Room empty: lights off by sensor

Main lighting is switched off at the end of the day. Spotlights switch off automatically.

Replace fluorescent lighting with lighting with starters

Purchase fluorescent tubes with electronic ballasts, or LED fluorescent tubes, for the Hoorn and Amersfoort locations.

Replace halogen lamp: replaced with LED lighting

LED emergency lighting

Energy-efficient outdoor lighting (replace halogen and high-pressure mercury lamps)

Amersfoort: replaced with LED lamps

Desktops, laptops and monitors with Energy Star

Laptops from 2019 onwards carry this certification. Older laptops have now almost all been replaced.

Process: continue to give priority to equipment with low standby consumption or a more favourable energy label.

Centralised printing and copying

Annual effective management and maintenance of (recognised) energy measures

Each year, assess whether the planned measures are functional, whether they are being maintained, and what the progress of implemented measures is.

New toilets

Due to the new toilets at the Amersfoort office, a large amount of water is saved, via a small and large button.

Apply stickers showing water consumption to toilets.

Table 5.3: Scope 3 – Advice & Transport of Dredged Material

| Measure | Already achieved | Planned | To be investigated |

|---|---|---|---|

| Construction projects. Advice: transport of dredged material per axle (distance and fuel) | Objective partly achieved:
• Use of sustainable fuels in 5 projects
• Sustainability as an award criterion in 12 projects | Reduce 40% of our own scope 1 & 2 during construction projects, through:
• method of processing (on-site or removal),
• transport distance (choosing a processing location nearby),
• sustainable fuels (specifying HVO instead of diesel) | Do we have sufficient influence over 'on-site processing' and transport distance? Or does our influence lie precisely in the type of fuel or the equipment deployed?
• Reduce our complete scope 1 & 2 during construction projects within 5 years. |

| Reuse of sample pots | | Remain in discussion with Eurofins Analytico to stimulate and investigate the reuse of packaging. | Keep monitoring opportunities for the reuse of packaging. |

| Electrifying logistics Analytico | Analytico has indicated its willingness to work with us. | Pilot with Analytico to trial an electric fieldwork van at Tijhuis Ingenieurs in order to reduce transport emissions. | |

| Optimising logistics (Eurofins Analytico) | | | What are the possibilities, in collaboration with Eurofins Analytico and other companies, for driving a more efficient route? |

Scope 3 Measures

To measure and achieve this objective more accurately, the points below are applied. Various examples are given under each component.

■ **Creating insight and awareness (internal and external) by:**

gaining greater insight into the transport choices and options of contractors, through (source) research;

creating broad internal awareness of the opportunities for CO2 emission reduction in the transport chain. This concerns knowledge of cleaner fuels for transport equipment, knowledge of techniques for reducing the volume of process water, and so on;

creating awareness among our clients during the preparation phase of CO2 reduction opportunities in the transport chain. Once the scope of a project is known, we prepare a sustainability report.

■ **Making objectives and measures measurable by:**

preparing sustainability reports.

Once the scope of a project is known, we prepare a sustainability report. In it, we calculate the CO2 emissions and identify the reduction opportunities in the transport chain. A calculation template is also added, with which the impact of the CO2 reduction measure in the transport chain can be calculated directly. The final choice is then incorporated into the specification at a later stage;

drawing up EMVI criteria for sustainability (fitting within the sub-objectives). The client must reward these alternatives with a significant (notional) discount;

making current CO2 emission reduction measures of the hauliers transparent, so that we can then steer more explicitly towards areas for improvement and make a comparison between 2020 and the future.

■ Making our working methods more sustainable by:

• prescribing low-CO2 or zero-CO2 alternatives, such as hybrid lorries, hybrid cranes or lorries that run on cleaner fuel;

• innovating to reduce transport movements.

As a company, we are looking into methods of reducing the number of transport movements of dredged material. Forward-looking solutions are being mapped out to highlight the importance of such solutions to the client at an early stage of a project. One example is thickening sludge through the use of flocculant, which substantially reduces the process water and means that a smaller volume of dredged material needs to be removed. This results in considerably fewer transport movements for the same quantity of dredged material.

Progress on reduction targets and measures is included in internal communications every six months. In the next version of the CO2 Handbook (2024), these measures will be updated again.

6 Chain Initiatives

This chapter discusses our active participation in chain initiatives. These initiatives are set up to make both our own organisation and the sector aware of the possibilities and benefits of CO2 reduction.

6.1 Possible Initiatives

We see the following opportunities:

■ Providing input at meetings;

■ Setting up innovations;

■ CO2-conscious procurement.

An annual budget of at least € 2,500 excluding VAT has been set for participating in and setting up initiatives. This is included as a fixed item in the annual budget.

For the period up to and including 2024, we are actively looking for chain initiatives to participate in and are exploring the possibilities for setting them up ourselves. Section 6.2 lists the initiatives already under way, including their potential impact on CO2 reduction in the chain.

6.2 Ongoing Initiatives

Automating Our Work Processes

In recent years we have invested heavily in automating our work processes. As a result, far less is printed, and field workers no longer need to go to the office every day to collect and deliver their work. This has led to a significant CO2 reduction (this is before 2019 and has not been quantified).

We have developed the following applications, which are relevant to CO2 reduction:

■ WIT Metingen;

■ WIT Meerjarenplanning;

■ WIT Data;

■ WIT Uitvoering;

■ WIT Waterpaspoort.

We also offer these applications to our clients so that they too can contribute to reducing CO2 emissions in the chain.

Sustainable Supplier

'Duurzame Leverancier' is a knowledge platform for companies and organisations that wish to operate safely and responsibly. The platform offers the opportunity to take part in sounding board meetings and to exchange knowledge and information. We are a member of this platform.

On 4 February 2024, Duurzame Leverancier published an interview with one of our directors. The article can be found online at: duurzameleverancier.nl/blog/81/In-the-spotlight:-Myrte-Tijhuis,-eigenaar-van-Tijhuis-Ingenieurs

SKAO Membership

In the run-up to certification, we became a member of SKAO. Through this platform we can take part in sounding boards, webinars and other meetings. We actively participate in these: as a minimum, the following employees take part in at least one initiative each year: Director (M.M.A. Tijhuis), CO2 project leader (E. Reus). In addition, we give our colleagues the opportunity to take part in these initiatives through an open registration process.

Sustainable Materials and Equipment

We use sustainable materials wherever possible. CO2 is already emitted during the production of every piece of equipment used. By using sustainable materials, CO2 emissions are reduced.

We are taking the following initiatives:

■ Titanium piston corer

We have developed a titanium piston corer. It is lighter and, above all, much stronger, so it wears out less quickly. This piston corer is (in addition to better ergonomics) much more sustainable than the conventional steel variant. Initially, we developed this corer for our own fieldwork team, but it is now also used by various water board laboratories and water boards. We also allow other companies to benefit from this innovation; several companies have purchased piston corers from us.

■ Titanium dipsticks

Just like titanium piston corers, titanium dipsticks are lighter and more sustainable than the conventional variant. The design was created in 2022 and is still being further developed.

■ Sustainable fieldwork vehicle inventory

We are also examining the inventory of the fieldwork vehicle to identify plastic equipment that can be replaced with a more wear-resistant alternative, for example stainless steel (rvs) buckets instead of plastic ones.

■ Electric outboard motors

The petrol engines used on the boats during fieldwork are being replaced with electric motors wherever possible. Each fieldwork team has access to an electric motor.

Planting Greenery

We support sustainable initiatives such as Hoop heggen (www.hoopheggen.nl). Hoop heggen has the following mission: 'To plant as many hedges as possible with as many people as possible. Our mission is successful when we plant as many hedges as possible with as many people as possible each year. We are thinking of 20 kilometres for the coming planting season, but hey, if we do it together, the sky is the limit! As long as we make a positive contribution to biodiversity. Every extra hedge creates more biodiversity and a healthier earth. Hedges form connections for animals in the landscape and connect people when we plant them together. Help plant, donate, or offer a place!'

Planting greenery contributes to a sustainable society. This is not only good for biodiversity. A green outdoor environment also contributes to CO2 reduction. In October 2021, our entire company spent a day planting hedges. In total, 400 metres of hedge were planted, which corresponds to approximately 6 tonnes of CO2 compensation (compensation of 15 kilograms of CO2 per metre of hedge, source: https://hoopheggen.nl/doneer/#nu_doneren).

In 2023, Tijhuis Ingenieurs again sponsored Hoop heggen. In addition, one of our directors, Myrte Tijhuis, was interviewed by HoopHeggen in 2023. In 2024, we hope to contribute again by planting

hedges with the team for a day.

Phi-factory

Een van onze directeuren, Myrte Tijhuis, is geïnterviewd door Phi-factory. Hiermee hopen wij andere bedrijven te inspireren ook aan de slag te gaan met duurzaamheid. Het interview is hier te vinden: Aan de slag met het Waardenwiel bij Tijhuis Ingenieurs (phifactory.com)

CO2-Reductie zakelijk verkeer

In 2018 hebben wij op onze locaties in Hoorn en Amersfoort elk twee laadpalen voor elektrische auto's laten installeren. Hiermee hebben we de weg vrijgemaakt voor het verduurzamen van ons wagenpark. Inmiddels rijden er van de 16 leaseauto's 7 elektrisch. Daarnaast hebben we sinds juni 2023 twee elektrische deelauto's. Deze kunnen gebruikt worden door alle collega's voor zakelijk verkeer en woon-werkverkeer. Onze doelstelling is dat in 2025 75% van het wagenpark elektrisch rijdt. Voor onze veldwerkbussen is dat, vanwege de capaciteit van de accu's in relatie tot de gereden afstanden per dag, met de huidige technieken een uitdaging. In samenwerking met de leasemaatschappijen en ons laboratorium zoeken we de mogelijkheden voor het verduurzamen van het wagenpark. Daarnaast zoeken wij naar oplossingen om transportafstanden te verkleinen, bijvoorbeeld door in gesprek te gaan met het laboratorium. Verder voeren we gesprekken met de aanbieders van leaseauto's en de door hen aangeleverde rapporten van CO2-uitstoot. Dit heeft geleid tot de aanschaf van een elektrische veldwerkbus, waarmee we begin 2025 een pilot zullen starten (geplande levering bus is in januari 2025). Wij hopen voor die tijd een goede werkwijze te ontwikkelen waarbinnen deze bus goed bereikbaar is.

7 Communication Plan for the CO2 Performance Ladder

This chapter sets out our communication plan, describing how we communicate with internal and external target groups about CO2 reduction and our objectives.

Responsibilities

The internal and external communication of the CO2 Performance Ladder and related documents is the responsibility of the CO2 project group, under the direction of the management team. E. Reus, as project leader, is responsible for keeping the CO2 portfolio up to date. In collaboration with the communications officer (E. Stienstra), the information is published and maintained on the own website and social media channels of Tijhuis Ingenieurs.

7.1 Target Groups

Internal target group

The internal target groups of Tijhuis Ingenieurs are the management board, office staff (advisers, geodata and administration) and the field team. The group consists of approximately 50 people. Our employees are highly engaged. Our objective is to make the entire organisation even more aware of our CO2 emissions, reduction targets and sustainable choices in general.

External target groups (stakeholders)

The external target groups are (prospective) clients, contracted staff, partners and (prospective) suppliers. Our most important client is the government (water boards and municipalities). The government considers it important that organisations act in a socially responsible manner. Our objective is to make as many external parties as possible aware of the importance of CO2 reduction. We also like to show what we are doing to become more sustainable, for example by reducing our CO2 emissions. Our clients can contribute to sustainability through their procurement policies.

Positioning

Tijhuis Ingenieurs aims to be a pioneer in sustainability within our sector. By achieving level 5 on the CO2 Performance Ladder, we demonstrate that we are contributing to a clean future. In addition, through the measures and initiatives we have taken, we want to encourage the industry to reduce its CO2 emissions as well. It is no coincidence that our slogan is:

'Tijhuis Ingenieurs: Sustainable advice in and around water'

7.2 Communication Objectives

Internal objective

All colleagues know how they can contribute to CO2 reduction and sustainability within Tijhuis Ingenieurs. Colleagues also know what steps the company has taken, and they think along about

the measures to be taken.

External objective

It is clear to external parties that we operate in an environmentally conscious way, because we consider sustainability very important. In addition, we show that increasingly socially responsible business practice is high on the agenda at Tijhuis Ingenieurs.

7.3 Communicatiemiddelen – wanneer ga je die inzetten?

In ons communicatieplan hebben we opgenomen op welke wijze wij intern en extern communiceren. In onderstaande tabel is een samenvatting gegeven van de communicatiemomenten.

Table 7.1: Overview of communication moments

| Communication tool | Scheduled in / frequency |

|---|---|

| **Internal communication** | |

| Social media / Slack / start of the month | Bimonthly (after sustainability meeting) |

| Sustainability during quarterly presentations | March – June – October – December |

| Start of the month | Monthly (sustainability progress and CO2 reduction) |

| Keeping information up to date on the SKAO website | March and September (after calculating footprint) |

| Part of internal newsletter | Twice a year (after calculating footprint) |

| **External communication** | |

| News items, social media | Bimonthly (after sustainability meeting) |

| Publication on the website | March and September (after calculating footprint) |

| Newsletter | March (after annual audit) |

| Annual report | March (after annual audit) |

Publication topics

■ CO2 footprint and reduction targets;

■ Measures that have been / are being taken;

■ Projects obtained thanks to the CO2 Performance Ladder;

■ Initiatives and ideas from colleagues, clients, subcontractors or suppliers.

Post-certification process

This document has been prepared in preparation for our certification for the CO2 Performance Ladder, level 5. Once the handbook and associated documents have been approved by an external certification body (CB), the public documents will be published on the Tijhuis Ingenieurs website.

Quarterly presentations and start of the week

Verbal communication always takes precedence over written communication when we wish to communicate extensively about CO2 and sustainability. In this way, sustainability becomes an even greater part of life within the company, so that employees are more inclined to think about it while

working on projects.

In 2023, therefore, all quarterly presentations and some of our monthly meetings included a focus on sustainability, with the whole company in attendance. On 15 September 2023, the quarterly presentations were devoted entirely to sustainability. On this day, a presentation was given on the CO2 Performance Ladder, among other things, in which our emissions for 2022 and 2023 (and more) were discussed. During these verbal communication moments, employees are encouraged to participate and think along. Examples of this include:

■ During one of the quarterly presentations in 2022, all employees were asked to fill in a form. The form asked for ideas to improve the company's sustainability.

■ During the quarterly presentation on 15 September 2023, a lively discussion was opened by means of questions to the audience (the employees of Tijhuis Ingenieurs).

■ During the start of the month (monthly meeting), colleagues are regularly made aware of sustainable innovations and achievements, after which there is always room for questions.

8 Assurance

8.1 Internal Audit

Scope

The internal audit reviews the Manual and all other documents relating to the Portfolio.

Implementation

The KAM coordinator carries out an internal audit annually in the first quarter. This is conducted in parallel with the other internal audits (ISO/VCA/BRL). It is recorded on the audit form together with the self-assessment. The results are discussed with the MT and the Board of Directors, and follow-up steps are drawn up on that basis.

If shortcomings are identified, objectives are set and deadlines are established. A summary of this analysis is included in the annual management review.

Roles

Board of Directors/MT: Responsible for the assessment and follow-up steps;

KAM coordinator: Carries out the internal audit and assesses any follow-up steps;

Auditee: The party being audited;

CO2 project leader: Collects data for the documents required for the CO2 certificate.

Content of the audit report

The audit report records how the company functions under the CO2 Performance Ladder. For each requirement of the CO2 Ladder and each internal objective, the following is examined:

■ Are we making progress in achieving the objective underlying the requirement?

■ Which additional measures do we need to take to achieve this? Consider not only technical measures, but also awareness, attitude and behaviour.

The results are included as input for the management review and discussed with the Board of Directors.

8.2 Management Review

The management review is an evaluation of the past year, compared with the previous year. Key points are: have the objectives been met, where do we see improvements, and how do we achieve them?

Scope

Covers all processes relating to the CO2 Performance Ladder within business operations.

Implementation

The KAM coordinator and the Board of Directors assess the company's quality system annually. From now on, the CO2 Performance Ladder will also be included, using the following questions:

■ Is the CO2 Performance Ladder functioning within the company as intended, given our performance against the objectives for each requirement?

■ Are the existing measures sufficient to achieve the reduction targets?

■ Are the reduction targets still sufficiently ambitious?

■ Is the initiative still sufficiently useful? Does it still align with reduction opportunities? Can we still provide sufficient information in the coming period?

■ What can we improve, and which improvement do we tackle first?

■ Is the collection of data proceeding well, is it of sufficient quality, and do we have adequate insight?

■ Which new challenging measures can we test in a pilot in the coming period?

■ Do we want to progress to a higher level?

■ Should we adjust the use of a measure where monitoring shows that it is not effective?

■ Have the improvement points from internal and external checks and audits been addressed and implemented?

Roles

Directorate/MT: Responsible for the review and follow-up steps.

KAM coordinator: Collects the required documents and carries out the management review together with the Directorate.

CO2 project leader: Auditee.

8.3 Publications

Purpose

Publishing the CO2 data on the Tijhuis Ingenieurs website and keeping the publicly available documents, such as the CO2 handbook and the associated publications and documents, up to date.

Scope

This concerns documents relating to the CO2 Performance Ladder that are publicly available.

Method

Measurement data is recorded periodically, such as meter readings and fuel consumption. We use this to complete the Milieubarometer annually and compare the results to map CO2 reductions. The handbook and other data are updated and shared publicly on our website. This step is carried out in the first quarter in preparation for the external audit.

Tijhuis Ingenieurs Website

Our website meets at least the following requirements:

■ It can be accessed under the name of the organisation (as stated on the certificate) and subsequently via the term "CO2 Performance Ladder" or "CO2 policy".

■ It contains at least the required information (and documentation) as stated in the explanatory notes to the requirements of the SKAO CO2 handbook. This information remains available on the internet for at least the duration of the certificate, with a minimum of 2 years.

■ The organisation provides a clear link to the organisation page on the SKAO website where the documents for requirements 4.A.1, 3.D.1, 4.D.1 and 5.D.1 can be found.

■ A complete copy of the valid certificate is displayed on the organisation's website.

■ In the event of changes to requirements 1 to 5 of the CO2 handbook, the website will be updated within 4 weeks of the information being finalised.

■ Publishing on social media is not considered communication on the organisation's website. Publications via social media may be used as a supplement.

Publication of Tijhuis Ingenieurs BV on SKAO

This website can be found at www.skao.nl.

Tijhuis Ingenieurs B.V.

March 2024

CO2 Performance Ladder Level 4

Handbook

ANNEX 1: CO2 FOOTPRINTS

CO2 PERFORMANCE LADDER LEVEL 5

APPENDIX 1: CO2 FOOTPRINT 2022 (PART 4.A)

V1.0

CO2 PRESTATIELADDER NIVEAU 5

Appendix 1: CO2 Footprint 2022 (Part 4.A)

Colophon

Tijhuis Ingenieurs BV

Dampten 24C, 1624 NR Hoorn

Softwareweg 4B, 3821 BP Amersfoort

Madame Curieweg, 8501 XC Joure

Project name: CO2 Performance Ladder Level 5

Part: Appendix 1: CO2 Footprint 2022 (Part 4.A)

Date: March 2024

Number of pages: 2

Version: V01

Status: Final

Archive code: KAM

Compiled by: H.G.S. Reus

Peer review: B. Schilling

CO2 Performance Ladder Level 5

Appendix 1: CO2 Footprint 2022 (component 4.A)

2

Version 1.0

CO2 Footprint

| Component | Description | Theme | Quantity | Unit | CO2 conversion factor | Unit | CO2 equivalent (tonnes CO2) |

|---|---|---|---|---|---|---|---|

| Scope 1 | Natural gas for heating | Fuel & heat | 4477 | m3 | 2,079 kg CO2 / m3 | | 9,31 |

| | Petrol car (in litres), company lease | Business travel | 11721 | litres | 2,282 kg CO2 / litre | | 26,75 |

| | Van (in litres), diesel field service vans | Business travel | 19758 | litres | 3,26 kg CO2 / litre | | 64,41 |

| | Petrol for outboard motors | Mobile machinery | 145 | litres | 2,82 kg CO2 / litre | | 0,41 |

| | **Subtotal (scope 1)** | | | | | **100,9** |

| Scope 2 | Self-generated solar power | Electricity | 19000 | kWh | 0 kg CO2 / kWh | | 0,00 |

| | Purchased electricity | Electricity | 39623 | kWh | 0,523 kg CO2 / kWh | | 20,72 |

| | Electric cars, charging card, lease + pool cars | Business travel | 14593 | kWh | 0,337 kg CO2 / kWh | | 4,92 |

| | **Subtotal (scope 2)** | | | | | **25,6** |

| | **CO2 emissions (scope 1 & 2)** | | | | | **126,5** |

| Scope 3 | Drinking water | Water & wastewater | 127 | m3 | 0,298 kg CO2 / m3 | | 0,04 |

| | Wastewater | Water & wastewater | 874 | m3 | 0,678 kg CO2 / m3 | | 0,59 |

| | Public transport mix | Commuting | 31510 | km | 0,02 kg CO2 / km | | 0,63 |

| | Petrol car, commuting | Business travel | 88962 | km | 0,193 kg CO2 / km | | 17,17 |

| | Car mileage, business use of private car | Business travel | 11416 | litres | 0,193 kg CO2 / litre | | 2,20 |

| | Paper with eco-label | Office paper | 150 | kg | 1,21 kg CO2 / kg | | 0,18 |

| | Sample analyses | Other CO2 sources | 632531 | euro | 1,27 kg CO2 / euro | | 803,31 |

| | Field work kilometres hired in | Other CO2 sources | 36807 | km | 0,291 kg CO2 / km | | 10,71 |

| | Transport of dredging spoil from chain analysis | Other CO2 sources | n/a | n/a | n/a | kg CO2 | 1335 |

| | **Subtotal (scope 3)** | | | | | **2169,8** |

| | **CO2 emissions (scope 1, 2 & 3)** | | | | | **2296,4** |

Version 1.0

TIJHUIS INGENIEURS BV

info@tijhuisingenieurs.nl

www.tijhuisingenieurs.nl

Dampten 24C · 1624 NR HOORN

0229 272 000

Softwareweg 4B · 3821 BP AMERSFOORT

030 686 80 60

Madame Curieweg 27 · 8501 XC JOURE

0513 61 80 80

CO2 Performance Ladder Level 4

Handbook

ANNEX 2: MEASURES

Tijhuis Ingenieurs bv

CO2 Performance Ladder 2024 Measures List Report

Overall measure

CO2 emissions, scope 1 and 2: 144 tonnes

Revenue: 6 126 757 million euros

0 tonnes/million euros

Staff: 43,6 FTE

3,3 tonnes/FTE

Sectors: Consultancy, Facility services, Engineering sector

Overview of measures

Advice: Attention to CO2 reduction in projects NOT obtained with a tendering advantage

Integral measure

Category A

At least 10% of revenue from design contracts shows demonstrable attention to CO2 reduction.

Implemented on 03/2024

In at least 10% of contracts, dredged sediment has been transported per axle as little as possible (demonstrably).

Category B

For more than 50% of revenue from design contracts there is demonstrable attention to CO2 reduction.

Planned for 12/2025

Category C

For all design contracts there is demonstrable attention to CO2 reduction.

Not completed

CO2-related research and innovation

Integral measure

Category A

2% to 10% of the research and innovation budget is spent on topics that can (partly) save CO2.

Planned for 01/2022

Category B

10% to 20% of the research and innovation budget is spent on topics that can (partly) save CO2.

Not completed

Category C

More than 20% of the research and innovation budget is spent on topics that can (partly) save CO2.

Not completed

CO2-related dialogue with major clients

Integral measure

Category A

CO2 reduction is a standing agenda item in periodic meetings with all major clients.

Not completed

N/A (no clients with such a large revenue)

Category B

CO2 reduction is a standing agenda item in periodic meetings with all clients.

Planned for 12/2025

Staff knowledge and attitude regarding CO2 reduction in projects

Integral measure

Category A

5% to 25% of engineers / designers / project leaders have taken a course in which demonstrable attention was paid to the importance, materiality and design methods of CO2 reduction.

Not completed

Category B

25% to 75% of engineers / designers / project leaders have taken a course in which demonstrable attention was paid to the importance, materiality and design methods of CO2 reduction.

Not completed

Category C

More than 75% of engineers / designers / project leaders have taken a course in which demonstrable attention was paid to the importance, materiality and design methods of CO2 reduction.

Not completed

Waste

Use of renewable fuel for waste services

Sustainable energy

Category B

10% to 20% of the fuel purchased for the fleet used for waste services, such as refuse collection vehicles and mobile waste compactors, is demonstrably renewable fuel.

Not completed

N/A

Category C

More than 20% of the fuel purchased for the fleet used for waste services, such as refuse collection vehicles and mobile waste compactors, is demonstrably renewable fuel.

Not completed

N/A

Purchase of auxiliary materials – use of secondary materials

Integral measure

Category A

The company is investigating opportunities to use secondary materials in its own business processes to replace the purchase of virgin material.

Planned for 01/2022

Ongoing process, including research into reusable sample pots

Category B

The company uses at least two secondary materials in its own business processes on a structural basis, replacing virgin materials.

Not completed

Including research into reusable sample pots

Insight into avoided CO2 as a result of processing waste streams

Integral measure

Category A

The company calculates and reports avoided chain emissions for at least 80% of the waste streams (mass basis) it processes, using the EpE protocol or a comparable method.

Not completed

N/A

Category B

The company calculates and reports avoided chain emissions for 100% of the waste streams (mass basis) it processes, using the EpE protocol or a comparable method.

Not completed

N/A

Category C

The company improves its insight into avoided chain emissions by demonstrably reporting, on an annual basis, parts of its most material chains more accurately, for example by using emission factors based on its own measurements or specific emission factors supplied by chain partners.

Not completed

N/A

Realising saleable secondary material

Integral measure

Category A

The company sells on a structural basis a secondary material that is suitable as a raw material in production processes without significant processing (by the buyer).

Not completed

N/A

Category B

The company sells on a structural basis several secondary materials that are suitable as raw materials in production processes without significant processing (by the buyer).

Not completed

N/A

Category C

The company holds annual consultations with its most important buying and supplying chain partners of these secondary materials on improving the quality of the material with a view to upcycling.

Not completed

N/A

Heat and/or steam supply from waste incineration

Carrying out activity more efficiently

Category A

The company supplies heat and/or steam to a heat network for businesses or homes from all of its waste incineration installations.

Not completed

Category B

The company takes initiatives to improve the energy efficiency of its installation(s), for example by expanding heat and/or steam supply.

Not completed

Category C

The multi-year average energy efficiency of the company's installation(s) shows an improvement.

Not completed

Zero CO2 emission refuse collection vehicles and mobile waste compactors

Electrification

Category A

The waste service has at least one zero CO2 emission refuse collection vehicle or mobile waste compactor.

Not completed

N/A

Category B

5% of the fleet used for waste services, such as refuse collection vehicles and mobile waste compactors, is zero CO2 emission.

Not completed

N/A

Category C

20% of the fleet used for waste services, such as refuse collection vehicles and mobile waste compactors, is zero CO2 emission.

Not completed

N/A

Printing

Integral measure – Own measure

Standard double-sided printing

Implemented on 04/2021

Waste Prevention

Integral measure - Own measure

Check the construction site for environmental and safety matters

Implemented on 04/2021

Waste Separation

Carry out the activity more efficiently - Own measure

Agreements with the waste collector on waste separation

Implemented on 04/2021

Packaging

Carry out the activity more efficiently - Own measure

Agreements with the supplier on packaging

Implemented on 04/2021

Offices

Energy performance agreements on lease

Carry out the activity more efficiently

Category A

When concluding or amending lease agreements for office space, improving the energy performance of the building is part of the negotiations.

Planned for 01/2022

For new premises

Category B

For all new lease agreements, agreements are made on improving the energy performance of the building, for example a bonus/malus agreement relative to the agreed building-related heating and cooling energy in advance.

Not completed

Category C

For all new lease agreements, a rent including energy is agreed, including quantified savings targets, for example in a GreenLease agreement.

Not completed

Benchmarking and Optimisation of Energy Consumption

Carry out the activity more efficiently

Category A

For at least 75% of the offices, main meter data is registered and benchmarked annually against comparable buildings (via Milieubarometer, e-nolis or equivalent).

Not completed

Category B

For at least 75% of the offices, submeters are applied in addition to the main meter, and analysis software is used to identify opportunities for improvement.

Not completed

Category C

For at least 75% of the offices, the organisation uses software that automatically detects and applies improvements in the installations.

Not completed

Making Charging Points for Electric Vehicles Available

Electrification

Category A

At least 1 charging point per 20 parking spaces

Not completed

Category B

At least 1 charging point per 10 parking spaces

Implemented on 02/2021

Category C

At least 1 charging point per 10 parking spaces + an active role in optimising the energy management of the office/electricity network

Not completed

Recognised Measures for Buildings

Carry out the activity more efficiently

Category A

The organisation has implemented the 'Recognised Measures for Buildings' for all offices or, insofar as indicated in that list, these are carried out at natural moments.

Not completed

Gas-Free Offices

Integral measure

Category B

At least 10% of all offices are gas-free.

Not completed

Category C

At least 50% of all offices are gas-free.

Use of sustainable heat and/or heat-cold storage (WKO)

Applying sustainable energy

Category A

For 10% to 50% of the usable floor area, sustainable heat is applied for space heating. Not completed

Category B

For 50% to 80% of the usable floor area, sustainable heat is applied for space heating. Not completed

Category C

For more than 80% of the usable floor area, sustainable heat is applied for space heating. Not completed

Purchasing efficient hardware

Carrying out activities more efficiently

Category A

When purchasing computers, laptops, monitors, power supplies, UPSs, servers, reproduction equipment and printers, the company has demonstrably chosen products carrying the Energy Star label or registered under EPEAT. Implemented on 02/2021

Category B

When purchasing computers, laptops, monitors, power supplies, UPSs, servers, reproduction equipment and printers, the company has demonstrably chosen (where available) products carrying the EPEAT Silver or Gold label. Not completed

Site selection near public transport

Integral measure

Category A

At least 25% of the building floor area is located near public transport (maximum 500 m). Not completed

Category B

At least 50% of the building floor area is located near public transport (maximum 500 m). Not completed

Category C

All office locations are located near public transport (maximum 500 m). Not completed

Grid-conscious charging

Grid flexibility

Category A

The organisation has introduced grid-conscious charging for at least one location with charging points. Not completed

Category B

The organisation has introduced grid-conscious charging for 25% of its charging points. Not completed

Category C

For example, through the use of battery capacity or active control of flexible charging of construction equipment on or at construction sites, possibly in cooperation with the grid operator. Not completed

Optimisation of climate installations

Carrying out activities more efficiently

Category A

For all offices put into use in the past 5 years, the climate installation has been optimised by a professional installation company. Not completed

Category B

For at least 75% of all offices, the climate installation is optimised at least every 5 years by a professional installation company. Implemented on 04/2021

Application of energy-efficient printers

Carrying out activities more efficiently

Category B

Apply standard printers with high energy efficiency. Not completed

Improving office energy labels

Integral measure

Category A

The average energy label of offices is B or C. Not completed

Category B

The average energy label of offices is A. Not completed

Heating with green gas

Sustainable energy

Category B

At least one office is heated with green gas. Not completed

Category C

More than 50% of the usable floor area is heated with green gas. Not completed

Lighting

Integral measure - Own measure

Replace halogen lighting with LED, LED emergency lighting, switching per room

Implemented on 04/2021

Printing

Integral measure - Own measure

Centralised printing and copying

Implemented on 04/2021

Management

Integral measure - Own measure

Annual efficient management and maintenance of (recognised) energy measures.

Implemented on 04/2021

Energy consumption

Own measure

Record and analyse energy consumption

Implemented on 04/2021

Improve draught sealing

Integral measure - Own measure

Improve the draught sealing of the offices

Implemented on 04/2021

Office heating

Integral measure - Own measure

Hybrid system with heat pump and CB boiler, time switch clock for space heating

Implemented on 04/2021

Paper

Integral measure - Own measure

Paper with an environmental label

Implemented on 04/2021

Roof insulation (Hoorn office)

Limit activity - Own measure

The roof of the Hoorn office has been re-clad and insulated

Implemented on 01/2022

For both internal and external matters, more digital meetings

Carry out activities more efficiently - Own measure

Employees are now given the option to work from home part of the time, which leads to a reduction in home-to-work traffic.

Implemented on 01/2022

Logistics & transport

Purchase of more fuel-efficient lorries

Carry out activities more efficiently

Category A

When purchasing or leasing new lorries, lorries are chosen whose fuel consumption is at least 5% lower than the market standard.

Not completed

N/A

Category B

When purchasing or leasing new lorries, lorries are chosen whose fuel consumption is at least 15% lower than the market standard.

Not completed

N/A

Category C

When purchasing or leasing new lorries, lorries are chosen whose fuel consumption is at least 30% lower than the market standard.

Not completed

N/A

Consideration of road/water transport

Integral measure

Category B

Where possible and sensible, transport by water is preferred over road transport. This consideration is recorded in procedures.

Not completed

N/A

Check correct tyre pressure of lorries

Activity: perform more efficiently

Category A

Every 3 months, check tyre pressure on all lorries.

Not filled in

N/A

Use more efficient diesel or lubricating oil

Activity: perform more efficiently

Category A

20% to 50% of the deployed lorries (owned or leased) always use special diesel or lubricating oil that demonstrably achieves at least 3% fuel saving compared with the use of normal diesel or lubricating oil.

Not filled in

N/A

Category B

At least 50% of the deployed lorries (owned or leased) always use special diesel or lubricating oil that demonstrably achieves at least 3% fuel saving compared with the use of normal diesel or lubricating oil.

Not filled in

N/A

Category C

At least 75% of the deployed lorries (owned or leased) always use special diesel or lubricating oil that demonstrably achieves at least 3% fuel saving compared with the use of normal diesel or lubricating oil.

Not filled in

N/A

Use energy-efficient tyres

Activity: perform more efficiently

Category B

When purchasing new tyres, only tyres with energy label B (rolling resistance criterion) or better are purchased.

Not filled in

N/A

Category C

When purchasing new tyres, only tyres with energy label A (rolling resistance criterion) or better are purchased.

Not filled in

N/A

Use of renewable fuel as a replacement for fossil fuel

Renewable energy

Category B

10% to 20% of the fuel that is refuelled is demonstrably renewable fuel.

Planned for 01/2024

Not possible for buses, no diesel cars; we are going for electric.

Category C

More than 20% of the fuel that is refuelled is demonstrably renewable fuel.

Not filled in

Lorry cooling: use air conditioning

Activity: perform more efficiently

Category C

Application of air conditioning on lorries. At least one system in use.

Not filled in

N/A

Lean and Green Logistics

Activity: perform more efficiently

Category A

Company holds the Lean & Green Award.

Not filled in

N/A

Category B

Company holds one Lean & Green Star.

Not filled in

N/A

Category C

Company holds two or three Lean & Green Stars.

Not filled in

N/A

Minimising transport kilometres

Activity: perform more efficiently

Category A

The organisation structurally minimises transport kilometres through continuous attention to route planning optimisation.

Not filled in

Consultation with Analytico to reduce their transport kilometres for us.

Promoting fuel-efficient driving through Het Nieuwe Rijden

Activity: perform more efficiently

Category A

At least 75% of drivers have attended the "Het Nieuwe Rijden" course and receive a refresher course every 5 years.

Not filled in

Category B

At least 90% of drivers have attended the "Het Nieuwe Rijden" course and receive a refresher course every 5 years.

Not filled in

Promoting Fuel-Efficient Driving through Monitoring

Carry out activities more efficiently

Category A

Monitoring of fuel consumption and quarterly feedback to drivers.

Planned for 12/2024

Category B

Application of a fuel management system recording driving behaviour, with direct feedback to the driver.

Not completed

Category C

Application of a black box system with direct feedback and feedback from the organisation (toolbox meeting or similar).

Not completed

Reducing Idling of Lorries

Carry out activities more efficiently

Category A

The company makes agreements with drivers on reducing idling and can demonstrate this.

Not completed

N/A

Category B

Start-stop system applied to fewer than 25% of lorries in use (owned or leased).

Not completed

Category C

Start-stop system applied to more than 25% of lorries in use (owned or leased).

Not completed

Application of Hybrid Lorries

Carry out activities more efficiently

Category C

At least one hybrid lorry in use.

Not completed

N/A

Lorry Heating: Stationary Heater Instead of Engine Coolant

Carry out activities more efficiently

Category B

Stationary heater instead of engine coolant applied to fewer than 75% of lorries.

Not completed

N/A

Category C

Stationary heater instead of engine coolant applied to more than 75% of lorries.

Not completed

N/A

Zero CO2-Emission Lorries

Electrification

Category B

1% of lorries (owned or leased) are zero CO2-emission lorries.

Not completed

N/A

Category C

5% of lorries (owned or leased) are zero CO2-emission lorries.

Not completed

N/A

Equipment

Purchasing More Fuel-Efficient Machines

Carry out activities more efficiently

Category A

The company can demonstrate that, in at least 75% of machine purchases over the past 2 years, it gives preference, when choosing between similar machines, to the machine with the lowest fuel and/or energy consumption.

Not completed

Category B

The company can demonstrate that, in at least 90% of machine purchases over the past 2 years, it gives preference, when choosing between similar machines, to the machine with the lowest fuel and/or energy consumption.

Not completed

Fuel: Application of Mobile Equipment Based on a Hybrid System/Technology

Carry out activities more efficiently

Category A

The company can demonstrate that it has at least one mobile machine in use based on hybrid technology, and that this machine emits less CO2 than a comparable conventional machine.

Not completed

N/A

Category B

The company can demonstrate that it has several mobile machines in use based on hybrid technology, and that these machines emit less CO2 than comparable conventional machines.

Not completed

N/A

Correct tyre pressure check

Carry out activity more efficiently

Category A

Monthly tyre pressure check for 25% to 75% of mobile machines (cranes, excavators, etc.)

Not completed

N/A

Category B

Monthly tyre pressure check for more than 75% of mobile machines (cranes, excavators, etc.)

Not completed

N/A

Category C

Monthly tyre pressure check for all mobile machines (cranes, excavators, etc.)

Not completed

N/A

Driving Efficiently course

Carry out activity more efficiently

Category A

The company can demonstrate that fewer than 25% of machine operators and/or fewer than 25% of foremen and planners have completed an accredited Het Nieuwe Draaien (Driving Efficiently) training.

Not completed

N/A

Category B

The company can demonstrate that 25% to 75% of machine operators and/or 25% to 75% of foremen and planners have completed an accredited Het Nieuwe Draaien (Driving Efficiently) training.

Not completed

N/A

Category C

The company can demonstrate that at least 75% of machine operators and/or at least 75% of foremen and planners have completed an accredited Het Nieuwe Draaien (Driving Efficiently) training.

Not completed

N/A

Electrifying hand tools

Electrification

Category A

Where possible, the company uses electric hand tools instead of petrol-powered hand tools.

Not completed

N/A

Category B

Demonstrable policy for replacing or introducing electric hand tools instead of petrol-powered hand tools.

Not completed

N/A

Use of renewable fuel as a replacement for fossil fuel

Renewable energy

Category B

10% to 20% of the fuel purchased is demonstrably renewable fuel.

Not completed

Category C

More than 20% of the fuel purchased is demonstrably renewable fuel.

Not completed

Smart parking

Carry out activity more efficiently

Category B

The company makes agreements with fellow companies about parking equipment together in order to limit transport kilometres with equipment.

Not completed

N/A

Mobile tool or tractor running on biogas

Renewable energy

Category C

At least one tool that runs entirely on locally produced biogas.

Not completed

N/A

Monitoring individual mobile tools for fuel consumption and number of operating hours

Carry out activity more efficiently

Category A

Monitoring of fuel consumption for 25% to 75% of mobile tools

Implemented on 02/2021

Fuel consumption of all our boat engines (excl. electric motors) is transparent, as fuel cards are used when petrol is purchased.

Category B

Monitoring of fuel consumption for at least 75% of mobile tools with online reading and analysis of fleet data.

Not completed

Category C

Monitoring of fuel consumption for at least 90% of mobile tools with online reading and analysis of fleet data.

Not completed

Maintenance of equipment in accordance with manufacturer's specifications

Integrated measure

Category A

The company can demonstrate that at least 75% of its equipment is maintained in accordance with the manufacturer's specifications and maintenance programme.

Not completed

Category B

The company can demonstrate that at least 75% of its equipment is maintained in accordance with the manufacturer's specifications and maintenance programme, and succeeds in optimising the settings of high-energy-consumption equipment so that it uses less energy for the same work.

Not completed

Category C

The company can demonstrate that 100% of its equipment is maintained in accordance with the manufacturer's specifications and maintenance programme, and succeeds in optimising the settings of high-energy-consumption equipment so that it uses less energy for the same work.

Not completed

Start-stop system on mobile machinery

Carrying out activities more efficiently

Category A

Start-stop system applied to fewer than 25% of mobile machinery (cranes, excavators, etc.)

Not completed

N/A

Category B

Start-stop system applied to 25% to 75% of mobile machinery (cranes, excavators, etc.)

Not completed

N/A

Category C

Start-stop system applied to more than 75% of mobile machinery (cranes, excavators, etc.)

Not completed

N/A

Engine pre-heating system to prevent a cold start

Carrying out activities more efficiently

Category A

System/technical provision applied to fewer than 10% of machines (cranes, excavators, etc.)

Not completed

N/A

Category B

System/technical provision applied to fewer than 25% of machines (cranes, excavators, etc.)

Not completed

N/A

Category C

System/technical provision applied to more than 25% of machines (cranes, excavators, etc.)

Not completed

N/A

Use of a generator set running on renewable energy

Sustainable energy

Category C

The company has at least one generator set that runs for at least 50% on renewable fuel or solar cells.

Not completed

N/A

Use of a hybrid generator set

Carrying out activities more efficiently

Category B

The company deploys at least one hybrid generator set.

Not completed

N/A

Category C

At least 20% of the generator sets the company deploys are hybrid.

Not completed

N/A

Use of zero CO2-emission mobile machinery

Electrification

Category B

The company can demonstrate that it has at least one mobile machine in use that is based on zero CO2-emission technology.

Not completed

Category C

The company can demonstrate that it has several mobile machines in use that are based on zero CO2-emission technology.

Implemented in 07/2022

We make as much use as possible of electric motors during waterway works (8 electric motors).

Zero CO2-emission generator set

Electrification

Category C

The company deploys at least one zero CO2-emission generator set.

Not completed

N/A

Zero CO2 emission forklift trucks

Electrification

Category A

Indoor use: 100% of the forklift trucks are zero CO2 emission. Outdoor use: 25% of the forklift trucks are zero CO2 emission.

Not completed

N/A

Category B

Indoor use: 100% of the forklift trucks are zero CO2 emission. Outdoor use: 50% of the forklift trucks are zero CO2 emission.

Not completed

N/A

Category C

All forklift trucks, for both indoor and outdoor use, are zero CO2 emission.

Not completed

N/A

Alternative fuels

Apply renewable energy: own measure

Investigate options for electric field service vehicles. Trial with an electric field service vehicle in 2022.

Planned 12/2023

Outboard motors

Carry out activities more efficiently: own measure

Replace 80% of petrol-powered outboard motors with electric alternatives. Petrol outboard motors are no longer purchased; electric motors are purchased instead.

Implemented on 07/2022

Subcontractors and suppliers

Het Nieuwe Draaien course

Carry out activities more efficiently

Category A

The company sets explicit requirements for subcontractors regarding Het Nieuwe Draaien.

Not completed

Category B

The company can demonstrate that 25% to 75% of the machine operators and/or 25% to 75% of the foremen and planners of subcontractors have completed a recognised Het Nieuwe Draaien

training.

Not completed

Category C

The company can demonstrate that at least 75% of the machine operators and/or at least 75% of the foremen and planners of subcontractors have completed a recognised Het Nieuwe Draaien training.

Not completed

Selection of subcontractors and/or suppliers by travel distance

Limit activities

Category B

The company sets explicit requirements regarding the travel distance of subcontractors working on projects.

Not completed

General organisation

CO2 awareness among employees

Integral measure

Category A

CO2 reduction demonstrably receives attention in the induction process for 20% to 50% of new advisers and project leaders.

Not completed

Category B

CO2 reduction demonstrably receives attention in the induction process for more than 50% of new advisers and project leaders.

Implemented on 02/2023

Category C

CO2 reduction demonstrably receives attention in performance review meetings for at least 20% of advisers and project leaders.

Not completed

Congestion management

Grid flexibility

Category C

The organisation has agreed a congestion management arrangement with the DSO for at least one connection.

Not completed

Printed matter with a low CO2 footprint

Printed matter

Category B

When outsourcing printed matter, the organisation asks for the CO2 footprint of the printed matter and for possible alternatives with a lower CO2 footprint.

Not completed

06 maart 2024 15:43

Dynamic electricity contracts (fluctuating electricity prices, at most on an hourly basis)

Grid flexibility

Category A

The organisation has a dynamic electricity contract for at least one connection and manages its electricity consumption based on the energy price.

Not completed

Category B

The organisation has dynamic electricity contracts for 25% of its total electricity consumption and manages its electricity consumption based on the energy price.

Not completed

Category C

The organisation has dynamic electricity contracts for its entire electricity consumption and manages its electricity consumption based on the energy price.

Not completed

Own production of green hydrogen

Renewable energy

Category C

Production of green hydrogen within the company's own operations or through participation in a pilot project or collaboration, for own use or for sale to third parties

Not completed

Applying an internal CO2 price or energy price for energy-related investments

Integrated measure

Category C

The company applies an internal CO2 price higher than the ETS price, or an energy price higher than the market price, in its investment decisions.

Not completed

Higher travel allowance for emission-free commuting

Integrated measure

Category A

The organisation offers the maximum travel allowance for cycling that is tax-exempt from income tax

Implemented on 01/2024

Category B

The organisation offers a higher (net) travel allowance for cycling than the allowance that is tax-exempt from income tax

Not completed

Purchase of green electricity and/or electricity greened with national GVOs

Renewable energy

Category A

100% of electricity consumption for fixed locations is green electricity or greened with national GVOs

Not completed

Category B

100% of electricity consumption for fixed locations and mobility is green electricity or greened with national GVOs

Not completed

Category C

100% of electricity consumption for fixed locations, mobility and temporary locations is green electricity or greened with national GVOs

Not completed

Supply of materials or gases to third parties

Useful application of CO2

Category C

Supply of materials or gases to third parties, whereby CO2 emissions are avoided at those third parties

Not completed

Net zero CO2 target 2050

CO2 reduction target 2050

Category C

The organisation has a net zero CO2 target for 2050 and an implementation pathway with actions and measures for scope 1, 2 and business travel

Not completed

Facilitating renewable energy generation (for third parties)

Renewable energy

Category B

Making roofs or land available for renewable energy generation under the responsibility of a third party

Not completed

Renewable energy generation (for third parties)

Renewable energy

Category C

Supply of a quantity of self-generated or produced renewable energy to third parties, whereby CO2 emissions are avoided at those third parties on a substantial scale (at least 10% of the footprint (scope 1 and 2) of the certified organisation)

Not completed

06 March 2024 15:43

Generation of renewable electricity (owned) at fixed locations

Renewable energy

Category A

Between 5% and 25% of electricity consumption is covered by own generation of renewable electricity (through own investment or lease).

Not filled in

Category B

At least 25% of electricity consumption is covered by own generation of renewable electricity (through own investment or lease).

Not filled in

Category C

At least 50% of electricity consumption is covered by own generation of renewable electricity (through own investment or lease).

Not filled in

Generation of renewable electricity (via PPA)

Renewable energy

Category A

At least 25% of electricity consumption is covered by generation of renewable electricity via a PPA contract.

Not filled in

Category B

At least 50% of electricity consumption is covered by generation of renewable electricity via a PPA contract.

Not filled in

Category C

100% of electricity consumption is covered by generation of renewable electricity via a PPA contract.

Not filled in

Selection of subcontractors and/or suppliers with a CO2-conscious certificate

Integrated measure

Category A

Possession of a CO2-conscious certificate by subcontractors and/or suppliers counts in the selection procedure for subcontractors and/or suppliers.

Implemented 07/2022

New contract with laboratory. CO2 emissions were taken into account in the selection procedure.

Category B

The company requires a CO2-conscious certificate from its main subcontractors and/or suppliers (for example, its A-suppliers).

Not filled in

Steering the simultaneity of electricity demand and supply

Renewable energy

Category C

The organisation has a (pilot) project to align the demand and supply of sustainably generated electricity.

Not filled in

Personal mobility

Purchase/lease of company vans based on real-world CO2 emission measurement

Performing activities more efficiently

Category A

On average over a year, the CO2 emissions of new company vans (purchased or leased, based on real-world measured data) are below 180 g/km.

Implemented 01/2024

All new diesel vans are at 161 g/km.

Category B

On average over a year, the CO2 emissions of new company vans (purchased or leased, based on real-world measured data) are below 160 g/km.

Planned for 01/2025

When purchasing electric vehicles, we meet this criterion.

Category C

On average over a year, the CO2 emissions of new company vans (purchased or leased, based on real-world measured data) are below 120 g/km.

Planned for 12/2026

When fully electric driving is feasible, our emissions will on average be below 120 g/km.

Purchase/lease of passenger cars based on real-world CO2 emission measurement

Performing activities more efficiently

Category A

On average over a year, the CO2 emissions of new passenger cars (purchased or leased, based on real-world measured data) are below 120 g/km.

Not filled in

Category B

On average over a year, the CO2 emissions of new passenger cars (purchased or leased, based on real-world measured data) are below 100 g/km.

Not filled in

Category C

On average over a year, the CO2 emissions of new passenger cars (purchased or leased, based on real-world measured data) are below 80 g/km.

Implemented 01/2024

Where possible (given the distances that need to be driven), every new leased car is an electric car.

Providing bicycles, e-bikes or e-scooters

Integrated measure

Category A

Where appropriate, the company makes bicycles, e-bikes or e-scooters available at project or office locations for short journeys.

Planned for 01/2025

The plan is to make folding bicycles available to field workers.

Category B

The company offers a scheme for reimbursing the purchase of a bicycle or e-bike for all employees.

Not filled in

Checking correct tyre pressure of cars provided by the organisation

Carry out activity more efficiently

Category A

Annual check of tyre pressure for more than 50% of the cars provided by the organisation.

Not completed

Category B

Quarterly check of tyre pressure for more than 50% of the cars provided by the organisation.

Not completed

Category C

Quarterly check of tyre pressure for more than 90% of the cars provided by the organisation, or the organisation installs a tyre pump or organises a quarterly "tyre pressure" campaign at all locations.

Not completed

Using energy-efficient tyres

Carry out activity more efficiently

Category B

When purchasing new tyres, only tyres with label A for fuel efficiency on the European tyre label are bought.

Implemented in 04/2021

Category C

All tyres used within the company have label A for fuel efficiency on the European tyre label.

Not completed

Using renewable fuel to replace fossil fuel

Renewable energy

Category A

10% to 20% of the fuel purchased is demonstrably renewable fuel.

Not completed

Category B

More than 20% of the fuel purchased is demonstrably renewable fuel.

Not completed

Category C

More than 50% of the fuel purchased is demonstrably renewable fuel.

Not completed

New employees

Integral measure

Category B

New employees are offered free public transport use as standard for the first three months.

Not completed

Parking policy

Integral measure

Category B

The organisation only offers (free) parking space to employees who:

live more than 10 km from work and cannot travel by public transport;

must have a car available for their job.

Not completed

Category C

The organisation only offers (free) parking space to employees who must have a car available for their job.

Not completed

Speed limiters on vans

Carry out activity more efficiently

Category B

The company fits speed limiters to all new vans, including those for which this is not already mandatory.

Not completed

Category C

The company fits speed limiters to all new and existing vans, including those for which this is not already mandatory.

Not completed

Encouraging car-sharing and use of shared cars

Carry out activity more efficiently

Category A

The company actively encourages car-sharing among employees and can demonstrate this.

Not completed

Category B

The company makes shared cars available for joint travel to the office or project location.

Implemented in 02/2023

Category C

All shared cars run on renewable fuels, natural gas, or are zero CO2 emission.

Implemented in 01/2024

Since June 2023, electric shared cars have been available in Hoorn and Amersfoort.

Encouraging long-distance train travel

Integral measure

Category A

The organisation requires the use of train travel for distances under 500 km, where door-to-door travel time by train is less than 150% of the door-to-door travel time by air.

Not completed

Category B

The organisation requires the use of train travel for distances under 700 km, where door-to-door travel time by train is less than 150% of the door-to-door travel time by air.

Not completed

Encouraging eco-driving: Het Nieuwe Rijden

Making activities more efficient

Category A

Make the eco-driving toolbox available to all drivers

Planned for 07/2021

Category B

Every van driver has completed the Het Nieuwe Rijden course (online or practical).

Not completed

Category C

At least 90% of drivers (car and van) have completed the Het Nieuwe Rijden course (online or practical) and receive a refresher course every 5 years.

Not completed

Encouraging eco-driving: Monitoring

Making activities more efficient

Category A

Monitoring of fuel consumption and quarterly feedback to drivers.

Not completed

Category B

Black-box system with direct feedback to drivers.

Not completed

Category C

Black-box system combined with a financial incentive to reward eco-driving behaviour.

Not completed

Reducing car use

Limiting activity

Category A

Make a mobility card available to staff with a lease car, aimed at limiting the number of car kilometres.

Not completed

Category B

Introduction of a personal mobility budget for all staff with a lease car, aimed at reducing the number of lease cars and/or limiting the number of car kilometres.

Not completed

Category C

Introduction of a personal mobility budget for all staff, aimed at reducing the number of car kilometres.

Not completed

Reducing passenger mobility through homeworking and teleconferencing

Limiting activity

Category A

The average number of trips (commuting, business travel) per office-based employee has demonstrably been reduced by 10% compared with the pre-COVID period (2019).

Not completed

Category B

The average number of trips (commuting, business travel) per office-based employee has demonstrably been reduced by 20% compared with the pre-COVID period (2019).

Planned for 01/2023

Category C

The average number of trips (commuting, business travel) per office-based employee has demonstrably been reduced by 40% compared with the pre-COVID period (2019).

Not completed

Passenger mobility competition

Integral measure

Category B

The company organises an awareness campaign to promote eco-driving at least once a year.

Not completed

Zero CO2-emission vehicles

Electrification

Category A

10% of the fleet (passenger and company cars, owned or leased) are zero CO2-emission vehicles.

Not completed

Category B

15% of the fleet (passenger and company cars, owned or leased) are zero CO2-emission vehicles.

Implemented on 01/2024

Category C

15% of the fleet (passenger and company cars, owned or leased) are zero CO2-emission vehicles.

At the end of a lease contract or upon purchase, a zero CO2-emission vehicle is always ordered.

Not completed

Commuting

Integral measure – Own measure

Recruitment policy aimed at staff who live nearby

Implemented on 04/2021

Other mode of transport

Integrated measure - Own measure

Provide a car for business travel

Implemented in 04/2021

Other mode of transport (bicycle)

Integrated measure - Own measure

Facilities that encourage cycling

Implemented in 04/2021

Promoting EV vehicles

Apply renewable energy - Own measure

Charging points for electric cars

Implemented in 04/2021

Electric lease plan

Integrated measure - Own measure

Every new lease car will (reasonably) be an electric variant.

Implemented in 01/2022

Encouraging electric home charging points

Apply renewable energy - Own measure

The lease plan offers options for home charging posts.

Implemented in 01/2022

Clean/fuel-efficient delivery vans

Integrated measure - Own measure

All field service vans are recent models, fitted with soot filters and AdBlue engines, until electric vans can reasonably be applied.

Implemented in 01/2022

Fuel-saving options in field vans

Perform activity more efficiently - Own measure

Cruise control, gear-shift advice, start-stop system in new vans

Implemented in 01/2022

Activities not selected

The following activities were not selected: Marine construction vessels, Construction site, Material use / Scope 3, Company buildings and grounds, ICT services, Tendering, Business processes, Landscape maintenance.

CO2 Performance Ladder Level 4

Handbook

Annex 3: Projects with Award Advantage

CO2 Performance Ladder Level 4

Handbook

TIJHUIS INGENIEURS BV

info@tijhuisingenieurs.nl

www.tijhuisingenieurs.nl

Dampten 24C · 1624 NR Hoorn

0229 272 000

Softwareweg 4B · 3821 BP Amersfoort

030 686 80 60

Madame Curieweg 27 · 8501 XC Joure

0513 61 80 80