

## index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="./modules/style.css">
  <title>Product list</title>
</head>
<body>
  <script src="./modules/script.js" type="module"></script>
</body>
</html>
```

## monitor.js

```
export default class Monitor {
  constructor(code = 0, name = "unknown", size = 0, resolution = "1440x1080") {
    this._code = code;
    this._name = name;
    this._sizeInInches = size;
    this._stock = 0;
    this._price = 0;
    this._resolution = resolution;
    this._imgURL = "path";
  }

  get name() {
    return this._name;
  }

  get resolution() {
    return this._resolution;
  }

  get code() {
    return this._code;
  }

  get imgURL() {
    return this._imgURL;
  }
}
```

```

get size() {
    return this._sizeInInches;
}

get price() {
    return this._price;
}

get stock() {
    return this._stock;
}

/**
 * @param {string} path set a new path
 */
set imageURL(path) {
    this._imgURL = path;
}

/**
 * @param {number} amount set a new amount
 */
set stock(amount) {
    this._stock += amount;
}

/**
 * @param {number} size set a new size
 */
set size(size) {
    this._sizeInInches = size;
}

/**
 * @param {string} name set a new name
 */
set name(name) {
    this._name = name;
}

/**
 * @param {string} code set a new code
 */
set code(code) {

```

```
        this._code = code;
    }

    /**
     * @param {string} resolution set a new resolution
     */
    set resolution(resolution) {
        this._resolution = resolution;
    }

    /**
     * @param {number} size set a new size
     */
    set size(size) {
        this._sizeInInches = size;
    }

    /**
     * @param {number} price set a new price
     */
    set price(price) {
        this._price = price;
    }
}
```

## products.js

```
import Monitor from "../monitor.js";

const products = [];

products.push(new Monitor(1, "BENQ ZOWIE XL2731", 27, "1920x1080"));
products[0]._price = 9900;
products[0]._stock = 0;
products[0]._imgURL = "../images/ZOWIE-XL2731.jpg";

products.push(new Monitor(2, "BENQ MOBIUZ EX3415R", 34, "3440x1440"));
products[1]._price = 35900;
products[1]._stock = 5;
products[1]._imgURL = "../images/MOBIUZ-EX3415R.jpg";

products.push(new Monitor(3, "BENQ MOBIUZ EX2710R", 27, "2560x1440"));
products[2]._price = 21900;
products[2]._stock = 10;
products[2]._imgURL = "../images/MOBIUZ-EX2710R.jpg";

products.push(new Monitor(4, "BENQ EW2780Q", 27, "2560x1440"));
products[3]._price = 9500;
products[3]._stock = 15;
products[3]._imgURL = "../images/EW2780Q.jpg";

products.push(new Monitor(5, "BENQ EW2480", 24, "1920x1080"));
products[4]._price = 5500;
products[4]._stock = 22;
products[4]._imgURL = "../images/EW2480.jpg";

products.push(new Monitor(6, "BENQ EX3203R", 31.5, "2560x1440"));
products[5]._price = 16900;
products[5]._stock = 2;
products[5]._imgURL = "../images/EX3203R.jpg";

products.push(new Monitor(7, "BENQ ZOWIE XL2546", 24.5, "1920x1080"));
products[6]._price = 15900;
products[6]._stock = 7;
products[6]._imgURL = "../images/ZOWIE-XL2546.jpg";

products.push(new Monitor(8, "BENQ GW2780", 27, "1920x1080"));
products[7]._price = 5900;
products[7]._stock = 0;
products[7]._imgURL = "../images/GW2780.jpg";
```

```
export { products as default };
```

## script.js

```
import products from "./products.js";

// code here
let body = document.querySelector("body");
body.className = "product-list p-6 bg-blue-50";

// add h1 to body
let title = document.createElement("h1");
title.className = "font-bold text-xl text-center";
title.textContent = "Product List";
body.appendChild(title);

let divContainer = document.createElement("div");
divContainer.className = "product-container grid grid-cols-5";

// add container to body
let container = body.appendChild(divContainer);

for (const product of products) {
  // add div to container in body
  let divList = document.createElement("div");
  divList.id = product.code;
  divList.className = "flex flex-col bg-white rounded-lg shadow-md m-5";
  divList.setAttribute("name", product.name);
  let divItem = container.appendChild(divList);

  // add img to div in container
  let img = document.createElement("img");
  img.src = product.imgURL;
  img.alt = product.name;
  img.style = "width: 100%; height: 100%;";
  divItem.appendChild(img);


  // add details to div in container
  let divDetails = document.createElement("div");
  divDetails.className = "details p-2";

  let name = document.createElement("div");
  name.className = "bg-green-100 flex-1";
```


```
name.innerHTML = `Product: ${product.name} ${product.size}`;  
divDetails.appendChild(name);  
  
let price = document.createElement("div");  
price.innerHTML = `Price: ${new Intl.NumberFormat("th-TH", {  
    style: "currency",  
    currency: "THB",  
}).format(product.price)}`;  
divDetails.appendChild(price);  
  
let res = document.createElement("div");  
res.innerHTML = `Resolution: ${product.resolution}`;  
divDetails.appendChild(res);  
  
let stock = document.createElement("div");  
if (product.stock == 0) {  
    let outOfStock = document.createElement("b");  
    outOfStock.className = "text-red-500";  
    outOfStock.textContent = "Out of Stock";  
    stock.appendChild(outOfStock);  
} else {  
    stock.innerHTML = `In stock: ${product.stock}`;  
}  
divDetails.appendChild(stock);  
  
divItem.appendChild(divDetails);  
}
```

Output


Product List




**Product:** BENQ ZOWIE XL2731 27"  
**Price:** \$9,900.00  
**Resolution:** 1920x1080  
**Out of Stock**




**Product:** BENQ MOBIUZ EX3415R 34"  
**Price:** \$35,900.00  
**Resolution:** 3440x1440  
**In stock:** 5




**Product:** BENQ MOBIUZ EX2710R 27"  
**Price:** \$21,900.00  
**Resolution:** 2560x1440  
**In stock:** 10




**Product:** BENQ EW2780Q 27"  
**Price:** \$9,500.00  
**Resolution:** 2560x1440  
**In stock:** 15




**Product:** BENQ EW2480 24"  
**Price:** \$5,500.00  
**Resolution:** 1920x1080  
**In stock:** 22



**Product:** BENQ EX3203R 31.5"



**Product:** BENQ ZOWIE XL2546 24.5"



**Product:** BENQ GW2780 27"

## Dynamic source code (overall & the first two example details in div tag)

```

DevTools - 127.0.0.1:5500/works/INT201-G06-GroupWorks/Assignment6/index.html
Elements Console Sources Network Performance Memory Security Application +
<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body class="product-list p-6 bg-blue-50" data-new-gr-c-s-check-loaded="14.999.0" data-gr-ext-installed>
    <script src="./modules/script.js" type="module"></script>
    <!-- Code injected by live-server -->
    <script type="text/javascript">...</script>
    <h1 class="font-bold text-xl text-center">Product List</h1>
    <div class="product-container grid grid-cols-5">grid
      <div id="1" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ ZOWIE XL2731">...</div>flex
      <div id="2" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ MOBIUZ EX3415R">...</div>flex
      <div id="3" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ MOBIUZ EX2710R">...</div>flex
      <div id="4" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EW2780Q">...</div>flex == $0
      <div id="5" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EW2480">...</div>flex
      <div id="6" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EX3203R">...</div>flex
      <div id="7" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ ZOWIE XL2546">...</div>flex
      <div id="8" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ GW2780">...</div>flex
    </div>
  </body>
  <grammarly-desktop-integration data-grammarly-shadow-root="true">...</grammarly-desktop-integration>
</html>

```

html body.product-list.p-6.bg-blue-50 div.product-container.grid.grid-cols-5 div#134.flex.flex-col.bg-white.rounded-lg.shadow-md.m-5



```
DevTools - 127.0.0.1:5500/works/INT201-G06-GroupWorks/Assignment6/index.html
Elements Console Sources Network Performance Memory Security Application +
<!DOCTYPE html>
<html lang="en">
  <head>_</head>
  <body class="product-list p-6 bg-blue-50" data-new-gr-c-s-check-loaded="14.999.0" data-gr-ext-installed>
    <script src="/modules/script.js" type="module"></script>
    <!-- Code injected by live-server -->
    <script type="text/javascript">_</script>
    <h1 class="font-bold text-xl text-center">Product List</h1>
    <div class="product-container grid grid-cols-5">_grid
      <div id="1" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ ZOWIE XL2731">_flex
        
        <div class="details p-2">
          <div class="bg-green-100 flex-1">
            <b>Product: </b>
            "BENQ ZOWIE XL2731 27""
          </div>
          <div>
            <b>Price: </b>
            "£9,900.00"
          </div>
        </div>
        <div> == $0
          <b>Resolution: </b>
          "1920x1080"
        </div>
        <div>
          <b class="text-red-500">Out of Stock</b>
        </div>
      </div>
      <div id="2" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ MOBIUZ EX3415R">_</div>_flex
      <div id="3" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ MOBIUZ EX2710R">_</div>_flex
      <div id="4" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EW2780Q">_</div>_flex
      <div id="5" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EW2480">_</div>_flex
      <div id="6" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EX3203R">_</div>_flex
      <div id="7" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ ZOWIE XL2546">_</div>_flex
      <div id="8" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ GW2780">_</div>_flex
    </div>
  </body>
</html>
```

html body.product-list.p-6.bg-blue-50 div.product-container.grid.grid-cols-5 div#1.flex.flex-col.bg-white.rounded-lg.shadow-md.m-5 div.details.p-2 div

```

<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body class="product-list p-6 bg-blue-50" data-new-gr-c-s-check-loaded="14.999.0" data-gr-ext-installed>
    <script src="/modules/script.js" type="module"></script>
    <!-- Code injected by live-server -->
    <script type="text/javascript">...</script>
    <h1 class="font-bold text-xl text-center">Product List</h1>
    <div class="product-container grid grid-cols-5">
      <div id="1" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ ZOWIE XL2731">...</div>
      <div id="2" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ MOBIUZ EX3415R">
        
        <div class="details p-2">
          <div class="bg-green-100 flex-1">
            <b>Product: </b>
            "BENQ MOBIUZ EX3415R 34"
          </div>
          <div>
            <b>Price: </b>
            "$35,900.00"
          </div>
          <div>
            <b>Resolution: </b>
            "3440x1440"
          </div>
          <div>
            <b>In stock: </b>
            "5"
          </div>
        </div>
      </div>
      <div id="3" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ MOBIUZ EX2710R">...</div>
      <div id="4" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EW2780Q">...</div>
      <div id="5" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EW2480">...</div>
      <div id="6" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ EX3203R">...</div>
      <div id="7" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ ZOWIE XL2546">...</div>
      <div id="8" class="flex flex-col bg-white rounded-lg shadow-md m-5" name="BENQ GW2780">...</div>
    </div>
  </body>
</html>

```

**GIT LINK (This Assignment => include work ratio):** [Click here](#)

**GIT LINK (All Assignment):** [Click here](#)