卧涛商城平台 V1.0 第 1 页 共 60 页

```
<!-- 注册页面 -->
   <!--personal/pages/phoneLogin/phoneLogin.wxml-->
   <view class="container">
   <image class="logo" src="/image/common/icon_login@2x.png"></image>
<text class="text" wx:if="{{pageFrom.from=='no-username'}}">由于系统更新,请
先完善账号</text>
   <text class="text" wx:else>卧涛商城</text>
   <view class="form">
   <view class="phone {{accountError?'error':''}}">
placeholder-class="holder-style"/>
   </riew>
   <view wx:if="{{accountError}}" class="phoneError">{{error[2]}}</view>
placeholder-class="holder-style"/>
disabled="{{btnDisabled&&!pageFrom.mobile}}">{{btnText}}</button>
   <view wx:if="{{codeError}}" class="phoneError">{{error[1]}}}</view>
   <view class="phone {{passwordError?'error':''}}">
   <text class="label-width">密码</text>
placeholder-class="holder-style"/>
<view wx:if="{{wordError}}" class="phoneError">{{error[3]}}</view>
   <view class="phone {{passwordError?'error':''}}">
   <text class="label-width">确认密码</text>
   <input type="{{eyesOnAgain ? 'text' : 'password'}}" class="input height-48"</pre>
bindblur="checkPasswordAgain" value="{{passwordAgain}}" bindinput="getwordAgain"
placeholder="6~16位字母+数字或符号的组合密码"
placeholder-class="holder-style"/>
   <image src="{{eyesOnAgain ? '/image/index/show_eye.png':</pre>
'/image/index/hide eye.png'}}" class="img" bindtap="eyeStatusAgain"></image>
   </ri>
   <view wx:if="{{wordErrorAgain}}" class="phoneError">{{error[4]}}</view>
   <view class="agreement">
   <checkbox-group bindchange="checkboxChange">
   <checkbox value="agree" class="checkbox" color="#fff" />注册后自动登录
   </checkbox-group>
   </ri>
```

```
</riew>
册'}}</button>
   </riew>
   <!-- 认证提示弹窗 -->
   <Tips bind:cancel='cancel' wx:if="{{tipStatus}}"></Tips>
   js 代码:
   const app = getApp();
   const phoneLogin = require('.../.../utils/api.js').phoneLogin;
   const testCode = require('.../.../utils/api.js').testCode;
   import {
   getUserInfos
   from "../../utils/common/userDeal";
   hexMD5
   } from ".../.../utils/md5.js";
   import {
   userRegister,
   completeOldUserInfo
   } from "../../utils/api/user"
   Page({
   data: {
   linkId: "",
   tipStatus: false,
   phoneNumber: "",
   account: "",
   error: [
   "请输入正确的手机号码",
   "请输入验证码",
   "请输入4^{\sim}16位纯字母(或字母+数字组合)",
   '请输入6~16字母加数字或特殊符号组合的密码',
   '密码输入错误,请重新输入!
   ],
   phoneError: false,
   codeError: false,
   wordError: false,
   wordErrorAgain: false,
   accountError: false,
   codeTime: "",
   btnDisabled: true,
   btnText: "获取验证码",
   codeTime: 0,
   loginDisabled: true,
   code: "",
   embedToken: "",
   password: '',
   passwordAgain: '',
   pageFrom: {},
   eyesOn: false,
   eyesOnAgain: false,
   // from: "launch-order",
```

```
// mobile: "18019935577"
},
openAgreement() {
wx.navigateTo({
url: '/personal/pages/agreement/agreement',
},
openSecrecy() {
wx.navigateTo({
url: '/personal/pages/secrecy/secrecy',
},
//获取用户输入框数据
getPhone(e) {
this.setData({
phoneNumber: e. detail. value. trim()
let reg = /^1[3-9]\d{9}$/;
if (reg. test(this. data. phoneNumber) && this. data. btnText == "获取验证码") {
this.setData({
btnDisabled: false
})
} else {
this.setData({
btnDisabled: true
})
}
},
getCode(e) {
this.setData({
code: e. detail. value. trim()
})
},
getAccount(e) {
this.setData({
account: e. detail. value. trim()
})
},
getword(e) {
this.setData({
password: e.detail.value.trim()
})
},
eyeStatus() {
this.setData({
eyesOn: !this.data.eyesOn
})
},
eyeStatusAgain() {
this.setData({
eyesOnAgain: !this.data.eyesOnAgain
```

```
第 4 页 共 60 页
```

```
})
    },
    //协议勾选
    checkboxChange(e) {
    console. log (e. detail. value)
    if (e. detail. value. length == 0) {
    this.setData({
    loginDisabled: true
    })
    } else {
    this.setData({
    loginDisabled: false
    })
    }
    },
    //手机号校验
    checkPhone() {
    let reg = /^1[3-9]\d{9}$/;
    if (reg. test(this. data. phoneNumber)) {
    this.setData({
    phoneError: false,
    })
    } else {
    this.setData({
    phoneError: true,
    })
    }
   },
    //校验账号
    checkAccount() {
    // let reg = /^(?![0-9]+\$)(?![a-zA-Z]+\$)[a-zA-Z][0-9A-Za-z_-]{5,15}\$/;
    let reg = /^(?![0-9]+\$)[a-zA-Z0-9]{4,16}$/;
    if (reg. test(this. data. account)) {
    this.setData({
    accountError: false,
    } else {
    this.setData({
    accountError: true,
    })
    }
    },
    //校验密码
    checkPassword() {
    let reg =
/^(?![\d]+\$)(?![a-zA-Z]+\$)(?![\_/\#\@*\&\%]+\$)[\da-zA-Z\_/\#\@*\&\%]\{6,16\}\$/;
    if (reg. test(this. data. password)) {
    this.setData({
    wordError: false,
    })
    } else {
```

```
this.setData({
   wordError: true,
   })
   }
   },
   getwordAgain(e) {
   this.setData({
   passwordAgain: e. detail. value. trim()
   })
   },
   checkPasswordAgain() {
   let password = this.data.password
   let passwordAgain = this.data.passwordAgain
   if (password == passwordAgain) {
    this.setData({
   wordErrorAgain: false,
   })
   } else {
   this.setData({
   wordErrorAgain: true,
   })
   }
   },
   //验证码非空校验
   checkCode() {
   this.setData({
   codeError: this.data.code ? false : true,
   })
   },
   //获取验证码
   sendMsg() {
   let that = this;
   let mobile = that.data.pageFrom.mobile ? that.data.pageFrom.mobile :
that.data.phoneNumber
   testCode(mobile).then(res => {
   if (res. code == 0) {
   wx.showToast({
   title: "验证码已发送",
   icon: 'success',
   duration: 2000
   })
   that.setData({
   codeTime: 60,
   btnDisabled: true
   })
   that.timer();
   } else if (res. code == 1) {
   wx.showToast({
    title: res.data.cnMsg,
   icon: 'none',
    duration: 2000
```

```
})
   }
   })
   }.
   timer() {
    if (this.data.codeTime > 0) {
    this.setData({
   codeTime: this.data.codeTime - 1,
   btnText: this.data.codeTime + "s 后重新获取",
   setTimeout(this.timer, 1000);
   } else {
   this.setData({
   btnDisabled: false,
   btnText: "获取验证码"
   }
   },
   //登录
   phoneRegist() {
   if (this. data. account == "") return app. toastBox('请输入账号名!', 'none',
1500);
   if (!this.data.pageFrom.mobile && this.data.phoneNumber == "") return
app. toastBox('请输入手机号码!', 'none', 1500);
   if (this. data. code == "") return app. toastBox('请输入验证码!', 'none', 1500);
    if (this.data.password == "") return app.toastBox('请输入密码!', 'none',
1500);
   if (this. data. passwordAgain == "" || this. data. passwordAgain !=
this. data. password) return app. toastBox('请确认密码!', 'none', 1500);
   let data = {
   mobile: this.data.pageFrom.mobile? this.data.pageFrom.mobile:
this. data. phoneNumber,
   authCode: this.data.code,
   password: hexMD5(this.data.password),
   registerClient: 2,
   username: this.data.account,
   if (this.data.linkId !== "") {
    data.inviteCode = this.data.linkId
   let url = this.data.pageFrom.from == 'no-username' ? completeOldUserInfo :
userRegister
   let this = this
   url (data). then (res => {
    if (res. code == 0) {
   wx.showToast({
   title: this.data.pageFrom.from == 'no-username'?'修改成功!': '注册成功!
   icon: 'success',
   duration: 1000
   }):
   if (!this.data.loginDisabled) {
   if (url == userRegister) {
```

```
wx.setStorageSync('token', res.data)
    getUserInfos('openId');
    setTimeout(() => {
    if (_this.data.pageFrom.from == 'launch-order') return
app. toGoalUrl('/order/pages/launch/launch?from=regLog');
    _this.checkCodeStatus()
    }, 1000)
   } else {
    setTimeout(() \Rightarrow \{
    return app. toGoalUrl('/personal/pages/wxLogin/wxLogin');
    }, 1000)
    } else {
    wx.showToast({
    title: res.msg,
    icon: 'none',
    duration: 1500
    })
    })
    },
    // 扫码返回判断
    checkCodeStatus() {
    if (wx.getStorageSync('codeStatus')) {
    wx.navigateBack({
    delta: 2,
    })
   wx.removeStorageSync('codeStatus')
    } else {
    app. toTabUrl('/pages/me/me')
    }
    },
    // 取消弹窗
    cancel() {
    this.setData({
    tipStatus: false
   wx.navigateBack({
    delta: 2
    })
    },
    // 检查用户是否认证,且是否存在待认证的订单
    checkCertify(userInfo) {
    let params = {
    accountId: userInfo.accountId
    getUncertifiedOrder(params).then(res => {
    if ((res.code == 1) && (userInfo.certificationStatus !== '1')) {
    this.setData({
    tipStatus: true
```

卧涛商城平台 V1.0 第 8 页 共 60 页

```
})
   } else {
   this. cancel()
   })
   },
   onLoad: function (options) {
   if (options.data) {
   this.setData({
   pageFrom: JSON. parse (options. data),
   if(this.data.pageFrom.from=='no-username') {
   wx.setNavigationBarTitle({
   title: "完善信息"
   })
   }
   if (wx.getStorageSync('linkId')) {
   this.setData({
   linkId: wx.getStorageSync('linkId')
   console. log(this. data. linkId + "-linkId")
   },
   onShow() {
   // this.lauchOrder()
   }
   })
   <!-- 登录页面 -->
   wxm1 代码:
   <!--personal/pages/phoneLogin/phoneLogin.wxml-->
   <view class="container">
   <image class="logo" src="/image/common/icon login@2x.png"></image>
   <text class="text">卧涛商城</text>
   <view class="tab-sty">
<view wx:if="{{!pageFrom.mobile}}" class="word-sty</pre>
{{currentTab==1?'select-sty':'}} "data-current="1" bindtap="switchTab">账号密码
登录</view>
   </view>
   <!-- 手机号码登录 -->
   <view wx:if="{{currentTab==0}}">
   <view class="form">
   <view class="phone {{phoneError?'error':''}}">
   <text class="label-width">手机号码</text>
</riew>
   <view wx:if="{{phoneError}}" class="phoneError">{{error[0]}}</view>
   <view class="phone check {{codeError?'error':''}}">
```

```
<text class="label-width">验证码</text>
<input bindinput="getCode" type="number" class="input check-input"
bindblur="checkCode" placeholder-class="holder-style" placeholder="请输入验证</pre>
    <button type="primary" plain="true" bindtap="sendMsg"</pre>
disabled="{{btnDisabled&&!pageFrom.mobile}}">{{btnText}}</button>
    <view wx:if="{{codeError}}" class="phoneError">{{error[1]}}}</view>
<view class="popup" hidden="{{mask}}">
<view class="mask" catchtouchmove="preventTouchMove"
catchtap="closeMask"></view>
    <view class="popup_main">
    <view class="relative-fix">
    <view class="pop-title">
    〈text〉选择一个关联账号登录〈/text〉
<view class="scroll-item">
   <view_class="user-item" wx:for="{{accountList}}}" wx:key="index"</pre>
catchtap="chooseOne" data-index="{{index}}">
    <image wx:if="{{userIndex == index&&item.isDisabled!=1}}"</pre>
src="/personal/image/center/radio check.png"></image>
    <image wx:else src="/personal/image/center/radio gray.png"></image>
<text class="warn-text" wx:if="{{item.isDisabled==1}}">该账号已禁用</text>
    </riew>
    </riew>
    <view class="note-text" wx:if="{{userIndex == -1}}">该手机号码绑定的所有账号
都已被禁用,如有需要请重新注册或联系客服处理</view>
<!-- <view class="submit-btn {{userIndex == -1?'gray-btn':''}}" catchtap="submitLogin">确 定</view> -->
    <view class="fixed-btn"><view class="submit-btn {{userIndex ==</pre>
-1?'gray-btn':''}}" catchtap="submitLogin">确 定</view></view>
    </riew>
    </riew>
    <!-- <view class="fixed-btn"><view class="submit-btn {{userIndex ==
-1?'gray-btn':''}}" catchtap="submitLogin">确 定</view></view> -->
   </riew>
    </riew>
    <!-- 账号密码登录 -->
    <view wx:if="{{currentTab==1}}">
    <accountLogin loginDisabled="{{loginDisabled}}"></accountLogin>
    </riew>
    </riew>
    <view class="agreement">
    <checkbox-group bindchange="checkboxChange">
    <checkbox value="agree" class="checkbox" color="#fff" /><text class="color3">
登录即表示同意〈/text〉
    <text class="agreement-link" bindtap="openAgreement">《卧涛用户协议》</text>
```

```
和<text class="agreement-link" bindtap="openSecrecy">《隐私保护声明》</text>
   </checkbox-group>
    </riew>
    <!-- 认证提示弹窗 -->
    <Tips bind:cancel='cancel' wx:if="{{tipStatus}}"></Tips>
    js 代码:
   const app = getApp();
   const testCode = require('.../.../utils/api.js').testCode;
    import {
   getUserInfos
   } from "../../utils/common/userDeal"
   import {
   loginBySMS,
   chooseAccount
   } from "../../utils/api/user"
   import {
    getUncertifiedOrder
   } from "../../utils/api/order.js"
   Page({
   options: {
   addGlobalClass: true, //采用全局样式
   },
   data: {
   linkId: "",
    tipStatus: false,
   phoneNumber: "",
   currentTab: 0,
   error: [
    "请输入正确的手机号码",
   "请输入验证码",
   ],
   phoneError: false,
   codeError: false,
   btnDisabled: false,
   btnText: "获取验证码",
   codeTime: 0,
   loginDisabled: true,
   code: "",
   embedToken: "",
   mask: true,
   imageUrl: app.globalData.imageURL,
   accountList: [],
   userIndex: null,
   loginTemp: '',
   pageFrom: {}
   preventTouchMove(e) {},
   closeMask() {
   this.setData({
   mask: true,
   })
```

```
},
   chooseOne(e) {
   let index = e. currentTarget. dataset. index;
    if(this.data.accountList[index].isDisabled==1) return app.toastBox('该账号已
禁用','error',1500)
   this.setData({
   userIndex: index
   })
   },
   openAgreement() {
   wx.navigateTo({
   url: '/personal/pages/agreement/agreement',
   },
   openSecrecy() {
   wx.navigateTo({
   url: '/personal/pages/secrecy/secrecy',
   },
   //获取用户输入框数据
   getPhone(e) {
   this.setData({
   phoneNumber: e. detail. value. trim()
   })
   let reg = /^1[3-9] d\{9\} $/;
   if (reg. test(this. data. phoneNumber) && this. data. btnText == "获取验证码") {
   this.setData({
   btnDisabled: false
   })
   } else {
   this.setData({
   btnDisabled: true
   })
   }
   },
   getCode(e) {
   this.setData({
   code: e. detail. value. trim()
   })
   },
   //协议勾选
   checkboxChange(e) {
   console. log(e);
   if (e.detail.value.length == 0) {
   this.setData({
   loginDisabled: true
   })
   } else {
   this.setData({
   loginDisabled: false
   })
```

```
},
   //手机号校验
   checkPhone() {
   let reg = /^1[3-9] d{9},
   if (reg. test(this. data. phoneNumber)) {
   this.setData({
   phoneError: false,
   })
   } else {
   this.setData({
   phoneError: true,
   })
   }
   },
   //验证码非空校验
   checkCode() {
   this.setData({
   codeError: this.data.code ? false : true,
   })
   },
   let that = this;
   let mobile = that.data.pageFrom.mobile ? that.data.pageFrom.mobile :
that.data.phoneNumber
   testCode(mobile).then(res => {
   if (res. code == 0) {
   wx.showToast({
   title: "验证码已发送",
   icon: 'success',
    duration: 1000
   })
   that.setData({
   codeTime: 60,
   btnDisabled: true
   that.timer();
   } else if (res. code == 1) {
   wx.showToast({
   title: res. data. cnMsg,
   icon: 'none',
   duration: 1000
   })
   }
   })
   },
   timer() {
   if (this.data.codeTime > 0) {
   this.setData({
   codeTime: this.data.codeTime - 1,
   btnText: this.data.codeTime + "s 后重新获取",
```

卧涛商城平台 V1.0 第 13 页 共 60 页

```
setTimeout(this.timer, 1000);
    } else {
    this.setData({
    btnDisabled: false,
   btnText: "获取验证码"
    }
   },
    //登录
    phoneLogin() {
    var that = this;
    if (this.data.loginDisabled) return app.toastBox('请勾选协议!', 'none',
1500);
    let linkId = that.data.linkId
    if (!this.data.codeError && !this.data.phoneError) {
    wx.login({
    success: function (result) {
    let data = {
    mobile: that.data.pageFrom.mobile? that.data.pageFrom.mobile:
that. data. phoneNumber,
    authcode: that. data. code,
    // lastLoginWayType: 1 //标记上次登录的方式用于初始化回显: 0-微信登录, 1-手
机号登录
   };
    if (linkId !== "") {
    data.inviteCode = linkId
    loginBySMS(data).then(res => {
    if (res. code == 0) {
    let list = res.data.list;
    let ableIndex = list.findIndex(item => item.isDisabled==0);
    that.setData({
    userIndex: ableIndex,
    accountList: list,
    loginTemp: res.data.loginTemp
    })
    if (list.length > 1 && !that.data.pageFrom.accountId) {
    if (that. data. pageFrom. mobile) return that. filterAccount(list);
    that.setData({
    mask: false,
    })
    } else {
    that. submitLogin();
    } else {
    wx.showToast({
    title: res.msg,
    icon: 'none',
    duration: 3000
    })
    }
   })
```

```
}
   })
   }
   },
   filterAccount(val) {
   let that = this;
   let listFilter = val.filter((item) => {
   return item. authStatus == '0'
   }):
   if (listFilter.length == 0) return wx.showModal({
    title: '操作提示',
    content: '当前手机号无关联未认证账号,请再去注册一个吧~',
   confirmText: '现在就去',
    showCancel: false,
    success (res) {
    if (res.confirm) {
   let para = {
   from: 'launch-order',
   mobile: that.data.pageFrom.mobile,
   that. toReg(para)
   } else if (res.cancel) {
    that.triggerEvent('close-dialog', true)
   }
   }):
    this.setData({
   accountList: listFilter,
   mask: false,
   })
   },
   toReg(para) {
    let data = JSON. stringify (para)
   app. toGoalUrl(`/personal/pages/regist/regist?data=${data}`)
   }.
   // 选择账号登录
   submitLogin() {
    console. log(this. data. userIndex);
    if(this.data.userIndex == -1) return app.modalBox(null,'账号异常, 检查账号信
息或联系客服处理!',false);
   let that = this;
   let list = this.data.accountList;
    let index = list.length == 1 ? 0 : this.data.userIndex;
    let para = {
   accountId: this.data.pageFrom.accountId? this.data.pageFrom.accountId:
list[index].accountId,
   loginTemp: this.data.loginTemp,
   chooseAccount(para).then(res => {
    if (res. code == 0) {
   wx. setStorageSync('token', res.data);
    this.setData({
```

```
mask: true,
    });
    getUserInfos('openId', function (res) {
    console. log (res. username);
    if (res. username) {
    if (that.data.pageFrom.mobile &&
wx.getStorageSync('launchUser').mobileStatus == '授权中') return
app. toGoalUrl ('/personal/pages/authentication/authentication')
    if (that.data.pageFrom.mobile) return
app. toGoalUrl('/order/pages/launch/launch?from=regLog')
    setTimeout(() => {
    that.checkCodeStatus()
    }, 500)
    } else {
    console. log(2);
    let para = {
    from: 'no-username',
    mobile: that.data.phoneNumber,
    that. toReg(para)
    })
   })
    },
    // 扫码返回判断
    checkCodeStatus() {
    if (wx.getStorageSync('codeStatus')) {
    wx.navigateBack({
    delta: 2,
    })
    wx.removeStorageSync('codeStatus')
    } else {
    app. toTabUrl('/pages/me/me')
   },
    // 取消弹窗
    cancel() {
    this.setData({
    tipStatus: false
    })
    wx.navigateBack({
    delta: 2
   })
   },
    // 检查用户是否认证,且是否存在待认证的订单
    checkCertify(userInfo) {
    let params = {
    accountId: userInfo.accountId
    getUncertifiedOrder(params).then(res => {
    if ((res.code == 1) && (userInfo.certificationStatus !== '1')) {
```

卧涛商城平台 V1.0 第 16 页 共 60 页

```
this.setData({
tipStatus: true
})
} else {
this. cancel()
})
},
// 切换标签页
switchTab(e) {
console. log(e)
this.setData({
currentTab: e.currentTarget.dataset.current
})
},
/**
* 生命周期函数--监听页面加载
onLoad: function (options) {
console. log(options);
if (options. data) {
this.setData({
pageFrom: JSON. parse (options. data),
})
}:
if (wx.getStorageSync('linkId')) {
this.setData({
linkId: wx.getStorageSync('linkId')
})
console. log(this. data. linkId + "-linkId")
},
})
<!-- 产品分类列表 -->
wxm1 代码:
<wxs src="/utils/common/filters.wxs" module="handles"></wxs>
<!-- 遮罩样式 -->
<view wx:if="{{openFilter}}" class="global-tip" bindtap="closeTip"></view>
<view class="classify-content">
<!-- 回到顶部 -->
<view wx:if="{{showTop}}}">
<image class="toTop" bindtap="toTop" src="/image/common/icon back@2x.png" />
</riew>
<!-- 捜索页面 -->
<view class="top-fixed">
<view class="search-contain">
<view class="search-contain-left" bindtap="skipToArea">
<text>{ {handles. handleStr(province)}} </text>
<image src="../../image/index/area_icon.png"></image>
</riew>
<text class="lang-sty"></text>
```

卧涛商城平台 V1.0 第 17 页 共 60 页

```
<view class="search-contain-right" bindtap="skipToGlobal">
    <text>搜索想要的内容</text>
    </riew>
    </ri>
    <text bindtap="skipToGlobal" class="fixed-search">捜索</text>
    </ri>
    <!-- 内容区域 -->
    <view class="home-content">
    <!-- 左侧固定导航区域 -->
    <view class="content-left" style="min-height:{{contentHeight}}">
<view wx:for="{{serviceList}}" wx:key="index"
class="{{newIndex==index?'choosed':''}}">
    <view catchtap="bindChange" data-index="{{index}}" data-item="{{item}}}">
    <text wx:if="{{newIndex==index}}" class="choosed-img"></text>
class="{{newIndex==index?'choosed-text':';}}">{{item.categoryName}}</text>
    </ri>
    </riew>
    </riew>
    <view class="content-right">
    <!-- 新产品 -->
    <view class="project-content">
    <!-- 筛选条件选择 -->
    <view class="fixed-content" wx:if="{{classFilter.length>0}}">
<view class="new-scroll">
    <view class="scroll-item" wx:for="{{classFilter}}" wx:key="index"</pre>
bindtap="changeNew" data-index="{{index}}" data-item="{{item}}">
    <text class="{{((cFilterId == index)&&openFilter||item.selectChildId!='')?</pre>
'active-scroll-sty':''}}">{{item.attributeName}}</text>
<text class="{{(cFilterId == index)&&openFilter?
'active-angle-sty':''}}"></text>
    </riew>
    </riew>
    </scroll-view>
    <!-- 选择 option 区域 -->
    <view class="option-list</pre>
{{classFilter[cFilterId].id==2?'pad1':classFilter[cFilterId].id==3?'pad2':'}}"
wx:if="{{openFilter}}">
    <text class="option-item {{classFilter[cFilterId].selectChildId ==</pre>
   ?'active-option':''}}" bindtap="changeOption" data-item="{{null}}}">
    <text wx:if="{{classFilter[cFilterId].id==1}}">{{province}}</text>
    <text wx:else>全部</text>
<text class="option-item {{classFilter[cFilterId].selectChildId ==
item.id ?'active-option':''}} " bindtap="changeOption" data-item="{{item}}"
wx:for="{{optionList}}" wx:key="index">{{item.categoryName}}</text>
    </ri>
    </ri>
    <!-- 产品列表 -->
    <view class="items-list {{classFilter.length>0?'':'active-items-list'}}"
wx:if="{{newTotal>0}}">
```

```
<view class="project-item" data-number="{{item.number}}"</pre>
wx:for="{{newProductList}}" wx:key="index">
    <!-- 其他产品 item -->
    <otherItem projectInfo="{{item}}" index="{{cProId}}}"></otherItem>
    </riew>
    </riew>
    <view class="items-list {{classFilter.length>0?":'active-items-list'}}"
wx:else>
    <view class="no-data">
    暂无匹配数据
    </riew>
    </riew>
    </ri>
    </riew>
    </ri>
    </riew>
    <!-- 省市区弹窗 -->
<areaItem bind:getCityName="getCityName" areaDialog="{{areaDialog}}"
region="{{region}}" areaValue="{{areaValue}}"></areaItem>
    js 代码:
    const app = getApp();
    import {
    getNewClassify,
    getNewProduct,
    getProjectAttribute
    } from "../../utils/api/product"
    import {
    checkUrl
    } from "../../utils/common/utils"
    import {
    getDistrict
    } from "../../utils/api/search"
    Page({
    data: {
    areaList: [],
    levelList: [{
    id: 1,
    categoryName: '国家级'
    }, {
    id: 2,
    categoryName: '省级'
    }, {
    id: 3,
    categoryName: '市级'
    }, {
    id: 4,
    categoryName: '区级'
    // 选择的产品 id (如选择的是二级分类的筛选项,显示对应二级分类 id 值)
    cProId: "",
    reachStatus: false, // 是否触底加载更多数据
    openFilter: false, // 是否显示遮罩 options
```

```
cFilterId: 0,
   showTop: false,
   newTotal: 0, // 用于上拉加载显示判断
   page: 1,
   pageSize: 20,
   newProductList: [],
   newIndex: 0,
   province: wx.getStorageSync('province'),
   provinceId: wx.getStorageSync('provinceId'),
   contentHeight: (wx.getStorageSync('windowHeight') -
wx.getStorageSync('statusBarHeight') - wx.getStorageSync('navigationBarHeight')
- 5) + 'px', //5:顶部高度的 padding-bottom:5px
   serviceList: [], // 左侧产品栏
    classFilter: [], // 对应产品筛选类(包含二级分类+属性)
   optionList: [], // 筛选数属性显示 option 集合
    list: "",
    searchCode: "0", //0-项目申报(某些地方0-知识产权,真是头疼)
   projectList: [],
   propertyList: [],
   copyrightList: "",
    patentList: "",
    trademarkList: ""
   otherList: "",
   district: "",
   areaDialog: false,
   areaValue: [],
   region: []
   closeTip() {
    this.setData({
   openFilter: false
   })
   },
   changeNew(e) {
    let item = e.currentTarget.dataset.item
    let index = e.currentTarget.dataset.index
    this.setData({
    cFilterId: index,
   openFilter: true,
   page: 1,
   optionList: item.child
   })
   // 点击属性获取 option 数据 isAttr: true-是属性 false-是二级分类
   if (item.isAttr) {
    this.getProAttrData(false, item.id)
   },
   // (分类+属性) option 筛选赋值
   changeOption(e) {
    let item = e.currentTarget.dataset.item
    let cFilterId = this.data.cFilterId
    let newIndex = this.data.newIndex
```

```
let serviceList = this.data.serviceList
   let classFilter = this.data.classFilter
   let classFilterItem = classFilter[cFilterId]
   let classId = classFilter[cFilterId].id
   let cId = serviceList[newIndex].id
   if (item == null) {
   classFilter[cFilterId].selectChildId = ''
   classFilter[cFilterId].attributeName = classId == 1 ? this.data.province :
(classFilterItem.isAttr == true ? classFilterItem.defaultName : '分类')
   this.setData({
   classFilter: classFilter,
   cProId: cId,
   })
   // 获取产品类表数据
   this.getProList()
   } else {
   classFilter[cFilterId].selectChildId = item.id
   classFilter[cFilterId].attributeName = item.categoryName
   this.setData({
   classFilter: classFilter,
   cProId: classFilterItem.isAttr == true ? cId : item.id,
   // 获取产品类表数据
   this.getProList()
   this.closeTip()
   // 回到页面顶部
   toTop() {
   app. toTop()
   },
   // 跳转到项目申报列表
   toProject() {
   wx.navigateTo({
   url: '/search/pages/classifySearch/classifySearch',
   },
   this.setData({
   areaDialog: true
   })
   },
   // 跳转到知产详情
   toPropertyDetail(e) {
   if (wx.getStorageSync('userInfo')) {
   let id = e.currentTarget.dataset.myid;
   wx.navigateTo({
   url: "/search/pages/propertyDetail/propertyDetail?propertyId=" + id
   })
   } else {
   wx.showToast({
   title: '您还未登录,请先登录吧~',
```

```
icon: 'none',
duration: 1000
})
setTimeout(function () {
wx.navigateTo({
url: "/personal/pages/wxLogin/wxLogin"
})
}, 1000)
}
},
// 跳转到项目详情
toProjectDetail(e) {
if (wx.getStorageSync('userInfo')) {
let number = e.currentTarget.dataset.number;
wx.navigateTo({
url: "/search/pages/projectDetail/projectDetail?number=" + number
})
} else {
wx.showToast({
title: '您还未登录,请先登录吧~',
icon: 'none',
duration: 1000
})
setTimeout(function () {
wx.navigateTo({
url: "/personal/pages/wxLogin/wxLogin"
})
}, 1000)
}
},
// 跳转到全局搜索页面
skipToGlobal() {
if (wx.getStorageSync('userInfo')) {
wx.navigateTo({
url: '/search/pages/global/global',
} else {
wx.showToast({
title: '您还未登录,请先登录吧~',
icon: 'none',
duration: 1000
})
setTimeout(function () {
wx.navigateTo({
url: "/personal/pages/wxLogin/wxLogin"
}, 1000)
}
},
// 跳转到 classifySearch 页面
toClassifySearch(e) {
```

```
let id = e.currentTarget.dataset.id
wx.navigateTo({
url: `/search/pages/classifySearch/classifySearch?optionId=${id}`
})
},
search(e) {
wx.navigateTo({
url: '/search/pages/global/global?type=' + e. currentTarget.dataset.type,
});
},
bindChange(e) {
// 回到顶部
wx.pageScrollTo({
scrollTop: 0,
duration: 0
})
let index = e.currentTarget.dataset.index;
let item = e.currentTarget.dataset.item;
this.setData({
cProId: item.id,
newIndex: index,
cFilterId: 0,
openFilter: false,
classFilter: item.child.length > 0 ? [{
attributeName: "分类",
isAttr: false,
selectChildId: "", // 选择的 option 项 Id
child: item.child
}]:[],
newProductList: [],
page: 1
})
this.getProList()
this.getAttributeData([item.id])
onShareAppMessage(res) {
return {
title: app. globalData. shareTitle, //默认小程序标题
path: app.globalData.sharePath
}
},
onShareTimeline() {
title: app. globalData. shareTitle, //默认小程序标题
path: app.globalData.sharePath
},
// 获取选择的地区
getSelectArea() {
let provinceId = this.data.provinceId
let province = this.data.province
```

```
if (provinceId) {
if (wx.getStorageSync('provinceId') != provinceId) {
this.setData({
provinceId: wx.getStorageSync('provinceId')
})
// 仅地区切换时重置地区筛选条件
this.resetAreaFilter()
this.getLeftClassify()
} else {
this.setData({
provinceId: provinceId
})
} else {
this.setData({
provinceId: provinceId
})
}
if (province!=wx.getStorageSync('province')) {
this.setData({
province: wx.getStorageSync('province')
})
} else {
this.setData({
province: province
})
wx.removeStorageSync('areaFilter')
},
// 获取左边分类栏数据
getLeftClassify() {
let classFilter = this.data.classFilter
let newIndex = this.data.newIndex
let params = {
parentId: 0,
getNewClassify(params).then(res => {
if (res. code == 0 \&\& res. data. length > 0) {
classFilter = res. data[newIndex].child.length > 0 ? [{
defaultName: "分类",
attributeName: "分类",
isAttr: false,
selectChildId: "", // 选择的 option 项 Id
child: res.data[newIndex].child
}]:[]
let cId = res. data[newIndex]. id
this.setData({
serviceList: res. data,
classFilter: classFilter,
cProId: cId
})
```

```
// 获取产品列表数据
this.getProList()
// 获取产品筛选属性数据
this.getAttributeData([cId])
}
})
},
// 获取筛选属性数据
getAttributeData(categoryIds) {
let classFilter = this.data.classFilter
if (categoryIds==1) {
let attribute = [{
id: 1,
attributeName: "地区",
categoryId: 1
}, {
id: 2,
attributeName: "级别",
categoryId: 1
}, {
id: 3,
attributeName: "归口",
categoryId: 1
}, ]
attribute.forEach(item => {
item.selectChildId = ""
item.isAttr = true
item.defaultName = item.attributeName
})
this.setData({
classFilter: classFilter.concat(attribute)
})
}
},
// 获取项目申报筛选属性数据
getProAttrData(status, id) {
getProjectAttribute().then(res => {
if (res. code == 0) {
let provinceId = wx.getStorageSync('provinceId')
let data = wx.getStorageSync('district')
let area = []
let levelList = this.data.levelList
if (status) {
this.setData({
areaList: data
// 获取重构产品列表数据总入口
this.getLeftClassify()
} else {
// 获取地区数据
data.forEach(item => {
```

```
if (item. children. length>0) {
    item.children.map(item => {
    if(item.no == provinceId){
    area = item
    }
   })
    }
   })
    // 获取其他筛选项 option 数据
    let selection = res. data. selection. filter(item => {
   return item.categoryId == 2
   })
    if (selection.length > 0) {
    selection[0].options.forEach(item => {
    item.categoryName = item.name
   })
    }
    if (area. children. length > 0) {
    area.children.forEach(item => {
    item.categoryName = item.name
    item.id = item.no
   })
    this.setData({
    optionList: id == 1 ? area.children : (id == 2 ? levelList :
selection[0].options)
   })
   } else {
    this.setData({
    optionList: id == 1 ? [] : (id == 2 ? levelList : selection[0].options)
    })
    }
   })
    },
    // 筛选地区
    filterArea(val) {
    let areaList = this.data.areaList
    let filterList = []
    let r = areaList.filter(item => {
    return item. value == val
   })
    if (r.length > 0) {
    r[0]. children. for Each (item => {
    filterList. push (item. value)
    })
   return filterList
    // 获取产品列表数据
    getProList() {
```

```
let id = this.data.cProId
    let classFilter = this.data.classFilter
    var attribute = []
    classFilter.forEach(item => {
    if ((item.id && (item.id == 1)) || (item.id && (item.id == 3) &&
item.selectChildId != '')) {
    attribute.push({
    attributeId: item.id,
    attributeValueList: item.selectChildId == '' ?
[wx.getStorageSync('provinceId')] : [item.selectChildId]
    })
    if (item. id == 2) {
    attribute.push({
    attributeId: item.id.
    attributeValueList: [item. selectChildId]
    })
    }
    })
    let arr = []
    if (this. data. newIndex == 0) {
    arr = attribute.length > 0 ? attribute : [{
    attributeId: 1,
    attributeValueList: [this.data.provinceId]
    }
    let params = {
    pageNo: this. data. page,
    pageSize: this.data.pageSize,
    categoryIdList: id == 2 ? [3, 4, 5, 6] : [id],
    sort: 'lattest',
    spuArea: ''.
    spuKinds: ''
    spuLevel: ''
    arr.forEach(item=>{
    if (item. attributeId == 1) {
    params. spuArea = item. attributeValueList. toString()
    }else if(item.attributeId == 2) {
    params.spuLevel = item.attributeValueList.toString() == ''?'全部':
Number(item.attributeValueList.toString())
    params. spuKinds = item. attributeValueList. toString()
    }
    })
    if(params.spuLevel=='' | | params.spuLevel==null) {
    params. spuLevel = '全部'
    getNewProduct(params). then(res => {
    if (res. code == 0) {
    let reachStatus = this.data.reachStatus
    let newProductList = this.data.newProductList
```

```
let result = res.data.records
result.forEach(item => {
item.urlInfo = checkUrl(item.imageUrl)
})
this.setData({
newProductList: reachStatus == true ? newProductList.concat(result) : result,
reachStatus: false,
newTotal: res. data. total,
})
}
})
},
// 重置地区筛选数据
resetAreaFilter() {
let classFilter = this.data.classFilter
classFilter.forEach(item => {
if (item. id == 1) {
item.selectChildId = ""
item.attributeName = "地区"
}
})
this.setData({
classFilter: classFilter
})
}.
// 获取子组件传值
getCityName(e) {
if(e.detail != ''){
this.setData({
province: e.detail,
areaDialog: false
})
this.getProList()
this.resetAreaFilter()
}else{
this.setData({
areaDialog: false
})
}
},
// 获取地区
getData() {
let data = this.data.region
let cityId = wx.getStorageSync('provinceId')
let index1 = 0
let index2 = 0
let parentno = ''
data.forEach((item) => {
item. children. map(function(citem, cindex) {
if(citem.no == cityId) {
parentno = citem.parentNo
```

```
index2 = cindex
})
})
data.map(function(item, index) {
if(item.no == parentno) {
index1 = index
})
this.setData({
areaValue: [index1, index2]
})
},
/**
* 页面上拉触底事件的处理函数
onReachBottom: function () {
let newProductList = this.data.newProductList
let newTotal = this.data.newTotal
if (newProductList.length < newTotal) {</pre>
this.setData({
reachStatus: true,
page: this.data.page + 1
})
this.getProList()
},
//监听页面滑动
onPageScroll(e) {
var that = this;
if (e. scrollTop > 0) {
that.setData({
showTop: true
})
} else {
that.setData({
showTop: false
})
}
},
// 校验登录
checkLoginStatus() {
if (!wx.getStorageSync('userInfo')) {
wx.showToast({
title: '您还未登录,请先登录吧~',
icon: 'none',
duration: 1000
})
setTimeout(function () {
wx.navigateTo({
url: "/personal/pages/wxLogin/wxLogin"
```

```
})
}, 1000)
} else {
this.data.areaList.length > 0 ? '' : this.getProAttrData(true)
if (wx.getStorageSync('areaFilter')) {
this.setData({
page: 1,
newProductList: []
// 获取当前定位地区数据
this.getSelectArea()
} else {
this.getSelectArea()
}
},
// 修改 tabbar index
changeTabbar() {
let islogin = wx.getStorageSync('userInfo') ? true : false
if (typeof this.getTabBar === 'function' && this.getTabBar()) {
this.getTabBar().setData({
selected: 1,
isLogin: islogin
})
}
},
onLoad(options) {
if (options.type) {
this.setData({
newIndex: options.type,
}
this.setData({
district: wx.getStorageSync('provinceId'),
province: wx.getStorageSync('province'),
provinceId: wx.getStorageSync('provinceId'),
})
if (wx. getStorageSync('district')) {
this.setData({
region: wx.getStorageSync('district')
}else{
getDistrict().then(res=>{
if (res. data. code == 0) {
let data = res. data. data
wx.setStorageSync('district', data)
}
})
this.setData({
region: wx.getStorageSync('district')
```

```
}
    },
    onShow: function () {
    this. checkLoginStatus()
    this. change Tabbar ()
    this.getData()
    <!-- 产品详情页 -->
    wxm1 代码:
    <!--search/pages/productdetails/productdetails.wxml-->
    <import src="../wxParse/wxParse.wxml" />
    <wxs src="/utils/productdetails/productdetails.wxs" module="tools"></wxs>
    <view class="global-tip" wx:if="{{showDialog==true}}"</pre>
bindtap="handleDialog"></view>
    <!-- 图片区域 -->
    <view class="product-img">
\label{lem:class} $$ \sin class="bg-img" indicator-dots="{\{coverUrls.length>1\}}" indicator-color="\#EAEBEF" indicator-active-color="\#61BAFF">$
    <swiper-item wx:for="{{coverUrls}}" wx:key="idx">
<image wx:else class="bg-img" src="{{imageUrl+item.imageUrl}}" />
    </swiper-item>
    </swiper>
    </riew>
    <!-- 服务费 -->
    <view class="service-price">
    <block wx:if="{{noSetPrice}}">
    <view class="service-item item-name">该组合产品尚未设置价格</view>
    <block wx:if="{{!baseInfo.isOnline && !noSetPrice}}">
    <view class="service-item justify-left">
    <view class="item-name">服务费</view>
    <view class="item-price">面议</view>
    </riew>
    </block>
    <block wx:if="{{baseInfo.isOnline && !noSetPrice}}">
    〈!-- 一口价 -->
    <block wx:if="{{choiceAttribute.dueTypeOfficialFee | |</pre>
choiceAttribute.dueTypeAgencyFee || choiceAttribute.dueTypeThirdPartyFee}} ">
    <view class="service-item justify-left">
    <view class="item-name">服务费</view>
    <view class="item-price"><text class="markyuan">
Y</text>{{tools.filterViewprice(tools.filterOnePrice(choiceAttribute))}}</view
    </riew>
    </block>
    <block wx:elif="{{choiceAttribute.noAttritube==true}}">
    <view class="service-item justify-left">
    <view class="item-name">服务费</view>
    <view class="item-price">待定</view>
```

```
</riew>
         </block>
         <!-- 定金+尾款 -->
         <blook wx:else>
         <view class="service-item">
         <view class="flex">
         <view class="item-name">定金</view>
         <view class="item-price"><text class="markvuan">
Y</text>{{tools.filterViewprice(tools.filterdepositPrice(choiceAttribute))}}</
view>
         </riew>
         <view class="flex">
         <view class="item-name"> 尾款</view>
         <view class="item-price"><text class="markyuan">
Y</text>{\text>\{\text\}\left\{\text\}\left\{\text\}\left\{\text\}\left\{\text\}\left\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\right\{\text\}\r
         </riew>
         </riew>
         </block>
         </block>
         <view class="area" wx:if="{{baseInfo.categoryId==1}}">
         <view class="mb">地区</view>
         <view class="attribute-txt">{{areas}}</view>
         </view>
         <view>
         <view class="mb">归口</view>
         <view class="attribute-txt">{{belong}}</view>
         </ri>
         </ri>
         </ri>
         <!-- 标题 --->
         <view class="details">
         <view class="productservice">
         <view class="service-box">
         <view class="product-title line-2-ellipsis">{{baseInfo.spuTitle}}}</view>
         <view class="product-sologan line-1-ellipsis">{{baseInfo.spuSlogan}}</view>
         <view class="advantage">
         <view wx:for="{{iconList}}" wx:key="index">
         <image class="advantage-img" src="{{item.url}}" />
         <text class="advantage-text">{{item.name}}</text>
         </ri>
         </riew>
         </riew>
         </riew>
         <view class="product-fee">
         choiceAttribute.dueTypeOfficialFee}}" bindtap="handleDialog">
         <text class="guanfee">官费</text>
         <text class="guanprice"
wx:if="{{choiceAttribute.depositTypeOfficialFee}}">{{tools.filterViewprice(choi
ceAttribute.depositTypeOfficialFee)}}</text>
```

```
<text class="guanprice"
wx:if="{{choiceAttribute.dueTypeOfficialFee}}">{{tools.filterViewprice(choiceAt
tribute.dueTypeOfficialFee)}}</text>
    <image class="more" src=".../.../image/productdetails/gengduo_icon@2x.png" />
    </ri>
    <view class="fee-detail" bindtap="handleDialog">
    <view>
    <text class="guanfee">规格</text>
    <text class="guanprice dark">{{attributeText}}</text>
    </riew>
    <image class="more" src="../../image/productdetails/gengduo_icon@2x.png" />
    </ri>
    </riew>
    </riew>
    <!-- 固定导航头 -->
    <view class="nav-bar" wx:if="{{showTabStatus}}">
    <view class="nav-bar-item" wx:for="{{articleTitleArray}}" wx:key="index"</pre>
bindtap="changeNav" data-index="{{index}}">
    <text
class="{{navBarIndex==index?'active-nav-sty':''}}">{{item.title}}</text>
    <text wx:if="{{navBarIndex==index}}"></text>
    </riew>
    </riew>
    <!-- 内容区域 -->
    <view class="product-content" id="productBox">
    <view class="service-pro">
    <view class="service-pro-title">服务流程</view>
    <image class="pro-img"</pre>
src="https://static.wotao.com/icon/head/1d4f42cc2ba943acacee636066678247.png"><
/image>
    </ri>
    <view class="pc-item" id="{{'pc-item'+index}}" wx:for="{{articleArray}}"</pre>
wx:key="index">
    <!-- 标签标题区域 -->
    <view class="pc-item-title">
    <text></text>
    <text>{{articleTitleArray[index].title}}</text>
    </riew>
    <!-- 标签内容区域 -->
    <view class="pc-item-content">
    <view wx:if="{{item.tag == 'video'}}">
    <template is="wxParseVideo" data="{{wxParseData:item}}" />
    </riew>
    <view wx:else>
    <template is="wxParse" data="{{wxParseData:item}}" />
    </riew>
    </riew>
    </riew>
    </ri>
    <!-- 产品列表 -->
    <View class="hot-contain" wx:if="{{hotList.length>0}}">
    <view class="hot-title">
```

```
<text></text>
    <text>热门商品</text>
    <view class="new-product-list" style="min-height:480px">
    <view class="new-product-item" wx:for="{{hotList}}" wx:key="index">
    <!-- 其他五类新产品 item -->
    <otherItem item="{{item}}" index="{{index}}"</pre>
categoryId="{{baseInfo.categoryId}}}" hot="{{true}}"></otherItem>
    </view>
    </ri>
    </View>
    <!-- 底部按钮区域 -->
    <view class="foot">
    <footBar></footBar>
    <view class="foot-btn">
<view bindtap="handleCollect" class="left-btn
{{collectStatus==true?'collected':'not-collected'}}">
    <text wx:if="{{collectStatus==true}}">已收藏</text>
    <text wx:if="{{collectStatus== false}}">加入收藏</text>
    <block wx:if="{{baseInfo.isOnline == true}}">
    <button class="loginBtn {{noSetPrice?'disable-btn':''}}"</pre>
bindtap="showPriceDialog">立即下单</button>
    </block>
    <block wx:else>
    <button open-type="contact" class="loginBtn">立即咨询</button>
    </block>
    </riew>
    </riew>
    <!-- 弹框 -->
    <view class="dialog" wx:if="{{showDialog==true}}">
    <view class="attribute">
    <view wx:for="{{dialogImgList}}" style="display:flex" wx:key="index">
<image class="popImg" wx:else src="{{imageUrl + item.imageUrl}}" />
    <view class="popfee" wx:if="{{!noSetPrice}}">
    <view class="first">
    <block wx:if="{{baseInfo.isOnline == false}}">
    <text class="a">服务费</text>
    <text class="b" style="font-size: 26rpx;">面议</text>
    </block>
    <block wx:if="{{baseInfo.isOnline == true}}">
    <block wx:if="{{choiceAttribute.dueTypeOfficialFee | |</pre>
choiceAttribute.dueTypeAgencyFee | | choiceAttribute.dueTypeThirdPartyFee}}">
    <text class="a">服务费</text><text class="b">><text style="font-size:22rpx">
Y</text>{{tools.filterViewprice(tools.filterOnePrice(choiceAttribute))}}</text
    </block>
    <block wx:elif="{{choiceAttribute.noAttritube==true}}">
    <text class="a">服务费</text>
    </block>
```

```
<blook wx:else>
    <text class="a">定金</text><text class="b"><text style="font-size:22rpx">
Y</text>{{tools.filterViewprice(tools.filterdepositPrice(choiceAttribute))}}</
    </ri>
    <view>
    <text class="a">尾款</text><text class="b"><text style="font-size:22rpx">
Y</text>{{tools.filterViewprice(tools.filterfinalPrice(choiceAttribute))}}</te>
xt>
    </riew>
    </block>
    </block>
    </ri>
    <view class="second" wx:if="{{ choiceAttribute.depositTypeOfficialFee | |</pre>
choiceAttribute.dueTypeOfficialFee}}">
<text class="a">官<text decode="{{true}}">&nbsp;&nbsp;&nbsp;</text>费
</text><text class="b"><text style="font-size:22rpx">Y</text></text></text></text>
wx:if="{{choiceAttribute.depositTypeOfficialFee}}">{{tools.filterViewprice(choi
ceAttribute.depositTypeOfficialFee)}}</block>
wx:if="{{choiceAttribute.dueTypeOfficialFee}}">{{tools.filterViewprice(choiceAt
tribute.dueTypeOfficialFee)}}</block>
    </text>
    </riew>
    </ri>
    <view wx:else><text class="a">该组合产品尚未设置价格</text></view>
    </view>
    <block wx:if="{{transactionList.length>0}}">
    <view wx:for="{{attributeList}}" wx:for-index="parentIndex"</pre>
wx:for-item="parentItem">
    <view class="attrleft">{{parentItem.key}}</view>
    <view class="attrright">
    <view wx:for="{{parentItem.value}}" wx:for-index="childIndex"</pre>
wx:for-item="childItem" wx:key="childIndex">
tools. filterSlice (activeKey, 2, 3) == childIndex?' activeTip':''}} ">{{childItem}} </v
iew>
    </ri>
    </ri>
    </riew>
    <view class="flex">
    <view class="att mt">数量选择</view>
    <view>
    <text class="min" data-index="0" bindtap="checkNum">-</text>
    <text class="buy">{{productNum}}}</text>
    <text class="min" data-index="1" bindtap="checkNum">+</text>
    </riew>
    </riew>
    </block>
```

```
</riew>
</riew>
</riew>
js 代码:
const app = getApp();
var WxParse = require('../wxParse/wxParse.js');
import {
addPageViews,
pageWeightSpu,
pageInfo,
getNewProduct
} from "../../utils/api/product.js"
import {
allFactor
} from "../../utils/api"
import {
filterArea
} from "../../utils/common/cacheDatas"
import {
getProductInfo,
isCollected,
addcollect,
{\tt cancel} {\tt collect}
} from "../../utils/api/productdetails.js"
Page({
/**
* 页面的初始数据
*/
data: {
hotList: [],
videoControl: false,
spuId: '',
belong: null,
goodsIdgoodsId: '',
proType: '',
navBarIndex: 0, // 导航头下标
showTabStatus: false, // 控制导航头显示
imageUrl: app.globalData.imageURL,
articleTitleArray: [],
articleArray: [], //富文本
coverUrls: [], //轮播图
iconList: [{
name: "全程监督",
url: "/search/image/productdetails/quanchengjiandu_icon@2x.png"
}, {
name: "保障权益",
url: "/search/image/productdetails/baozhangquanyi icon@2x.png"
name: "十年行业经验",
url: "/search/image/productdetails/shinianjingyan icon@2x.png"
}],
```

卧涛商城平台 V1.0 第 36 页 共 60 页

```
baseInfo: {},
attributeList: [], //属性规格
transactionList: [], //后台配置可交易选项
activeKey: null, // 默认选中规格
flag: null, //是否为单层属性
productNum: 1, //数量
collectStatus: false,
dialogImgList: [], //弹框里面内容
choiceAttribute: {}, // 选中的规格(动态)
attributeText: null, // 选中的文案(动态)
showDialog: false,
area: '',
noPriceIndex: [],
skuIndexArr: [],
noSetPrice: false,
// 导航头选择并滑动到指定区域
changeNav(e) {
let index = e.currentTarget.dataset.index
this.setData({
navBarIndex: index
})
var query = wx.createSelectorQuery() // 创建节点查询器
query.selectViewport().scrollOffset(); // 节点的竖直滚动位置
query.select(`#pc-item${index}`).boundingClientRect() // 动态获取 id
query.exec(function (res) { // 执行请求
wx.pageScrollTo({
scrollTop: res[0]. scrollTop + res[1]. top - 46, // 滚动到页面节点的上边界坐标
duration: 0 // 滚动动画的时长
}):
})
},
// 获取产品详情
getDetail(spuId) {
console.log(this.data.spuId, 'getDetail');
wx. showLoading({
title: '加载中',
getProductInfo({spuId}).then(res => {
if (res. code == 0) {
wx. hideLoading({
success: (res) \Rightarrow \{\}
})
let data = res.data
//轮播图
if (data.baseInfo.imageList && data.baseInfo.imageList.length) {
let urlList = []
data.baseInfo.imageList.forEach((item, index) => {
urlList[index] = Object.assign(item, {
urlType: item.imageUrl.substr(item.imageUrl.lastIndexOf('.') + 1)
```

```
})
    this.setData({
    coverUrls: urlList
    })
    if (data.baseInfo.categoryId == 1) {
    let areas = [];
    let aItem = data.baseInfo.generateAttributeList.find(item =>
item.attributeName == '地区');
    let belongs = data.baseInfo.generateAttributeList.find(item =>
item.attributeId == 2);
    areas[0] = Number(aItem.attributeValueDesc)
    areas[1] = Number(aItem.attributeValue)
    this.setData({
    areas: aItem. attributeValueDesc, //filterArea(areas),
    belong: belongs.attributeValueDesc
   })
   }
    //富文本
    let articleArray = [];
    data.detailInfoList.forEach(item => {
    articleArray.push({
    title: item. tagName,
    content: item. text
    })
    })
    this.setData({
    articleTitleArray: articleArray
   })
    let that = this
    for (let i = 0; i < articleArray.length; i++) {
    WxParse.wxParse('article' + i, 'html', articleArray[i].content, that);
    if (i === articleArray.length - 1) {
    WxParse.wxParseTemArray("articleArray", 'article', articleArray.length,
that);
   }
    console. log(this. data. articleArray, 'articleArray')
    // 弹框内容
    let dialogImgList = data.baseInfo.imageList.filter(item => item.isDefault ==
true)
    let imgList = []
    dialogImgList.forEach((item, index) => {
    imgList[index] = Object.assign(item, {
    urlType: item.imageUrl.substr(item.imageUrl.lastIndexOf('.') + 1)
   })
   })
    //是否为单层属性
    let flag = data.tradeInfo.skuList.some(item => item.skuIndex.indexOf(' ') >
-1)
    this.setData({
    baseInfo: data.baseInfo,
```

卧涛商城平台 V1.0 第 38 页 共 60 页

```
dialogImgList: imgList,
    transactionList: data.tradeInfo.skuList,
    activeKey: data.tradeInfo.skuList[0].skuIndex,
    flag
    }):
    let skuIndexs = this. data. transactionList. map(x => {
    return x.skuIndex
    }):
    this.setData({
    skuIndexArr: skuIndexs
    }):
    //去除没有搭配的属性
    let filterattributeList = data.tradeInfo.dynamicAttributeList.map(item => ({
    key: Object. keys (item) [0],
    value: Object. values (item) [0]
    }))
    let recordArr = []
    let doublerecordArr = []
    data.tradeInfo.skuList.forEach(element => {
    if (element. skuIndex. length == 1) {
    recordArr. push (Number (element. skuIndex))
    } else {
    recordArr. push (Number (element. skuIndex. substr (0, 1)))
    doublerecordArr. push (Number (element. skuIndex. substr(2)))
    }
    })
    // Array. from(filterattributeList)[0]. value =
Array. from (filterattributeList) [0]. value. filter ((item, index) => Array. from (new
Set (recordArr)).includes (index))
    let difference = Array. from (filterattributeList) [0]. value. filter ((item, index)
=> !new Set(recordArr).has(index));
    this.setData({
    noPriceIndex: difference
    })
    // if (flag) {
           Array. from (filterattributeList) [1]. value =
Array. from (filterattributeList) [1]. value. filter ((item, index) => Array. from (new
Set (doublerecordArr)). includes (index))
    this.setData({
    attributeList: filterattributeList
    this. handlechoiceAttribute()
    this. handleattributeText()
    if (data. baseInfo. categoryId == 1) {
    let para = this.fixFiler()
    this. getHotList (data. baseInfo. categoryId, para, spuId)
    } else {
    this. getHotList (data. baseInfo. categoryId, [], spuId)
    })
```

```
},
// 传参修改
fixFiler() {
let list = []
this. data. baseInfo. generateAttributeList. forEach(item=>{
list.push({
attributeId: item.attributeId,
attributeValueList: [item.attributeValue]
})
})
return list
},
// 总价计算
totalFix() {
let optionList = this. data. projectInfo. policyGovfeeTypeList
let count = this.data.productCount // 选择的产品数量
let earnestMoney = this.data.projectInfo.earnestMoney // earnestMoney 定金
if (optionList.length == 0) {
return count * (Number(earnestMoney))
let index = this.data.agencyFeeType // 官费代缴选择下标
let governmentFee = optionList[index].typeFee // governmentFee 此处仅表示官
return count * (Number(earnestMoney) + Number(governmentFee))
},
showPriceDialog() {
if (!this.data.showDialog) return this.setData({
showDialog: true
this. toSubmit()
toSubmit() {
if (this. data. noSetPrice) return;
let choiceAttribute = this.data.choiceAttribute;
let params = {
pageFrom: 1, // 1 代表从产品页面进
contractScope: this. data. baseInfo. contractScope,
id: this.data.spuId, // 产品id
attributeText: this.data.attributeText,
goodsId: this.data.goodsId, //商品 id
categoryId: this. data. baseInfo. categoryId, //产品类型
type: this.data.proType,
number: this.data.baseInfo.spuCode, // 产品 number
choiceAttribute: choiceAttribute,
coverUrlInfo: this.data.dialogImgList[0]?
this.data.dialogImgList[0].imageUrl: null, // 封面对象
productName: this.data.baseInfo.spuTitle, // 产品名称
productCount: this.data.productNum, // 选择的产品数量
tailstatusPayFlag: false // 是否支付尾款
console.log(params, '----');
```

卧涛商城平台 V1.0 第 40 页 共 60 页

```
let data = JSON. stringify(params)
wx.navigateTo({
url: \rightarrow order/pages/submitOrder/projectOrder/projectOrder?data=${data}\rightarrow,
})
},
//切换规格
handleClick(event) {
let parentIndex = event.currentTarget.dataset.parentindex
let childIndex = event.currentTarget.dataset.childindex
if (parentIndex == 0) {
if (this. data. flag) {
let activeKey = childIndex + '_' + this.data.activeKey.substr(2)
this.setData({
activeKey
})
} else {
this.setData({
activeKey: String(childIndex)
})
}
} else {
let activeKey = this.data.activeKey.substr(0, 1) + '_' + childIndex
this.setData({
activeKey
})
this. handlechoiceAttribute()
this. handleattributeText()
}.
//数量选择
checkNum(event) {
let type = event.currentTarget.dataset.index
if (type == '1') {
if (this.data.productNum == 99) {
return
this.setData({
productNum: ++this.data.productNum
})
} else {
if (this.data.productNum == 1) {
return
this.setData({
productNum: --this.data.productNum
})
}
},
handlechoiceAttribute() {
if (!this.data.skuIndexArr.includes(this.data.activeKey)) {
this.setData({
```

```
noSetPrice: true,
    return app. toastBox('该类型尚未设置价格', 'error', 1000)
    if (this. data. activeKey && this. data. transactionList. length > 0) {
    if (this. data. transactionList. filter(item => item. skuIndex ==
this.data.activeKey).length) {
    let choiceAttribute = this.data.transactionList.filter(item => item.skuIndex
== this.data.activeKey)[0].skuPayTypeList
    let goodsId = this.data.transactionList.filter(item => item.skuIndex ==
this. data. activeKev) [0]. id
    this.setData({
    choiceAttribute: choiceAttribute,
    goodsId: goodsId
    } else {
    this.setData({
    choiceAttribute: {
    noAttritube: true
    })
    } else {
    this.setData({
    choiceAttribute: {}
    })
    }
    }.
    handleattributeText() {
    if (this. data. activeKey) {
    if (this. data. activeKey. length == 1) {
    let attributeText =
this. data. attributeList[0]. value[Number(this. data. activeKey)]
    this.setData({
    attributeText
    })
    } else {
    let attributeText =
this. data. attributeList[0]. value[Number(this. data. activeKey. substr(0, 1))] + ','
+ this. data. attributeList[1]. value [Number (this. data. activeKey. substr(2, 3))]
    this.setData({
    attributeText
    〈!-- 提交订单,确认订单页面 -->
    wxm1 代码:
    <!--order/pages/submitOrder/projectOrder/projectOrder.wxml-->
    <wxs src="/utils/order/order.wxs" module="tools"></wxs>
    <!-- 公共导航栏组件 -->
    <navBar type="{{1}}" bind:close-dialog="closeDialog"</pre>
cType="{{orderInfo.pageFrom}}" navTitle="{{orderInfo.pageFrom == 0?'确认支付':'
确认订单'}}"></navBar>
    <view class="submit-order" style="margin-top: {{height}}rpx;">
    <!-- 项目申报产品信息 -->
```

```
serviceFee="{{serviceFee}}" totalPriceList="{{totalPriceList}}"></projectInfo>
    <!-- 收件地址 -->
    <view class="address" wx:if="{{orderInfo.pageFrom == 0}}">
    <text>收件信息</text>
    <addressItem addressInfo="{{defaultAddress}}"></addressItem>
    </ri>
    <!-- 支付方式 -->
    <view class="pay-way {{totalPriceList[2].value>6000?'active-pay-way':''}}"
wx:if="{{orderInfo.pageFrom == 0}}">
    <text>支付方式</text>
    <view wx:for="{{payList}}" wx:key="index">
    <view class="pay-desc"</pre>
wx:if="{{index<2||(index==2&&totalPriceList[2].value<=6000)}}">
    <view class="pay-img">
    <image src="{{item.url}}"></image>
    <text>{{item.title}}}</text>
    </ri>
    <view class="check-sty" bindtap="changePay" data-index="{{item.index}}">
    <image wx:if="{{checkedIndex == item.index}}"</pre>
src="/order/image/orders/checkd.png"></image>
    <image wx:else src="/order/image/orders/uncheck.png"></image>
    </riew>
    </riew>
    </ri>
    </ri>
    <!-- 提交订单按钮 -->
    <view class="submit-btn">
    <view class="submit-left">
    <!-- 总价显示区域 -->
    <view class="total-fix">
    <text>共{{orderInfo.productCount}}件, </text>
    <view class="total-price">
    <text>小计: </text>
    <text>Y</text>
wx:if="{{orderInfo.pageFrom!=0||((orderInfo.pageFrom==0)&&!orderInfo.tailstatus
PayFlag)}}">{{orderInfo.totalPrice}}</text>
wx:if="{{(orderInfo.pageFrom==0)&&orderInfo.tailstatusPavFlag}}">{{orderInfo.fe
eInfo.tailShould}}</text>
    </ri>
    </ri>
    <view>
    <!-- 交易协议 -->
    <view class="pay-agreement" wx:if="{{orderInfo.pageFrom == 0}}">
    <!-- wx:if="{{!orderInfo.tailstatusPayFlag}}" -->
    <image bindtap="changeAgreement" data-status="{{false}}"</pre>
wx:if="{{agreementStatus}}" src="/order/image/orders/checkd.png"></image>
    <image bindtap="changeAgreement" data-status="{{true}}}" wx:else</pre>
src="/order/image/orders/uncheck.png"></image>
    <text>请阅读并同意</text>
    <text bindtap="toAgreement">《卧涛网交易服务协议》</text>
```

```
</riew>
    </ri>
    </riew>
    <view class="confirm-btn">
    <text wx:if="{{orderInfo.pageFrom == 1 | | orderInfo.pageFrom == 2}}"</pre>
bindtap="checkPower" class="long-txt-sign">立即签约下单</text>
    <!-- <text wx:if="{{orderInfo.pageFrom == 1 | | orderInfo.pageFrom == 2}}"
bindtap="toPay">提交订单</text> -->
    <text wx:else bindtap="toOrderPay">立即支付</text>
    </view>
    </riew>
    <view class="popup" hidden="{{mask}}">
    <view class="mask" catchtouchmove="preventTouchMove"</pre>
catchtap="closeMask"></view>
    <view class="popup main">
    <view class="pop-title">
    <text>选择签约方式</text>
    <image catchtap="closeMask" class="close-ico"</pre>
src="{{imageUr1+'icon/head/b0b594b92ed64062b013ab47da74b923.png'}}"></image>
    </ri>
    <view class="user-item" wx:for="{{signList}}" wx:key="index"</pre>
catchtap="chooseOne" data-item="{{item.value}}">
    <image wx:if="{{signIndex == item.value}}"</pre>
src="{{proImageUrl+'icon/head/b968ca9ea15a4b65a7a3933d2e247494.png'}}"></image>
    <image wx:else</pre>
src="{{proImageUrl+'icon/head/f87e7fe190d843ca9b8c25ade5d95abe.png'}}"></image>
    <text>{{item.title}}</text>
    <text class="sign-desc">{{item.desc}}</text>
    <view class="pop-btn" catchtap="changeContract">确 定</view>
    </riew>
    </ri>
    </ri>
    js 代码:
    // order/pages/submitOrder/projectOrder/projectOrder.js
    const app = getApp():
    var common = require('.../.../utils/common/userDeal')
    import { getOpenId, layout } from "../../../utils/api"
    import { getEssAuthStatus } from "../../../utils/api/user"
    import { pavForApplet } from ".../.../utils/api/orders"
    import { submitOrder, submitToPay } from "../../../utils/api/order"
    import { getAddressList } from "../../../utils/api/address"
    import { updateAccountInfo } from "../../../utils/api/user"
    import { throttle } from "../../../utils/common/utils"
    Page({
    /**
    * 页面的初始数据
    */
    data: {
    // 微信支付参数
    signList:[{
    value:1,
    title:'电子合同',
```

```
desc: '线上签约,安全高效省心'
}, {
value:2,
title:'纸质合同',
desc: '面签,扫描,邮寄等流程'
signIndex:2,
wxInfo: {},
orderItemInfo: {},
baseURL: app.globalData.baseURL,
priceType: '',
// 尾款总价
tailAmount: 0,
thirdFee: 0,
orderListNo: '',
// 显示价格总价
totalPriceList: [{
title: "定金总计",
value: ""
},
{
title: "官费总计",
value: ""
},
title: "本次应支付金额",
value: ""
},
],
mask: true,
wxPayMax: false,
finalIndex: null, //防止数据结构有问题, 尾款未设置情况
// status: 0-待付款 1-未开始 2-已付款
// payProcess: 控制样式显示 true 红色 false 灰色
serviceFee: [{
title: "定金",
value: "",
status: 0,
payProcess: true
}, {
title: "尾款",
value: "",
status: 1,
payProcess: false
}, {
title: "官费",
value: "",
status: 0,
payProcess: true
}],
dialogStatus: true,
```

```
orderNo: "",
   // 页面内容距最顶部的距离
   height: app. globalData. navHeight * 2 + 10,
   // 跳转到对公转账支付页要带的信息
   transferInfo: {},
   defaultAddress: {},
   userInfo: {},
   orderInfo: {},
   imageUrl: app.globalData.imageURL,
   proImageUrl:'https://static.wotao.com/',
   agreementStatus: true,
   checkedIndex: 1,
   payList: [{
   url: "/order/image/orders/transfar pay.png",
   title: "线下对公转账支付",
   index: 1,
   },
   {
   url: "/order/image/orders/bao_pay.png",
   title: "支付宝支付",
   index: 0,
   },
   url: "/order/image/orders/weixin_icon.png",
   title: "微信支付",
   index: 2,
   },
   ],
   saveOrderInfo:null,
   // 检查授权情况
   checkPower() {
   let that = this;
   let data = this.data.orderInfo;
   let contractType = data.contractScope == 3 ? 2 : data.contractScope; //1:电
子,2:纸质,contractScope:3合同可选择
   let certifiedType = wx.getStorageSync('userInfo').certifiedType; //0: 未认证;
1: 初级认证; 2: 高级认证
   let hignAuth = certifiedType == 1 ? '高级':';
   if(certifiedType == 0 || contractType == 1 && certifiedType == 1
!certifiedType) return wx.showModal({
   title: '操作提示',
   content: '由于您的身份未'+hignAuth+'认证,暂时无法进行签约操作,为了给您提供
更好的服务,请尽快完成认证!',
   showCancel: true,
   confirmText:'去认证',
   cancelText:'放弃认证',
   success (res) {
   if (res. confirm) {
   let userInfo = wx.getStorageSync('userInfo');
   setTimeout(function () {
   wx.navigateTo({
```

```
url: '/personal/pages/authentication/authentication?accountType=' +
userInfo.accountType,
    })
    }, 1000)
    }
    });
    console. log(contractType, certifiedType);
    if(contractType == 2 && (certifiedType == 1 || certifiedType == 2)) return
this. toSignOrder();
    getEssAuthStatus().then(res=>{
    if (res. code == 0) {
    if (res. data. status=='2' | res. data. status=='5' | res. data. status=='6')
return this.toSignOrder();
    // if (res. data. status == '0') return
app. toGoalUrl(`/personal/pages/authentication/authentication`) 0 未激活
    let content = res. data. status=='3'?' 签约授权中,点击查看授权结果': '由于您
首次使用签约功能,需要完成签约授权,请先去授权再来签约吧
if(res.data.status!='2') return
app.modalBox('',content,'',function(response) {
    if (response) {
    that. to Impower (res. data. status, res. data. authUrl)
    })
    }
    });
    },
    // 去授权查看授权结果
    toImpower (status, url) {
    let para = {
    from: 'old-sign',
    authorizer: 'sq'
    let data = JSON. stringify (para)
    let authUrl =
wx.getStorageSync('userInfo').userType=='2'?`/personal/pages/orgAuthentication/
orgAuthentication?data=${data}`:
/personal/pages/perAuthentication/operatePage/operatePage?data=${data}`
    console. log(authUrl);
    if (status==3) {
    wx.setStorageSync('reloadUrl', url);
    app. toGoalUrl(`/pagesFace/pages/webview/webview?root=user`)
    } else {
    app. toGoalUrl (authUrl)
    },
    toSignOrder() {
    let data = this.data.orderInfo;
    if (data.contractScope == 3) return this.setData({
    mask: false,
    }):
    this.submitOrderData();
    },
```

```
changeContract() {
   let that = this;
   let certifiedType = wx. getStorageSync('userInfo').certifiedType; //0: 未认证;
1: 初级认证; 2: 高级认证
   // 选择电子签约身份只有初级认证
   if(this.data.signIndex == 1 && certifiedType == 1) return wx.showModal({
   title: '操作提示',
   content: '由于您的身份未高级认证,暂时无法进行电子签约操作,为了给您提供更好
的服务,请尽快完成高级认证,或者更换签约方式!',
   showCancel: true,
   confirmText:'去认证',
   cancelText:'放弃认证',
   success (res) {
   if (res. confirm) {
   that.closeMask():
   let userInfo = wx.getStorageSync('userInfo');
   setTimeout(function () {
   wx.navigateTo({
   url: '/personal/pages/authentication/authentication?accountType=' +
userInfo.accountType,
   })
   }, 300)
   }
   }
   }):
   that.closeMask();
   this.submitOrderData();
   closeMask() {
   this.setData({
   mask: true,
   })
   },
   //弹框选择签约方式
   chooseOne(e){
   let index = e.currentTarget.dataset.item;
   console. log(index):
   this.setData({
   signIndex: index
   })
   },
   // 提交订单
   submitOrderData() {
   let orderInfo = this.data.orderInfo
   let params = {
   buyNum: orderInfo.productCount,
   goodsSkuId: orderInfo.goodsId,
   // addressId: this. data. defaultAddress. id,
   orderPort: 'APPLET', //下单端口(PC, APP, H5, APPLET)
   orderSource: 1, //订单来源(1-自主下单; 2-后台发起)
   totalAmount: orderInfo.pageFrom == 2 ? orderInfo.totalAmount :
this.finalFixTotal(),
```

```
}
   if (wx.getStorageSync('spuLinkId') && wx.getStorageSync('spuInfoArr')) {
   let spuInfoArr = wx.getStorageSync('spuInfoArr')
    let result = spuInfoArr.filter(item => {
   return item. spuId == orderInfo. id
   })
   if (result.length > 0) {
    params. inviteCode = wx. getStorageSync('spuLinkId')
   // 从订单页面过来采用支付宝支付传订单编号 orderNo
   if (this. data. orderInfo. pageFrom == 0) {
    params. orderNo = orderInfo. orderNo
    params. id = orderInfo. orderId
   console.log('产品参数', params)
    if (this. data. orderInfo. pageFrom == 1 | | this. data. orderInfo. pageFrom == 2) {
   // 首次提交订单
   this. firstToPayOroder (params)
   } else {
   // 待付款去支付
   this.submitToPayOrder(params)
   },
   // 首次提交订单
   firstToPayOroder(params) {
   let that = this;
   1et page2 = {
    id: wx.getStorageSync('orderId').orderId,
   addressId: this. data. defaultAddress. id,
   orderPort: 'APPLET',
   let contractType = that.data.orderInfo.contractScope == 3 ?
that.data.signIndex: that.data.orderInfo.contractScope;
    let data = Object.assign({contractType: contractType}, params)
    let urls = that.data.orderInfo.pageFrom == 2 ? '/tmOrder/confirmOrder' :
'/tmOrder/saveOrder';
   wx.request({
   url: that.data.baseURL + urls,
   method: 'post',
    data: that.data.orderInfo.pageFrom == 2 ? page2 : data,
    'content-type': 'application/json',
    'Accept': 'application/json',
    'Authorization': wx.getStorageSync('token')
   success (res) {
    if (res. statusCode == 401) {
   wx. showToast({
    title: '您还未认证,请先认证吧~',
    icon: 'none',
    duration: 1000
```

```
})
    let userInfo = wx.getStorageSync('userInfo');
    setTimeout(function () {
    wx.navigateTo({
   url: '/personal/pages/authentication/authentication?accountType=' +
userInfo.accountType,
   })
   }, 1000)
   } else {
    let resp = res. data;
    if (resp. code == 0) {
    console. log(that. data. signIndex, '00000');
    let datas = resp. data;
    let data = that.data.orderInfo;
    let contractType = data.contractScope == 3 ? that.data.signIndex :
data.contractScope; //1:电子, 2:纸质, contractScope: 3合同可选择
    if(contractType == 1) return common.eleContract({
    id: datas.id,
    contractType: 1,
    orderNo: datas.orderNo
    })
    wx.showModal({
    title: '操作提示',
    content: '订单提交成功,请待业务经理上传纸质合同~',
    showCancel:false,
    confirmText:'我知道了',
    success (res) {
    if (res.confirm) {
    wx.navigateTo({
    url: '/personal/pages/orderIndex/order?type=1',
    })
    })
    } else {
    wx.showToast({
    title: resp. msg,
    icon: 'none',
    })
    fail(err) {
    console. log(err);
    console. log(urls);
    wx.showModal({
    title: '提示',
    content: '网络请求失败',
    showCancel: false
    })
    })
```

```
},
toOrderListSign() {
// 总价计算
totalFix(count) {
let goverment = this.data.totalPriceList[1].value // 官费价格
let deposit = this.data.totalPriceList[0].value // 定金
return count * (Number(deposit) + Number(goverment))
},
// 订单总价判断返回
finalFixTotal() {
let cOrderInfo = this.data.orderInfo;
let previous = this. totalFix(cOrderInfo.productCount);
let tail = cOrderInfo.productCount * (Number(this.data.tailAmount))
if (this. data. tailAmount == 0) {
return previous
} else {
return previous + tail
},
// 修改产品数量
setCount(val) {
let status = val.detail
let cOrderInfo = this.data.orderInfo
if (status) {
if (cOrderInfo.productCount < 99) {
cOrderInfo.productCount += 1
cOrderInfo. totalPrice = this. totalFix(cOrderInfo. productCount)
console. log(cOrderInfo. totalPrice);
this.setData({
orderInfo: cOrderInfo
})
}
} else {
if (cOrderInfo.productCount > 1) {
cOrderInfo.productCount -= 1
cOrderInfo. totalPrice = this. totalFix(cOrderInfo.productCount)
this.setData({
orderInfo: cOrderInfo
})
}
if (cOrderInfo.totalPrice && this.data.checkedIndex == 2) {
this.setData({
checkedIndex: 0,
wxPayMax: true,
})
// this.fixTotalPay()
},
againPay() {
```

```
if (this. data. checkedIndex == 0) {
   // 选择支付宝支付
   wx.redirectTo({
/order/pages/orderPay/baoPay/baoPay?orderNo=${this.data.orderListNo}&addressId
=${this.data.defaultAddress.id}`,
   } else {
   // 选择对公转账支付或者微信支付
   this.skipToPav()
   },
   toConfrim() {
   let that = this
   wx. showModal({
    title: "操作提示",
    content: '由于您的身份未认证,暂时无法进行提交订单操作,为了给您提供更好的服
务,请尽快完成认证<sup>~</sup>',
   cancelColor: "#999999",
    cancelText: '放弃认证',
    confirmColor: "#36A6FE",
    confirmText: '去认证',
   success (res) {
    if (res. confirm) {
    if (that. data. orderInfo. pageFrom == 2) {
    let para = {
    from: 'launch-order',
   let data = JSON. stringify(para)
    let url = wx.getStorageSync('launchUser').userType == '2' ?
/personal/pages/orgAuthentication/orgAuthentication?data=${data}
/personal/pages/perAuthentication/operatePage/operatePage?data=${data}`
   app. toGoalUrl(url)
    let url = '/personal/pages/authentication/authentication'
   app. toGoalUrl(url)
   } else if (res.cancel) {
   })
   // 跳转对公转账支付页
    toPay: throttle(function () {
    let status = ['2','5','6'];
    let certified = [1, 2];
    if (!status.includes (wx.getStorageSync ('userInfo').status) &&!certified.inclu
des(wx.getStorageSync('userInfo').certifiedType)) return this.toConfrim();
   // if (wx.getStorageSync('userInfo').authStatus == '0')
   if (this. data. defaultAddress. id) {
   if (this.data.agreementStatus) {
    if (this. data. orderInfo. pageFrom == 0) {
```

```
// 从订单页面过来分两种情况判断
   this.skipToPay();
   } else {
   // 从产品页面过来先提交订单再跳转支付页面
   this. checkPayWay()
   }
   } else {
   wx.showToast({
   icon: "none",
   title: '请勾选《卧涛网交易服务协议》!',
   }
   } else {
   wx.showToast({
   icon: "none",
   title: '请添加收件地址!',
   })
   }
   }, 3000),
   // 跳转对公转账支付页
   toOrderPay: throttle(function () {
   if (!this.data.agreementStatus) return wx.showToast({
   icon: "none",
   title: '请勾选《卧涛网交易服务协议》!',
   if (!this.data.defaultAddress.id) return wx.showToast({
   icon: "none",
   title: '请添加收件地址!',
   })
   if (this. data. orderInfo. pageFrom == 0) {
   // 从订单页面过来分两种情况判断
   this.skipToPay();
   } else {
   // 从产品页面过来先提交订单再跳转支付页面
   this.checkPayWay()
   }, 3000),
   // 改变支付方式 0: 支付宝 1: 线下对公转账支付
   changePay(e) {
   let index = e.currentTarget.dataset.index
   if (this. data. orderInfo. totalPrice > 6000 && index == 2) return app. modalBox('
操作提示', '金额大于 6000 请使用其他付款方式!', false);
   this.setData({
   checkedIndex: index
   })
   },
   // 是否同意《卧涛网交易服务协议》 true: 同意 false: 不同意
   changeAgreement(e) {
   let status = e.currentTarget.dataset.status
   console. log(status)
   this.setData({
```

卧涛商城平台 V1.0 第 53 页 共 60 页

```
agreementStatus: status
   })
   },
   // 计算价格总价
   fixTotalPav() {
   let info = this.data.orderInfo
   let totalPriceList = this.data.totalPriceList
   let priceType = 'orderInfo.priceType';
   let choiceAttribute = info.choiceAttribute:
   if (choiceAttribute.dueTypeAgencyFee | | choiceAttribute.dueTypeOfficialFee | |
choiceAttribute.dueTypeThirdPartyFee) {
   console.log(choiceAttribute, 'due-price');
   totalPriceList[0].title = '服务费总计
   totalPriceList[1].value = Number(choiceAttribute.dueTypeOfficialFee) | 0
   totalPriceList[2].value = totalPriceList[0].value + totalPriceList[1].value
   this.setData({
   [priceType]: 'due-price', //一口价
   totalPriceList: totalPriceList,
   thirdFee: choiceAttribute.dueTypeOfficialFee
   console. log(this. data. totalPriceList, 'totalPriceList');
   } else if (choiceAttribute.finalTypePendingFee == 0) {
   console.log(choiceAttribute, 'wait-tail'):
   totalPriceList[0].value = Number(choiceAttribute.depositTypeAgencyFee |  | 0) +
Number (choiceAttribute. depositTypeThirdPartyFee | 0)
   totalPriceList[1].value = Number(choiceAttribute.depositTypeOfficialFee | | 0)
   totalPriceList[2].value = totalPriceList[0].value + totalPriceList[1].value
   this.setData({
   [priceType]: 'wait-tail', //尾款待定
   totalPriceList: totalPriceList,
   thirdFee: choiceAttribute.depositTypeOfficialFee
   })
   } else {
   let finalIndex = String(Object.keys(choiceAttribute)).indexOf("final"); //
防止数据结构有问题, 尾款未设置情况
   console.log(choiceAttribute, 'tail-price');
   Number(choiceAttribute.depositTypeThirdPartyFee | | 0)
   totalPriceList[1].value = Number(choiceAttribute.depositTypeOfficialFee | | 0)
   totalPriceList[2].value = totalPriceList[0].value + totalPriceList[1].value
   this.setData({
   [priceType]: 'tail-price', //有尾款,
   totalPriceList: totalPriceList,
   finalIndex: finalIndex,
   thirdFee: choiceAttribute.depositTypeOfficialFee,
   tailAmount: Number(choiceAttribute.finalTypeAgencyFee | 0 +
Number(choiceAttribute.finalTypeThirdPartyFee | 0)
   })
   console. log(this. data. totalPriceList, 'totalPriceList');
```

```
let price = 'orderInfo. totalPrice';
    this.setData({
    [price]: this. totalFix(this. data. orderInfo. productCount)
   }):
    if (this. data. orderInfo. totalPrice && this. data. checkedIndex == 2) {
    this.setData({
    checkedIndex: 0
   })
    this.getServiceFeeSty();
   // 赋值价格样式数据
   getServiceFeeSty() {
    let info = this.data.orderInfo
   let serviceFee = this.data.serviceFee
   if (info.pageFrom == 1) {
   // 从产品页面进入此页面或者从订单列表和详情(前提 tailstatusPayFlag 必须为
false) 进入此页面
   if (info.priceType == 'due-price') {
    serviceFee[0].title = '服务费'
   serviceFee[0]. value = this. data. totalPriceList[0]. value;
    serviceFee[0].status = info.tailstatusPayFlag == true ? 2 : 0
    serviceFee[0].payProcess = true
    serviceFee[1].value = this.data.finalIndex == -1 ? '待定':
this.data.tailAmount
   serviceFee[1]. status = info. tailstatusPayFlag == true ? 0 : 1
    serviceFee[1].payProcess = false
    serviceFee[2].value = this.data.thirdFee ? this.data.thirdFee : 0
    serviceFee[2].status = info.tailstatusPayFlag == true ? 2 : 0
    serviceFee[2].payProcess = true
    console. log(this. data. orderInfo. priceType, '价格类型');
    this.setData({
   serviceFee: serviceFee.filter((item, i) => {
   return item. value != 0 && item. value != '' && item. value != undefined ||
item. value == 0 && i == 1 && this. data. orderInfo. priceType == 'wait-tail'
   }),
   });
   console.log(this.data.serviceFee, '流程费用 list');
   },
   // 从产品详情页(订单页)进入本页面时对 order Info 赋值
    setOrderInfo(data) {
    this.setData({
   orderInfo: data
   }):
   console.log(data, '产品详情信息')
    this. fixTotalPay();
   },
   //过滤支付方式
   filterPayways (data) {
    if (data.type == 3 | data.categoryId == 3) {
```

```
let data = this.data.payList
this.setData({
payList: data.splice(0, data.length - 2)
});
},
// 地址赋值
fitAddressVal(list) {
let result = list.filter((item) => {
return item.isDefault == 1
if (result.length > 0) {
this.setData({
defaultAddress: result[0]
})
} else {
this.setData({
defaultAddress: list[0]
})
}
},
// 判断选择地址
filterAddress(list) {
// 判断是否存储地址 id, 是则取用
if (wx.getStorageSync('addressId')) {
let id = wx.getStorageSync('addressId')
console.log(id, "输出存储的 id")
let result = list.filter((item) => {
return item.id == id
console.log(result, "输出 result")
if (result.length > 0) {
this.setData({
defaultAddress: result[0]
})
} else {
this.fitAddressVal(list)
// 不是取用数组 isDefault 为 1 的数据
} else {
this.fitAddressVal(list)
}
},
// 获取收件地址
getAddressData() {
let params = {
accountId: wx.getStorageSync('userInfo').accountId
getAddressList(params).then(res => {
if (res. code == 0) {
if (res. data. length > 0) {
```

```
this. filterAddress (res. data)
    } else {
    this.setData({
    defaultAddress: {}
    })
    }
    })
    // 跳转到支付页
    skipToPay() {
    let info = this.data.transferInfo;
    let orders = this.data.orderInfo:
    if (this. data. checkedIndex == 1) {
    // 跳转对公转账支付页
    let data = JSON.stringify(Object.assign({addressId:
this. data. defaultAddress. id}, this. data. transferInfo))
    wx.redirectTo({
    url: \(\)/order/pages/orderPay/transferPay/transferPay?data=\(\)\(\){\(\)} data}\(\),
    })
    } else {
    let para = {
    payChannel: this.data.checkedIndex,
    addressId: this. data. defaultAddress. id,
    id: orders.pageFrom == 0 ? orders.feeInfo.paymentId : info.paymentId,
    payForApplet(para). then(res => {
    if (res. code == 0) {
    if (this.data.checkedIndex == 0) {
    // 跳转支付宝支付页
    let pageFrom = this.data.orderInfo.pageFrom
    let orderNo = pageFrom == 0 ? this.data.orderListNo :
this. data. transferInfo. outTradeNo
    wx.redirectTo({
`/order/pages/orderPay/baoPay/baoPay?orderNo=${orderNo}&addressId=${this.data.d
efaultAddress.id}`,
   })
    } else {
    this.setData({
    wxInfo: JSON. parse (res. data),
    throttle: true
    wx. setStorageSync('wxPay', this.data.wxInfo)
    // 跳转微信支付
    wx.navigateTo({
`/order/pages/orderPay/wxPay/wxPay?addressId=${this.data.defaultAddress.id}`,
    })
    } else {
    wx.showToast({
```

```
title: res.msg,
icon: 'error'
})
}
})
}
},
// 判断支付方式 0-支付宝 1-对公转账 2-微信支付
checkPayWay() {
let checkedIndex = this.data.checkedIndex
let that = this
if (checkedIndex == 2) {
wx.login({
success: function (res) {
let para = {
code: res. code,
updateAccountInfo(para).then(res => {
if (res. code == 0) {
wx.setStorageSync('token', res.data)
that.submitOrderData()
} else {
// 调用注销接口强制退出
// that.layoutAccount()
}
})
}
})
} else {
this.submitOrderData()
},
// 注销退出
layoutAccount() {
wx.login({
success: function (res) {
layout({
code: res.code
\}). then (res \Rightarrow {
if (res. code == 0) {
// 清除所有 storageSync
wx. clearStorageSync()
wx.setStorageSync('hasLogo', false);
wx.redirectTo({
url: "/personal/pages/wxLogin/wxLogin"
}
})
}
})
},
```

```
// 待付款去支付
submitToPayOrder(params) {
submitToPay(params).then(res => {
if (res. code == 0) {
let r = res. data
wx.showToast({
title: '提交成功!',
})
if (this. data. checkedIndex == 2) {
this.setData({
wxInfo: r.wxPaymentParams
})
}
setTimeout(() \Rightarrow \{
this.skipToPay()
}, 100)
} else if (res.code == 50000) {
wx.showToast({
icon: "none",
title: res.msg,
setTimeout(() \Rightarrow \{
wx.navigateTo({
url: `/personal/pages/orderIndex/order?type=${0}`,
})
}, 100)
}
})
},
// 回显支付方式
getPayInfo(data) {
if (data.pageFrom == 0) {
console. log(data, '****1');
let info = {
orderNo: data.orderNo + '_' + data.feeInfo.payType,
productName: data.productName,
categoryId: data.categoryId? data.categoryId: data.type,
totalPrice: data.totalPrice,
tailShould: data.feeInfo.tailShould,
tailstatusPayFlag: data.tailstatusPayFlag,
paymentId: data.feeInfo.paymentId
}
this.setData({
orderNo: data.orderNo,
transferInfo: info,
}):
}
if (data.pageFrom != 1) {
this.setData({
orderInfo: data
});
```

```
this. orderListFee();
},
orderListFee() {
let fee = this. data. orderInfo. feeInfo;
let serviceFee = this.data.serviceFee;
let totalPriceList = this.data.totalPriceList
if (this. data. orderInfo. tailstatusPayFlag) { //支付尾款修改列表状态
serviceFee[0].payProcess = serviceFee[2].payProcess = false
serviceFee[0].status = serviceFee[2].status = 2
serviceFee[1].payProcess = true
serviceFee[1].status = 0
if (fee. isDue) {
serviceFee[0].title = '服务费';
serviceFee[0]. value = fee. dueDeposit;
totalPriceList[0].value = fee.dueDeposit;
};
if (fee.hasDeposit) {
serviceFee[0].value = fee.deposit
totalPriceList[0]. value = fee. deposit;
serviceFee[1].value = fee.tailPrice ? fee.tailPrice : fee.tailStatus
};
if (fee.hasOffical) {
serviceFee[2]. value = fee. offical
totalPriceList[1]. value = fee. offical
totalPriceList[2].value = totalPriceList[0].value + totalPriceList[1].value
this.setData({
serviceFee: serviceFee.filter((item, i) => {
return item. value != 0 && item. value != ''
}),
orderListNo: this. data. orderInfo. orderNo + ' ' + fee. payType,
totalPriceList: totalPriceList,
console. log(this. data. totalPriceList, '******');
},
closeDialog(e) {
this.setData({
dialogStatus: e.detail
if (!e. detail) {
wx.disableAlertBeforeUnload({
success: (res) \Rightarrow \{\},
})
} else {
let pageFrom = this.data.orderInfo.pageFrom
let msg = pageFrom == 1 ? '是否取消订单': '是否放弃支付'
wx.enableAlertBeforeUnload({
message: `${msg},返回上一级页面?`,
```

```
}
   },
   // 离开页面弹框(手势离开)
   leaveEnable() {
   let pageFrom = this.data.orderInfo.pageFrom
   let msg = pageFrom == 1 ? '是否取消订单': '是否放弃支付'
   wx.enableAlertBeforeUnload({
   message: `${msg}, 返回上一级页面? `,
   })
   },
   // 跳转项目申报交易服务协议
   toAgreement() {
   wx.navigateTo({
   url: '/order/pages/tsAgreement/projectTa/projectTa',
   })
   },
   onLoad: function (options) {
   console.log(options,'----');
   let data = JSON.parse(decodeURIComponent(options.data))//防止值出现特殊字符
如?、&、=等,导致转换不了报错
   this. filterPayways (data)
   if (data.pageFrom == 1) {
   this. setOrderInfo(data)
   };
   this.getPayInfo(data)
   if (this. data. dialogStatus) {
   this.leaveEnable();
   if (wx.getStorageSync('userInfo')) {
   this.setData({
   userInfo: wx.getStorageSync('userInfo')
   })
   }
   },
   onShow: function () {
   // 订单列表和详情讲入此页面无法修改收件地址
   let orderInfo = this.data.orderInfo
   if (orderInfo.pageFrom == 0 || orderInfo.pageFrom == 2) {
   this.getAddressData()
   } else {
   let defaultAddress = this.data.defaultAddress
   defaultAddress.id = orderInfo.receiveAddressId
   this.setData({
   defaultAddress: defaultAddress
   })
   }
   onUnload: function () {
   wx.removeStorageSync('addressId')
   },
   })
```