Anthropic

CCAO-F

CCAO-F Claude Certified Associate - Foundations

店铺学习小店66

[Total Questions: 154]

Category Breakdown

Category	Number of Questions
Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)	4
Identify appropriate and inappropriate use cases	4
Iterate prompts to improve output quality	7
Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)	5
Optimize workflows for efficiency and effectiveness	5
Identify hallucinations, inconsistencies, and biases in responses	4
Create effective prompts for business and technical tasks	8
Configure Claude Projects with instructions and knowledge sources	10
Understand ethical implications of AI usage	5
Understand, manage context limitations and memory considerations and when to restart, summarize, or persist	9
Leverage Claude for research, planning, and process optimization	6
Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)	4
Adjust approach based on feedback and results	5
Evaluate Claude-generated outputs for accuracy and completeness	8
Communicate Claude’s value and limitations to stakeholders	1
Integrate Claude into existing workflows to augment or redesign workflows	6
Determine when human review or additional verification is required	4
Apply data, privacy sensitivity, regulatory policies, and privacy considerations	9
Follow organizational AI policies and governance standards	6
Apply fact-checking and validation techniques	4
Apply task decomposition techniques to structure complex requests	7
Align model selection with task requirements (e.g., cost, speed, quality)	5
Communicate Claude's value and limitations to stakeholders	5
Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs	5
Organize and curate information for optimal outputs and select appropriate output formats	4
Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)	3
Create effective system-level instructions	4
Select appropriate Claude product features (e.g., Projects, Research mode, Chat, Artifacts)	2
Adapt prompting strategies based on task type	1
Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience	2
Manage uploaded knowledge and connectors	1
Select appropriate Claude product features	1
TOTAL	154

Question #:1 - [Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)]

You are a knowledge worker evaluating which Claude feature matches each proposed use case.

Which two feature-to-use-case matches are appropriate? (Select two.)

Each correct answer presents a complete solution.

A. Long-context summarization for a quarterly report distilled from many sources.

B. Long-context summarization for drafting a reply to a single short customer email.

C. Web search invocation to retrieve the established formula for calculating compound interest.

D. Tool use to invoke a calculator for rephrasing a product description in simpler language.

E. Tool use to invoke a calculator for a complex, multi-step pricing calculation.

Answer: A E

Explanation

Option A appropriately uses Claude's long-context capabilities for a task involving many source documents. A quarterly report may require Claude to compare evidence across financial results, operational updates, customer information, and prior reporting periods. Supplying the relevant sources in a well-organized context allows Claude to synthesize the material while following a consistent report structure. Source boundaries and attribution should remain clear so the final output can be validated.

Option E is also an appropriate match. A calculator or code-execution tool is suitable for complex, multi-step pricing calculations because it provides deterministic computation that can be inspected and tested. Claude can structure the calculation and interpret the result, while the tool performs the arithmetic more reliably.

Option B does not require long-context processing because a single short email can normally be handled directly in chat. Option C unnecessarily invokes web search for a stable, established formula that does not require current external information. Option D mismatches the tool to the task: simplifying product language is a writing and audience-adaptation task, not a numerical calculation.

Effective feature selection depends on the actual workload. Large source collections benefit from long-context synthesis, whereas precise arithmetic benefits from deterministic computational tools and explicit result validation.

Question #:2 - [Identify appropriate and inappropriate use cases]

You are a project manager reviewing Claude usage approaches that teammates have proposed for a project workflow.

Which two workflow steps are well-suited for Claude support? (Select two.)

Each correct answer presents a complete solution.

A. approving a final external press release without any human review

B. issuing legally binding contractual commitments on behalf of the company

C. deciding promotion outcomes for staff based solely on the model ' s judgment

D. synthesizing a literature review across many uploaded research documents

E. drafting a structured project status update from a set of meeting notes

Answer: D E

Explanation

Under the objective Identify appropriate and inappropriate use cases, determining suitable application domains hinges on evaluating AI capabilities against risk severity and the presence of human oversight.

Claude excels at information extraction, multi-document synthesis, and structured text generation. Synthesizing complex findings from multiple research papers (Option D) and compiling meeting notes into organized, structured status summaries (Option E) are classic high-leverage knowledge-work tasks that streamline team operations while keeping final outputs subject to team review. Conversely, allowing an AI model to autonomously authorize external corporate press releases without human sign-off (Option A), bind an organization to contractual liabilities (Option B), or determine career-altering personnel promotions (Option C) represents dangerous and inappropriate delegation that violates responsible AI principles, legal compliance, and human accountability standards.

Question #:3 - [Iterate prompts to improve output quality]

When refining a Claude output that does not meet expectations, which iterative refinement step should be performed first?

A. Submit the revised prompt and capture the new output.

B. Compare the new output against the original criteria.

C. Modify the prompt to address each identified weakness.

D. Identify the specific weaknesses in the current output.

Answer: D

Explanation

Answer D is correct. Iterative refinement should begin by diagnosing the current output against the original requirements. The reviewer must identify specific weaknesses such as missing information, unsupported claims, incorrect tone, poor organization, excessive length, or failure to follow the requested format. This diagnosis provides evidence for deciding what must change in the prompt.

After identifying the weaknesses, the reviewer can modify the prompt to address them, which corresponds to Option C. The revised prompt is then submitted and the resulting output captured, as described in Option A. Finally, the new output is compared with the original criteria to determine whether the revision improved performance, as stated in Option B. The logical sequence is therefore D, C, A, and B.

Beginning with prompt modification before diagnosing the failure encourages random changes and makes it difficult to determine which revision produced an improvement. Similarly, a new output cannot be submitted or evaluated before a targeted revision has been created. Anthropic's guidance recommends defining clear success criteria, evaluating results against those criteria, and using a structured self-correction process: generate a draft, review it, and then refine it based on identified deficiencies. Effective iteration is therefore diagnostic and evidence-based rather than trial and error. Anthropic prompting best practices

Question #:4 - [Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)]

You are reviewing Connector setups that colleagues have proposed for various tasks.

Which two Connector setups represent safe and appropriate uses? (Select two.)

Each correct answer presents a complete solution.

A. a Connector that links to the personnel-records system for team leads to support scheduling tasks

B. a Connector that links to the team ' s project management workspace under approved scope

C. a Connector that links to a personal cloud storage account where team members store working drafts alongside personal files

D. a read-only Connector that links to the public knowledge base for reference content

E. a Connector that links to the payroll system to allow team members to submit expense reports directly

Answer: B D

Explanation

Under the objective Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail), establishing data connectors requires adhering to the principle of least privilege, strict scope boundary management, and robust data classification.

Option B is an authorized, safe integration: connecting Claude to an approved, bounded project management workspace with explicit scope controls allows the model to summarize tasks and sprint updates safely. Option D is an ideal read-only integration, granting access to public documentation and reference repositories where confidential data leakage risks are zero. Conversely, connecting AI tools to core payroll infrastructure (Option E) or sensitive personnel/HR databases (Option A) introduces severe compliance, privacy, and unauthorized access liabilities. Linking personal cloud storage repositories containing unvetted mixed personal data (Option C) violates data governance standards by risking unintentional exposure of private files.

Question #:5 - [Optimize workflows for efficiency and effectiveness]

You are running an optimization pass on a recurring workflow.

Which is the correct order of optimization steps?

(1) Apply targeted optimization to the bottleneck step.

(2) Roll out the optimized workflow to the broader team and document the change.

(3) Identify the bottleneck step using measured time per step and queue length.

(4) Map the current workflow steps, owners, and decision points.

(5) Pilot the change with a small group and measure the effect against the prior baseline.

A. 4,3,1,5,2

B. 4, 3, 2, 1, 5

C. 4,1,3,5,2

D. 3,4,1,5,2

Answer: A

Explanation

The correct sequence is 4,3,1,5,2. Optimization must begin by mapping the current workflow, including its steps, owners, inputs, handoffs, and decision points. Without an accurate current-state map, the team cannot reliably associate delays or defects with a particular stage. It should then use measured evidence—such as processing time, waiting time, queue length, rework, or error frequency—to identify the actual bottleneck.

After locating the constraint, the team can apply a targeted improvement to that step. Changing the workflow before identifying the bottleneck, as in Option C, risks optimizing a noncritical activity while leaving the primary delay untouched. The change should next be piloted with a limited group and compared against the previous baseline. This determines whether the intervention improves throughput or quality without creating downstream problems. Only after a successful pilot should the process be rolled out broadly and formally documented.

This sequence is consistent with Anthropic's evaluation approach: define measurable criteria, test changes against representative conditions, and validate performance before production use. Option D identifies the bottleneck before establishing the workflow map needed to interpret the measurements. Anthropic's evaluation guidance

==========

Question #:6 - [Identify hallucinations, inconsistencies, and biases in responses]

You are sorting Claude output structural defects by which most undermines clarity.

Which structural defect most severely undermines the clarity of the output?

A. A single subheading is shorter than the other subheadings in the document.

B. Two adjacent paragraphs present the same information using inconsistent terminology.

C. Typographic inconsistencies appear throughout multiple sections of the document.

D. The main conclusion contradicts the evidence presented in the body.

Answer: D

Explanation

Under the objective Identify hallucinations, inconsistencies, and biases in responses, evaluating output quality requires distinguishing between cosmetic formatting imperfections and critical semantic contradictions.

A contradiction between the central conclusion and the supporting factual evidence in the body (Option D) represents a critical structural and logical breakdown. This defect directly destroys the internal consistency, credibility, and actionable utility of the deliverable, potentially misleading stakeholders and causing operational errors. In contrast, unequal subheading lengths (Option A), minor cosmetic typos (Option C), or slight terminology drift across paragraphs (Option B) represent surface-level stylistic flaws that can be quickly edited without fundamentally invalidating the underlying message of the artifact.

店铺：学习小店66

Question #:7 - [Create effective prompts for business and technical tasks]

You are a business analyst reviewing prompt drafts written by teammates.

Which two elements belong in a well-structured prompt for a business task? (Select two.)

Each correct answer presents part of the solution.

A. A clear statement of the task that the model must perform

B. Relevant context, such as the audience and the goal of the task

C. A friendly, conversational tone instruction to make responses feel more approachable

D. A comprehensive list of company products and services to provide the model with business context

E. A short personal anecdote to make the prompt feel more conversational

Answer: A B

Explanation

Options A and B are correct because Claude needs a clear task and the context required to perform that task appropriately. The prompt should state the requested action using direct language—for example, summarize,

compare, classify, draft, calculate, or recommend. It should then provide relevant information such as the intended audience, business objective, authoritative sources, constraints, success criteria, and required output format.

Anthropic’s prompting guidance emphasizes clarity, specificity, contextual grounding, and explicit formatting instructions. Audience and purpose are particularly important in business tasks because the same underlying information may need very different treatment for executives, customers, technical teams, or regulators.

Option C can be useful when an approachable tone is genuinely required, but it is not an essential element of every structured business prompt. Tone should be selected according to the task rather than added automatically. Option D introduces excessive and potentially irrelevant information; only products or services relevant to the task should be included. Option E similarly adds noise unless the anecdote supplies necessary factual context or illustrates the desired output.

Therefore, a clear task statement and relevant goal-and-audience context form the indispensable foundation. See Anthropic’s prompting best practices.

==========

Question #:8 - [Configure Claude Projects with instructions and knowledge sources]

An HR business partner is configuring two separate Projects for two distinct client engagements.

Which configuration best prevents context bleed between the two engagements?

A. Set up each Project with its own distinct memory context, knowledge sources, and instructions, and verify that information from one Project does not appear in the other Project ' s responses.

B. Use a single shared Project for both client engagements with combined memory, knowledge sources, and instructions, on the assumption that Claude will keep the two clients ' contexts separate without configuration.

C. Configure both Projects to share the same memory context to reduce setup effort, even though shared memory between unrelated client engagements is precisely the configuration that produces context bleed.

D. Skip Project configuration entirely and use general chats for both engagements, which provides no scoped memory contexts and offers no structural separation between the two clients ' work streams.

Answer: A

Explanation

Under the Claude objective Configure Claude Projects with instructions and knowledge sources, preventing context bleed and data crossover between distinct clients is a critical privacy, security, and project governance requirement. Projects in Claude serve as isolated contextual containers designed to compartmentalize project-specific knowledge files, custom system instructions, and chat histories.

Option A correctly implements strict boundary isolation by creating dedicated, independent Projects for each client engagement. By giving each Project its own discrete knowledge base and unique system prompt,

reference material and conversational state from one client remain entirely inaccessible to the other. In contrast, combining client documentation into a single shared Project (Option B) or sharing memory configurations across workstreams (Option C) directly causes cross-tenant contamination and context bleed. Similarly, using unstructured general chats without Project containers (Option D) lacks scoped memory and persistence boundaries, significantly elevating operational and confidentiality risks.

Question #:9 - [Understand ethical implications of AI usage]

You are a Claude associate running an ethics review on a Claude-assisted deliverable before publication.

Which is the correct order of review steps?

(1) Confirm that transparency requirements are met for the audience receiving the deliverable.

(2) Document the review outcome and any changes made.

(3) Identify the audience and the potential impact of the deliverable on that audience.

(4) Make targeted revisions or escalate if a concern requires more authority to resolve.

(5) Examine the content for unsupported generalizations, fairness concerns, and accuracy issues.

A. 3, 5, 1, 4, 2

B. 3, 1, 5, 4, 2

C. 5, 3, 1, 4, 2

D. 1, 3, 5, 4, 2

店铺：学习小店66

Answer: A

Explanation

Answer A follows the strongest ethics-review dependency order. First identify the audience and the potential consequences of the deliverable (3), because ethical risk depends on who receives the material and how it may affect them. Next examine the content for unsupported generalizations, fairness problems, and accuracy defects (5). With the audience and substantive risks understood, confirm that the necessary transparency or disclosure requirements are met (1). Then correct the deliverable or escalate concerns that exceed the reviewer's authority (4). Finally, record the review result and all changes made (2), preserving accountability and traceability. The resulting sequence is 3, 5, 1, 4, 2. Option B checks transparency before completing the substantive ethics assessment; Options C and D begin without first establishing the affected audience and impact. Anthropic's AI Fluency framework treats Discernment as critical assessment of AI output and Diligence as responsible, ethical use with human accountability. Anthropic's Usage Policy likewise emphasizes human review and disclosure for high-risk uses. Therefore, an ethics review should move from impact framing, through content assessment and transparency, to remediation and documentation—not merely confirm that an AI disclosure exists and assume the deliverable is safe. Anthropic AI Fluency course, Anthropic Usage Policy

==========

Question #:10 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

A knowledge worker is explaining context-window basics to a teammate.

Which statement most accurately describes a context window?

A. The subset of the conversation that the model determines is most relevant to the current input, which can be smaller than the full conversation.

B. A bounded amount of text the model can consider at once, including the conversation history, attached documents, and the current input.

C. The complete conversation history retained across sessions, which the model can reference whenever it produces a response in any chat.

D. An adjustable setting that determines how much of the conversation history the model includes in each response, configurable per chat.

Answer: B

Explanation

Answer B is correct. A context window is the bounded amount of information that a model can consider when generating a response. Depending on the Claude interface or implementation, this can include the current user message, earlier messages in the active conversation, system instructions, uploaded documents, tool results, and other supplied content. The capacity is finite and is normally measured in tokens rather than words or pages.

Option A incorrectly defines the context window as only the information the model considers most relevant. Relevance selection or retrieval can determine which materials are placed into the window, but the context window itself is the total bounded processing capacity. Option C incorrectly treats it as unlimited cross-session memory. A model does not automatically receive every previous conversation whenever it responds in a different chat. Any available memory or Project knowledge is a separate feature and must be supplied or retrieved into the active context. Option D is also incorrect because users generally do not configure the context-window size independently for each chat.

When a conversation becomes too long or cluttered, the user may need to summarize essential information, remove irrelevant material, or start a focused new conversation. This preserves relevant context and reduces conflicts between current and obsolete instructions. Anthropic: Context windows

Question #:11 - [Leverage Claude for research, planning, and process optimization]

You are a product designer using Claude in a solution-design exercise.

Which solution-design step should be performed first when using Claude?

A. Generate candidate solution concepts using Claude across diverse styles.

B. Compare the candidate concepts against the constraints and select a finalist.

C. Articulate the problem the solution must address and the constraints in play.

D. Produce detailed mock-ups of the chosen solution for stakeholder review.

Answer: C

Explanation

Option C is correct because effective solution design begins by defining the problem, desired outcome, success criteria, and relevant constraints. Without this foundation, Claude may generate polished concepts that solve the wrong problem or violate important business, technical, regulatory, budgetary, or audience requirements. Anthropic's AI Fluency Delegation guidance calls this "Problem Awareness": understanding the goal and the work required before deciding how to involve AI. Its applied Delegation process likewise begins with establishing the project vision and defining what a successful result looks like before breaking the work into tasks.

After the problem and constraints are clear, Claude can productively generate diverse solution concepts, making Option A a later ideation step. Option B follows concept generation because alternatives cannot be compared until they exist and the evaluation constraints have been established. Option D comes later still, after a candidate has been evaluated and selected. Starting with mock-ups would prematurely commit effort to an unvalidated solution. Therefore, articulating the problem and constraints first creates the grounding Claude needs for relevant ideation, systematic comparison, and defensible design decisions. This sequence is consistent with Anthropic's AI Fluency Delegation guidance and Applying Delegation lesson.

==========

Question #:12 - [Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)]

You received a vague request to " look at our pricing. " After discovery, the goal is confirmed: produce a structured competitor-pricing summary the team can act on, not new pricing ideas.

Which strategy best fits the clarified task?

A. Use a divergent brainstorming approach to generate a wide range of possible competitor-pricing observations, then narrow to the most likely ones.

B. Use a comparative analysis strategy that contrasts the company ' s pricing against a single named competitor, since pairwise comparison produces the clearest output.

C. Use a research strategy that gathers structured information about competitor pricing, names sources, and notes confidence in each finding.

D. Use an open conversational strategy that explores competitor pricing iteratively across several prompts, allowing the structure to emerge from the conversation.

Answer: C

Explanation

Under the objective Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming), prompt architectures must be tailored to the exact analytical objective established during discovery.

Because the clarified objective is to generate an actionable, evidence-based competitor pricing briefing (rather than creative ideation), the workflow demands a structured research and synthesis strategy (Option C). This approach directs Claude to extract concrete pricing data across key competitors, explicitly attribute claims to named source documents or market reports, and transparently state confidence levels for each datapoint. Divergent brainstorming (Option A) produces speculative ideas when factual market intelligence is needed. Arbitrarily restricting analysis to a single competitor (Option B) ignores the broader competitive landscape. Relying on unstructured open conversation (Option D) produces inconsistent formatting unsuitable for executive decision-making.

Question #:13 - [Adjust approach based on feedback and results]

You are reviewing colleagues' responses to feedback received on Claude-drafted communications.

Which two feedback responses are productive? (Select two.)

Each correct answer presents a complete solution.

A. Incorporating all feedback received, including contradictory suggestions, into the next draft simultaneously

B. Deferring all feedback to a later revision cycle to avoid disrupting the current draft's consistency

C. Asking clarifying questions when feedback is ambiguous before acting on it

D. Mapping each piece of feedback to the specific change made in the next draft

E. Declining to revise sections generated by Claude on the basis that the model's output should be trusted as written

Answer: C D

Explanation

Options C and D are correct because productive feedback handling requires clarification, traceability, and controlled revision. When feedback is ambiguous, the writer should confirm the reviewer's intent before changing the draft. Otherwise, an incorrect interpretation may introduce new problems or remove content the reviewer intended to preserve.

Mapping each feedback item to a specific revision creates an auditable record showing what changed and why. It also helps identify unresolved comments, conflicting requests, and recommendations that were deliberately declined. This approach supports systematic comparison between the original and revised outputs.

Option A is inappropriate because contradictory suggestions cannot always be implemented simultaneously; the conflict must first be resolved by the appropriate reviewer or decision-maker. Option B postpones

potentially material corrections without justification. Option E incorrectly assumes that Claude-generated text deserves automatic acceptance. Claude's output must be evaluated using the same professional, factual, and audience-specific standards applied to human-created content.

Anthropic's Description-Discernment process recommends assessing Claude's output, providing specific feedback, requesting targeted revisions, and applying human expertise and judgment to the final result. Therefore, clarification and feedback-to-change traceability are the two productive responses. See Anthropic's Description-Discernment Loop and evaluation guidance.

==========

Question #:14 - [Evaluate Claude-generated outputs for accuracy and completeness]

You are validating evaluation criteria proposed for a Claude-generated business brief.

Which three criteria are valid for evaluating a Claude-generated brief? (Select three.)

Each correct answer presents part of the solution.

A. Factual accuracy of the claims against the supplied source material

B. Consistency of the writing style with the organization's established tone guidelines

C. Alignment of the output with the requested format and length constraints

D. Total word count of the output relative to general industry benchmarks for business briefs

E. Presence of an executive-summary section regardless of whether one was requested

店铺：学习小店66

Answer: A B C

Explanation

Options A, B, and C are correct. The source document incorrectly instructed the reader to select two and omitted Option B, even though Anthropic explicitly recognizes tone and style as valid evaluation dimensions. The question has therefore been corrected to "Select three."

Factual accuracy measures whether claims faithfully reflect the supplied sources. Style consistency evaluates whether the brief follows the organization's established voice, terminology, and audience expectations. Format and length compliance determine whether Claude followed explicit deliverable constraints. Together, these criteria cover factual fidelity, audience suitability, and instruction adherence.

Option D is not a sound criterion because an external industry word-count benchmark may have no relationship to the actual business need. The relevant measure is compliance with the requested length and sufficient coverage of the required material. Option E is also invalid as written: an executive summary is required only if the task specification, template, or audience needs call for one. Automatically demanding it would evaluate an unstated requirement.

Anthropic's evaluation documentation identifies task fidelity, relevance, tone and style, context utilization, and other task-specific success criteria as valid dimensions. It also stresses that criteria should be specific, measurable, achievable, and relevant. See Anthropic's official evaluation guidance.

==========

Question #:15 - [Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)]

You are a project lead reviewing a teammate's habit of using the same prompt template for every task regardless of type.

Which feedback is most warranted?

A. The prompting strategy should be adapted to each task type because one template does not produce equally strong outputs across all tasks.

B. The prompting strategy should not change between tasks because adapting it wastes time and adds no value.

C. The habit is ideal because a single template guarantees consistent quality across all task types.

D. Task type has no effect on the appropriate prompting strategy.

店铺：学习小店66

Answer: A

Explanation

Different tasks require different prompting structures, evidence, constraints, and evaluation methods. A research request should define research questions, source requirements, currency expectations, and citation rules. An analytical task should specify the decision to support, relevant data, assumptions, and comparison criteria. Drafting work requires audience, tone, purpose, structure, and length. Brainstorming normally benefits from broader exploration, diversity requirements, and delayed evaluation.

A reusable template can provide a useful baseline, but it should not remain unchanged when task characteristics differ. Options B, C, and D incorrectly assume that uniformity guarantees effectiveness. In practice, excessive rigidity can omit critical instructions or impose an inappropriate structure. A compliance report and an early-stage ideation exercise should not be prompted identically.

Anthropic's prompting documentation covers multiple techniques—including clear instructions, examples, role prompting, structured formats, prompt chaining, and success criteria—because no single technique is optimal for every workload. Anthropic's legal-summarization guidance also demonstrates that prompt details can be adjusted for different levels of technicality, verbosity, and structure. The project lead should therefore standardize reusable components while adapting task-specific objectives, inputs, constraints, and output formats. Anthropic's prompt-engineering overview

==========

Question #:16 - [Evaluate Claude-generated outputs for accuracy and completeness]

You are designing a checklist for evaluating Claude outputs and must complete the upstream steps before scoring an output.

Which two steps must be completed BEFORE scoring a Claude output against the checklist? (Select two.)

Each correct answer presents part of the solution.

A. Promote the approved output into the downstream production process.

B. Define the evaluation criteria that matter for the task at hand.

C. Specify the threshold that distinguishes acceptable from unacceptable output.

D. Forward unacceptable outputs to a senior reviewer for second-pass review.

E. Document the final score and the reviewer comments for the audit trail.

Answer: B C

Explanation

An evaluation cannot be applied consistently until the organization defines what the output must achieve and what score constitutes an acceptable result. Therefore, the evaluator must first define task-specific criteria, such as factual accuracy, completeness, relevance, tone, format compliance, privacy preservation, or citation quality. The evaluator must then establish a threshold or decision rule that separates acceptable from unacceptable performance.

Anthropic’s evaluation guidance states that successful AI applications begin with clearly defined success criteria followed by evaluations that measure performance against those criteria. Effective criteria should be specific, measurable, achievable, and relevant to the application’s purpose. A threshold converts those criteria into an operational decision—for example, requiring all material claims to be supported or setting a minimum score across defined dimensions.

Options A, D, and E occur after evaluation. Promotion into production follows an acceptable result. Escalation to a senior reviewer occurs after an output fails or presents elevated risk. Recording the final score and reviewer comments also follows the scoring activity. Without B and C, different reviewers could apply inconsistent standards or approve an output without knowing what “acceptable” means. Anthropic’s evaluation guidance

==========

Question #:17 - [Configure Claude Projects with instructions and knowledge sources]

An support representative is configuring a Project for drafting customer-facing apology emails after service outages. The current custom instructions tell Claude to " be empathetic and casual, keep it short, and offer a goodwill credit. " The customer-service team has flagged that recent drafts have been too brief, have offered goodwill credits in cases where policy does not allow them, and have used contractions that the brand voice guide prohibits.

Which adjustment best aligns the configuration to the use case?

A. Replace " be empathetic and casual " with " match the brand voice guide, " remove the instruction to offer goodwill credits, and let each draft determine its own length based on the incident.

B. Move the brand voice guide and the goodwill-credit policy into the Project knowledge base and rely on the documents alone to govern tone, length, and credit decisions, without changing the custom instructions.

C. Specify the brand voice attributes (empathetic, formal, no contractions), set a minimum length, and instruct Claude to recommend a goodwill credit only when the attached eligibility policy permits one.

D. Keep the existing instructions and add a sentence telling Claude to consult the brand voice guide and the goodwill-credit policy that are attached to the Project knowledge base.

Answer: C

Explanation

Under the Claude objective Configure Claude Projects with instructions and knowledge sources, effective project configuration requires replacing vague, conflicting directives with explicit operational boundaries and grounded criteria. In this scenario, the root causes of underperformance are conflicting requirements: the prompt requests a " casual " tone while brand guidelines prohibit contractions, asks Claude to " keep it short " leading to overly brief outputs, and unconditionally directs it to " offer a goodwill credit " without verifying eligibility criteria.

Option C properly resolves all three deficiencies directly within the project instructions. First, it explicitly operationalizes the tone attributes (empathetic, formal, avoiding contractions) rather than relying on ambiguous descriptors. Second, establishing concrete length constraints (such as minimum paragraph or sentence counts) prevents the model from generating under-scoped drafts. Third, it conditions the business logic—instructing Claude to evaluate goodwill credit awards against the attached policy document in the Project knowledge base. In contrast, relying solely on uploaded knowledge files without aligning custom instructions (Options B and D) leads to prompt collisions, while Option A removes necessary policy guidance altogether.

Question #:18 - [Communicate Claude’s value and limitations to stakeholders]

A senior sales manager is presenting Claude’s role in a project to a non-technical executive sponsor. The sponsor will be asked to approve continued investment based on the presentation.

Which framing best balances value and limitations?

A. Describe what Claude does well, name the limitations the team will manage with human review, and tie both to the project outcomes the sponsor cares about.

B. Describe the limitations first to set expectations, then explain how the team works around each limitation to deliver the project outcomes despite them.

C. Describe Claude's capabilities in technical terms so the sponsor understands the underlying model, and let the sponsor draw their own conclusions about value and limitations.

D. Describe what Claude does well and tie it to the project outcomes; defer discussion of limitations to a follow-up conversation to keep the approval discussion focused.

Answer: A

Explanation

Answer A is correct. An executive sponsor needs a decision-oriented explanation of Claude's business contribution, not a technical description of how the model operates. The presentation should explain the tasks Claude performs effectively, connect those capabilities to measurable project outcomes, and state the relevant limitations together with the controls used to manage them. For example, the manager could explain that Claude accelerates first-draft creation and document analysis while human reviewers remain responsible for validating important facts, approving consequential outputs, and handling exceptional cases.

Option B acknowledges limitations but gives them disproportionate emphasis and frames the project defensively. Option C relies on technical model terminology and requires the sponsor to translate capabilities into business value independently. This fails to support an informed investment decision. Option D presents the benefits but withholds material limitations until later, creating an incomplete and potentially misleading business case.

A balanced presentation neither exaggerates Claude's reliability nor treats limitations as a reason to ignore its value. It establishes what Claude contributes, where human judgment remains necessary, and how the combined workflow supports the sponsor's desired outcomes. This reflects Anthropic's AI Fluency principles of appropriate delegation, critical evaluation, and responsible human accountability. Anthropic AI Fluency

==========

Question #:19 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

An analyst is working in a long Claude conversation. The conversation contains roughly 60 turns covering an initial requirements analysis, several rounds of data review, and a current drafting phase. Recent responses have started to drift from the agreed requirements.

Which step most directly addresses the drift while preserving the analyst's progress?

A. Switch the conversation to a model with a larger context window so the accumulated history no longer causes drift, and continue without restructuring the inputs.

B. Open a new chat and paste only the current draft, then continue refining it there without the prior requirements and data-review context.

C. Move the source data and requirements into a Project knowledge base, then continue the drafting work in a new chat inside that Project.

D. Summarize the agreed requirements, key data findings, and current draft state, then continue in the same chat by reasserting the summary as the working context.

Answer: D

Explanation

Option D most directly corrects the observed drift while preserving the work already completed. The conversation contains valuable requirements, validated data findings, and drafting decisions, but those elements are distributed across approximately 60 turns. A structured summary consolidates the authoritative working state and brings the most important instructions back into Claude's immediate attention.

The summary should distinguish confirmed requirements from abandoned ideas, record the principal findings from the data review, identify the current draft version, and restate outstanding work. Reasserting that summary as the governing context gives Claude a clearer foundation for subsequent revisions.

Option A assumes that context-window size alone resolves drift. A larger window can retain more tokens, but it does not automatically remove contradictory instructions or emphasize the correct requirements. Option B preserves the draft but discards the reasoning and requirements needed to evaluate it. Option C could support future recurring work, particularly when sources must persist across conversations, but restructuring the workflow into a Project is not the most direct initial response to the current drift.

If the summarized context does not restore output quality, the analyst can start a new conversation using that validated summary and the necessary source materials.

店铺：学习店66 店铺：学习店66

Question #:20 - [Integrate Claude into existing workflows to augment or redesign workflows]

You are a process consultant integrating Claude into an existing weekly workflow.

Which is the correct order of integration steps?

(1) Pilot the integrated workflow with a small group and gather feedback.

(2) Document the current workflow steps, owners, and decision points.

(3) Update the documented workflow and roll it out to the broader team.

(4) Identify the steps where Claude can augment work and where humans must remain.

(5) Define the inputs Claude needs, the outputs Claude returns, and the hand-offs around each step.

A. 2, 4, 5, 1, 3

B. 2, 5, 4, 1, 3

C. 4, 2, 5, 1, 3

D. 1, 2, 4, 5, 3

Answer: A

Explanation

Under the objective Integrate Claude into existing workflows to augment or redesign workflows, successfully incorporating AI into established business processes follows a structured systems engineering and change management lifecycle.

The sequence begins with baseline process mapping: documenting current as-is operational steps, role owners, and governance checkpoints (Step 2). Next, practitioners perform task decomposition to identify high-leverage opportunities for Claude augmentation while explicitly designating where human judgment must remain (Step 4). Once target touchpoints are identified, the technical and operational interface must be specified: defining the exact inputs, prompt structures, expected outputs, and hand-off protocols (Step 5). Before organization-wide adoption, the redesigned workflow is piloted with a representative cohort to gather empirical feedback and address friction points (Step 1). Finally, documentation and standard operating procedures (SOPs) are finalized for broad rollout (Step 3). This establishes the order 2, 4, 5, 1, 3.

Question #:21 - [Determine when human review or additional verification is required]

A project manager is evaluating a proposal to use Claude to autonomously approve refunds above a defined threshold without human review. The volume is high—roughly 2,000 refunds per week—the average refund amount is moderate, and a small percentage of refunds in historical audits required correction. The team needs to reduce cycle time.

Which response is most appropriate?

A. Approve the proposal but cap autonomous approvals at the threshold the team currently audits, so the existing audit sample continues to catch errors after the fact.

B. Decline the autonomous-approval design and propose that Claude triage refunds into auto-approve (low-risk), human-approve (standard), and escalate-to-supervisor (high-risk) lanes.

C. Approve the proposal and replace human review with a daily audit of a random sample of autonomous approvals, with corrective action taken on errors found.

D. Decline the autonomous-approval design and propose that Claude pre-fill the refund decision and rationale, with a human approver completing each refund before it is issued.

Answer: B

Explanation

Option B provides the strongest balance between operational efficiency and proportionate human oversight. The historical correction rate demonstrates that Claude’s output cannot safely be treated as uniformly reliable, while the high weekly volume makes universal manual processing unnecessarily inefficient. A risk-based triage design allows clearly defined, low-value, reversible cases to proceed through tightly controlled automation while routing ambiguous or higher-impact cases to accountable human decision-makers.

The classification rules must be explicit and independently tested. Relevant factors could include refund amount, unusual transaction history, policy exceptions, disputed facts, suspected fraud, and the confidence or completeness of the available evidence. Standard cases would remain subject to human approval, while high-risk cases would receive supervisor review.

Options A and C rely primarily on retrospective sampling. That approach may detect patterns of errors, but it does not prevent an incorrect refund from being issued in an individual case. Option D preserves strong oversight but requires manual approval for every transaction, failing to use risk differentiation to address the cycle-time problem.

Claude should augment the workflow through classification, evidence gathering, and recommendation. Human authority must remain at the points where uncertainty, financial impact, or policy exceptions make an error more consequential.

Question #:22 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

An HR associate is preparing to use Claude on a sensitive personnel matter. The organization ' s AI policy explicitly states that information related to ongoing investigations must not be entered into AI tools.

Which response best aligns with the policy?

A. Enter the investigation-related information into Claude only after the investigation closes, since the policy applies during the investigation period.

B. Refrain from entering investigation-related information into Claude and consult HR leadership for an approved alternative way to handle the matter.

C. Enter the investigation-related information into Claude in an Incognito chat, since Incognito chats do not retain information and therefore fall outside the policy ' s intent.

D. Enter a paraphrased version of the investigation-related information that removes identifying details, since paraphrasing addresses the spirit of the policy.

Answer: B

Explanation

Under the objective Apply data, privacy sensitivity, regulatory policies, and privacy considerations, compliance with explicit organizational AI governance and data boundary mandates is mandatory.

When corporate policy strictly prohibits entering information concerning active personnel investigations into AI tools, employees must fully adhere to that boundary without attempting informal workarounds. Option B correctly enforces compliance: immediately refraining from submitting any investigation-related text to Claude and escalating to HR leadership to determine authorized, conventional processing channels. Attempting to bypass the rule via Incognito mode (Option C) or informal paraphrasing/anonymization (Option D) violates the explicit governance mandate and risks data spillage in legally sensitive matters. Assuming the data can simply be entered once closed (Option A) ignores enduring confidentiality requirements.

Question #:23 - [Integrate Claude into existing workflows to augment or redesign workflows]

A workflow analyst is designing a hand-off between Claude and a human reviewer in an existing process. The reviewer needs to know what to check and what is in scope for their review.

Which hand-off design is most appropriate?

A. Allow each reviewer to determine their own review criteria based on their experience, since reviewers know best what to check in their domain.

B. Define explicit criteria for what Claude produces and what the human reviewer must check before approval, documented in the workflow.

C. Define explicit criteria for what Claude produces and leave the reviewer's checks unspecified so the reviewer can apply judgment without constraint.

D. Use a checklist that the reviewer fills in for every output, with the checklist generated by Claude based on the specific content of each output.

Answer: B

Explanation

Answer B is correct. A reliable Claude-to-human hand-off requires explicit, documented responsibilities for both stages of the workflow. The workflow should define the content and quality standards Claude's output must satisfy and separately identify what the human reviewer must verify before approval. Review criteria might include factual accuracy, source support, completeness, policy compliance, tone, confidentiality, and authorization to publish or act.

Option A produces inconsistent oversight because individual reviewers may apply different standards or overlook critical controls. Domain judgment remains important, but it should supplement documented minimum requirements rather than replace them. Option C defines Claude's responsibilities but leaves the human review scope ambiguous, creating accountability gaps. Option D introduces another weakness: Claude should not independently determine the controls used to validate its own output. A stable, human-approved checklist may be appropriate, but dynamically generated criteria could omit the exact risks requiring independent review.

Explicit acceptance and review criteria make the workflow repeatable, auditable, and easier to improve. Anthropic's evaluation guidance emphasizes defining clear success criteria and using task-specific evaluation methods. Applying that principle to a human hand-off means documenting both the expected AI deliverable and the reviewer's approval responsibilities. Anthropic: Define success criteria and build evaluations

==========

Question #:24 - [Follow organizational AI policies and governance standards]

A Claude associate is evaluating whether to enable a Skill that was provided by an unfamiliar third party.

Which two checks best support a sound trust decision? (Select two.)

A. Verify the source of the Skill against the organization’s approved-Skill list before enabling it within Claude.ai or any Project the team uses for its work.

B. Review the permissions and capabilities the Skill requests and confirm that the requested access is appropriate for the task the Skill is intended to perform.

C. Treat the Skill’s appearance in a public listing as sufficient validation, without confirming the source, requested permissions, or alignment with the organization’s approved-Skill list.

D. Enable the Skill immediately on the basis of strong external reviews, even though its source has not been validated and its permissions remain unverified.

E. Skip permission review on the assumption that the Skill cannot exceed the boundaries of the workflow, even though Skills can request access that the task does not require.

Answer: A B

Explanation

A Skill from an unfamiliar party must be treated as untrusted until its origin and behavior are reviewed. Option A verifies provenance and confirms that the Skill is permitted by the organization’s governance process. Option B applies least privilege by examining what the Skill can access or execute and determining whether those capabilities are necessary for its stated task.

Public availability, popularity, or favorable reviews do not establish security. A Skill can contain instructions, scripts, dependencies, external calls, or other resources capable of causing unintended actions or exposing data. Therefore, Options C and D substitute reputation for technical and organizational validation. Option E is also unsafe because Skills may execute code or access resources available in the surrounding environment; assumed workflow boundaries are not a reliable security control.

Anthropic warns that malicious or compromised Skills can create prompt-injection, unauthorized-access, and data-exfiltration risks. Its guidance instructs users to install Skills only from trusted sources and to inspect bundled files, scripts, dependencies, network calls, and requested operations before enabling them. Organizational allowlists and permission reviews provide complementary controls: one establishes trust in the source, while the other limits what the Skill may do. Anthropic’s Skill security guidance

==========

Question #:25 - [Identify hallucinations, inconsistencies, and biases in responses]

You are evaluating a Claude output that appears to contain hallucinated content.

Which response step should be performed first when a hallucination is suspected?

A. Discard the entire output and regenerate the output with a fresh prompt.

B. Document the hallucination pattern in the team ' s risk register for future reference.

C. Notify the user community that the output contains a hallucinated claim.

D. Pinpoint the specific claim that appears to be unsupported by available evidence.

Answer: D

Explanation

Under the objective Identify hallucinations, inconsistencies, and biases in responses, diagnosing potential generative errors requires structured evidence validation before taking corrective action.

The first diagnostic step is claim isolation: carefully examining the output to pinpoint the exact statement, metric, or entity that appears unsupported by the provided source context or verified reality (Option D). Pinpointing the specific defect allows the reviewer to compare it directly against the source data to confirm whether it is an actual hallucination, an ungrounded inference, or a valid synthesis. Discarding the entire output without identifying the error (Option A) prevents root-cause analysis and wastes working iterations. Logging risks (Option B) or broadcasting notifications to users (Option C) are secondary actions that occur only after the defect has been isolated and confirmed.

Question #:26 - [Adjust approach based on feedback and results]

You have iterated a Claude prompt eight times, and the output quality has plateaued for the last four attempts.

Which conclusion is most appropriate?

A. Iteration should stop and the current output should be accepted as-is regardless of remaining issues.

B. Iteration should stop and the task should be abandoned without communicating to stakeholders.

C. Iteration has reached diminishing returns and the next step is human review or a different approach.

D. Iteration should continue indefinitely because more attempts always improve quality.

Answer: C

Explanation

Under the objective Adjust approach based on feedback and results, recognizing the law of diminishing returns in prompt engineering is essential for operational efficiency.

When a prompt has undergone multiple revision cycles (e.g., eight iterations) and the output quality plateaus with no observable improvement over four consecutive attempts, further micro-tweaks to the prompt text are unlikely to succeed. Option C provides the appropriate path forward: recognizing that the prompting approach has plateaued and pivoting either to direct human editing/review (human-in-the-loop completion) or fundamentally redesigning the workflow strategy (such as decomposing the task into smaller chained sub-prompts or switching model tiers). In contrast, accepting flawed output uncritically (Option A) compromises standards, abandoning the initiative silently (Option B) violates project accountability, and iterating indefinitely (Option D) wastes time and token budget.

Question #:27 - [Apply fact-checking and validation techniques]

You are reviewing a Claude-generated competitor brief for unsupported claims.

Which is the correct order of review steps?

(1) Cross-check each specific claim against the supplied source material or trusted external references.

(2) Decide whether to correct, re-prompt, or escalate based on the findings.

(3) Document each unsupported or inconsistent claim with its location and severity.

(4) Identify the specific factual claims, statistics, and citations in the brief.

(5) Read the brief from beginning to end and flag any claims that feel surprising.

A. 5, 1, 4, 3, 2

B. 1, 4, 5, 3, 2

C. 5, 4, 1, 3, 2

D. 4, 5, 1, 3, 2

Answer: C

Explanation

Answer C is correct. A defensible fact-check begins with a complete reading of the brief (5), which reveals its overall argument and flags surprising or unusually confident assertions. The reviewer then identifies the concrete factual claims, statistics, and citations that can actually be tested (4). Those items are checked against supplied evidence or trustworthy external sources (1). Any unsupported, contradictory, or inaccurate claim is then recorded with its location and severity (3), creating a usable audit trail. Only after the evidence is assembled should the reviewer decide whether to correct the text, re-prompt Claude, or escalate the issue (2). This produces the sequence 5, 4, 1, 3, 2. Option D reverses the first two activities, while Options A and B attempt verification before a proper claim inventory exists. Anthropic's guidance recommends structured research, explicit success criteria, and verification across sources; the AI Fluency framework's Discernment and Diligence competencies also keep evaluation and accountability with the human reviewer. The PDF marks D, but that order is weaker and should be corrected to C. Anthropic prompting best practices

==========

Question #:28 - [Apply task decomposition techniques to structure complex requests]

You are decomposing a "build a customer journey map" request.

Which is the correct order of decomposed steps?

(1) Identify the touchpoints the customer encounters during each stage.

(2) Define the persona and the journey scope to be mapped.

(3) Capture pain points and opportunities at each touchpoint.

(4) Synthesize the findings into the final journey-map artifact.

(5) Identify the major stages the persona moves through.

A. 2,5,1,3,4

B. 4, 3, 2, 1, 5

C. 5,2,1,3,4

D. 2,1,5,3,4

Answer: A

Explanation

The journey must first be bounded by defining the persona and the scope being mapped. Without Step 2, the team does not know whose experience is being analyzed, which objective is relevant, or where the journey begins and ends. It then identifies the major journey stages in Step 5, such as awareness, evaluation, purchase, onboarding, and ongoing use.

Once the stages exist, the team can identify the customer's touchpoints within each stage in Step 1. Pain points, unmet needs, emotional responses, and improvement opportunities can then be recorded against those touchpoints in Step 3. Finally, the validated findings are synthesized into the journey-map artifact in Step 4. The correct order is therefore 2,5,1,3,4.

Option C identifies stages before establishing the persona and scope. Option D attempts to list touchpoints before defining the stages in which those interactions occur. Both sequences create structural ambiguity.

This decomposition follows dependency ordering: each output supplies the structure needed for the next activity. Anthropic's prompt-chaining guidance supports dividing complex work into sequential stages when intermediate results require inspection or when a defined pipeline improves control. Anthropic's prompt-chaining guidance

==========

Question #:29 - [Align model selection with task requirements (e.g., cost, speed, quality)]

You are an HR specialist reviewing model choices made by colleagues for various tasks.

Which two model choices represent appropriate matches between the model and the task? (Select two.)

Each correct answer presents a complete solution.

A. a higher-capability model selected solely because it is the most expensive option

B. a higher-capability model for one-line keyword extraction at high request volume

C. a higher-capability model for complex multi-step legal reasoning under review

D. a lighter, faster model for nuanced multi-document strategic synthesis

E. a lighter, faster model for routine FAQ-style replies under tight latency budgets

Answer: C E

Explanation

Under the objective Align model selection with task requirements (e.g., cost, speed, quality), deploying models effectively requires matching model cognitive capacity to task complexity and throughput requirements.

Option C correctly routes complex, multi-layered tasks—such as synthesizing intricate legal precedents, statutory compliance, or multi-step policy analysis—to high-capability models (e.g., Claude 3 Opus or Sonnet) where deep reasoning is essential. Option E correctly routes simple, high-frequency, low-complexity tasks—such as standard FAQ lookups—to light, fast models (e.g., Claude 3 Haiku) to achieve ultra-low latency and minimal cost per request. Conversely, choosing models purely based on cost (Option A) is inefficient, deploying large frontier models for simple keyword extraction (Option B) wastes financial and rate-limit budgets, and assigning complex strategic synthesis across many documents to lightweight models (Option D) leads to shallow analysis and missed nuances.

Question #:30 - [Identify appropriate and inappropriate use cases]

You are a bank manager presented with a request to use Claude as the sole decision-maker on customer credit-line approvals.

Which response is most appropriate?

A. Accept the sole-decision-maker design because Claude can process applications faster than a human review team.

B. Implement the design on a pilot basis and notify compliance only if issues arise during production use.

C. Decline the sole-decision-maker design and propose Claude assisting analysts who retain decision authority.

D. Expand the design so Claude both evaluates applications and issues final approval notices to customers directly.

Answer: C

Explanation

Credit-line approval directly affects an individual’s financial eligibility and is therefore a high-risk financial decision. Claude may assist analysts by summarizing application information, checking completeness, organizing evidence, or identifying cases requiring further review, but qualified humans must retain final decision authority. Option C provides this augmentation model.

Option A values processing speed over fairness, regulatory compliance, explainability, and accountability. Option B is unacceptable because compliance and risk controls must be established before production, not after customers are affected. Option D increases the risk by allowing Claude both to decide and communicate a consequential financial determination without professional review.

Anthropic's Usage Policy explicitly identifies loan approvals and creditworthiness determinations as high-risk financial use cases. It requires a qualified professional to review advice, recommendations, or subjective decisions that directly affect consumers before finalization. The organization remains responsible for accuracy and appropriateness. Depending on the deployment, disclosure of AI involvement may also be required.

A compliant workflow should define permitted assistance, require human approval, validate the model's outputs, monitor for disparate impact, document decision rationale, and provide appropriate appeal or correction processes. Claude should augment professional judgment, not replace the accountable decision-maker. Anthropic's high-risk use-case requirements

==========

Question #:31 - [Apply task decomposition techniques to structure complex requests]

You are a senior analyst using Claude to analyze requirements from several stakeholder sources.

Which is the correct order of steps?

(1) Group related requirements and flag conflicts or ambiguities for stakeholder review.

(2) Validate the structured output against the original sources for accuracy and completeness.

(3) Submit the consolidated inputs to Claude with a structured extraction prompt.

(4) Gather and label the source materials so each requirement can be traced.

(5) Document the final requirements set with source traceability and status.

A. 1, 4, 3, 2, 5

B. 4, 3, 2, 1, 5

C. 3, 4, 1, 2, 5

D. 4, 1, 3, 2, 5

Answer: D

Explanation

Option D is correct: 4, 1, 3, 2, 5. First, gather and label the source materials so every requirement can be traced to a stakeholder interview, process document, or other authoritative input. Second, organize related material and identify apparent conflicts or ambiguities. This preparation prevents unrelated statements from being blended and highlights issues that Claude should preserve rather than silently resolve.

Third, submit the consolidated material using a structured extraction prompt that defines the requested fields, such as requirement identifier, statement, source, owner, priority, ambiguity, and status. Anthropic's prompting guidance emphasizes clear instructions, contextual information, and explicit output formats. Fourth, validate Claude's structured output against the original sources. This step is essential because a well-formatted answer can still omit, distort, or combine requirements. Anthropic recommends auditable citations and verification against supporting text, retracting claims that cannot be grounded.

Finally, document the approved requirements set with traceability and resolution status. Options A and C begin analysis or prompting before the sources have been properly gathered and labelled. The missing text in Option B cannot establish a valid alternative, so it has been preserved as missing rather than invented. This sequence combines task decomposition with source-grounded validation. See Anthropic's prompting best practices and hallucination-reduction guidance.

==========

Question #:32 - [Determine when human review or additional verification is required]

You are a knowledge worker deciding whether to escalate a Claude-generated output.

Which is the correct order of decision steps?

(1) Identify the audience and the impact of the output if it is wrong.

(2) Document the decision and the rationale for traceability.

(3) Compare the output's risk profile to the organization's escalation criteria.

(4) Decide whether to use, iterate further, or escalate.

(5) Assess the output's accuracy, completeness, and any unverified claims.

A. 1,3,5,4,2

B. 4, 3, 2, 1, 5

C. 3,1,5,4,2

D. 5,1,3,4,2

Answer: D

Explanation

The correct order is 5,1,3,4,2. The reviewer must first inspect the output itself for factual errors, omissions, inconsistencies, unsupported statements, and incomplete requirements. This establishes the evidence needed to characterize the output's risk. The reviewer then considers its audience and the consequences if an error reaches that audience. The same defect may be low risk in a private brainstorming note but serious in legal, financial, employment, medical, or customer-facing material.

Next, the assessed risk profile is compared with the organization's formal escalation criteria. Only then can the reviewer make an informed decision to use the output, revise it, obtain additional verification, or escalate it to an authorized specialist. The final step is documenting the decision and rationale for traceability.

Option A evaluates audience before establishing the actual quality of the output, while Option C applies escalation criteria before assessing either the content or its audience. Anthropic's Discernment principle concerns accurately evaluating AI outputs, while Diligence requires humans to remain responsible for how those outputs are used. Anthropic also advises validating critical information even when hallucination-reduction methods have been applied. Anthropic's AI Fluency framework

==========

Question #:33 - [Leverage Claude for research, planning, and process optimization]

You are an operations lead sorting Claude-driven research tasks by which deliver the most value.

Which two Claude-driven research tasks deliver the highest value in a typical analysis workflow? (Select two.)

Each correct answer presents a complete solution.

A. Synthesizing themes across a large set of customer interview transcripts.

B. Reformatting a completed research deck to adjust spacing, fonts, and slide layout.

C. Transcribing a recorded interview from audio notes into a structured document format.

D. Drafting a comparative summary of competing solutions from public materials.

E. Asking the model to generate representative customer quotations based on general research themes.

Answer: A D

Explanation

Options A and D provide the highest analytical leverage. Synthesizing a large collection of interview transcripts requires reading extensive qualitative material, finding repeated themes, comparing perspectives, and organizing evidence into a usable structure. Claude can significantly reduce the time required for this work, provided the analyst validates the themes and retains traceability to the underlying interviews.

Drafting a comparative summary from public materials is similarly valuable because Claude can organize information across multiple sources, identify meaningful differences, and create a consistent comparison framework. The reviewer must still verify factual claims, source currency, and whether important counterevidence was omitted.

Option B is primarily visual formatting work and does not capitalize on Claude's strongest language-analysis capabilities. Option C may be useful, but basic transcription is normally a narrower processing task than cross-source synthesis or comparative analysis. Option E is inappropriate because fabricated "representative" quotations could be mistaken for actual customer evidence. Claude should summarize themes or label synthetic examples explicitly, never manufacture quotations and present them as research findings.

Claude creates the greatest research value when it accelerates source-grounded synthesis while a human remains responsible for validation, interpretation, and downstream decisions.

==========

Question #:34 - [Configure Claude Projects with instructions and knowledge sources]

An HR business partner is building a long-running workspace where a team handbook, a leveling guide, and a policies-FAQ document will be referenced across many separate chats by several team members.

Which Claude feature is designed for this use case?

A. Connect the team's Google Drive folder where the three documents are stored, so the Connector surfaces them inside each chat when they are needed.

B. Create a Project, which provides a persistent workspace with its own knowledge base and custom instructions shared across chats and members.

C. Generate an Artifact containing the three documents, which gives the team an editable surface for reference content that persists across chats.

D. Attach all three documents to each chat as needed, since per-chat attachments give the chat direct access to the documents without additional setup.

店铺：学习小店66 店铺：学习小店66

Answer: B

Explanation

Option B is correct because Claude Projects are specifically designed to organize recurring work around persistent instructions and reference knowledge. Anthropic explains that documents uploaded to a Project's knowledge base become available as context across chats in that Project. Project instructions likewise establish consistent guidance for Claude's behaviour and responses. Team and Enterprise users can share Projects with other organization members using appropriate view or edit permissions.

A Google Drive Connector can retrieve information from connected files, but it is not the best primary answer for a curated workspace with stable instructions and a defined knowledge base. An Artifact is an editable output surface rather than a persistent multi-chat reference repository. Reattaching the same documents to every chat would work technically, but it creates unnecessary repetition and increases the risk that a team member forgets a required source or uses an outdated version.

The Project should contain only current, authoritative versions of the handbook, leveling guide, and FAQ. Access permissions and document maintenance responsibilities should also be defined. Therefore, a shared Project is the feature that most directly meets the stated multi-chat, multi-member requirement. See Anthropic' s documentation on creating and managing Projects and Project capabilities.

==========

Question #:35 - [Align model selection with task requirements (e.g., cost, speed, quality)]

A knowledge worker is explaining the cost, speed, and quality trade-offs across Claude models to a colleague.

Which generalization correctly describes the trade-off?

A. More capable models generally consume less of the usage limit because their reasoning is more efficient, even though they run more slowly than lighter models.

B. More capable models generally consume more resources and run more slowly, while lighter models are usually faster and less expensive.

C. Lighter models consume more resources per request than more capable models because they always require multiple passes to match higher-model quality.

D. Speed and resource consumption are independent of model capability; the difference between Haiku, Sonnet, and Opus is reasoning depth alone.

Answer: B

Explanation

Option B is the best generalization, although the source's original phrase "consume more of the rate limit" was technically imprecise and has been corrected to "consume more resources." Anthropic's current model comparison characterizes Haiku as the fastest and lowest-cost tier, Sonnet as a balance of speed and intelligence, and Opus or higher capability tiers as appropriate for more demanding work with greater cost or latency.

Option A incorrectly assumes that higher capability automatically reduces usage consumption. Option C makes the opposite unsupported absolute: lightweight models do not always require multiple passes. Option D ignores documented differences in latency, pricing, context capacity, tool support, and workload suitability.

The generalization must not be treated as a universal per-task law. Anthropic now advises evaluating cost per completed task rather than relying only on per-token pricing. A stronger model may complete difficult work in fewer turns and can occasionally cost less overall than repeated attempts with a smaller model. Teams should therefore define quality, latency, volume, and budget requirements, then benchmark candidate models on representative workloads. Option B remains the correct broad comparison, but empirical testing determines the actual production choice. See Anthropic's model comparison, model-selection guidance, and cost-per-task guidance.

Question #:36 - [Identify hallucinations, inconsistencies, and biases in responses]

A Claude associate is reviewing a Claude-drafted set of customer-segment descriptions for an internal marketing brief. One description applies a generalization about a demographic group's purchasing behavior that does not hold for individual customers in the segment.

Which response is most appropriate?

A. Keep the description as written for the internal brief, since internal use does not carry the same risk as external publication of demographic generalizations.

B. Revise the description to focus on observed behaviors rather than generalizations about people, and validate the revision against actual customer data.

C. Remove the entire customer-segment description from the brief, since any segmentation that involves demographic characteristics is likely to introduce similar issues.

D. Add a disclaimer to the description, noting that the generalization may not apply to all individuals in the segment, and keep the underlying description unchanged.

Answer: B

Explanation

Option B removes the unsupported demographic generalization and replaces it with evidence-based behavioral analysis. A useful customer segment should be grounded in observable factors—such as purchase frequency, product usage, channel preference, or demonstrated needs—rather than assumptions about how members of a demographic group supposedly behave.

Internal distribution does not eliminate bias risk. An internal marketing brief may influence targeting, product decisions, resource allocation, or customer treatment. Therefore, Option A is incorrect. Option C is unnecessarily broad because responsible segmentation remains possible when criteria are relevant, lawful, and supported by data. Option D preserves the biased claim and merely adds a disclaimer; acknowledging that a generalization is unreliable does not make it appropriate to retain.

The reviewer should identify the unsupported statement, examine the underlying evidence, replace group-level assumptions with validated patterns, and test whether the revised description unfairly disadvantages or misrepresents customers. Anthropic's Usage Policy prohibits promoting discriminatory practices based on protected or identifying attributes and emphasizes responsible handling of potentially biased outputs. AI Fluency Discernment similarly requires users to assess the usefulness, limitations, and consequences of generated material rather than accepting plausible wording uncritically. Anthropic's Usage Policy

==========

Question #:37 - [Iterate prompts to improve output quality]

The first output from Claude is partially useful but has tone and detail issues.

Which two refinement actions are most likely to produce a meaningfully better output? (Select two.)

Each correct answer presents a complete solution.

A. Add a specific tone descriptor and a concrete audience to the prompt.

B. Provide an example of an output that meets the desired standard.

C. Resubmit the same prompt several times and select the best response.

D. Append the phrase "please do better" to the end of the original prompt.

E. Increase the temperature setting and resubmit the unchanged prompt.

Answer: A B

Explanation

Option A directly addresses the tone problem by specifying both the required voice and the audience for whom the response is being written. Audience context helps Claude determine vocabulary, technical depth, formality, and emphasis. Option B addresses ambiguity by providing a concrete example that demonstrates the desired structure, detail level, tone, and overall quality.

Option C may produce superficial variation, but it does not correct the prompt's underlying deficiencies. Option D supplies no actionable description of what must improve. Option E increases output variability without clarifying the missing tone or detail requirements and may make results less consistent.

Prompt iteration should be diagnostic. The user should identify the specific defect, modify one or more prompt elements that control that defect, generate a new output, and compare it with the original success criteria. If the response remains too general, the next revision might add required sections, source material, minimum depth, or an evaluation rubric.

Anthropic's prompting guidance recommends clear instructions, relevant context, examples, and explicit output requirements. Examples are particularly useful when the intended standard is difficult to describe abstractly. A and B therefore introduce information Claude can act upon, while the other choices merely repeat or randomize the same insufficient instruction. Anthropic's prompt-engineering guidance

==========

店铺：学习小店66 店铺：学习小店66

Question #:38 - [Follow organizational AI policies and governance standards]

A knowledge worker notices that a Claude output may have repeated a confidential financial figure from an internal source that the user was told to treat as restricted. The output has not yet been shared outside the user.

Which immediate action is most appropriate?

A. Stop using the output, document the issue—including the prompt and the source—and report it through the documented governance or incident channel.

B. Edit the output to remove the figure, save the edited version for the intended use, and document the change in a personal log without involving the governance channel.

C. Stop using the output and start a new chat with a more carefully scoped prompt, since the issue is resolved as long as the original output is not used.

D. Continue using the output for the intended internal purpose, since the figure has not left the user's possession and no external disclosure has occurred.

Answer: A

Explanation

Option A is the correct immediate response because potential mishandling of restricted information must be contained, documented, and reported through the organization's established governance process. The user should stop further use or distribution of the output and preserve enough information for an authorized reviewer to understand what occurred, including the prompt, connected or uploaded source, affected output, data classification, and any actions already taken.

Removing the figure from the visible output, as suggested by Option B, does not address whether the information was improperly submitted, retrieved, retained, or exposed elsewhere in the workflow. A private log is not a substitute for an approved incident channel. Starting another conversation under Option C may prevent reuse of the immediate response, but it neither documents nor investigates the possible policy violation. Option D is also unsafe: restricted-data incidents can require reporting even when no external disclosure has yet occurred.

Claude governance depends on human accountability. Users must follow organizational rules governing confidential data rather than deciding individually that an incident is harmless. The designated privacy, security, or AI-governance team can determine severity, required containment, retention implications, and whether further notification or remediation is necessary.

Question #:39 - [Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)]

You are setting up a Connector for a shared data source that several colleagues will use.

Which Connector setup step should be performed first?

A. Document the Connector's purpose and the appropriate use cases for the team.

B. Use the Connector in a representative task to evaluate its real-world utility.

C. Connect the data source and confirm that authentication is working as expected.

D. Confirm that the Connector is approved and that the data classification is appropriate.

Answer: D

Explanation

Option D is the necessary first step because authorization and data suitability must be established before the shared source is connected to Claude. The team should verify that the connector and its provider are approved under organizational AI, security, procurement, and privacy policies. It must also determine the source's data classification and whether information in that source may legally and contractually be processed through the connector.

Connecting the source first, as proposed in Option C, could expose restricted information before governance review has occurred. Testing a representative task under Option B likewise assumes that access has already been approved. Documenting the connector's purpose and suitable use cases under Option A is important, but that operational documentation should follow the initial determination that the connector and relevant data are permitted.

After approval, the team can connect the source using an account with appropriate permissions, verify authentication, test access boundaries, and confirm that Claude retrieves only information available to the authenticated user. The team should then document approved use cases, prohibited data, human-review requirements, and reporting procedures. This sequence follows least-privilege and data-governance principles and avoids treating successful authentication as evidence that a connector is organizationally authorized or suitable for every type of information.

Question #:40 - [Iterate prompts to improve output quality]

You are a refining a prompt over several iterations. The output drifts further from the requested template with each change.

Which step is most appropriate?

A. Discard all prior versions and start with no record of what worked.

B. Continue making large simultaneous changes until the output happens to align.

C. Revert to the version of the prompt that produced the closest match and adjust from that baseline.

D. Stop iterating and accept the most off-target version.

店铺：学习小店66

Answer: C

Explanation

Under the objective Iterate prompts to improve output quality, managing prompt development requires maintaining baseline versioning and avoiding cumulative degradation.

When successive prompt revisions introduce drift, unintended behaviors, or progressive degradation away from the target output template, continuing to add modifications on top of an already degraded prompt only exacerbates the issue. The appropriate engineering practice is rollback: reverting immediately to the historical version that yielded the highest quality baseline (Option C) and resuming disciplined, single-variable iterations from that verified state. Discarding all historical prompt versions (Option A) loses valuable context, making multiple erratic modifications simultaneously (Option B) creates further unpredictability, and accepting substandard output (Option D) fails quality assurance standards.

Question #:41 - [Understand ethical implications of AI usage]

Preparing an AI-assisted work product for external delivery, a senior manager is applying the AI Fluency Framework Diligence competency.

Which step best reflects Diligence principles?

A. Delegate accountability for the AI-assisted work product to Claude itself rather than retaining it as a human obligation, contrary to the Diligence principle that humans remain accountable for AI-assisted outputs.

B. Deliver the work product without independent verification on the basis that AI assistance shifts accountability away from the human, even though Diligence holds the human fully accountable for the output.

C. Skip verification of any element on the assumption that fluent output implies accuracy, even though Diligence requires the human to verify and correct AI-assisted outputs before they are acted upon.

D. Identify the elements of the work product that must be independently verified or corrected before delivery, and take ownership of those verifications as a professional accountability obligation.

Answer: D

Explanation

Option D correctly applies Diligence because it preserves human accountability throughout the use of Claude. AI assistance does not transfer responsibility for the accuracy, legality, suitability, or consequences of a deliverable to the model. The responsible professional must identify claims, calculations, citations, recommendations, and other elements requiring independent validation and must correct deficiencies before the material is distributed externally.

Anthropic defines Diligence as taking responsibility for what people do with AI and how they do it. This includes maintaining appropriate oversight, recognizing the limitations of generated content, and ensuring that important outputs receive review proportionate to their impact. Anthropic's hallucination-reduction guidance similarly states that critical information must be validated because techniques that reduce hallucinations cannot eliminate them entirely.

Options A and B explicitly attempt to transfer accountability to Claude, which is incompatible with Diligence. Option C incorrectly treats fluent presentation as proof of factual accuracy. Language models can produce convincing but unsupported statements, so apparent confidence cannot replace verification. The manager must retain ownership of the final work product and independently validate the elements that could affect external stakeholders. Anthropic's AI Fluency definitions and hallucination guidance

==========

Question #:42 - [Evaluate Claude-generated outputs for accuracy and completeness]

Before sharing a Claude-generated brief, an analyst is applying the AI Fluency Framework Discernment competency to evaluate it.

Which review best reflects Discernment principles?

A. Accept the brief on the basis that it reads fluently and the subject matter aligns with the analyst ' s professional knowledge of the topic.

B. Skip the source material check during review and rely on overall tone and logical flow as proxies for factual accuracy.

C. Review the opening paragraph and the conclusion of the brief, since these sections typically reflect the quality of the full document.

D. Conduct a systematic check of the brief against the task requirements, source material, and professional standards before sharing it.

Answer: D

Explanation

Under the objective Evaluate Claude-generated outputs for accuracy and completeness and the AI Fluency Framework Discernment competency, rigorous output evaluation requires systematic verification rather than surface appraisal.

Discernment requires actively auditing AI outputs across three core dimensions: completeness against original prompt requirements, factual fidelity against underlying source documentation, and compliance with domain-specific professional standards (Option D). Relying on surface fluency, elegant style, or subjective plausibility (Option A) creates a false sense of security, as LLMs frequently articulate hallucinations with high confidence. Treating logical flow or tone as proxies for factual accuracy (Option B) skips necessary verification gates. Similarly, spot-checking only the opening and closing paragraphs (Option C) overlooks hallucinations, omissions, or logical flaws buried within the main body.

Question #:43 - [Follow organizational AI policies and governance standards]

A knowledge worker notices that a Claude output may have repeated a confidential financial figure from an internal source that the user was instructed to treat as restricted. The output has not yet been shared outside the user.

Which immediate action is most appropriate?

A. Stop using the output, document the issue—including the prompt and source—and report it through the documented governance or incident channel.

B. Edit the output to remove the figure, save the edited version for the intended use, and document the change in a personal log without involving the governance channel.

C. Stop using the output and start a new chat with a more carefully scoped prompt, since the issue is resolved as long as the original output is not used.

D. Continue using the output for the intended internal purpose, since the figure has not left the user's possession and no external disclosure has occurred.

Answer: A

Explanation

Option A is the appropriate containment and reporting response. The appearance of restricted information in a generated output indicates a possible data-handling or access-control failure. The user should stop the output from progressing, preserve enough information to investigate what occurred, and follow the organization's established governance or security incident procedure. Relevant evidence normally includes the prompt, generated response, implicated source, users or systems involved, and whether any further distribution occurred.

Deleting the figure from the visible output, as suggested in Option B, does not address how the restricted information entered the workflow or whether it remains present in conversation history, logs, connected sources, or other generated material. A personal log is not a substitute for the approved reporting mechanism. Starting a new chat under Option C may prevent additional use of that conversation but does not remediate or report the original incident. Option D incorrectly assumes that an internal exposure is harmless. Organizational confidentiality requirements can be violated even before information is distributed externally.

Claude users remain accountable for applying data classifications, limiting sensitive inputs, reviewing generated outputs, and escalating suspected exposure through authorized channels. Early reporting enables containment and corrective action.

==========

Question #:44 - [Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)]

You are an operations lead evaluating prompting strategies that teammates have proposed for various task types.

Which two strategies represent appropriate matches between strategy and task type? (Select two.)

Each correct answer presents part of the solution.

A. rigid templated prompting for early-stage creative naming and tagline ideation

B. open exploratory prompting for legal contract redlining against a clause library

C. open exploratory prompting for early-stage strategic brainstorming on a new market

D. rigid templated prompting for casual customer-feedback summarization with no schema

E. rigid templated prompting for monthly compliance reports against a fixed schema

Answer: C E

Explanation

Under the objective Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming), prompting architectures must match the operational nature and variability of the task.

Option C correctly pairs open, exploratory prompting with divergent brainstorming and early-stage strategy, allowing Claude the flexibility to generate wide-ranging perspectives, identify unexpected market angles, and propose creative concepts. Option E correctly pairs rigid, templated prompting (with explicit constraints, schema definitions, and validation rules) with recurring compliance reporting, where deterministic output structure, consistency, and adherence to regulatory schemas are mandatory. Conversely, applying rigid templates to creative ideation (Option A) constrains creativity, using open exploration for contract redlining (Option B) risks hallucination and missed clauses, and enforcing rigid schemas on informal unformatted feedback (Option D) creates unnecessary rigidity.

Question #:45 - [Communicate Claude's value and limitations to stakeholders]

You are a communications specialist preparing to describe Claude ' s role in a workflow to multiple stakeholder groups and must complete the preparation steps before drafting messages.

Which two preparation steps must be completed BEFORE drafting the stakeholder messages? (Select two.)

Each correct answer presents part of the solution.

A. Archive the drafted messages in the corporate communications repository.

B. Identify the stakeholder groups and what each group needs to understand.

C. Define the key facts about Claude ' s role and the boundaries that apply.

D. Send the drafted messages out and gather feedback for revision.

E. Schedule a follow-up forum to handle questions raised by the messages.

Answer: B C

Explanation

Under the Claude objective Communicate Claude ' s value and limitations to stakeholders, crafting effective change-management and enablement communications requires establishing core positioning and audience segmentation prior to drafting content.

Before composing stakeholder updates, the specialist must first define the core ground truth: what specific operational role Claude plays, what tasks it augments, and what strict boundaries or limitations exist (Option C), including human review requirements and non-delegable tasks. Simultaneously, the specialist must segment audience cohorts (e.g., leadership, end users, compliance teams) to identify their distinct concerns, technical familiarity, and required takeaways (Option B). Establishing these two pillars ensures that communications are accurate, targeted, and set realistic expectations. Post-drafting activities such as sending materials (Option D), archiving (Option A), or hosting follow-up forums (Option E) occur only after foundational messaging is developed.

Question #:46 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

After importing context from another AI platform into Claude’s Memory, a knowledge worker notices that some imported details did not appear in subsequent responses.

Which explanation is most accurate?

A. The import transfers every detail as a rule, and any missing content reflects a deliberate choice by Claude to omit the information rather than the documented experimental nature of imports.

B. Memory imports overwrite all prior memories on completion, so any details that appear missing must have been deleted by the import process rather than not incorporated during the import itself.

C. Memory imports are experimental, and Claude might not successfully incorporate all imported content; missing details can be added manually through Settings > Capabilities as a fallback.

D. Imported memories are stored separately from regular memories and cannot be referenced in any chat, so missing details reflect an architectural separation rather than imperfect import incorporation.

Answer: C

Explanation

Answer C is correct. Anthropic identifies Memory importing as an experimental capability that remains under active development. Consequently, Claude may not successfully incorporate every detail transferred from another AI provider. The user should review what Claude learned after the import and manually add important missing information through the available Memory controls.

Option A is incorrect because the import process does not guarantee that every supplied detail will become a persistent instruction or memory. Claude extracts information it considers suitable for Memory, with a focus on useful work-related context. Option B is incorrect because importing does not inherently replace or delete every previously stored memory. Option D is also incorrect: imported information is intended to become usable Memory rather than remain permanently isolated from ordinary memories and inaccessible to chats.

The interface named in Option C reflects the documented legacy workflow, where users could manage Memory through Settings > Capabilities. In the newer Claude experience, users normally go to Settings > Memory and use the memory panel or the “Tell Claude what to change or remove” control. Despite that interface change, C remains the only option that accurately describes the experimental nature of imports and the manual fallback. Anthropic: Import and export your Memory

==========

Question #:47 - [Iterate prompts to improve output quality]

A knowledge worker is iterating a prompt that has produced a partly acceptable response.

Which refinement practice produces the strongest learning across iterations?

A. Change one identifiable element per iteration, capture the change and its effect, and adjust another element only after the first is settled.

B. Restart from a fresh prompt each iteration so that prior wording does not bias the next attempt, and pick the strongest response at the end.

C. Make several related changes in one iteration when they target the same weakness, and revert the whole set if the combined change makes the output worse.

D. Address every weakness the response showed in a single revision, then compare the revised output against the prior version.

Answer: A

Explanation

Under the objective Iterate prompts to improve output quality, systematic prompt optimization relies on disciplined, hypothesis-driven iteration using controlled variables.

When a prompt yields a partially acceptable result, modifying a single isolated element at a time—such as refining role framing, adjusting format constraints, or adding specific negative constraints—allows the user to establish clear causality between the prompt modification and the resulting output change (Option A). Documenting the effect of each adjustment ensures reproducible, predictable improvements. Conversely, making multiple simultaneous revisions (Options C and D) confounds the evaluation, making it impossible to determine which specific change helped or degraded output quality. Discarding work entirely on each run (Option B) eliminates incremental learning and increases iteration time.

Question #:48 - [Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs]

You are optimizing a recurring Claude workflow and must complete the diagnostic steps before changing the workflow.

Which two diagnostic steps must be completed BEFORE changing the recurring workflow? (Select two.)

Each correct answer presents part of the solution.

A. Notify executive leadership of the projected savings from the optimization.

B. Identify the steps that contribute most to time, cost, or quality issues.

C. Deploy the updated workflow across the team and monitor for adoption issues.

D. Measure the current workflow ' s quality, time, and cost across recent runs.

E. Document the revised workflow steps and update the team ' s standard operating procedures.

Answer: B D

Explanation

Under the objective Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs, workflow optimization must be rooted in evidence-based diagnostics before making modifications to system instructions or prompt chains.

The diagnostic phase requires two prerequisite steps: establishing a quantitative baseline by measuring quality metrics, latency, token spend, and human intervention frequency across recent historical runs (Option D), and conducting a bottleneck analysis to pinpoint the exact sub-steps responsible for performance degradation, excessive token cost, or quality defects (Option B). Implementing changes without these baseline diagnostics leads to blind iterations. Deployment (Option C) and SOP updates (Option E) are downstream execution phases, while leadership notifications (Option A) occur after solutions are verified.

Question #:49 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are an operations team member preparing inputs to summarize customer feedback. The feedback file mixes public quotations with personal contact details.

Which preparation approach is most appropriate?

A. Strip out the feedback content and submit only the personal contact details.

B. Submit the entire file unchanged so Claude has complete context.

C. Replace the feedback content with the personal contact details and ask Claude to invent the missing feedback.

D. Extract only the feedback content needed for the summary, redact or anonymize personal contact details, and submit the trimmed input.

Answer: D

Explanation

Option D follows data-minimization and purpose-limitation principles. The task requires analysis of customer feedback, not access to customer contact information. The appropriate preparation process is therefore to retain the feedback statements needed for the analysis while removing names, email addresses, telephone numbers, account identifiers, and other unnecessary personal information.

Option A removes the useful content while retaining the sensitive data, directly reversing the correct handling approach. Option B exposes unnecessary personal information merely to provide more context. Option C discards the genuine feedback and invites Claude to fabricate replacement content, producing an unreliable summary. Redaction or anonymization preserves the analytical value of the input while reducing privacy exposure and limiting the consequences of unauthorized disclosure.

Anthropic advises users to be thoughtful about sharing highly sensitive personal or confidential information. Its implementation guidance also recommends removing personally identifiable information unless it is explicitly required and authorized. Redaction does not override organizational policy: the user must still confirm that the approved Claude environment, access controls, contractual terms, retention settings, and intended purpose permit the remaining data to be processed. Anthropic’s sensitive-data guidance

==========

Question #:50 - [Apply task decomposition techniques to structure complex requests]

You are evaluating whether a “redesign new-hire onboarding” request should be decomposed before prompting Claude.

Which feature of the request most strongly indicates decomposition will help?

A. The request involves content the associate has produced many times before and knows can be handled in a single well-structured prompt.

B. The request requires multiple distinct outputs: a process map, supporting materials, and a measurement plan.

C. The request is for a single structured document that can be produced from one set of inputs in one prompt.

D. The request involves a single well-defined output with a clear input and a familiar format.

Answer: B

Explanation

Option B presents a compound assignment with three materially different deliverables: a process map, supporting content, and a measurement plan. Each requires different inputs, reasoning steps, evaluation criteria, and output structures. Decomposing the request allows the team to define the onboarding objective, map the current process, design the future-state workflow, draft the supporting materials, establish success measures, and then integrate the components into a coherent package.

Task decomposition improves control because each intermediate result can be reviewed before it becomes an input to the next stage. It also prevents one large prompt from underdeveloping a component, overlooking dependencies, or blending incompatible formats. For example, measurement criteria should be based on the redesigned process rather than generated independently before the workflow is defined.

Options A, C, and D describe familiar or narrowly bounded work that can reasonably be handled with one structured prompt. Anthropic's workflow guidance recommends breaking complex interactions into unique tasks and using prompt chains when additional structure is needed. Decomposition should therefore be driven by the number of distinct deliverables and their dependencies, not simply by the length of the request. Anthropic's Claude workflow guidance

==========

Question #:51 - [Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)]

You are organizing connected data sources for a team and must complete the planning steps before authorizing any connection.

Which two planning steps must be completed BEFORE authorizing a new Connector? (Select two.)

Each correct answer presents part of the solution.

A. Confirm the Connector is on the approved-vendor list maintained by IT.

B. Train every team member on the new Connector through formal training sessions.

C. Decommission any unused legacy Connectors that may still be authorized.

D. Confirm the data classification of the source and the team's permission to use it.

E. Migrate every existing report off the prior data source onto the new Connector.

Answer: A D

Explanation

Options A and D are correct because Connector authorization creates a security and data-governance boundary. Before connecting a service, the team must confirm that the provider is trusted and approved under organizational vendor-management requirements. It must also determine what data Claude could access, how that data is classified, and whether the proposed users have legitimate permission to use it.

Anthropic explains that Connectors can retrieve data and take actions in connected services. Claude inherits the user's source-system permissions, while custom Connectors may connect to services that Anthropic has not verified. Anthropic therefore advises users to connect only to trusted servers, carefully review requested permissions, minimize unnecessary scopes, and remain aware that connected tools may read, modify, or delete data. These considerations directly support approved-vendor and data-authorization checks.

Training may be necessary before rollout, but it does not have to be completed before the authorization decision itself. Decommissioning legacy Connectors and migrating reports are implementation or lifecycle activities that ordinarily follow approval and transition planning. They do not replace the initial trust, classification, and permission assessment. Therefore, A and D are the required pre-authorization controls. See Anthropic's Connector overview and custom Connector security guidance.

==========

Question #:52 - [Integrate Claude into existing workflows to augment or redesign workflows]

You are an operations lead integrating Claude into a multi-person team workflow.

Which integration step should be performed first?

A. Identify where Claude adds value and where each handoff to a human occurs.

B. Pilot the integrated workflow with a small group on representative work.

C. Iterate the integrated workflow based on the findings from the pilot.

D. Document the integrated workflow and onboard the rest of the team to it.

Answer: A

Explanation

Under the objective Integrate Claude into existing workflows to augment or redesign workflows, successful AI adoption requires structured process mapping prior to implementation, piloting, or scaling.

The foundational first step (Option A) is conducting task decomposition and interface analysis: analyzing the existing workflow to determine exact stages where Claude provides tangible leverage (e.g., synthesis, drafting, data categorization) versus stages that mandate human decision-making, verification, and sign-off (human-in-the-loop handoffs). Attempting to run a pilot (Option B), iterate based on pilot metrics (Option C),

or author final training documentation (Option D) before defining the functional boundaries and handoff architecture results in unstructured trials, unclear accountability, and higher operational risk.

Question #:53 - [Apply task decomposition techniques to structure complex requests]

A senior project coordinator has been asked to use Claude to produce an end-of-year report covering finance, operations, and customer outcomes. The three areas have separate data owners and separate source documents.

Which decomposition approach is most likely to produce a strong report?

A. Define the report goals, gather inputs per section, draft each section in its own prompt, then synthesize the executive summary from the drafted sections.

B. Draft the executive summary first to anchor the report ' s narrative, then draft each section so it supports the summary already written.

C. Draft the three sections in parallel, each using a section-specific prompt, then concatenate and lightly edit the outputs into the final report.

D. Prompt Claude once with all source documents and request the full report, including the executive summary, in a single pass.

店铺：学习小店66

Answer: A

Explanation

Under the objective Apply task decomposition techniques to structure complex requests, multi-domain deliverables requiring distinct data inputs demand modular, step-by-step composition.

Option A exemplifies best-practice task decomposition: first, establishing the overarching narrative and reporting goals; second, gathering and isolating domain-specific source material; third, executing dedicated, highly focused prompts to draft each detailed section (finance, operations, customer outcomes); and finally, feeding the finalized section drafts into Claude to synthesize a comprehensive, cohesive executive summary. In contrast, drafting the executive summary before the underlying sections exist (Option B) forces the model to invent conclusions. Dumping all disparate documents into a single monolithic prompt (Option D) risks attention dilution and superficial analysis. Merely concatenating isolated outputs without an overarching executive synthesis (Option C) produces a disjointed final deliverable.

Question #:54 - [Communicate Claude's value and limitations to stakeholders]

You are a project manager reviewing stakeholder messages that teammates have drafted about Claude’s role in a workflow.

Which two messages are appropriate for stakeholder communication about Claude? (Select two.)

Each correct answer presents part of the solution.

A. A claim that Claude will handle every task without any human involvement

B. A claim that the model never makes errors and requires no quality review

C. An honest description of where Claude assists and where humans retain decisions

D. A clear statement of the limits and known failure modes of the integration

E. A vague reassurance that “the AI is taking care of it” without further detail

Answer: C D

Explanation

Options C and D are correct because responsible stakeholder communication must accurately describe Claude’s role, human accountability, and the integration’s limitations. Stakeholders should understand which activities Claude performs, which outputs require verification, who retains decision authority, and what happens when the model produces uncertain, incomplete, biased, or incorrect results. Known failure modes and escalation paths should be communicated in language appropriate to the audience.

Anthropic’s AI Fluency Framework defines Diligence as taking responsibility for what people do with AI and how they do it. Anthropic’s research also identifies honesty about AI’s role and consideration of the consequences of sharing AI-generated work as important AI Fluency behaviours. These principles support transparent descriptions rather than exaggerated capability claims.

Options A and B are inappropriate absolutes. Claude can make factual errors or produce outputs inconsistent with supplied context, so human review cannot be categorically removed. Option E is too vague to support informed trust, accountability, or effective governance. Appropriate communication should neither overstate Claude’s reliability nor obscure its contribution. It should describe Claude as a capable assistant operating within defined boundaries, with humans maintaining responsibility for consequential decisions and quality control. See Anthropic’s AI Fluency Framework and AI Fluency Index.

==========

Question #:55 - [Understand ethical implications of AI usage]

An HR team member is reviewing a Claude-drafted set of interview questions intended for use across all candidates for a single role. The questions will be asked in the same order to every candidate.

Which review practice best supports fairness?

A. Review the questions to ensure they apply equally to all candidates, avoid assumptions about candidate backgrounds, and focus on the role ' s actual requirements.

B. Review the questions for length and tone, since the questions Claude drafts are well-aligned to role requirements by default and need only stylistic adjustment.

C. Review the questions and add follow-up questions tailored to each candidate ' s resume so each interview can explore the candidate ' s specific experience.

D. Review the questions and rotate the order across candidates so no candidate is consistently asked the hardest questions first.

Answer: A

Explanation

Under the objective Understand ethical implications of AI usage, applying AI in human resources demands rigorous bias auditing to ensure fair, standardized, and legally defensible evaluation practices.

Structured interviewing requires that questions focus strictly on observable, job-related competencies and avoid implicit assumptions or biased phrasing that could systematically disadvantage candidates from diverse non-traditional backgrounds (Option A). Human review must verify that Claude-generated questions remain objective, relevant, and standardized across applicants. Assuming AI outputs are unbiased by default and checking only stylistic tone (Option B) introduces compliance and equity risks. Injecting unstructured, ad-hoc questions per candidate (Option C) or scrambling question order inconsistently (Option D) undermines standardization and equitable scoring across applicant pools.

Question #:56 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are a compliance specialist applying the organization’s policy to a proposed Claude use case.

Which policy-application step should be performed first?

A. Identify which policy provisions apply to the proposed use case.

B. Approve, modify, or reject the proposed use case based on the comparison.

C. Document the use case and the policy decision in the compliance register.

D. Compare the proposed use case against the applicable policy provisions.

Answer: A

Explanation

Answer A is correct. Policy application must begin by identifying the provisions that govern the proposed Claude use case. The specialist first needs to understand the use case’s purpose, users, data, affected individuals, intended outputs, level of automation, and potential consequences. These characteristics determine which organizational requirements concerning privacy, security, human oversight, acceptable use, regulated activities, and recordkeeping are applicable.

After identifying the relevant provisions, the specialist compares the proposed use case against those requirements, corresponding to Option D. Based on that assessment, the specialist can approve the use case, require modifications or safeguards, or reject it, as described in Option B. The use case, analysis, controls, and final decision should then be recorded in the compliance register, corresponding to Option C. The logical sequence is therefore A, D, B, and C.

Starting with approval would be premature because no compliance analysis has occurred. Similarly, a meaningful comparison cannot be completed until the applicable provisions have been identified. Documentation is important, but it records the assessment and decision rather than replacing them. Correct policy application therefore begins with scope determination and proceeds through comparison, decision, and documentation. This supports consistent governance and an auditable decision trail. Anthropic Usage Policy

Question #:57 - [Adjust approach based on feedback and results]

You are running a weekly feedback-and-adjustment cycle.

Which is the correct order of cycle steps?

(1) Translate feedback into one or two targeted adjustments for the next cycle.

(2) Run the next cycle and compare results against the prior cycle.

(3) Capture the specific feedback received during the review.

(4) Document what changed, what effect it produced, and any remaining issues.

(5) Decide whether to continue iterating, switch approach, or escalate.

A. 2, 3, 1, 4, 5

B. 1, 3, 2, 4, 5

C. 3, 1, 2, 4, 5

D. 3, 2, 1, 4, 5

店铺：学习小店66

Answer: C

Explanation

Under the objective Adjust approach based on feedback and results, structured workflow iteration follows a disciplined empirical sequence to guarantee controlled optimization.

The feedback loop begins with intake: systematically capturing concrete, specific feedback and defect observations from the recent review session (Step 3). Next, that feedback is translated into one or two targeted, hypothesis-driven prompt or workflow modifications (Step 1). The practitioner then executes the revised workflow and directly benchmarks the new outputs against the previous baseline (Step 2). After execution, the practitioner documents the exact changes made, the measurable effects observed, and any residual edge cases (Step 4). Finally, the practitioner evaluates the results to determine the strategic direction—whether to perform another iteration cycle, pivot to an alternative prompting approach, or escalate to human stakeholders (Step 5). This establishes the correct operational sequence as 3, 1, 2, 4, 5.

Question #:58 - [Align model selection with task requirements (e.g., cost, speed, quality)]

You are a project manager at Orinexa, Inc. You are picking a Claude model for a new production workload and must complete the requirements steps before testing candidates.

Which two steps must be completed BEFORE testing candidate models on a representative sample? (Select two.)

Each correct answer presents part of the solution.

A. Define the quality bar, the latency tolerance, and the expected request volume.

B. Retest the selected model whenever a new model version is released.

C. Choose a candidate model based on the requirements profile and known capabilities.

D. Promote the selected model to production traffic for the workload.

E. Sign off on the production rollout plan with the platform and security teams.

Answer: A C

Explanation

Under the objective Align model selection with task requirements (e.g., cost, speed, quality), model evaluation follows a structured engineering workflow prior to benchmark testing.

Before running comparative empirical tests on a representative sample dataset, the team must first establish evaluation criteria: defining the required output quality bar, maximum acceptable latency, throughput targets, and budget constraints (Option A). Next, the team maps those requirements against known model family characteristics (Haiku, Sonnet, Opus) to select the appropriate candidate models for testing (Option C). Once requirements are set and candidates selected, empirical sample testing can proceed. Promoting models to production (Option D), securing final platform/security rollout sign-offs (Option E), and ongoing regression testing for new model releases (Option B) are downstream deployment activities that occur after testing is completed.

Question #:59 - [Organize and curate information for optimal outputs and select appropriate output formats]

An analyst has been asked to compute summary statistics from an uploaded sales data file and produce a chart for a weekly report.

Which output approach best fits the task?

A. Ask Claude to estimate the summary statistics from a brief preview of the file, accepting unverified figures rather than running the calculations against the full uploaded dataset.

B. Produce a written placeholder for the chart in the chat response without generating the actual visualization, leaving the weekly report without the visual output it requires.

C. Request a narrative description of the data in the chat response without computing values, leaving the summary statistics and the chart unproduced and the weekly report incomplete.

D. Use Code Execution to perform the calculations and generate the chart, then verify the computed results against the source data before sharing the output.

Answer: D

Explanation

Under the objective Organize and curate information for optimal outputs and select appropriate output formats, quantitative data analysis and visual charting require deterministic tooling rather than probabilistic text generation alone.

Large Language Models can occasionally make arithmetic errors when calculating summary statistics directly over raw text tokens in large files. Leveraging Claude ' s built-in Code Execution (such as Python in Artifacts or Analysis Tool) allows the model to run exact programmatic calculations (mean, median, variance) across complete datasets and render visualization charts (Option D). Furthermore, adhering to validation best practices by checking computed figures against source data ensures factual integrity. Options A, B, and C fail standard analytical quality bars by relying on unverified estimates, generating incomplete placeholders, or omitting essential metrics and visual deliverables.

Question #:60 - [Apply task decomposition techniques to structure complex requests]

You are a knowledge worker who decomposed a “draft a board memo” request into fifteen tiny steps and noticed the output now feels disjointed because related ideas were split apart.

Which adjustment is most appropriate?

A. Remove all sequencing so the steps run in random order.

B. Consolidate related steps into fewer cohesive sections that group naturally connected ideas.

C. Subdivide each tiny step into ten more tiny steps for additional precision.

D. Combine the original request back into one unstructured sentence.

Answer: B

Explanation

Task decomposition is valuable only when the resulting stages represent meaningful, logically connected units of work. Here, dividing a board memo into fifteen extremely small steps has fragmented related ideas and weakened the document’s narrative coherence. Option B corrects over-decomposition by combining naturally connected activities into broader sections, such as framing the decision, analyzing evidence, presenting risks, and stating the recommendation.

Option A removes dependency order entirely, which would make the workflow less reliable. Option C intensifies the existing problem by creating even smaller fragments. Option D goes too far in the opposite direction by discarding all useful structure. The appropriate solution is neither maximal decomposition nor a single unstructured instruction; it is a limited number of cohesive stages with clear dependencies.

Anthropic explains that explicit prompt chaining is useful when intermediate outputs must be inspected or when a specific pipeline structure is required. However, its guidance also warns against unnecessary delegation and overengineering when simpler direct work preserves context more effectively. The correct granularity should therefore improve control and reviewability without separating ideas that must be developed together. Anthropic's prompting best practices

==========

Question #:61 - [Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)]

You are an operations manager preparing a quick reference card for a team.

Which description correctly characterizes the three Claude model tiers in general terms?

A. Haiku is the most capable model for the deepest reasoning, while Opus is the lightweight model for quick replies.

B. All three models offer the same reasoning depth and differ only in response speed and cost.

C. Haiku is fast and lightweight, Sonnet is the balanced default for most everyday work, and Opus is the most capable for complex reasoning at higher latency and cost.

D. Sonnet is the fastest of the three models because its architecture is optimized for speed rather than reasoning depth.

专辑：学习小店66 专辑：学习小店66

Answer: C

Explanation

Under the objective Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus) (Domain 3: Product and Model Selection), Anthropic structures its model family across three clear tiers of intelligence, latency, and cost:

- Claude Haiku: The fastest, most cost-efficient, and lightweight model designed for high-volume, low-latency tasks and simple classification.
- Claude Sonnet: The balanced, versatile enterprise workhorse combining high intelligence and throughput for everyday knowledge-work tasks.
- Claude Opus: The frontier model offering deep reasoning and analytical capacity for complex, multi-step problem solving at higher latency and operational cost.

Option C perfectly summarizes these structural trade-offs. Options A, B, and D misrepresent the capability hierarchy, speed profiles, and architectural tiering of the Claude family.

Question #:62 - [Apply fact-checking and validation techniques]

You are an analyst fact-checking a Claude-generated report. Two cited sources give conflicting dates for the same event.

Which approach is correct?

A. Publish both dates without resolving the conflict and let the reader choose.

B. Average the two conflicting dates and use the average.

C. Locate a primary or authoritative source for the event and use the date that source confirms.

D. Choose the more recent date on the basis that later sources typically reflect updated or corrected information.

Answer: C

Explanation

When cited sources conflict, the analyst must resolve the discrepancy through source hierarchy and corroboration. Option C is correct because a primary or authoritative source—such as the original announcement, official record, regulatory filing, or responsible organization's publication—provides stronger evidence than assumptions based on publication timing or repetition.

Publishing both dates without resolution transfers the analyst's verification responsibility to the reader. Averaging dates is logically invalid because event dates are categorical facts, not measurements that can be meaningfully averaged. Selecting the newer source is also unreliable; a later publication can repeat an earlier error, refer to a different milestone, or introduce a transcription mistake. The analyst should determine whether the sources describe the same event, locate the most authoritative record, and retain a citation showing how the final date was confirmed.

Anthropic recommends making claims auditable through citations and checking generated statements against supporting source material. Its hallucination guidance further advises retracting a claim when adequate support cannot be found. Consequently, if no authoritative source resolves the discrepancy, the report should clearly disclose the uncertainty rather than manufacture a definitive date. Anthropic's guidance on reducing hallucinations

==========

Question #:63 - [Optimize workflows for efficiency and effectiveness]

You are evaluating proposed workflow changes against whether they meaningfully improve the workflow.

Which two proposed changes meaningfully improve a recurring Claude workflow? (Select two.)

Each correct answer presents a complete solution.

A. updating the team ' s shared workspace name to reflect the new workflow process

B. labeling each workflow step with descriptive names to improve readability for new team members

C. extracting the standard reference material into a Project to avoid repeating it

D. reorganizing the workflow document ' s section headings to improve navigation

E. adding a quality check on outputs before they enter the downstream process

Answer: C E

Explanation

Under the objective Optimize workflows for efficiency and effectiveness, meaningful operational improvements must deliver measurable gains in throughput, token efficiency, or output reliability.

Option C provides major efficiency gains by moving recurring reference documentation into a persistent Claude Project knowledge base, eliminating redundant token overhead and manual copy-pasting across dozens of daily chats. Option E provides vital effectiveness and risk mitigation by establishing a standardized human-in-the-loop quality gate, preventing defective or hallucinated outputs from propagating into downstream operational pipelines. In contrast, renaming workspaces (Option A), re-labeling steps for cosmetic readability (Option B), or shuffling documentation headings (Option D) represent superficial administrative edits that do not improve execution speed, cost, or output quality.

Question #:64 - [Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)]

You are a marketing manager using Claude to ideate concepts for a campaign and must complete the framing steps before generating concepts.

Which two framing steps must be completed BEFORE asking Claude to generate concepts? (Select two.)

Each correct answer presents part of the solution.

A. Define the goal of the campaign and its success metrics.

B. Select a finalist concept and prepare it for stakeholder approval.

C. Review the Claude-generated concepts and select the two strongest for further development.

D. Define the brand voice and the audience the concepts will address.

E. Schedule the campaign launch and rollout dates with the agency.

Answer: A D

Explanation

Effective ideation requires a clear creative frame. Option A defines what the campaign is intended to achieve and how success will be assessed. Option D defines the intended audience and brand voice, ensuring that generated concepts are relevant to the people being addressed and consistent with the organization’s identity.

Options B and C occur after concepts have been generated. A finalist cannot be selected or developed until candidate concepts exist. Option E concerns execution planning and should follow concept selection, validation, and approval. Scheduling does not provide the creative direction Claude needs during initial ideation.

A strong ideation prompt might specify the campaign objective, audience characteristics, brand attributes, channel, constraints, prohibited themes, desired number of concepts, and the dimensions along which the ideas should differ. Claude can then explore broadly within meaningful boundaries. Success metrics also create criteria for evaluating ideas after generation, preventing selection from being driven solely by subjective preference.

Anthropic's prompting guidance emphasizes providing clear context, objectives, audience information, and output expectations. For brainstorming, the framing should constrain relevance without prescribing the final answer so tightly that concept diversity is eliminated. Anthropic's prompting best practices

==========

Question #:65 - [Apply fact-checking and validation techniques]

You are a communications manager validating a Claude-generated newsletter that includes a specific industry growth figure. The figure appears in three trade-press articles, but none of them link to the underlying study.

Which validation step is correct?

A. Accept the figure because three trade-press articles repeat it.

B. Remove the source attribution and present the figure as common knowledge.

C. Locate the original study referenced by the trade-press articles and verify the figure in the primary source.

D. Use the highest figure across the three articles to make the newsletter more compelling.

Answer: C

Explanation

Under the objective Apply fact-checking and validation techniques (Domain 2: Output Evaluation and Validation), rigorous verification requires tracing claims back to primary authoritative sources rather than accepting secondary repetition.

Trade publications frequently syndicate or republish unverified statistics in an echo chamber. Under Claude verification standards, the presence of an unlinked claim across multiple secondary articles does not constitute factual validation. The only rigorous verification method is primary source attribution: locating the original study, dataset, or methodology paper to confirm the exact numeric metric and context (Option C). Accepting claims merely due to repetition (Option A) risks propagating circular reporting. Presenting unverified figures as common knowledge (Option B) or arbitrarily cherry-picking high figures (Option D) violates communication ethics and data integrity standards.

Question #:66 - [Align model selection with task requirements (e.g., cost, speed, quality)]

You are a customer-success lead running an interactive workflow where each turn must respond quickly and the per-turn reasoning is light.

Which selection best aligns with the requirements?

A. Choose Haiku to keep latency low and to handle a light reasoning load efficiently at scale.

B. Choose a model based on the alphabetical order of its name.

C. Choose any model because latency does not vary by model.

D. Choose Opus to maximize reasoning depth despite higher latency.

Answer: A

Explanation

Option A correctly matches the model tier to the workload. An interactive, high-volume workflow with light reasoning places greater importance on response speed, operational efficiency, and cost than on maximum reasoning depth. Haiku is positioned as the fast, lightweight Claude model for responsive tasks, making it the appropriate starting choice.

Option B uses a criterion unrelated to performance. Option C is incorrect because model tiers differ in capability, latency, and cost characteristics. Option D prioritizes advanced reasoning even though the scenario explicitly states that reasoning demands are light and rapid responses are required. Selecting a more capable model than the task needs can increase latency and expense without producing a meaningful business benefit.

Model selection should still be validated empirically. The team should define an acceptable quality threshold, test representative customer-success requests, measure response latency and task accuracy, and confirm that Haiku meets the required service level. If the real workload contains complex exceptions, the workflow could route only those cases to a more capable model. Anthropic's current learning materials characterize Haiku as its fastest option for lightweight work, while its prompt-engineering guidance identifies model selection as a direct lever for improving cost and latency. Anthropic's Claude learning resources

==========

Question #:67 - [Identify appropriate and inappropriate use cases]

As part of a workflow redesign, a process analyst is applying the AI Fluency Framework Delegation competency.

Which two criteria most directly inform Delegation decisions? (Select two.)

A. The length of time the workflow has existed in its current form, since well-established processes have been sufficiently validated for AI delegation.

B. The need for human creativity, empathy, or judgment in the step, which indicates whether the task is appropriate for AI delegation or requires human capabilities that Claude cannot provide.

C. The visual complexity of the workflow diagram, since steps with more connections and dependencies are more likely to require human oversight.

D. The seniority of the team member who currently performs the step, since more senior roles typically involve higher-stakes tasks that warrant human retention.

E. The reversibility of the task and the consequences of an error, which together indicate whether the step is safe to delegate to Claude or should be retained for human decision-making.

Answer: B E

Explanation

Options B and E are correct because Delegation requires evaluating both the capabilities needed for a task and the risk created by assigning it to AI. Anthropic defines Delegation as thoughtfully deciding which work should be completed by a human, performed collaboratively, or handled independently by AI. Tasks requiring distinctly human empathy, creativity, contextual judgment, accountability, or value-based decisions are less suitable for complete delegation. Claude may assist, but a human should retain control of the consequential decision.

Reversibility and error consequences are also critical. A low-impact, easily checked draft can generally receive more AI autonomy than an irreversible action or a decision that could materially affect people. Anthropic's research on workplace AI use similarly reports that employees tend to delegate tasks that are low-stakes and readily verifiable while applying active supervision to high-stakes work.

Workflow age, diagram complexity, and employee seniority are indirect characteristics; they do not establish whether Claude has the required capabilities or whether an error can be safely corrected. An old workflow can still contain unsuitable tasks, and a junior employee may perform highly sensitive work. Thus, B and E provide the most relevant task-level and risk-level criteria. See Anthropic's Delegation lesson and research on workplace AI delegation.

==========

Question #:68 - [Iterate prompts to improve output quality]

A Claude associate is incorporating reviewer feedback that named two specific issues with a Claude-drafted brief. The rest of the brief was accepted as written.

Which next step is most likely to produce a strong revision?

A. Address the two specific issues and also revise unrelated sections to maintain a consistent voice across the brief after the edits.

B. Rewrite the brief from scratch incorporating the two specific issues, since starting fresh integrates the feedback more cleanly than targeted edits.

C. Address the two specific issues directly, leave unrelated parts unchanged, and document the changes for the next review.

D. Address the two specific issues and add a third improvement the associate identified, since combining reviewer feedback with self-identified improvements is more efficient.

Answer: C

Explanation

Under the objective Iterate prompts to improve output quality, maintaining control over revisions requires isolating changes to verified defects while preserving approved content.

When downstream reviewers formally approve the vast majority of an artifact and highlight only two specific deficiencies, the optimal revision approach is surgical: instruct Claude or apply edits to remediate those two exact issues while leaving all approved sections untouched (Option C). Documenting the targeted changes ensures total traceability during subsequent review rounds. In contrast, rewriting the entire deliverable from scratch (Option B) risks introducing regressions into previously accepted sections. Similarly, arbitrarily altering unrelated paragraphs (Option A) or bundling unrequested personal improvements (Option D) creates scope creep and increases reviewer overhead.

Question #:69 - [Leverage Claude for research, planning, and process optimization]

An operations assistant is using Claude to support process optimization for an existing intake workflow. The assistant has access to the current process documentation and recent cycle-time data.

Which activity best uses Claude to support this process optimization task?

A. Generate an optimized version of the intake process based on industry benchmarks, then compare it to the current process to identify gaps.

B. Apply Claude to predict the cycle-time impact of each proposed change and rank them so the team can implement improvements in priority order.

C. Map the current intake process, identify likely bottlenecks based on the cycle-time data, and propose optimization options for human review.

D. Use Claude to interview each team member who works on the intake process and synthesize the interview output into a redesigned workflow.

Answer: C

Explanation

Under the objective Leverage Claude for research, planning, and process optimization, using Claude for business process re-engineering relies on diagnostic synthesis grounded in empirical operational data.

Option C demonstrates the optimal collaborative use case: ingesting existing process maps alongside actual cycle-time metrics, using Claude ' s analytical capabilities to locate workflow bottlenecks, delays, and

redundancies, and generating structured optimization proposals for human review and decision-making. Relying on generic, ungrounded industry templates (Option A) overlooks internal operational context. Expecting Claude to calculate exact cycle-time reductions deterministically (Option B) misuses LLMs for predictive queuing simulations. Replacing human stakeholder interviews with simulated automated AI interactions (Option D) produces ungrounded assumptions and fails change management standards.

Question #:70 - [Optimize workflows for efficiency and effectiveness]

A Claude associate is identifying the bottleneck in a content workflow that takes too long to publish. The workflow has five steps: research, drafting, internal review, legal review, and publication. There is cycle-time data for each step from the past month.

Which signal most directly identifies the bottleneck?

A. The step with the longest queue or the largest backlog of items waiting to enter it

B. The step where individual contributors report the highest workload in their weekly status updates

C. The step with the highest average cycle time per item across the past month's runs

D. The step most recently added to the workflow, based on the assumption that process changes introduce the most friction

店铺：学习小店66

Answer: A

Explanation

Option A is correct because a persistent queue or growing backlog directly indicates that work is arriving faster than a step can process it. That step is constraining the throughput of the overall workflow: earlier work accumulates while later stages wait for completed items. Queue length should still be examined over a representative period to distinguish a sustained bottleneck from a temporary spike.

Option C is useful supporting evidence but is not always the most direct signal. A step may have a long per-item cycle time because the work is inherently complex while still possessing sufficient capacity to handle incoming demand. Conversely, a relatively short step can become the bottleneck when its available capacity is too low for the volume arriving. Employee-reported workload in Option B is subjective and may reflect effort, stress, or simultaneous responsibilities rather than workflow throughput. Option D relies on an unsupported assumption: a recently added step is not necessarily the constraint.

A sound Claude-assisted optimization process should map the workflow, collect measurable evidence, identify the constraint, test a targeted improvement, and compare results against a baseline. Anthropic recommends measurable, task-relevant success criteria and evaluation methods rather than vague impressions. Therefore, the largest sustained queue or backlog is the strongest direct indicator. See Anthropic's guidance on defining measurable success criteria and evaluations.

==========

Question #:71 - [Create effective prompts for business and technical tasks]

You are a project manager designing a checklist for prompt-quality reviews.

Which two items belong on the prompt-quality checklist? (Select two.)

Each correct answer presents a complete solution.

A. Whether the prompt uses the author’s favorite opening phrase as a signature.

B. Whether the prompt reaches a thousand words, regardless of what it actually says.

C. Whether the prompt provides relevant context, including the audience and goal.

D. Whether the prompt includes the names of every person in the department.

E. Whether the prompt states a specific task with the required deliverable.

Answer: C E

Explanation

Answers C and E are correct. An effective prompt should provide relevant context, including the intended audience and the goal that the response must accomplish. This information helps Claude determine the appropriate level of detail, terminology, tone, and focus. Without sufficient context, even a technically correct response may be unsuitable for its intended users or fail to support the required business objective.

The prompt must also state a specific task and clearly define the required deliverable. For example, it should identify whether Claude must create a summary, comparison, action plan, technical specification, or executive briefing. Output requirements such as format, length, structure, and constraints should be included when they affect success.

Option A is incorrect because a favorite opening phrase does not improve clarity or task performance. Option B is incorrect because prompt quality is determined by relevance and precision, not an arbitrary word count. Excessive instructions can introduce noise and contradictions. Option D is also incorrect because listing every department member is unnecessary unless those identities directly affect the requested output. A strong prompt therefore combines clear instructions with focused, task-relevant context.

Question #:72 - [Create effective prompts for business and technical tasks]

A business analyst has been asked to use Claude to extract requirements from a recorded stakeholder interview transcript. The transcript is approximately 90 minutes long and covers multiple topics.

Which approach is most likely to produce a usable structured output?

A. Provide the transcript along with a structured prompt that requests must-haves, nice-to-haves, open questions, and conflicts as separate sections.

B. Provide the transcript and ask Claude to produce a single ranked list of requirements, since a single list is easier for stakeholders to review than separate sections.

C. Provide the transcript and ask Claude to summarize it; extract requirements from the summary in a second pass since two passes catch more detail.

D. Provide the transcript and ask Claude to produce a chronological list of every statement that contains a verb, then classify each statement as a requirement or not.

Answer: A

Explanation

Under the objective Create effective prompts for business and technical tasks, prompting Claude for complex analysis requires clear framing, explicit task decomposition, and structural schema constraints.

Transcripts from 90-minute interviews contain unstructured, conversational discussions spanning multiple priorities, assumptions, and debates. Providing the raw source material alongside a structured schema—specifying categories such as must-haves, nice-to-haves, unresolved open questions, and stakeholder conflicts (Option A)—enables Claude to parse and categorize information accurately without losing critical context. In contrast, forcing a single flat list (Option B) flattens priority nuances and obscures conflicts. Summarizing first (Option C) introduces unnecessary loss of detail and risks compounding omissions in the second pass. Parsing every statement containing a verb (Option D) creates extreme token noise and unworkable overhead.

Question #:73 - [Create effective prompts for business and technical tasks]

A marketing manager is preparing a constrained brainstorming task: produce ten campaign ideas, each tied to a stated audience segment and each fitting one of three defined budget bands.

Which prompting approach fits the task?

A. Ask Claude for ten distinct ideas, stating the audience constraints in the prompt and leaving the budget unconstrained so creativity is not limited at the ideation stage.

B. Ask Claude for ten distinct ideas with the audience and budget constraints stated in the prompt, and require each idea to name which audience and budget band it addresses.

C. Ask Claude for thirty ideas with the audience and budget constraints stated in the prompt, then keep the strongest ten so a wider initial pool produces stronger finalists.

D. Ask Claude for ten distinct ideas without budget constraints, then filter the output afterward to keep only the ideas that fit the three budget bands.

Answer: B

Explanation

Answer B is correct. This is a constrained brainstorming task with three explicit acceptance requirements: exactly ten distinct ideas, alignment with a stated audience segment, and placement within one of three

defined budget bands. The prompt should include all these constraints and require Claude to label each idea with its intended audience and budget category. That structure makes compliance visible and allows the manager to review the output efficiently.

Option A omits the budget requirement, even though affordability is part of the task rather than a later filtering preference. Option C changes the requested quantity from ten to thirty and creates unnecessary review work without evidence that the larger pool is required. Option D postpones the budget constraint until after generation, increasing the likelihood that several ideas will be unusable and leaving the manager with fewer than ten valid options.

Constraints do not inherently undermine creativity. Well-defined boundaries direct creativity toward implementable solutions and reduce wasted output. A strong prompt could request a table containing the idea, audience segment, budget band, campaign concept, and brief rationale. Anthropic recommends being clear and direct, specifying the desired output format and constraints, and making completion requirements explicit. Requiring each idea to identify its audience and budget band provides an immediate quality-control mechanism. Anthropic prompting best practices

Question #:74 - [Adjust approach based on feedback and results]

A knowledge worker is explaining how to use feedback to improve Claude-supported work over time.

Which description is most accurate?

A. Capture specific feedback after each run, translate it into targeted prompt or workflow changes, and observe whether subsequent runs improve.

B. Capture feedback only after several runs so patterns emerge from the volume of observations, then apply changes based on the patterns rather than any single run.

C. Capture feedback as an aggregate quality score per run, since aggregate scores show whether quality is improving without requiring detail on individual issues.

D. Capture general impressions after each run and apply them as broad prompt rewrites, since broad rewrites cover more potential issues than targeted changes.

Answer: A

Explanation

Under the objective Adjust approach based on feedback and results, iterative refinement requires tight, closed feedback loops characterized by concrete observation, targeted modification, and empirical evaluation.

Option A details the gold-standard iteration cycle: capturing specific, granular defects immediately following an execution run (e.g., tone misalignment, omitted edge cases, formatting errors), translating those observations into targeted, discrete adjustments in prompt instructions or workflow logic, and validating whether subsequent outputs resolve the issue without regressions. In contrast, deferring feedback collection across multiple unmonitored cycles (Option B) delays error detection. Relying solely on high-level aggregate numerical ratings (Option C) lacks the actionable diagnostic detail needed to locate root causes. Applying sweeping, unfocused prompt overhauls (Option D) obscures cause-and-effect relationships and frequently introduces new failure modes.

Question #:75 - [Leverage Claude for research, planning, and process optimization]

You are a marketing manager using Claude to research a new market segment.

Which research step should be performed first?

A. Generate a final research report combining every Claude output produced.

B. Submit a series of Claude prompts to gather information across the segment.

C. Validate the gathered information against authoritative external sources.

D. Define the specific research questions that must be answered for the segment.

Answer: D

Explanation

Under the objective Leverage Claude for research, planning, and process optimization, effective AI-assisted research workflows follow structured problem decomposition principles.

Before interacting with the model or executing information retrieval prompts, the researcher must clearly frame the investigation by defining specific, bounded research questions and target hypotheses (Option D). Defining explicit dimensions—such as market size, competitor landscape, target customer personas, and regulatory barriers—provides the foundational framework needed to engineer targeted prompts. Submitting open-ended prompts without explicit research objectives (Option B) produces unfocused, verbose outputs. External validation (Option C) and final report synthesis (Option A) occur downstream after structured research has been executed.

Question #:76 - [Identify hallucinations, inconsistencies, and biases in responses]

You are a knowledge worker reviewing a Claude-generated brief that asserts a “well-known industry standard” without naming any source.

How should this assertion be handled?

A. Strengthen the assertion by adding more confident wording.

B. Republish the brief unchanged because the claim sounds authoritative.

C. Accept the assertion because the phrase “well-known” is reassuring.

D. Treat the assertion as unverified, and either source it from an authoritative reference or remove it.

Answer: D

Explanation

The phrase “well-known industry standard” is not evidence. Without the name of the standard, its issuing body, version, publication date, or an authoritative citation, the statement cannot be independently verified. Option D correctly treats the assertion as unsupported and requires either authoritative substantiation or removal.

Claude can produce fluent, confident language that appears credible even when the underlying claim is incomplete, inaccurate, or fabricated. Adding stronger language, as proposed in Option A, would amplify the unsupported claim rather than correct it. Options B and C confuse plausibility and confidence with verification. A claim does not become reliable merely because it sounds familiar or uses reassuring terminology.

The reviewer should identify the purported standard, locate the original issuing organization or official publication, confirm that the standard applies to the subject and jurisdiction, and cite the relevant section. If those checks cannot be completed, the claim should be deleted or rewritten to disclose uncertainty. Anthropic recommends grounding factual statements in direct source material, using citations to make claims auditable, and retracting claims for which supporting evidence cannot be found. This approach directly addresses hallucination risk while preserving the brief’s credibility. Anthropic’s hallucination-reduction guidance

==========

Question #:77 - [Organize and curate information for optimal outputs and select appropriate output formats]

You are an operations assistant asking Claude to summarize 200 weekly metric records across multiple regions.

Which output format communicates the data most clearly?

A. a bulleted list of observations grouped by region without consistent metrics across entries

B. a narrative summary organized by region, describing trends and notable records in prose

C. a series of regional narrative briefs, each describing weekly performance in paragraph form

D. a structured table with one record per row and one metric per column, sorted by region

Answer: D

Explanation

Under the objective Organize and curate information for optimal outputs and select appropriate output formats, selecting the right presentation format is determined by data density, comparability, and target audience utility.

When dealing with a high volume of multi-variable quantitative data (such as 200 metric records across multiple regional cohorts), structured tabular formatting provides the highest visual scanability and cognitive efficiency. Organizing data into a Markdown table with uniform rows, standardized metric columns, and regional sorting (Option D) enables immediate horizontal and vertical cross-comparison, trend spot-checking, and rapid verification. In contrast, narrative prose, regional paragraph briefs, or unstructured bullet points (Options A, B, and C) obscure numerical trends, hide outliers, and create unnecessary reading overhead for operational consumers.

Question #:78 - [Organize and curate information for optimal outputs and select appropriate output formats]

You are a business analyst deciding which output-formatting and context-window practices to recommend to teammates.

Which two practices represent effective use of the context window? (Select two.)

Each correct answer presents part of the solution.

A. Reuse the same context block across multiple requests to avoid rebuilding it each time.

B. Paste full email threads related to the project into the context so the model has the complete conversational history.

C. Concatenate all source documents end-to-end with no separators between them.

D. Trim irrelevant material before submitting the request to keep the context focused.

E. Use clear section headers to separate different parts of the input material.

Answer: D E

Explanation

Answers D and E are correct. Trimming irrelevant material keeps the context concentrated on information that can influence the requested result. This reduces distraction, avoids wasting context capacity, and lowers the chance that stale or unrelated content will compete with authoritative sources. Clear section headers separate instructions, source material, examples, and task inputs, helping Claude distinguish their functions and attribute claims correctly. Anthropic's prompting guidance recommends structured long-context inputs and descriptive XML tags for exactly this reason: explicit boundaries reduce ambiguity when a prompt contains multiple content types or documents. Option A is unsafe as a general practice because reusing an unchanged context block can carry obsolete facts or irrelevant constraints into a new request. Option B indiscriminately includes complete email threads, creating noise and potentially unnecessary personal or confidential data. Option C removes all source boundaries, making attribution and instruction following harder. Although Anthropic also recommends placing long-form documents before the query in large-context prompts, placement cannot compensate for poor curation or missing structure. Effective context management therefore has two complementary parts: select only relevant material and organize that material into clearly labelled sections. D performs the curation step, while E supplies the structure needed for reliable interpretation. Anthropic long-context prompting guidance

==========

Question #:79 - [Create effective system-level instructions]

A learning specialist is configuring a Project for course-design work. Their organization has an internal instructional-design standard and a preferred output structure for lesson outlines.

Which custom-instruction set best supports this use case?

A. Name Claude's role as a course designer, require alignment with the organization's instructional-design standards, and specify the preferred output structure for lesson outlines.

B. Name Claude's role as a course designer and require alignment with the organization's instructional-design standards; leave the output structure to Claude based on each lesson's topic.

C. Specify only the preferred output structure for lesson outlines, since the structure carries the standards implicitly and naming the role adds no value.

D. Name Claude's role as a course designer; let each chat prompt specify the standards and output structure for that lesson, since lessons vary widely.

Answer: A

Explanation

Option A is correct because effective Project instructions should establish Claude's role, the authoritative standards governing the work, and the expected output structure. These elements create consistent behaviour across the Project's course-design chats. The role establishes the professional perspective Claude should adopt, the instructional-design standard defines the governing methodology, and the lesson-outline structure specifies the required deliverable.

Anthropic explains that Project instructions tell Claude how to behave and respond across every chat within the Project. Consequently, recurring requirements should be placed in Project instructions instead of being manually repeated in each conversation. The organization's instructional-design documentation should also be uploaded to Project knowledge so Claude can reference the actual standard rather than infer it from a brief instruction.

Option B omits a known structural requirement and permits unnecessary variation. Option C supplies the format but not the governing methodology or role context; structure alone cannot communicate the complete instructional standard. Option D defeats the persistence benefit of Projects and increases inconsistency between users and chats.

Individual prompts can still specify lesson-specific objectives, audiences, subjects, and constraints, but the stable role, standards, and output schema belong in the Project-level instructions. See Anthropic's documentation on Project instructions and knowledge and prompting best practices.

Only six genuinely unique questions were found. This is the complete Set 3 batch.

Question #:80 - [Evaluate Claude-generated outputs for accuracy and completeness]

You are a business analyst evaluating a Claude-generated business case against the agreed acceptance criteria.

Which is the correct order of evaluation steps?

(1) Compare the business case with the source data and required topics.

(2) Document gaps and inaccuracies for follow-up or correction.

(3) Restate the acceptance criteria for the business case.

(4) Decide whether to use the business case, iterate, or escalate.

(5) Read the business case from beginning to end to form an initial impression.

A. 3, 1, 5, 2, 4

B. 3, 5, 1, 2, 4

C. 5, 3, 1, 2, 4

D. 1, 3, 5, 2, 4

Answer: B

Explanation

Answer B is correct. Evaluation begins by restating the agreed acceptance criteria (3), because the reviewer needs an explicit standard before judging the business case. The reviewer then reads the document from beginning to end (5) to understand its argument, scope, and apparent completeness. After that initial pass, the reviewer performs an evidence-based comparison against the source data and required topics (1). Discovered omissions, inaccuracies, and criterion failures are documented for correction or follow-up (2). Only when those findings are available should the reviewer decide whether the business case can be used, needs another iteration, or must be escalated (4). The sequence is therefore 3, 5, 1, 2, 4. Option A compares details before completing the holistic reading; Option C reads before re-establishing the evaluation standard; Option D starts detailed comparison without a clear rubric. Anthropic's evaluation guidance states that successful Claude applications begin with specific, measurable, achievable, and relevant success criteria and normally require multidimensional evaluation. It also emphasizes task-specific tests and clear rubrics. Applying that logic to a business document means establishing the criteria first, gathering evidence second, recording defects third, and making the disposition decision last. Anthropic evaluation guidance

Question #:81 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

Before uploading a customer file for a Code Execution analysis, a customer-success associate at Noventra, Ltd. is reviewing the planned task.

Which two practices best align with sound data handling? (Select two.)

A. Skip the upload review entirely on the basis of urgency, even though the file might contain regulated fields that organizational policy requires the user to redact before any Code Execution.

B. Confirm that the planned Code Execution task aligns with the organization's data-classification policy and escalate to the appropriate contact if the data sensitivity exceeds approved use.

C. Upload the full unredacted customer file without review, on the assumption that a sandboxed execution environment removes the need to apply the organization's data-classification policy.

D. Bypass the data-classification policy because the task is internal, treating sandboxed processing as an exemption from the review that the policy requires before sensitive data is uploaded.

E. Review the file for sensitive, confidential, or regulated fields before upload, and remove or redact any fields that are not required for the planned Code Execution analysis.

Answer: B E

Explanation

Options B and E apply organizational governance and data-minimization requirements before the file enters Claude's execution environment. The associate must first establish whether Code Execution is an approved processing method for the file's classification. If the information exceeds the approved sensitivity level, the user must escalate to privacy, security, legal, or another designated authority rather than proceeding independently.

The file must also be inspected for customer identifiers, confidential fields, regulated information, credentials, or data unrelated to the calculation. Unnecessary fields should be removed, redacted, or anonymized. A sandbox limits interaction with the surrounding system, but it does not change the sensitivity of uploaded data, provide authorization, or override the organization's handling rules. Therefore, Options C and D incorrectly treat technical isolation as a governance exemption. Option A allows urgency to displace mandatory review.

Anthropic explains that Code Execution runs in an isolated container, while also warning that file-processing configurations and network access create security considerations. Its privacy guidance recommends careful treatment of highly sensitive personal and confidential information. The correct control is to minimize and authorize the data before uploading it, not rely solely on the sandbox afterward. Anthropic's Code Execution security guidance

==========

Question #:82 - [Create effective system-level instructions]

You are a marketing manager deciding what to include in custom instructions for a writing-focused Project.

Which two items belong in the custom instructions? (Select two.)

Each correct answer presents a complete solution.

A. The prompt author's preferred response length for internal messages unrelated to external deliverables.

B. The standard structure and length expectations for typical deliverables.

C. The brand voice and tonal expectations the writing must follow.

D. The preferred writing style of the marketing manager who will review all final deliverables.

E. A representative sample of past writing that reflects the team's preferred style and structure.

Answer: B C

Explanation

Project instructions should contain persistent behavioral requirements that apply across the Project's recurring tasks. Option B defines the expected structure and length of typical deliverables, while Option C establishes the organization's brand voice and tonal requirements. Both are stable instructions that Claude should consistently apply across chats.

Option A concerns unrelated internal messages and therefore does not belong in a Project dedicated to external writing deliverables. Option D reflects one reviewer's personal preference rather than an approved organizational standard. Option E can be valuable, but the representative document itself is better stored as Project knowledge or attached reference material. The custom instructions can direct Claude to follow that approved example, but they should not attempt to reproduce an entire sample document unnecessarily.

Anthropic explains that Project instructions are intended to provide project-specific context, workflow guidelines, task requirements, and roles that apply consistently across multiple conversations. Uploaded Project knowledge supplies the source documents and reference examples Claude should consult. Separating durable behavioral rules from supporting reference material makes the configuration easier to maintain and reduces conflicting guidance. Consequently, B and C are the correct instruction-level elements. Anthropic's personalization and Project-instruction guidance

==========

Question #:83 - [Create effective prompts for business and technical tasks]

A knowledge worker is applying the AI Fluency Framework Description competency while revising an underperforming prompt.

Which revision best reflects Description principles?

A. Remove the existing context from the prompt and submit only the bare task statement, eliminating the audience, format, and constraint information that Description principles call for in a clear specification.

B. Specify the task scope, required output format, audience, and relevant constraints with sufficient clarity that the prompt produces a useful, reliable output on the next run.

C. Replace the specific instructions with generic phrasing that broadens the task scope, undoing the specification work that Description principles require for a reliable, useful output.

D. Add length to the prompt by inserting filler text that does not specify task scope, output format, audience, or constraints, leaving the original specification gaps unaddressed.

Answer: B

Explanation

Description concerns communicating a goal to AI with enough precision to produce useful behavior and an appropriate output. Option B strengthens the information that operationally defines success: the task's scope, intended audience, required format, and relevant constraints. These elements reduce the number of assumptions Claude must make.

Option A removes useful context and is likely to make the response more generic. Option C substitutes broad language for a defined specification, increasing ambiguity. Option D confuses prompt length with prompt quality. Additional words improve performance only when they convey relevant instructions, examples, source material, constraints, or decision criteria.

A strong revision might define the role Claude should perform, the source material it may use, exclusions, tone, length, required sections, and the purpose of the deliverable. The revised prompt should then be tested against clear criteria rather than assumed to be correct after one run.

Anthropic defines Description as effectively describing goals to prompt useful AI behavior and output. Its prompting guidance recommends clear, detailed instructions, relevant context, representative examples, and explicit output requirements. Therefore, B is the only revision that directly addresses the diagnosed specification gaps. Anthropic’s AI Fluency framework

==========

Question #:84 - [Configure Claude Projects with instructions and knowledge sources]

An HR business partner is configuring a new Project for recurring policy questions from managers. The Project will be used across many chats by several HR team members.

Which content belongs in the Project knowledge base?

A. the current employee handbook plus prior versions of the handbook going back five years, so Claude can answer questions about how policies have changed

B. the current employee handbook, the leveling guide, the policies-FAQ, and every email the HR team has sent about policy in the past year, for additional context

C. the current employee handbook only, with the leveling guide and the policies-FAQ attached at the start of each chat as needed for that chat ' s topic

D. the current employee handbook, the leveling guide, and the policies-FAQ document referenced across the Project ' s chats

Answer: D

Explanation

Under the objective Configure Claude Projects with instructions and knowledge sources, the project knowledge base is designed to store authoritative, canonical, and frequently accessed reference material that remains stable across multiple chat sessions.

Option D accurately selects the core, evergreen operational documents required for recurring HR inquiries—the current active handbook, leveling framework, and standardized FAQ. Including outdated handbooks (Option A) risks hallucination and policy contradictions because Claude might cite obsolete rules. Uploading raw email trails (Option B) injects uncurated conversational noise, conflicting statements, and potential

privacy leaks into the persistent context. Relegating essential, standard documents to manual per-chat uploads (Option C) undermines the primary efficiency benefit of Claude Projects, which is to eliminate repetitive context uploading across team workflows.

Question #:85 - [Apply task decomposition techniques to structure complex requests]

You are a procurement associate decomposing a vendor-evaluation task.

Which dependency ordering reflects sound sequencing?

A. Define evaluation criteria first, gather vendor data against those criteria, then score and rank the vendors.

B. Skip the criteria and ask Claude to produce a vendor recommendation without any inputs.

C. Score the vendors first and decide on the criteria afterward.

D. Rank the vendors before collecting any data.

Answer: A

Explanation

Option A is correct because vendor evaluation must begin with an agreed decision framework. The organization should first define relevant criteria, measurement methods, mandatory requirements, scoring weights, acceptable evidence, and disqualification conditions. Typical criteria might cover capability, security, compliance, implementation effort, support, total cost, and contractual risk.

Vendor information can then be gathered consistently against the same framework. Claude may help extract evidence from proposals, populate a comparison structure, identify missing information, and calculate scores when the rules are explicitly defined. After the evidence has been validated, the vendors can be scored and ranked. This sequence supports fairness, traceability, and repeatability.

Options B, C, and D reverse or omit essential dependencies. Asking Claude for a recommendation without inputs invites unsupported assumptions. Scoring before defining criteria permits the desired outcome to influence the evaluation framework. Ranking before collecting evidence has no defensible analytical basis. Anthropic recommends defining specific, measurable, relevant success criteria before building evaluations. The same principle applies to vendor selection: criteria must precede measurement and judgment.

Therefore, the sound dependency chain is criteria definition, evidence collection, validation, scoring, and ranking. See Anthropic’s guidance on defining success criteria and evaluations.

==========

Question #:86 - [Create effective prompts for business and technical tasks]

A communications manager is drafting a prompt for Claude to produce a quarterly newsletter for store managers in three regions. The agreed key messages, regional details, and a prior newsletter the team liked are all available.

Which prompt approach is most likely to produce a usable first draft?

A. Attach the prior newsletter, and ask Claude to match its tone and structure while incorporating the new key messages for the three named regions.

B. Attach the prior newsletter and the agreed key messages, and ask Claude to produce a similar newsletter for this quarter.

C. Provide the agreed key messages and the three regions, and ask Claude to choose an appropriate length and tone for store managers.

D. Name the audience, the three regions, the length, the tone, and the agreed key messages, and reference the prior newsletter only as a tone example.

Answer: D

Explanation

Under the objective Create effective prompts for business and technical tasks, Anthropic ' s core prompt engineering principle emphasizes being explicit, direct, and providing complete structural constraints rather than relying on implicit document matching.

Option D establishes all essential prompt components directly within the prompt itself: explicitly defining the target audience (store managers), geographic scope (three regions), length constraints, tone guidelines, and the core messaging points, while treating the historical newsletter as a calibrated few-shot tone reference. This explicit framing eliminates ambiguity and prevents the model from copying obsolete structure or irrelevant sections from the historical document. In contrast, Option A relies excessively on broad pattern-matching against an attachment without providing explicit parameter boundaries in the prompt body. Option B lacks structural and tonal detail, while Option C delegates tone and length decisions entirely to the model.

Question #:87 - [Organize and curate information for optimal outputs and select appropriate output formats]

You are a knowledge manager structuring source material in the context window for a long Claude evaluation task.

Which two practices produce a more effective use of the context window? (Select two.)

Each correct answer presents a complete solution.

A. Paste every available document into context regardless of relevance to the task.

B. Mark each source clearly with delimiters so the model can attribute claims correctly.

C. Repeat the same instruction at the start, middle, and end to reinforce it.

D. Mix sources together in a single block so the model can synthesize them freely.

E. Place the most reference-critical material near the beginning or end of context.

Answer: B E

Explanation

Under the objective Organize and curate information for optimal outputs and select appropriate output formats, structuring reference documents effectively within the context window ensures high-fidelity retrieval and accurate source attribution.

Option B highlights the standard prompt engineering practice of using distinct structural delimiters (such as XML tags like < doc_1 > , < policy > , or Markdown code fences). Delimiters allow Claude to distinguish cleanly between different source boundaries, instructions, and inputs, minimizing attribution errors. Option E leverages positional attention dynamics (addressing the " lost in the middle " phenomenon), where LLMs tend to recall and attend most accurately to information positioned at the very beginning (primacy effect) or at the end (recency effect) of the context window. Conversely, dumping uncurated text (Option A) adds noise and consumes quota, repeating instructions excessively (Option C) wastes tokens without improving adherence, and blending documents into an unstructured blob (Option D) obscures citation provenance.

Question #:88 - [Follow organizational AI policies and governance standards]

You are a Claude associate assessing a proposed Claude use case before approving it for your team.

Which is the correct order of assessment steps?

(1) Compare the use case against the organization’s policies and the relevant regulatory considerations.

(2) Document the assessment outcome and the rationale for traceability.

(3) Identify the audience, decision impact, and reversibility of the outputs.

(4) Decide whether the use case proceeds, requires modification, or is declined.

(5) Identify the data types involved and whether sensitive data is implicated.

A. 3,1,5,4,2

B. 3,5,1,4,2

C. 1,3,5,4,2

D. 5,3,1,4,2

Answer: B

Explanation

A sound assessment begins by establishing who will receive or rely on the output, the consequences of an incorrect result, and whether the resulting action can be reversed. This initial impact analysis determines the level of scrutiny required. The assessor should then identify the data involved, especially personal,

confidential, regulated, or otherwise sensitive information. Once the use case and its information exposure are understood, it can be compared meaningfully against organizational AI policies, legal requirements, and regulatory restrictions.

The next step is to decide whether the use case should proceed, be modified with safeguards, or be rejected. Documentation comes last because it records the completed assessment, decision, supporting evidence, restrictions, and rationale for auditability. Therefore, the correct order is 3,5,1,4,2.

This sequencing reflects the AI Fluency principles of Delegation and Diligence: humans determine whether and how AI should be used and remain responsible for the consequences. Anthropic also advises users to be thoughtful about highly sensitive personal and business information. Options A, C, and D place policy review or data classification before the use case's audience and impact have been properly established. Anthropic AI Fluency

==========

Question #:89 - [Configure Claude Projects with instructions and knowledge sources]

A manager is monitoring a Project's effectiveness over time. The Project has been in use for several months and supports a recurring workflow.

Which signal most directly suggests the configuration needs updating?

A. The Project's chat volume has decreased steadily over the past several weeks compared to the prior baseline.

B. The Project's outputs have grown longer on average than the outputs produced when the Project was first configured.

C. The Project's outputs increasingly reference terminology, sources, or guidance that no longer reflects current practice.

D. The Project's members have started using ad-hoc chats outside the Project for tasks within the Project's scope.

Answer: C

Explanation

Answer C is correct. Increasing use of outdated terminology, sources, or guidance directly indicates that the Project's configuration or knowledge base no longer represents current business practice. Claude Projects use uploaded documents, contextual material, and Project instructions to guide responses across chats. When those inputs become obsolete, the resulting outputs can remain internally consistent while still being operationally inaccurate. The manager should review the Project instructions, replace outdated knowledge files, remove conflicting material, and test the revised configuration against representative workflow tasks.

Option A may reflect seasonal demand, reduced workload, or declining adoption; it does not directly demonstrate a configuration defect. Option B is also inconclusive because longer responses may result from changing task complexity or user preferences. Option D deserves investigation because users may be bypassing the Project due to usability or quality concerns, but it could equally result from habit, convenience,

or insufficient training. By contrast, outdated references provide direct evidence that the Project's grounding information needs maintenance. Anthropic describes Projects as self-contained workspaces whose uploaded knowledge and instructions provide context and tailor Claude's responses. Those resources must therefore be reviewed and updated when organizational practices change. Anthropic: What are Projects?

==========

Question #:90 - [Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)]

A finance manager must select a Claude feature for a task that requires deterministic calculations across a multi-tab spreadsheet.

Which selection best fits the requirement?

A. Use a standard chat prompt for the calculations, which generates text without running code and does not produce the reproducible computational output the multi-tab calculation task requires.

B. Use the Research feature for the calculations, which gathers and synthesizes external sources and is not the appropriate feature for deterministic computation on an uploaded spreadsheet.

C. Use an Artifact alone for the calculations, which provides a stable editable surface for the result but does not perform the deterministic computation that Code Execution would run.

D. Use Code Execution, which runs code in a sandbox to perform calculations on the uploaded file and produce outputs the associate can verify.

店铺：学习小店66 店铺：学习小店66

Answer: D

Explanation

Code Execution is the appropriate feature because it can run Python or shell-based computation in a sandboxed environment, process uploaded files, perform complex calculations, and generate analytical outputs. For a multi-tab spreadsheet, Claude can use code to read each worksheet, apply defined formulas or transformation logic, reconcile values, and return results that can be reproduced and inspected.

A normal chat response can describe calculations but does not necessarily execute them. Research mode is designed to gather and synthesize information from sources rather than serve as the primary calculation engine for an uploaded workbook. An Artifact can display or preserve an output, but the Artifact surface alone is not the computational mechanism.

Code execution improves reproducibility, but it does not guarantee that the formulas, assumptions, or source data are correct. The finance manager must review the generated code, validate important totals against known values, test edge cases, and reconcile outputs with the workbook's business rules. Anthropic's documentation explicitly states that Code Execution can analyze data, process uploaded files, perform complex calculations, and create visualizations in a secure sandbox. Therefore, D is the only feature selection aligned with deterministic spreadsheet computation. Anthropic's Code Execution documentation

==========

Question #:91 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

Your conversation context has grown long, and the model is producing inconsistent outputs.

Which context-management step should be performed first?

A. Switch to a different model in the hope that the new model handles long context better.

B. Continue the existing conversation and hope that the model recovers consistency.

C. Summarize the prior conversation into a concise statement of the current state.

D. Start a fresh conversation and repaste only the essential prior context.

Answer: C

Explanation

Option C is the appropriate first step because summarization compresses a lengthy and potentially conflicting conversation into a clear working state. The summary should retain the current objective, confirmed decisions, relevant facts, active constraints, required output format, unresolved questions, and the next action Claude must perform. Obsolete instructions, rejected alternatives, and repetitive discussion should be removed.

Option A does not directly address the cause of the inconsistency. A more capable model may still struggle when the conversation contains conflicting requirements or excessive irrelevant material. Option B provides no corrective action and allows the context problem to continue. Option D may eventually be necessary, but immediately moving to a new conversation risks losing important information or reproducing the same confusion if the essential context has not first been identified.

After producing the summary, the user should compare it with the original requirements and correct any omissions. The validated summary can then be reasserted in the current conversation. If performance remains inconsistent, it can serve as the starting context for a new chat. This staged approach preserves useful progress while reducing context noise and limiting unnecessary repetition.

Question #:92 - [Apply fact-checking and validation techniques]

You are reviewing a Claude-generated report whose tone is confident throughout.

Which question best separates plausibility from verification?

A. Can each specific claim be traced to a credible source or to the supplied input material?

B. Does the response cover the topic comprehensively based on its length and section count?

C. Does the response open with a clear, well-framed statement of the main finding?

D. Does the response use varied sentence structure across sections?

Answer: A

Explanation

Option A is correct because confident language, logical flow, and professional formatting do not establish factual accuracy. Verification requires checking whether each material claim is supported by a credible external source or by the authoritative input supplied for the task. Claims that cannot be traced should be removed, qualified as uncertain, or subjected to additional research.

Anthropic warns that even advanced Claude models can generate information that is factually incorrect or inconsistent with the provided context. Its recommended safeguards include allowing Claude to acknowledge uncertainty, grounding factual work in direct quotations, requiring citations, and checking whether supporting evidence actually establishes each claim. A citation must also be evaluated for relevance and credibility; merely attaching a source does not prove that the source supports the precise statement.

Options B, C, and D assess presentation characteristics rather than verification. Length and section count do not prove completeness, a strong opening does not validate the conclusion, and varied sentence structure concerns writing style. A plausible response can satisfy all three while containing unsupported assertions. Consequently, claim-level traceability is the decisive test separating an answer that merely sounds credible from one that has been verified. See Anthropic's hallucination-reduction and citation guidance.

==========

Question #:93 - [Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)]

A knowledge worker is preparing to use the Gmail connector with Claude for the first time.

Which statement most accurately describes the connector's behavior at the user level?

A. Claude searches and reads emails the user has access to in a read-only mode, and the user must compose any reply manually outside the connector.

B. Claude searches and reads emails the user has access to and sends replies on the user's behalf for low-risk messages, with higher-risk messages routed to the user for approval.

C. Claude searches and reads emails the user has access to and labels them according to user-defined rules, with reply drafting handled in a separate workflow.

D. Claude searches and reads emails the user has access to and drafts replies for the user to send manually, with each action requiring explicit user approval.

Answer: D

Explanation

Option D best reflects the controlled, user-authorized behavior expected when Claude works with connected Gmail information. Claude can search and analyze emails that the authenticated user is already permitted to access. It can then use the retrieved information to summarize conversations, identify relevant details, or prepare a proposed reply. The user remains responsible for reviewing and sending that reply.

The connector does not independently authorize Claude to send routine messages merely because they appear low risk, so Option B assigns excessive autonomy. Option C incorrectly describes automatic inbox labeling as the connector's defining behavior. Option A correctly recognizes the read-oriented access model but understates Claude's usefulness: Claude can generate draft reply content even though the final communication remains under the user's control.

Connector access is also bounded by the permissions of the connected account. It does not grant Claude broader access than the user already possesses. This supports the principles of least privilege, explicit authorization, and human control over external actions. Before using the connector, the organization should also confirm that Gmail is an approved data source and that the emails involved are suitable for processing under its data-classification and privacy policies.

Question #:94 - [Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)]

A knowledge worker is preparing to use the Gmail Connector with Claude for the first time.

Which statement most accurately describes the Connector's behavior at the user level?

A. Claude searches and reads emails the user has access to in a read-only mode, and the user must compose any reply manually outside the Connector.

B. Claude searches and reads emails the user has access to and sends replies on the user's behalf for low-risk messages, with higher-risk messages routed to the user for approval.

C. Claude searches and reads emails the user has access to and labels them according to user-defined rules, with reply drafting handled in a separate workflow.

D. Claude searches and reads emails the user has access to and drafts replies for the user to send manually, with each action requiring explicit user approval.

Answer: D

Explanation

Option D most accurately represents the controlled user-level workflow. Once the Gmail Connector has been authorized, Claude can retrieve and reason over email content that the authenticated user is already permitted to access. Claude can then use that information to summarize conversations, identify relevant messages, or generate a proposed reply. The user retains control over the final communication and must review and send the reply rather than Claude autonomously transmitting it.

Option A is incomplete because it suggests that the user must independently compose every reply. Claude can generate reply text based on the retrieved email context even though the user remains responsible for sending it. Options B and C attribute unsupported mailbox-writing capabilities to the Connector. Autonomous sending, risk-based message routing, and direct application of Gmail labels are materially different from using connected email as an authorized information source.

Connector access also does not override existing permissions. Claude can work only with content available to the connected user account. Organizations should additionally confirm vendor approval, data classification, authorization scope, and applicable privacy policies before enabling a shared or sensitive source. This preserves human control while allowing Claude to accelerate retrieval, synthesis, and response drafting.

==========

Question #:95 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

A finance manager is about to discuss a confidential pre-announcement figure with Claude.

Which two settings best align with sound privacy practice for this conversation? (Select two.)

Each correct answer presents a complete solution.

A. Skip the privacy setting decision and proceed with default behavior, since the conversation will not explicitly instruct Claude to remember the figure.

B. Disable Memory contribution for the conversation if Incognito mode is not used, so the confidential figure is not retained as persistent context that could surface in later unrelated sessions.

C. Treat the conversation as appropriate for default Memory settings, since the figure will only be discussed briefly and is unlikely to be retained.

D. Enable Memory contribution for the conversation so the context carries forward to support follow-up analysis in future sessions.

E. Open the conversation in Incognito mode, which prevents the conversation from contributing to Memory and avoids persistent retention of the confidential pre-announcement figure across sessions.

质检学习小店66

Answer: B E

Explanation

Under the objective Apply data, privacy sensitivity, regulatory policies, and privacy considerations, managing confidential or market-sensitive figures requires controlling memory persistence and data retention settings.

Pre-announcement financial figures represent material non-public information (MNPI) that must not persist beyond the immediate analytical session. Option E applies privacy controls by utilizing Incognito mode, which ensures the session does not contribute to long-term memory or persist in chat history. Option B achieves the same data protection control in standard chat by explicitly toggling off Memory contributions, ensuring the sensitive number is not saved into persistent memory where it could leak into future unrelated prompts. Conversely, proceeding with default settings (Option A), assuming brief discussions avoid retention (Option C), or enabling persistent memory retention for confidential figures (Option D) creates serious compliance and insider data exposure risks.

Question #:96 - [Optimize workflows for efficiency and effectiveness]

You are prioritizing optimization actions across a recurring Claude workflow.

Which optimization action typically has the highest impact in a recurring knowledge workflow?

A. Codifying the recurring prompt into a Project with the relevant references and instructions.

B. Refining the output-format template used in the team’s documentation to improve readability.

C. Rewriting the most recent version of the prompt to improve its clarity for the next run.

D. Updating the shared folder structure where Claude outputs are saved after each workflow run.

Answer: A

Explanation

Option A generally creates the greatest recurring benefit because it converts an informal, repeatedly reconstructed process into a reusable Claude workspace. A properly configured Project can preserve stable instructions, authoritative reference materials, terminology rules, audience requirements, output expectations, and workflow constraints across related conversations. This reduces repeated context-setting and helps different team members obtain more consistent results.

Option C may improve the next execution, but a prompt stored informally can still be copied incorrectly, separated from its references, or used without the latest organizational requirements. Codifying the workflow within a Project makes the improved prompt and its supporting context reusable. Option B can make deliverables easier to read, but it primarily affects presentation rather than the reliability and efficiency of the complete workflow. Option D improves file organization after the output is generated but does not directly strengthen Claude’s input, reasoning context, or output consistency.

The Project should still be tested with representative requests and maintained over time. Teams must update stale references, refine instructions when recurring defects appear, and document any required human-review steps. Nevertheless, when a knowledge workflow is repeated frequently, centralizing its persistent context and instructions typically produces a broader improvement than editing a single prompt, template, or storage location.

Question #:97 - [Leverage Claude for research, planning, and process optimization]

You are an operations lead sorting Claude-driven research tasks by which deliver the most value.

Which two Claude-driven research tasks deliver the highest value in a typical analysis workflow? (Select two.)

Each correct answer presents a complete solution.

A. Synthesizing themes across a large set of customer interview transcripts.

B. Reformatting a completed research deck to adjust spacing, fonts, and slide layout.

C. Transcribing a recorded interview from audio notes into a structured document format.

D. Drafting a comparative summary of competing solutions from public materials.

E. Asking the model to generate representative customer quotes based on general research themes.

Answer: A D

Explanation

Options A and D provide the greatest analytical leverage because they require Claude to process substantial information, identify patterns, organize evidence, and produce a usable synthesis. Reviewing a large collection of interview transcripts manually is time-consuming and can produce inconsistent coding. Claude can accelerate the initial thematic analysis by grouping recurring needs, objections, pain points, and outlier observations while preserving links to the underlying source material for human verification.

Similarly, preparing a comparative summary from public materials requires information organization across multiple competitors or solutions. Claude can structure features, positioning, pricing claims, advantages, and limitations into a consistent comparison, allowing an analyst to concentrate on validating evidence and interpreting strategic implications.

Option B is mainly a presentation-formatting activity and provides less research leverage. Option C can save administrative time but is fundamentally transcription and restructuring rather than higher-value analysis. Option E is inappropriate because invented “representative” quotations may be mistaken for authentic customer statements. Claude should summarize verified themes or use clearly attributed excerpts from real transcripts, not fabricate evidence.

The strongest research applications therefore combine high-volume source processing with structured synthesis, while retaining human review for source accuracy, interpretation, and final decisions.

Question #:98 - [Evaluate Claude-generated outputs for accuracy and completeness]

A project lead is evaluating a Claude-generated status report against the project charter. The report will be delivered to a steering committee, which expects accurate status against committed milestones.

Which set of criteria provides the strongest evaluation frame?

A. Readability, narrative flow, and whether the report tells a coherent story about the project’s progress.

B. Speed of generation, visual presentation quality, and consistency with the formatting used in previous status reports.

C. Length, formatting consistency, and tone appropriateness for a steering committee audience.

D. Accuracy of facts against the charter, completeness against required reporting fields, and relevance to the audience receiving the report.

Answer: D

Explanation

==========

Question #:99 - [Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs]

You are an analyst reviewing a Claude response that addresses two of three required questions and skips the third.

Which prompt element most likely needs strengthening?

A. The context provided to Claude should be expanded with additional background detail about the subject matter.

B. The output format should be revised to allow Claude to determine the appropriate structure for each question ' s answer.

C. The role assigned to Claude should be changed to a more specialized expert persona to increase response depth.

D. The task statement should explicitly enumerate the three required questions and require an answer to each.

Answer: D

Explanation

Under the objective Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs, diagnosing incomplete outputs requires mapping the specific failure mode directly to the corresponding prompt component.

When a model reliably answers some inquiries but completely omits another, the root cause is typically prompt ambiguity or buried instructions within dense prose. Strengthening the core task statement by explicitly enumerating the required deliverables (e.g., using numbered lists or tagged XML blocks like < question_1 > , < question_2 > , < question_3 >) and mandating a complete response for each item (Option D) provides clear structural constraints that prevent omissions. Adding generic background context (Option A), changing persona framing (Option C), or relaxing output formatting constraints (Option B) fails to address the underlying instruction-following issue.

Question #:100 - [Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs]

You are a Claude associate troubleshooting a recurring poor output.

Which is the correct order of diagnostic steps?

(1) Form a hypothesis about which prompt element most likely caused the deficiency.

(2) Apply a single targeted change and observe the effect on the output.

(3) Read the output end to end and identify the specific deficiency.

(4) Compare the deficient output to the prompt to spot mismatches between input and output.

(5) Document the root cause and the resolution for future reference.

A. 1, 3, 4, 2, 5

B. 4, 3, 1, 2, 5

C. 3, 1, 4, 2, 5

D. 3, 4, 1, 2, 5

Answer: D

Explanation

Under the objective Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs (Domain 7: Troubleshooting and Optimization), troubleshooting follows a structured diagnostic protocol.

The troubleshooting sequence begins with symptom identification: reading the output end-to-end to categorize the exact flaw (e.g., factual error, structural omission, tone mismatch) (Step 3). Second, the practitioner performs an input-output diff: comparing the deficient output against the prompt instructions to spot instruction omissions or ambiguities (Step 4). Third, the practitioner forms a testable hypothesis regarding which prompt element caused the failure (Step 1). Fourth, they execute a controlled experiment by applying a single targeted prompt adjustment and observing the revised output (Step 2). Finally, they document the verified root cause and solution (Step 5). This establishes the order 3, 4, 1, 2, 5.

Question #:101 - [Iterate prompts to improve output quality]

You are reviewing claims about prompt iteration that colleagues have made during recent training.

Which two claims about prompt iteration are accurate? (Select two.)

Each correct answer presents a complete solution.

A. Iteration should stop only after every possible alternative phrasing has been tried.

B. Repeatedly resubmitting the same prompt is the most reliable way to improve the output.

C. Iteration is most productive when each change targets a specifically diagnosed weakness.

D. More iterations always produce a better output, regardless of what was changed.

E. Comparing the output against the original criteria validates whether the iteration helped.

Answer: C E

Explanation

Options C and E are correct because disciplined prompt iteration is an evidence-based improvement cycle. First, compare the output with the original task requirements and success criteria. Identify a specific weakness, such as missing evidence, excessive length, incorrect tone, poor structure, ambiguous instructions, or failure to follow a required schema. Then make a targeted change addressing that weakness and compare the new output with the previous version using the same evaluation criteria.

Option B changes nothing except the sampled response, so it does not reliably diagnose or repair the prompt. Option D is false because additional iterations can introduce regressions, conflicting instructions, or

unnecessary complexity. Option A proposes an impossible and wasteful stopping rule; there are effectively unlimited alternative phrasings. Iteration should stop when the output meets the established quality threshold, when improvement has plateaued, or when a different model, workflow, tool, or human-editing approach is more appropriate.

Anthropic describes prompt engineering as a cycle of defining success criteria, testing representative cases, refining the prompt, and validating the result. Consequently, targeted modification and criteria-based comparison—not repetition or iteration volume—determine whether the process is productive. See Anthropic' s evaluation framework and prompting guidance.

==========

Question #:102 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

You are a project manager working through a long planning conversation with Claude and must keep the conversation productive as it grows.

Which two practices keep a long planning conversation productive? (Select two.)

Each correct answer presents a complete solution.

A. Open a new thread for every minor follow-up question to keep threads short.

B. Restate constraints and goals when the focus shifts to a new subtopic.

C. Periodically summarize decisions made so far to compress the working state.

D. Switch context aggressively between unrelated planning topics within one thread.

E. Avoid summarizing so the model retains every original word it has produced.

Answer: B C

Explanation

Under the objective Understand, manage context limitations and memory considerations and when to restart, summarize, or persist, managing conversational state across long planning sessions is essential for maintaining output quality and coherence. Large Language Models operate within finite context windows where attention can degrade as extraneous tokens accumulate.

Option B is a best practice because shifting subtopics often dilutes earlier instructions; explicitly restating key constraints and strategic goals ensures the model anchors its attention on active parameters without being distracted by obsolete conversational turns. Option C represents context compression—a core technique where key milestones, agreed parameters, and decisions are consolidated into a dense summary. This reduces token overhead, frees up working memory, and prevents hallucination or drift. Conversely, opening a new thread for every minor question (Option A) fractures contextual continuity, switching topics arbitrarily (Option D) pollutes attention heads, and avoiding summarization (Option E) accelerates context bloat and degrades performance.

Question #:103 - [Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs]

You are a Claude associate troubleshooting a Claude response that introduces facts not present in the supplied source.

Which root cause is most directly indicated?

A. The prompt asks for a comprehensive response, which leads Claude to fill perceived gaps with plausible-sounding but unverified detail.

B. The prompt asks Claude to act as a researcher rather than a writer.

C. The prompt's heading-based structure encourages Claude to generate placeholder content under each heading even when the source does not cover it.

D. The prompt does not constrain Claude to use only facts present in the supplied source.

Answer: D

Explanation

Answer D is correct. When Claude introduces facts that are absent from the supplied source, the most directly indicated prompt defect is the absence of an explicit grounding constraint. The prompt should clearly instruct Claude to use only the supplied material, avoid relying on external or general knowledge, and state when the source does not contain enough information. It can also require supporting quotations or citations for factual claims so that unsupported additions can be detected and removed.

Option A identifies a possible contributing factor, but asking for a comprehensive response does not inherently authorize invented information. A properly constrained comprehensive response can remain fully grounded in the source. Option B is incorrect because assigning a researcher role does not necessarily produce unsupported claims; the scope and permitted sources determine the behavior. Option C is also possible in a poorly designed template, but the presence of headings alone does not explain why Claude treats unsupported content as factual.

Anthropic specifically recommends external-knowledge restrictions, direct quotations, citations, and permission to acknowledge insufficient information when reducing hallucinations. Therefore, the missing source-only constraint is the clearest root cause and should be corrected first. Anthropic: Reduce hallucinations

==========

Question #:104 - [Select appropriate Claude product features (e.g., Projects, Research mode, Chat, Artifacts)]

You are a knowledge worker evaluating which Claude feature matches each proposed use case.

Which two feature-to-use-case matches are appropriate? (Select two.)

Each correct answer presents a complete solution.

A. Long-context summarization for a quarterly report distilled from many sources.

B. Long-context summarization for drafting a reply to a single short customer email.

C. Web search invocation to retrieve the established formula for calculating compound interest.

D. Tool use to invoke a calculator for rephrasing a product description in simpler language.

E. Tool use to invoke a calculator for a complex multistep pricing calculation.

Answer: A E

Explanation

Options A and E correctly match capabilities to tasks. A quarterly report derived from many documents benefits from Claude's long-context processing because the model must review, connect, and synthesize information distributed across numerous sources. The user should organize the sources clearly, identify the required reporting structure, and verify that the resulting report accurately represents the inputs.

A complex multistep pricing calculation should use a calculator or code-execution capability. Language models can reason about a calculation's structure, but deterministic computation tools provide stronger numerical reliability and make intermediate operations easier to inspect. The human reviewer should still verify inputs, formulas, units, and business rules.

Option B does not require long-context processing because a single short email can ordinarily be handled within a basic chat request. Option C unnecessarily invokes web search for a stable, established mathematical formula that can be supplied directly or calculated with an appropriate tool. Option D mismatches a numerical tool with a language-editing task; rewriting a description in simpler language is a core text-generation capability and does not require a calculator.

Effective feature selection means matching the task's actual bottleneck—context capacity, external information retrieval, deterministic computation, or reusable content creation—to the capability designed to address it.

==========

Question #:105 - [Integrate Claude into existing workflows to augment or redesign workflows]

You are working as a process consultant integrating a pre-built Skill into a recurring team workflow.

Which two practices best support reliable integration? (Select two.)

A. Define the inputs the Skill expects and the outputs the team will use, so each workflow step has clear hand-off points around the Skill.

B. Apply the Skill outside its documented scope so the team can stretch its use across several unrelated workflow steps.

C. Remove all human review from steps that invoke the Skill, relying on the Skill's packaged output as final.

D. Document which workflow steps invoke the Skill and what human review remains, so accountability and quality gates stay visible to the team across recurring runs.

E. Bypass the published Skill version by using an unreleased build pulled directly from outside the approved distribution channel.

Answer: A D

Explanation

Options A and D establish the operational clarity necessary for reliable Skill integration. Defining expected inputs and outputs gives the Skill a clear interface within the workflow. The team can standardize file types, required fields, prompt variables, output structure, and error-handling rules. This makes recurring runs easier to compare, test, and troubleshoot and prevents downstream steps from depending on undocumented assumptions.

Documenting where the Skill is invoked and which human reviews remain is equally important. A pre-built Skill packages instructions and procedures, but it does not remove the organization's accountability for the resulting work. Review points should be proportionate to the output's risk, audience, reversibility, and business impact. The documentation should identify who reviews the output, what must be checked, and what happens when the result fails validation.

Option B encourages scope misuse and can produce unreliable results because a Skill is optimized for its documented tasks. Option C removes necessary quality controls without evidence that such autonomy is safe. Option E bypasses version control and organizational approval, creating security, provenance, and reproducibility risks.

Reliable integration therefore requires a defined interface, documented workflow placement, controlled versions, and visible human accountability—not merely enabling a Skill and assuming its output is production-ready.

Question #:106 - [Adapt prompting strategies based on task type]

A product manager is using Claude to ideate options for a new self-service portal. The team needs breadth before narrowing and will evaluate trade-offs across the options in a separate session.

Which prompting strategy fits this stage?

A. Request multiple distinct options ordered by Claude's assessment of feasibility, so the team can focus its trade-off discussion on the most feasible options first.

B. Request a single recommended option with strong reasoning, since well-reasoned single options give the team a clearer starting point than several weakly reasoned alternatives.

C. Request multiple distinct options with stated trade-offs, and avoid committing to a single recommendation in this round.

D. Request multiple distinct options and ask Claude to recommend the strongest one with reasoning, so the team starts the trade-off discussion from a leading candidate.

Answer: C

Explanation

Answer C is correct. The team is in a divergent ideation stage, where the objective is to explore a broad range of possibilities before selecting or prioritizing an approach. Claude should therefore generate multiple genuinely distinct portal options and identify the relevant benefits, limitations, dependencies, and trade-offs of each. The prompt should explicitly prevent premature selection of a single recommendation because evaluation and narrowing will occur in a separate session.

Option A introduces early feasibility ranking, which can anchor the team on familiar or easily implemented ideas before it has considered the full solution space. Option B immediately narrows the work to one recommendation and directly conflicts with the stated need for breadth. Option D generates several options but then asks Claude to identify a leader, which can similarly bias the team's later evaluation toward that candidate.

Separating divergent and convergent thinking improves the workflow. The first round should maximize meaningful variety and make differences between options visible. The later session can apply agreed criteria such as customer value, accessibility, implementation effort, cost, risk, and strategic alignment. Anthropic's prompting guidance emphasizes giving Claude clear success criteria, relevant context, and explicit output requirements. At this stage, success means diverse, comparable alternatives—not a final decision. Anthropic prompting best practices

==========

店铺：学习小店66

Question #:107 - [Iterate prompts to improve output quality]

You are a content creator. A first response from Claude is accurate but uses inconsistent terminology that does not match your organization ' s glossary.

Which iterative change addresses the issue most directly?

A. Increase the requested length so the inconsistent terminology appears more often.

B. Ask Claude to invent additional terms unrelated to the glossary.

C. Remove the topic from the prompt to avoid the terminology issue entirely.

D. Provide the organization ' s glossary and instruct Claude to use only those terms throughout the response.

Answer: D

Explanation

Under the objective Iterate prompts to improve output quality (Domain 1: Prompting and Task Execution), resolving domain-specific vocabulary inconsistencies requires grounding the prompt with explicit terminology constraints.

When Claude generates accurate conceptual content but uses generic or non-standard synonyms, the most direct prompt refinement is providing the organization ' s canonical terminology glossary (or uploading it to Project knowledge) accompanied by a strict constraint instructing the model to use only those defined terms (Option D). This eliminates vocabulary drift and guarantees brand consistency. Expanding prompt length (Option A) amplifies terminology discrepancies. Encouraging invented terms (Option B) worsens terminology alignment. Deleting topics from the prompt (Option C) fails the original task requirements.

Question #:108 - [Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)]

You are an analyst working on a one-off complex problem that genuinely requires multi-step reasoning over an extended chain of thought.

Which model is best suited to this work?

A. Haiku, because lightweight models are always preferred regardless of complexity.

B. Any model, because reasoning depth does not vary across the lineup.

C. Opus, because it is positioned as the most capable for advanced reasoning on complex, specialized tasks.

D. A non-Anthropic model, because the Claude lineup has no option for complex reasoning.

Answer: C

店铺：学习小店96 店铺：学习小店96

Explanation

Among the choices provided, Opus is the appropriate model for a complex, one-off problem requiring sustained, multi-step reasoning. Opus models are designed for advanced analysis, demanding knowledge work, complex tool use, and long-horizon tasks. The additional capability is justified because the workload explicitly prioritizes reasoning quality rather than minimum latency or cost.

Option A incorrectly treats lightweight models as universally preferable. Haiku is optimized for speed and cost-sensitive, straightforward workloads, but that does not make it the best choice for every complex problem. Option B ignores genuine capability and reasoning differences between model tiers. Option D is false because the Claude lineup includes models designed for difficult reasoning tasks.

The current Claude portfolio has evolved and now includes additional high-capability models, but Opus remains the strongest valid selection among the listed answers. In production, the analyst should test representative cases and compare accuracy, latency, and cost rather than choosing solely by tier name. For this explicitly complex one-off task, however, higher reasoning capability is the dominant requirement. Anthropic describes Opus as suited to complex analysis, enterprise work, advanced research, and deep reasoning. Anthropic’s model-selection guidance

==========

Question #:109 - [Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)]

You are a product manager asking Claude to produce an interactive prototype of a small landing-page mockup that the team will iterate on and share.

Which Claude feature is best suited to this output?

A. A Research run that produces a multi-page external survey of competitor sites.

B. A short conversational reply embedded inline in the chat history.

C. An Artifact, which presents standalone editable content in a dedicated side panel for iteration.

D. A new Project containing only the team's prior meeting notes.

Answer: C

Explanation

Option C is correct because an Artifact is designed for substantial, self-contained output that users need to inspect, edit, preview, and refine separately from the surrounding conversation. A landing-page prototype—particularly one containing HTML, CSS, JavaScript, or an interactive component—is more usable in a dedicated Artifact workspace than as code buried inside a chat response.

Artifacts support iterative development. The product manager can ask Claude to change the layout, copy, colors, component behavior, or responsive structure while maintaining a recognizable working version. The resulting prototype can also be reviewed or shared more effectively because it is presented as a distinct deliverable rather than as part of the conversation transcript.

Option A is a research workflow and would be appropriate for gathering sourced information about competitors, not for producing the prototype itself. Option B provides no dedicated editing or preview environment and makes repeated revisions harder to manage. Option D could preserve recurring instructions and reference materials, but a Project is a contextual workspace rather than the output format for the prototype.

A Project and an Artifact can be used together: the Project supplies persistent product requirements and design references, while the Artifact contains the actual prototype that the team iterates on.

Question #:110 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

A customer-success associate is drafting a prompt that asks Claude to summarize a customer issue from the case file. The case file includes the customer ' s full government identifier, home address, name, account number, and the description of the issue. The summary the associate needs is about the issue.

Which approach is most appropriate?

A. Submit the full case file and include an instruction telling Claude not to reference the government identifier or the home address in the summary.

B. Replace the government identifier with the customer ' s name and the home address with the account number, since names and account numbers are less sensitive than identifiers and addresses.

C. Remove or redact the government identifier and the home address before submitting the prompt, since neither is necessary for a summary of the issue.

D. Submit only the description of the issue and add the customer ' s name for context, since the description plus a name is sufficient to produce a summary.

Answer: C

Explanation

Under the objective Apply data, privacy sensitivity, regulatory policies, and privacy considerations (Domain 6: Governance, Risk, and Responsible Use), data minimization is a primary privacy requirement.

When processing enterprise documents with AI tools, users must never submit highly sensitive Personally Identifiable Information (PII)—such as national government identifiers (SSNs/National Insurance numbers) or private home addresses—unless strictly required for the analytical task. Because the associate only needs a summary of the core customer problem, redacting or removing those non-essential high-sensitivity fields prior to input ingestion (Option C) enforces sound privacy hygiene. Relying on in-prompt instructions to " ignore " ingested PII (Option A) still exposes raw sensitive tokens to the model context. Swapping identifiers for other sensitive account data (Option B) fails data protection standards.

Question #:111 - [Align model selection with task requirements (e.g., cost, speed, quality)]

You are an operations assistant selecting a model for a recurring meeting-summary task that does not require deep reasoning and runs at moderate volume.

Which selection best balances cost, speed, and quality?

A. Haiku, which is suitable only when the task requires the fastest possible turnaround.

B. Opus, which prioritizes depth at higher latency and rate-limit consumption.

C. Sonnet, which provides solid quality at moderate latency and rate-limit consumption for everyday work.

D. A custom model, which the Associate-level user would need to build and train independently.

Answer: C

Explanation

Under the objective Align model selection with task requirements (e.g., cost, speed, quality), model architecture selection must be balanced against operational constraints, cognitive task complexity, and throughput requirements.

Claude 3.5 Sonnet serves as the enterprise default workhorse, engineered to deliver high-tier reasoning, comprehensive summarization capability, and excellent structural precision at a balanced cost and latency profile (Option C). For standard, recurring administrative tasks like meeting summarization at moderate operational volume, Sonnet provides the optimal equilibrium. Claude 3 Opus (Option B) is over-engineered and cost-prohibitive for routine summarization that does not demand advanced multi-step logic. Haiku (Option A) is optimized for near-instant latency and high-volume basic classification, but the characterization that it is " suitable only when the task requires the fastest turnaround " misrepresents its general utility, making Sonnet the primary choice. Training a custom base model (Option D) is completely unnecessary and outside standard enterprise workflows.

Question #:112 - [Understand ethical implications of AI usage]

You are an HR specialist sorting potential ethical risks of a Claude-supported workflow.

Which two risks pose the highest ethical concern in an HR-adjacent workflow? (Select two.)

Each correct answer presents a complete solution.

A. decisions that materially affect a person ' s employment without human accountability

B. a clerical typo in a routine internal calendar invitation

C. inconsistent tone and formatting across internal HR communications sent to employees

D. inconsistent use of the company ' s preferred dash style across documents

E. outputs that systematically disadvantage members of a protected group

Answer: A E

Explanation

Under the objective Understand ethical implications of AI usage, evaluating HR workflows requires identifying systemic harms, legal compliance liabilities, and threats to employee rights.

Option A highlights the ethical danger of autonomous algorithmic decision-making: delegating high-stakes determinations (such as termination, performance ratings, or compensation) to an AI system without accountable human oversight violates fundamental fairness and labor ethics. Option E represents severe algorithmic bias and discrimination: generating outputs that systematically disadvantage candidates or employees based on protected characteristics (e.g., race, gender, age, disability). Both scenarios represent critical ethical risks. Conversely, minor clerical typos in calendar invites (Option B), formatting irregularities in general announcements (Option C), and punctuation style inconsistencies (Option D) are minor operational defects that carry zero ethical or regulatory consequences.

Question #:113 - [Optimize workflows for efficiency and effectiveness]

A knowledge worker is defining what “workflow optimization” means at the Associate level for the team’s recurring AI-supported workflows.

Which description is most accurate?

A. Reducing the number of steps in the workflow to the smallest possible count, since fewer steps mean faster cycle time and lower error rates.

B. Reducing redundancy, removing low-value steps, and applying Claude where it adds measurable value, while keeping required reviews and quality gates.

C. Replacing manual steps with Claude-supported steps wherever possible, since each replacement adds value by reducing the time the team spends on the workflow.

D. Standardizing every step of the workflow to a fixed template so each run produces identical output, without adjusting for variation in the workflow's inputs.

Answer: B

Explanation

Option B gives the most accurate definition of workflow optimization. The objective is to improve measurable performance—such as cycle time, quality, consistency, cost, or throughput—without removing controls that protect accuracy, privacy, compliance, and accountable decision-making. Claude should be introduced where its capabilities provide clear leverage, such as drafting, summarization, classification, source synthesis, or structured extraction.

Option A incorrectly assumes that fewer steps always produce a better workflow. Some steps, including validation, escalation, approval, and documentation, exist because they control significant risks. Removing them may reduce apparent processing time while increasing rework or downstream harm. Option C similarly treats maximum automation as the goal. A manual step should remain human-controlled when it requires authority, empathy, professional judgment, or responsibility for a consequential decision. Option D confuses optimization with inflexible standardization. Templates can improve consistency, but workflows must still accommodate legitimate differences in inputs and risk.

A sound optimization process maps the current workflow, measures its bottlenecks, removes duplication, selects suitable Claude-supported steps, defines hand-offs, retains necessary reviews, and pilots the revised process against a baseline. The change is successful only when evidence shows that it improves the intended operational outcomes without weakening quality or governance.

Question #:114 - [Apply task decomposition techniques to structure complex requests]

You are using Claude to redesign an employee onboarding workflow and must complete the high-level decomposition steps before specifying detailed artifacts.

Which two decomposition steps must be completed BEFORE specifying exact email content and the schedule? (Select two.)

Each correct answer presents part of the solution.

A. Pilot the onboarding workflow with a small cohort of new hires.

B. Identify the major phases of the onboarding experience.

C. Negotiate the onboarding budget with the finance department.

D. Define the overall objective of the onboarding experience.

E. Roll out the onboarding workflow to every new hire across the company.

Answer: B D

Explanation

Under the objective Apply task decomposition techniques to structure complex requests, complex business problems must be decomposed hierarchically—from macro objectives down to granular operational artifacts.

Before generating low-level execution components such as scheduled email templates or individual checklists, the architect must first establish the high-level structure. This entails defining the overall strategic objective of the program (Option D) to establish success metrics, and identifying the sequential lifecycle phases (e.g., Pre-boarding, Day 1, Week 1, 30-60-90 days) of the onboarding journey (Option B). Once the overarching framework and chronological phases are clearly defined, prompt engineers can systematically task Claude with drafting the supporting content for each specific phase. Piloting (Option A) and full rollout (Option E) occur downstream after artifact creation, while budgetary negotiations (Option C) are outside workflow decomposition.

Question #:115 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

You are an operations lead choosing actions when a Claude conversation has degraded in quality.

Which recovery action should be tried first when conversation quality degrades?

A. Summarize the current state and continue with a focused follow-up prompt.

B. Replace the model with a different vendor’s model immediately.

C. Escalate to a senior architect for a manual review of the conversation history.

D. Discard the entire conversation and rebuild the work from the original prompt.

Answer: A

Explanation

Answer A is correct. When a long Claude conversation begins producing less relevant, inconsistent, or lower-quality responses, the first recovery action should be to consolidate the important context. A concise summary should capture the current objective, confirmed decisions, applicable constraints, authoritative facts, unfinished tasks, and required output format. The user can then provide a focused follow-up prompt that clearly states the next action.

This approach removes accumulated conversational noise while preserving useful progress. Long conversations may contain obsolete instructions, abandoned ideas, corrections, and competing requirements that make the current task harder to interpret. A structured summary re-establishes a clean working state without unnecessarily restarting the entire process.

Option B is disproportionate because changing vendors does not diagnose or correct poor context management. Option C adds unnecessary escalation before basic recovery has been attempted. Option D may eventually be appropriate when the conversation is irreparably confused, but immediately discarding all work wastes valid context and completed analysis.

Anthropic’s prompting guidance emphasizes clear instructions, relevant context, structured inputs, and explicit task requirements. Summarizing the state and narrowing the next request applies these principles directly. If quality remains poor after this step, the user can then start a new conversation using the summary as its initial context. Anthropic prompting best practices

Question #:116 - [Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)]

You are an operations lead mapping production tasks to Claude model strengths to set realistic expectations.

Which two production tasks fit Claude ' s strengths most clearly? (Select two.)

Each correct answer presents a complete solution.

A. monitoring a live sensor data stream and flagging anomalies as they occur in real time

B. issuing a binding legal determination based solely on Claude ' s analysis of case documents

C. drafting a tone-and-audience-aware customer-facing email under human review

D. calculating the precise settlement value of a derivative contract using live market inputs

E. synthesizing a single executive summary across many long source documents

Answer: C E

Explanation

Under the objective Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus) and foundational AI capabilities, generative models are specifically optimized for natural language understanding, cross-document synthesis, and nuanced stylistic drafting.

Drafting audience-tailored, empathetic customer communications for human review (Option C) and synthesizing large volumes of complex source text into concise executive summaries (Option E) leverage Claude ' s extensive context window and linguistic fluency. Conversely, tasks requiring millisecond real-time event-driven streaming detection (Option A) or high-frequency deterministic quantitative financial settlement calculations on live feeds (Option D) are poorly suited for general LLMs and require specialized, deterministic streaming engines. Additionally, delegating final binding legal rulings entirely to an AI (Option B) represents an inappropriate governance risk.

Question #:117 - [Select appropriate Claude product features (e.g., Projects, Research mode, Chat, Artifacts)]

You are a product manager asking Claude to produce an interactive prototype of a small landing-page mockup that the team will iterate on and share.

Which Claude feature is best suited to this output?

A. A Research run that produces a multipage external survey of competitor sites.

B. A short conversational reply embedded inline in the chat history.

C. An Artifact, which presents standalone editable content in a dedicated side panel for iteration.

D. A new Project containing only the team's prior meeting notes.

Answer: C

Explanation

Option C is correct because an Artifact is intended for substantial, self-contained content that users need to view, edit, iterate on, and reuse separately from the surrounding conversation. A landing-page mockup or interactive prototype benefits from a dedicated workspace where the rendered result can be inspected while the team requests targeted revisions to structure, copy, components, or behavior.

Option A confuses prototype production with external research. Research may help collect competitor evidence before design begins, but it does not provide the most appropriate final workspace for the prototype itself. Option B leaves the content embedded in conversational history, making iteration and sharing less convenient and obscuring which version is current. Option D may be useful for preserving reusable project context, instructions, and reference documents, but a Project containing meeting notes is not itself the output format for an interactive mockup.

Projects and Artifacts can be complementary. A Project can maintain design requirements, brand guidance, and research across conversations, while an Artifact contains the evolving prototype. The requested deliverable is standalone, editable, visual, and intended for repeated refinement; therefore, an Artifact directly matches the task.

==========

Question #:118 - [Evaluate Claude-generated outputs for accuracy and completeness]

A procurement manager is evaluating a Claude-generated vendor proposal summary against the original RFP. The RFP lists twelve numbered requirements across pricing, security, and service levels.

How should the summary be checked for completeness?

A. Compare the section headings in the summary with the section headings in the RFP, since matching headings indicate matching content.

B. Spot-check three random requirements from the RFP against the summary, since random sampling is the standard completeness check for summaries.

C. Map each numbered requirement in the RFP to a section of the summary and confirm that every requirement is represented.

D. Read the summary end to end and confirm that it forms a coherent response to the RFP, since coherent summaries typically reflect coverage of the source.

Answer: C

Explanation

Option C is correct because completeness must be evaluated systematically against every explicit requirement in the authoritative source. The reviewer should create a traceability matrix that lists all twelve RFP requirements and identifies where each requirement is addressed in the Claude-generated summary. The review should confirm not only that each requirement appears, but also that its essential conditions, qualifications, and vendor response are represented accurately.

Matching headings, as proposed in Option A, cannot establish completeness. A section may have the correct title while omitting material requirements or misrepresenting the vendor's response. Option B is inadequate because checking only three requirements could miss important omissions involving security controls, pricing conditions, or service-level obligations. Option D evaluates coherence rather than coverage. A summary can read smoothly and persuasively while excluding inconvenient or contradictory information.

A robust evaluation should assess accuracy, completeness, relevance, and traceability separately. Any requirement that is absent, only partially represented, or unsupported by the proposal should be recorded and corrected before the summary is used in vendor evaluation. This requirement-by-requirement mapping prevents Claude's fluent presentation from being mistaken for evidence that the complete RFP has been covered.

店铺：学习小店66

Question #:119 - [Create effective prompts for business and technical tasks]

A business analyst is converting a sticky-note request from a stakeholder into a structured prompt for Claude.

Which is the correct order of conversion steps?

(1) Confirm the audience and the decision the response must support.

(2) Submit the structured prompt to Claude.

(3) Identify the underlying task hidden in the sticky-note language.

(4) Specify the desired length, tone, and output format.

(5) Add the supporting facts and constraints relevant to the task.

A. 1, 3, 5, 4, 2

B. 2, 3, 1, 5, 4

C. 3, 1, 5, 4, 2

D. 3, 5, 1, 4, 2

Answer: C

Explanation

Answer C gives the proper conversion sequence. The analyst first determines the real task hidden behind the informal sticky-note wording (3); without that step, the prompt may solve the wrong problem. Next, the analyst confirms who will consume the result and which decision it must support (1). Audience and decision purpose determine what evidence is relevant, so the supporting facts, boundaries, and constraints are added afterward (5). Once the substantive requirements are stable, the analyst specifies presentation requirements such as length, tone, and output format (4). The completed prompt can then be submitted to Claude (2). This yields 3, 1, 5, 4, 2. Option A starts with the audience before clarifying the underlying task. Option D supplies facts before establishing the decision context, which can result in irrelevant or insufficient context. Option B begins by submitting a prompt that has not yet been structured. Anthropic's official prompting guidance says Claude performs best with clear, explicit instructions, relevant context, precise output constraints, and sequentially stated steps when order or completeness matters. These principles align directly with the AI Fluency Description competency: clearly describe the intended product, process, and interaction before expecting a reliable result. Anthropic prompting best practices

==========

Question #:120 - [Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience]

A project manager is transforming a Claude-generated draft into a polished board memo. The board reads the memo before the meeting and expects it to be scannable, factually verified, and consistent with the organization ' s standard terminology.

Which set of refinements is most appropriate?

A. Apply consistent headings, tighten wording for executive scanability, align terminology with the organization ' s standards, and verify each fact against source data.

B. Apply consistent headings, expand each section to give the board full context, and align terminology with the organization ' s standards.

C. Tighten wording for executive scanability and verify each fact against source data; leave heading structure and terminology as written to preserve the draft ' s voice.

D. Apply consistent headings and align terminology with the organization ' s standards; rely on Claude ' s verification of facts, since the draft was generated from the source data.

Answer: A

Explanation

Under the objective Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience (Domain 2: Output Evaluation and Validation), preparing deliverables for executive boards requires comprehensive structural, linguistic, and factual refinement.

Option A covers all four essential post-generation refinement criteria: applying standardized heading hierarchies for visual navigation, condensing prose to maximize executive scanability, aligning terminology

with enterprise glossaries, and rigorously validating every metric and claim against primary source records. Expanding narrative sections unnecessarily (Option B) reduces scanability for board members. Ignoring heading structure and vocabulary alignment (Option C) produces an unpolished deliverable. Relying blindly on the model ' s internal factual correctness without external verification (Option D) introduces governance and hallucination risks into board-level decisions.

Question #:121 - [Adjust approach based on feedback and results]

A knowledge worker is adjusting an approach after a successful pilot revealed two opportunities for further improvement. The pilot’s core results were positive, and the team is preparing for a broader rollout.

Which adjustment is most appropriate?

A. Roll out the approach as piloted and address the two opportunities in a separate follow-up project after the rollout is complete.

B. Adopt the changes that worked, address the two specific opportunities, and run a controlled comparison before broader rollout.

C. Adopt the changes that worked, address the two opportunities, and monitor results closely during the broader rollout.

D. Run a second pilot focused only on the two opportunities, then combine the results of both pilots before rolling out the approach.

专辅：学习小店66 专辅：学习小店66

Answer: B

Explanation

Answer B is correct. The pilot has already demonstrated that the core approach is effective, so the team should retain the successful elements while making targeted changes for the two identified improvement opportunities. A controlled comparison before full rollout then provides evidence that the revised approach performs at least as well as the original pilot and that the modifications produce the expected improvement.

Option A ignores known improvement opportunities and unnecessarily carries identified weaknesses into production. Option C implements the changes during the broader rollout without validating them first. Monitoring is necessary, but it is not a substitute for controlled pre-rollout testing because defects could affect many more users. Option D tests only the two opportunities in isolation. This may fail to evaluate how the new changes interact with the rest of the successful workflow.

A controlled comparison can evaluate the pilot configuration and the revised configuration against the same acceptance criteria, representative cases, and quality measures. This preserves what worked while reducing the risk of unintended regression. Anthropic’s evaluation guidance recommends measurable success criteria, task-specific tests, and evaluations that distinguish between competing approaches. Therefore, B represents the strongest evidence-based adjustment before scaling the workflow. Anthropic: Define success criteria and build evaluations

==========

Question #:122 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

A manager is deciding what changes to make while conducting a Memory maintenance review for a long-running workflow.

Which two actions best support Memory quality over time? (Select two.)

A. Delete all memories as the maintenance action to ensure a clean slate, then allow Claude to rebuild context organically through subsequent workflow runs.

B. Export the current memories as a backup before making changes, so prior context can be restored if a maintenance edit unintentionally removes information the workflow still depends on.

C. Leave all memories untouched on the basis that the workflow has been running consistently and no output-quality issues have been reported.

D. Disable Memory entirely to eliminate the risk of stale entries surfacing in future workflow runs.

E. Identify and edit or delete entries that are stale, inaccurate, or no longer relevant, and add context Claude has not automatically captured but the workflow continues to need.

Answer: B E

Explanation

Option B creates a recoverable checkpoint before maintenance. Exporting the current Memory allows the manager to restore important context if a necessary entry is accidentally removed or rewritten incorrectly. Option E performs the actual quality maintenance by removing stale or inaccurate information and adding durable context that the workflow still requires.

Deleting everything, as proposed in Option A, discards valid context and forces the system to reconstruct it imperfectly from later activity. Option C assumes that the absence of a reported problem proves every stored entry remains accurate; stale Memory may affect future tasks even when current outputs appear acceptable. Option D eliminates useful continuity instead of correcting the specific quality problems.

Anthropic allows users to view, edit, and export Memory. Its documentation states that exported Memory can serve as a backup or be transferred to another service. Users can also add information that Claude has not automatically retained. A responsible maintenance cycle should therefore back up the current state, inspect entries for accuracy and relevance, remove obsolete details, add missing durable context, and verify future outputs. This preserves continuity while reducing the risk that outdated assumptions contaminate later sessions. Anthropic’s Memory import and export guidance

==========

Question #:123 - [Manage uploaded knowledge and connectors]

A knowledge worker used the Google Drive connector and asked Claude to summarize a recently revised policy document. The summary reflects the prior version of the document, not the revision saved three hours earlier.

Which factor most likely explains this?

A. The connector cached the prior version of the document at the start of the chat session and will continue to use the cached version until the chat is closed.

B. The associate's permissions on the document allow access only to the prior version because the revision is held in a separate permission group until publication.

C. The connector retrieved both versions, and Claude selected the earlier one because it was longer and contained more material relevant to the prompt.

D. The connector's index has not yet refreshed to reflect the recently revised document, so the older indexed content is still being referenced.

Answer: D

Explanation

Answer D is the intended answer. A connected knowledge source may temporarily return an earlier document version when its searchable index has not yet processed a recent revision. The three-hour interval strongly points to synchronization or indexing latency rather than a reasoning or prompting failure. The worker should verify the document's modification time in Google Drive, open the cited source, retry the retrieval, and, if necessary, provide the document directly by URL.

Option A claims that the old version remains fixed for the entire chat session, which is not an established connector rule. Option B invents a separate permission group without supporting evidence; permissions ordinarily determine whether the user can access a file, not which historical version is visible. Option C is also unsupported because Claude does not normally choose an obsolete version merely because it is longer.

However, this question reflects an older indexed-connector model. Anthropic's current documentation states that Google Docs added directly to chats or private Projects synchronize from Google Drive and should provide the latest version. Therefore, D remains the best answer among the choices and is likely the expected exam answer, but the item should be reviewed if it is intended to test current Claude behavior. Anthropic: Google Workspace connectors

Question #:124 - [Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs]

A knowledge worker has noticed that the same prompt for a recurring weekly task produces inconsistent outputs across runs. Some weeks the output uses the right sections but the wrong tone; other weeks the tone is right but a section is missing. The source inputs change each week but follow the same structure.

Which cause is most worth investigating first?

A. The recurring prompt under-specifies the audience, tone, format, and required sections, so each run drifts depending on what the model emphasizes that time.

B. The model is non-deterministic, so identical prompts naturally produce different outputs even when the prompt itself is well-written, and the team should accept the variation.

C. The source inputs vary too much from week to week, and the team should standardize the inputs before changing the prompt.

D. The team should split the prompt into separate prompts for tone and structure, since combining both in one prompt produces the mixed inconsistency the team is seeing.

Answer: A

Explanation

Answer A is correct. The pattern shows inconsistent compliance with requirements that should have been stated explicitly: the audience, tone, output structure, and mandatory sections. If those requirements are vague or implied, Claude may emphasize different aspects of the request across runs, especially as the weekly source content changes. The first troubleshooting step should therefore be to inspect the prompt and convert each expectation into a clear, testable instruction.

Option B is incomplete. Model outputs can vary, but non-determinism should not be used to excuse recurring failures to satisfy defined requirements. Strong prompts and evaluation criteria can substantially reduce unacceptable variation. Option C is less likely because the weekly inputs follow the same structure; changing facts alone should not cause required sections or tone instructions to disappear. Option D adds unnecessary workflow complexity. Claude can follow tone and structural requirements within one prompt when those requirements are clearly separated and explicitly defined.

The prompt should identify the intended audience, prescribe the tone, list every required section, specify the output format, and state that no section may be omitted. Anthropic recommends clear, direct instructions and precise output constraints, particularly when order or completeness matters. Anthropic prompting best practices

==========

Question #:125 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

You are a research associate preparing inputs for a long task that references two lengthy regulatory documents, but only specific sections apply.

Which approach best preserves context-window capacity?

A. Extract only the relevant sections from each document and include those, omitting unrelated chapters.

B. Paste the full text of both documents without trimming to maximize the available material.

C. Split each document into one-character pieces and provide them one at a time.

D. Skip the documents entirely and rely on Claude to invent the missing context.

Answer: A

Explanation

Option A is correct because Claude's context window is finite and must accommodate the system instructions, conversation history, documents, tool results, the current request, and the generated response. Anthropic specifically cautions that more context is not automatically better: as unnecessary content accumulates, relevant details may become harder to retrieve and accuracy can decline through "context rot." Curating the context is therefore as important as its total capacity.

Extracting only the applicable regulatory sections preserves the authoritative language needed for the task while removing unrelated chapters that consume tokens and distract from the relevant requirements. The extracts should retain headings, section identifiers, effective dates, and source labels so Claude's conclusions remain traceable. Option B wastes capacity and may reduce focus. Option C destroys meaningful semantic structure and creates an unusable interaction pattern. Option D removes the grounding evidence entirely and invites hallucination, which is especially inappropriate for regulatory analysis.

For long documents, Anthropic also recommends grounding claims in direct quotations and citations. Thus, the strongest approach is to provide carefully selected, clearly labelled excerpts and require Claude to trace material claims to them. See Anthropic's documentation on context windows and reducing hallucinations.

==========

Question #:126 - [Leverage Claude for research, planning, and process optimization]

A project manager is defining how Claude can support requirements analysis for an upcoming engagement. Their team will conduct stakeholder interviews and review existing process documentation as part of discovery.

Which activity fits this domain?

A. Use Claude to generate a complete requirements list from the project name and a short description, since requirements for similar engagements are largely standard.

B. Use Claude to prioritize the requirements the team has already gathered, leaving gathering itself to manual analyst work since prioritization is more time-consuming.

C. Use Claude to synthesize stakeholder inputs and existing process documentation into a structured list of requirements with traceability to each source.

D. Use Claude to conduct the stakeholder interviews directly, with the analyst reviewing the recordings afterward to confirm the requirements Claude extracted.

Answer: C

Explanation

Option C is correct because requirements analysis is grounded in evidence gathered during discovery. Claude can help organize interview notes and process documentation, identify recurring themes, extract candidate requirements, flag conflicts, and produce a consistent structure. Requiring traceability to each source allows analysts to verify the output and return unclear or disputed requirements to the relevant stakeholder.

Option A asks Claude to invent a complete requirements set from insufficient context. Similar projects may provide useful hypotheses, but they cannot substitute for the organization's actual stakeholders, constraints,

workflows, and objectives. Option B unnecessarily limits Claude's role: Claude can support synthesis and extraction as well as prioritization, provided qualified humans verify the results. Option D transfers the stakeholder-interview responsibility too broadly. Claude may help prepare questions, summarize authorized transcripts, or organize findings, but human analysts should manage stakeholder relationships, pursue contextual follow-ups, and interpret sensitive or ambiguous responses.

Anthropic recommends providing clear context and structured instructions, while its hallucination guidance advises grounding factual work in source text and auditable citations. A structured, source-traceable requirements list applies both principles and keeps humans responsible for validation and final decisions. See Anthropic's prompting best practices and source-grounding guidance.

==========

Question #:127 - [Integrate Claude into existing workflows to augment or redesign workflows]

You are a project manager weighing workflow steps by how much leverage Claude integration provides.

Which workflow step typically offers the greatest Claude leverage in a knowledge-work team?

A. approving final deliverables for external publication without further review

B. negotiating contractual terms with external parties on behalf of the company

C. drafting and synthesizing across many sources for a downstream reviewer

D. making final personnel decisions about hiring, promotion, or termination

店铺：学习小店66

Answer: C

Explanation

Under the objective Integrate Claude into existing workflows to augment or redesign workflows, AI integration delivers the highest return on investment when deployed for high-volume synthesis and initial artifact creation paired with human oversight (" human-in-the-loop ").

Drafting and synthesizing information across disparate documents (Option C) leverages Claude ' s core strengths: large context window comprehension, fast text processing, structured summarization, and tone adaptation. A knowledge worker acting as a downstream reviewer can quickly audit, refine, and approve the generated draft, drastically reducing cycle time. In contrast, options involving autonomous high-stakes determinations—such as unreviewed external publications (Option A), binding contractual negotiations (Option B), or final personnel and employment actions (Option D)—violate responsible AI governance principles and represent inappropriate delegation risks where human accountability, legal authority, and contextual judgment cannot be automated.

Question #:128 - [Configure Claude Projects with instructions and knowledge sources]

You are reviewing items proposed for inclusion in a Project that supports policy summaries.

Which two items are appropriate to include in the Project? (Select two.)

Each correct answer presents part of the solution.

A. the summary format and the audience expectations the summaries must meet

B. the current policy library that the summaries are drawn from

C. presentation slides from a recent team training session on internal communication standards

D. active client case files maintained by a separate legal team for a different workstream

E. employee onboarding records used in a separate HR workflow managed by the same team

Answer: A B

Explanation

Under the objective Configure Claude Projects with instructions and knowledge sources, curating Project scope requires adding only persistent, relevant reference assets while maintaining strict boundaries against unrelated context.

Option A represents foundational system instructions and prompt scaffolding: specifying target formatting schemas, structural sections, and audience expectations ensures consistent, repeatable policy summaries across all chats. Option B provides the canonical ground truth: uploading the current active policy documentation into the Project knowledge base gives Claude the direct reference material needed to generate factually grounded summaries. In contrast, uploading general presentation slide decks (Option C) injects unneeded token overhead. Including active legal case files (Option D) or employee onboarding records from unrelated workflows (Option E) causes context bleed, violates data compartmentalization principles, and wastes context window capacity.

Question #:129 - [Configure Claude Projects with instructions and knowledge sources]

You are configuring a new Claude Project for a specific recurring workload.

Which Project configuration step should be performed first?

A. Define the purpose of the Project and the recurring tasks it must support.

B. Test the configured Project on a representative request from the workload.

C. Add reference materials and instructions that the Project will rely on.

D. Invite collaborators to the Project and confirm the appropriate access levels.

Answer: A

Explanation

The Project’s purpose and recurring tasks must be defined before selecting knowledge sources, writing instructions, testing behavior, or inviting collaborators. Option A establishes the configuration requirements:

what the Project is intended to accomplish, which tasks belong within its scope, who will use the outputs, and what consistent behavior is required.

Only after the purpose is clear can the configurator determine which reference documents belong in Project knowledge and which persistent behavioral requirements belong in Project instructions. Testing follows configuration because a representative request must be evaluated against an expected result. Collaborator access should be configured after the Project's scope and information sensitivity are understood, allowing appropriate view or edit permissions to be assigned.

Option C begins adding materials without first determining their relevance. Option B attempts to test an undefined configuration. Option D introduces users before the Project's purpose, data, and access requirements have been established.

Anthropic describes Projects as self-contained workspaces with knowledge bases, focused chats, and persistent Project instructions. Its documentation explains that uploaded materials provide shared context and instructions control Claude's behavior across the Project's chats. Defining the recurring workload first prevents irrelevant knowledge, conflicting instructions, and excessive access. Anthropic's Project management guidance

==========

Question #:130 - [Configure Claude Projects with instructions and knowledge sources]

店铺：学习小店66

You are an operations lead and notice that a Project's outputs have been drifting from the team's current expectations.

Which maintenance action should be tried first?

A. Retire the Project and rebuild a new one from scratch with fresh content.

B. Switch the Project to a different Claude model in the hope it behaves better.

C. Review the Project's instructions and reference materials against current standards.

D. Continue using the Project and accept the drift as the new baseline of behavior.

Answer: C

Explanation

Project output drift commonly occurs when persistent instructions, reference documents, terminology, policies, or expected formats no longer reflect the team's current operating standard. Option C addresses the most direct and controllable cause by reviewing the Project's instructions and knowledge sources before replacing the Project or changing models.

Anthropic explains that Project instructions define how Claude should behave and respond across chats in that Project. Documents uploaded to Project knowledge provide persistent context that Claude uses throughout those chats. If either component contains obsolete requirements, conflicting guidance, or superseded source material, Claude can consistently produce results that no longer meet the team's expectations. The appropriate maintenance response is to compare instructions and knowledge against current standards, remove obsolete

files, resolve contradictions, clarify requirements, and test the revised configuration with representative requests.

Option A is unnecessarily destructive before the cause has been diagnosed. Option B changes the model without correcting stale or conflicting instructions and therefore may preserve the underlying problem. Option D institutionalizes degraded output rather than correcting it. Reviewing and updating the Project configuration is the lowest-risk and most evidence-based first action. Anthropic's Project management guidance

==========

Question #:131 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are handling a document containing mixed-sensitivity content before using it with Claude.

Which data-handling step should be performed first?

A. Redact sensitive fields and replace them with appropriate placeholders.

B. Classify the content of the document and identify which fields are sensitive.

C. Submit the redacted document to Claude for the intended task.

D. Review the redacted document with a peer to confirm the redaction is complete.

店铺：学习小店66

Answer: B

Explanation

Under the objective Apply data, privacy sensitivity, regulatory policies, and privacy considerations, responsible data management follows a strict, sequential security lifecycle when handling enterprise data for AI tasks.

Before any redaction, sanitization, or masking can occur, the user must first classify the document's data assets and systematically identify which elements constitute sensitive data (Option B)—such as Personally Identifiable Information (PII), Protected Health Information (PHI), or confidential corporate financial figures. Without establishing data classification boundaries, redaction (Option A) becomes incomplete and error-prone. Only after identifying and classifying sensitive fields can one properly redact them (Option A), conduct a quality assurance/peer review (Option D), and ultimately submit the sanitized payload to Claude (Option C).

Question #:132 - [Select appropriate Claude product features]

A knowledge worker has asked Claude to produce a one-page operating procedure. The team will edit the procedure, reuse it across multiple onboarding cycles, and update it when the underlying process changes.

Which output format is most appropriate?

A. Generate the procedure as the chat response and copy the text into the team's document store after each revision.

B. Generate the procedure as the chat response and save the entire chat transcript to the team's document store as the working document.

C. Generate the procedure as a series of numbered steps in the chat and keep the chat itself as the reference for future edits.

D. Generate the procedure as an Artifact, which the team can open, edit, and save as a stable reference for ongoing use.

Answer: D

Explanation

Answer D is correct. An operating procedure is substantial, self-contained content that the team intends to edit, iterate on, reuse, and reference later. Those characteristics closely match the intended use of Claude Artifacts. An Artifact places the procedure in a dedicated workspace separate from the conversational exchange, allowing users to review the content as a standalone document, request targeted revisions, edit supported content directly, and move between versions.

Option A can work, but repeatedly copying revised text from chat into another location creates avoidable manual effort and increases the risk of saving an outdated or incomplete version. Option B is inappropriate because the entire transcript contains conversational material that is not part of the operating procedure and makes the authoritative version harder to identify. Option C keeps the procedure embedded in a chat, which is less suitable for a durable operational document that must be maintained across onboarding cycles.

Anthropic identifies documents as a common Artifact type and states that Artifacts are appropriate for content users are likely to edit, build upon, reuse outside the conversation, or reference later. Therefore, an Artifact provides the clearest and most maintainable working format among the available choices. Anthropic: What are Artifacts and how do I use them?

==========

Question #:133 - [Follow organizational AI policies and governance standards]

A Claude associate is applying the AI Fluency Framework Diligence competency to ongoing Claude usage.

Which practice best reflects Diligence in a governance context?

A. Apply organizational AI policies consistently as a sustained professional habit, identify gaps between actual usage and the policies, and take corrective action to close those gaps over time.

B. Apply organizational AI policies only in high-visibility situations where usage is likely to be observed or reviewed by others.

C. Apply organizational AI policies during onboarding as a foundational training step, document that each associate has reviewed them, and treat that record as evidence of ongoing compliance.

D. Defer all policy application to a centralized compliance team, treating individual usage as outside personal responsibility.

Answer: A

Explanation

Answer A is correct. Within the AI Fluency Framework, Diligence means taking responsibility for how AI is used and for the consequences of that use. In a governance context, this requires employees to apply organizational policies consistently during everyday work, monitor whether actual practices remain aligned with those policies, and correct deficiencies when they are identified. Governance is therefore an ongoing operational responsibility rather than a one-time administrative exercise.

Option B is incorrect because compliance cannot be limited to visible or formally reviewed activities. Selective application creates unmanaged risks and indicates that governance has not become part of normal professional conduct. Option C describes useful onboarding and documentation activities, but completing training does not demonstrate continuing compliance. Policies must also be followed during real tasks and revisited as workflows, risks, and organizational requirements change. Option D is incorrect because a compliance team can define standards and provide oversight, but individual users remain responsible for applying those standards when using Claude.

The strongest practice combines consistent policy application, active identification of gaps, and corrective action over time. Anthropic defines Diligence as taking responsibility for what people do with AI and how they do it, which directly supports Answer A. Anthropic AI Fluency Framework

==========

店铺：学习小店铺

Question #:134 - [Integrate Claude into existing workflows to augment or redesign workflows]

An operations assistant is redesigning a recurring data-processing workflow step to use Code Execution.

Which two design choices best support reliable integration? (Select two.)

A. Standardize the input file format the step expects, so each Code Execution run receives consistent input and produces comparable, verifiable output across recurring weekly cycles.

B. Vary the input file format from run to run to accommodate the different source systems that supply the data each week.

C. Embed the Code Execution step inside the workflow without documenting the expected output format or the fields it produces.

D. Eliminate the human review step that follows Code Execution, since the sandboxed environment already verifies that the code ran without errors.

E. Define a brief output-verification step in which a human reviewer confirms the computed result against an expected range or sanity check before the output advances to downstream consumers.

Answer: A E

Explanation

Options A and E are correct because reliable automation requires controlled inputs and validated outputs. Standardizing the expected input format reduces parsing failures, inconsistent field mappings, and uncontrolled variation between weekly runs. The integration should define required columns, data types, date formats, permitted null values, file naming conventions, and error-handling behaviour. This makes results comparable and supports repeatable testing.

Human verification remains necessary because successful code execution proves only that the program completed without a runtime error. It does not prove that the source data was correct, the implemented calculation matched the business requirement, or the result is operationally reasonable. A sanity check against an expected range, reconciled total, sample calculation, or known baseline helps detect silent logical and data-quality errors before downstream use.

Option B introduces avoidable variability and should instead be handled through standardized preprocessing or explicit adapters. Option C creates an undocumented interface that downstream consumers cannot reliably interpret. Option D confuses sandbox isolation and successful execution with result validation. Anthropic confirms that Code Execution can process files, perform calculations, and generate analytical outputs in a sandbox, but its outputs must still be evaluated against task-specific success criteria. See Anthropic's Code Execution documentation and evaluation guidance.

==========

Question #:135 - [Follow organizational AI policies and governance standards]

A knowledge worker is explaining the purpose of an organizational AI governance framework to a colleague.

Which description is most accurate?

A. A governance framework defines approved tools, allowed data, required reviews, and reporting paths so AI is used consistently and accountably.

B. A governance framework lists the AI tools the organization licenses and the cost of each, so users can pick the most cost-effective tool for each task.

C. A governance framework defines the training every employee must complete before using AI tools, with separate requirements for each tool the organization licenses.

D. A governance framework documents the AI policies the organization is legally required to adopt, focusing on regulatory compliance rather than day-to-day use.

Answer: A

Explanation

Under the objective Follow organizational AI policies and governance standards, an enterprise AI governance framework establishes the policies, guardrails, and operational standards necessary for safe, consistent, and accountable AI adoption across business units.

Option A provides the comprehensive definition: it outlines sanctioned AI platforms and models, specifies data classification rules (what data tiers may or may not be ingested), mandates human-in-the-loop review criteria for high-impact outputs, and provides clear escalation/reporting paths for unintended behaviors or

security incidents. In contrast, financial license catalogs (Option B) represent procurement tools, training requirements (Option C) cover only onboarding logistics, and narrowing governance purely to mandatory legal mandates while excluding daily workflows (Option D) fails to address organizational risk and daily operational quality.

Question #:136 - [Communicate Claude's value and limitations to stakeholders]

While preparing stakeholder communication about a proposed Claude use case, a senior manager is applying the AI Fluency Framework Description competency.

Which framing best reflects Description principles for stakeholder communication?

A. Omit the human oversight that will remain in place, even though Description principles require expectations that reflect the actual capability boundaries of the use case.

B. Understate Claude’s capabilities to lower stakeholder expectations, even though Description principles require accuracy in both directions rather than systematic minimization.

C. Describe what Claude can reliably produce, the known limitations, and the human oversight that will remain in place, calibrated to the audience’s familiarity with AI.

D. Overstate Claude’s capabilities to secure stakeholder support, even though Description principles require accurate framing of what Claude can and cannot reliably produce.

店铺：学习小店66

Answer: C

Explanation

Option C is correct because effective Description communicates the intended product, process, and collaborative expectations accurately. Stakeholders need to know what Claude will do, what inputs it requires, which outputs it can produce reliably, where errors or limitations may occur, and which decisions or reviews remain under human ownership. The explanation should be calibrated to the audience: executives may need business value and risk boundaries, while operational or technical users may require workflow details and validation requirements.

Option A conceals a material governance control and could lead stakeholders to misunderstand Claude’s autonomy. Option B is not responsible simply because it is conservative; systematically understating capabilities can produce poor decisions and unjustified resistance. Option D is plainly inappropriate because exaggerated claims create unrealistic expectations and weaken informed oversight.

Anthropic defines Description as effectively communicating goals to produce useful AI behaviour and outputs. Its guidance distinguishes Product Description, Process Description, and Performance Description. Transparent stakeholder framing also supports Diligence by preserving accountability for how AI is represented and used. Therefore, balanced communication about capabilities, limitations, and human oversight is the only defensible framing. See Anthropic’s AI Fluency Description lesson and AI Fluency Framework.

==========

Question #:137 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are an HR specialist reviewing data items proposed for inclusion in a Claude prompt.

Which two data items are appropriate to include in a Claude prompt for a routine task? (Select two.)

Each correct answer presents a complete solution.

A. A redacted job description that the model will adapt for a posting.

B. An anonymized summary of an HR policy that the model will rephrase.

C. Accommodation request notes from an employee's HR file needed to draft a role-adjustment memo.

D. A compensation-band summary that includes employee names and current salary figures for a specific team.

E. Employee identification numbers and hire dates for the team roster included to help Claude personalize onboarding communications.

Answer: A B

Explanation

Options A and B apply data minimization appropriately. The redacted job description contains the content necessary for adaptation without exposing unnecessary identifying information. Likewise, an anonymized HR-policy summary provides the policy substance required for rewriting while removing personal details. Both inputs are proportionate to routine content-generation tasks.

Options C, D, and E contain sensitive employee information. Accommodation records may reveal health or disability-related information and normally require heightened confidentiality and a clearly authorized business purpose. Named salary information is confidential compensation data. Employee identifiers and hire dates can be used to identify or profile individual workers and are unnecessary merely to personalize onboarding communications. Supplying such information would violate the principle of using only the minimum data necessary for the task.

Anthropic advises users to be thoughtful about sharing sensitive personal, health, financial, and confidential business information. Its customer-support implementation guidance also recommends removing personally identifiable information unless it is explicitly required and authorized. Organizational classification rules, approved tools, access controls, contractual terms, and applicable privacy requirements must still be followed even when information has been partially redacted. Anthropic's sensitive-data guidance

==========

Question #:138 - [Evaluate Claude-generated outputs for accuracy and completeness]

A strategy manager is reviewing a Claude-generated recommendation to consolidate the company's two regional warehouses into one. The recommendation cites three sources that estimate cost savings and one

source confirming that consolidation is operationally feasible. Two source documents also contain estimates of one-time transition costs and a stakeholder concern about regional service levels, neither of which appears in the recommendation.

Which concern is most warranted?

A. The recommendation is acceptable for an initial round, but the missing material should be added in a separate appendix rather than re-prompting the original output.

B. The recommendation should be rejected because it relies on only four sources, which is insufficient for a decision of this size.

C. The recommendation is sound because every source it cites supports the consolidation conclusion.

D. The recommendation reflects selective use of the source documents and should be re-prompted to address the transition costs and the service-level concern before it is used.

Answer: D

Explanation

Option D is correct because the recommendation is incomplete and directionally biased. Although its cited evidence may genuinely support consolidation, the omitted transition costs and service-level concern are material to the decision. Accuracy is not limited to whether included claims are supported; it also requires completeness, balanced use of the available evidence, and faithful treatment of factors that could alter the conclusion.

The recommendation should be re-prompted to incorporate the omitted evidence, quantify its effect where possible, explain unresolved uncertainty, and present counterarguments or risks alongside the projected savings. The revised output should then be checked against every relevant source. Anthropic recommends multidimensional evaluations aligned with the application's purpose, including task fidelity, relevance, context utilization, and other task-specific criteria. Its hallucination guidance also recommends citations and verification of claims against supporting source text.

Option A incorrectly treats material evidence as optional appendix content when it belongs in the core analysis. Option B invents an arbitrary source-count threshold; evidence quality and coverage matter more than a fixed number. Option C considers only confirmatory citations and ignores contradictory or qualifying information. Therefore, D identifies the central problem: selective evidence usage that could mislead stakeholders. See Anthropic's guidance on evaluating outputs and verifying claims with citations.

==========

Question #:139 - [Configure Claude Projects with instructions and knowledge sources]

A senior manager is reviewing a colleague's habit of never updating their team's Project configurations because "if it works once, it works forever."

Which feedback is most warranted?

A. Configurations should be updated only when output quality visibly degrades, since proactive updates risk introducing regressions in working configurations.

B. Configurations should be left alone if the team is satisfied with current outputs, and any required updates should be handled at the chat level rather than the Project level.

C. Configurations should be reviewed and updated periodically because policies, terminology, and source documents change over time, even when output quality has not visibly degraded.

D. Configurations should be updated on a fixed schedule regardless of whether the underlying policies and source documents have changed, since regular maintenance prevents drift.

Answer: C

Explanation

Option C is correct because a Claude Project is a persistent workspace whose instructions and knowledge influence multiple chats. Anthropic explains that Project instructions tell Claude how to behave and respond across the Project, while uploaded knowledge is made available as context across its chats. Consequently, outdated policies, terminology, templates, or reference documents can systematically influence future outputs even when the degradation is not immediately obvious.

A sensible maintenance practice is to review the configuration periodically and whenever a meaningful source, policy, workflow, audience requirement, or organizational standard changes. Updates should then be tested against representative tasks and defined success criteria. Option A is too reactive because waiting for visible failure may allow inaccurate or obsolete outputs to circulate. Option B is incorrect because chat-level corrections do not reliably repair the persistent instructions or knowledge used in other Project chats. Option D is also too rigid: review can occur on a schedule, but changes should be evidence-based rather than made automatically when nothing relevant has changed.

Therefore, the best practice is controlled, periodic review combined with change-triggered maintenance and validation. This keeps the Project aligned without introducing unnecessary configuration churn. See Anthropic’s guidance on creating and managing Projects and building evaluations.

==========

Question #:140 - [Understand ethical implications of AI usage]

A Claude associate is evaluating a proposed use case in which Claude would issue final hiring decisions without any human review, applying the AI Fluency Framework Delegation competency.

Which classification best reflects Delegation principles?

A. Inappropriate for full AI delegation, because hiring decisions involve human judgment, accountability, and consequences that Delegation criteria reserve for human ownership rather than autonomous AI execution.

B. Appropriate with light human review applied only to a sample of decisions, even though Delegation criteria reserve final hiring decisions for human ownership rather than sample-based oversight after the fact.

C. Appropriate for full AI delegation, on the basis that processing speed outweighs the human judgment, accountability, and consequence considerations that Delegation criteria require for final hiring decisions.

D. Inappropriate only because of system reliability concerns rather than accountability, even though Delegation criteria classify final hiring decisions as requiring human ownership regardless of system performance.

Answer: A

Explanation

Under the objective Understand ethical implications of AI usage and the AI Fluency Framework Delegation competency, determining autonomous task suitability depends on assessing human consequence, ethical responsibility, and legal accountability.

Hiring decisions directly impact individuals ' careers, livelihoods, and civil rights, carrying substantial legal, moral, and organizational consequences. Delegation principles strictly classify autonomous employment, promotion, and termination determinations as non-delegable tasks that must remain under human ownership (Option A). Human judgment, context discernment, and legal accountability cannot be offloaded to an algorithmic model. Sample-based after-the-fact reviews (Option B) or delegating fully in pursuit of processing efficiency (Option C) violate responsible AI governance. Furthermore, classifying the prohibition as merely an issue of system technical reliability (Option D) ignores the fundamental imperative of ethical and human accountability.

Question #:141 - [Evaluate Claude-generated outputs for accuracy and completeness]

A customer-success team member is reviewing a Claude-generated customer health-check report against the agreed deliverable list. The report covers all five required topics, but the renewal-risk section names only one risk factor where the deliverable specification calls for renewal risk to be assessed across pricing, product fit, and stakeholder change.

Which conclusion is best supported?

A. The report ' s completeness cannot be assessed from the deliverable specification alone; the customer should review the output and confirm whether the renewal-risk depth is sufficient.

B. The report does not meet the deliverable specification because a section that addresses only one of three required risk dimensions counts as a missing section.

C. The report meets the deliverable specification because all five required topics appear and the renewal-risk section is present in the output.

D. The report meets the topic-level requirements but the renewal-risk section is under-scoped against the specification and should be expanded before delivery.

Answer: D

Explanation

Under the objective Evaluate Claude-generated outputs for accuracy and completeness, quality assurance involves auditing both macro-level structure (presence of required topics) and micro-level depth (thoroughness against detailed specifications).

The report successfully includes all five mandatory high-level headings, satisfying basic structural completeness. However, evaluating the internal substance of the renewal-risk section reveals an under-scoped deliverable: the specification required analyzing three distinct dimensions (pricing, product fit, and stakeholder change), but Claude addressed only one. Therefore, Option D is the accurate assessment: the artifact fulfills topical scope but lacks required operational depth and must be expanded prior to client delivery. Claiming it completely satisfies requirements (Option C) ignores explicit criteria, while labeling the entire section missing (Option B) or offloading internal QA to the customer (Option A) violates quality management standards.

Question #:142 - [Create effective prompts for business and technical tasks]

You are a knowledge worker summarizing common prompt failure patterns for the team.

Which pattern most often produces vague or off-target output?

A. A prompt that names a topic but does not state the task, audience, or required output structure.

B. A prompt that explicitly names the role, task, audience, and required output format.

C. A prompt that includes a representative example of the desired output.

D. A prompt that adds clear constraints on length and tone.

Answer: A

Explanation

Option A describes an under-specified prompt. Naming only a topic does not tell Claude what action to perform, who will use the result, which information should receive priority, or how the response must be organized. Claude must then infer these requirements, increasing the likelihood of a generic, mis-scoped, or incorrectly formatted response.

An effective business prompt normally identifies the task, supplies relevant context, defines the intended audience, states the desired output structure, and includes material constraints such as tone, length, scope, or exclusions. A representative example can further clarify the expected standard. Consequently, Options B, C, and D describe techniques that generally reduce ambiguity rather than cause it.

Anthropic’s prompting guidance recommends clear, detailed instructions and relevant context, while its prompt-engineering framework assumes that users first define success criteria and a testable objective. The prompt should make the expected behavior observable: “summarize this policy for store managers in a five-bullet briefing” is materially stronger than “employee policy.” When an output is vague, the correct diagnosis is usually not insufficient model capability but insufficiently described intent, audience, or format. Claude usage and prompting guidance

==========

Question #:143 - [Communicate Claude's value and limitations to stakeholders]

An associate is responding to an executive who claims that Claude will eliminate the need for any human review on customer-facing content. The executive is the budget approver for the team ' s AI tools.

Which response is most appropriate?

A. Escalate the executive ' s claim to a senior leader outside the team before responding directly, since the issue affects more than just the associate ' s team.

B. Pilot the executive ' s proposal on a low-risk subset of customer-facing content first, and use the pilot results to make the case for retaining human review on higher-risk content.

C. Defer to the executive ' s authority and remove the human review step from customer-facing content, monitoring the results closely for the first several weeks.

D. Acknowledge the productivity gains, then explain that human review remains essential on customer-facing content because of accuracy and brand risk, with specific examples.

Answer: D

Explanation

Under the objective Communicate Claude ' s value and limitations to stakeholders (Domain 4: Workflow Integration and Solution Design), business professionals must balance diplomacy with responsible AI stewardship when engaging leadership.

Option D provides the professional and grounded response: it validates the executive ' s enthusiasm for AI efficiency and productivity acceleration, while clearly framing why human-in-the-loop oversight is non-negotiable for external, customer-facing deliverables. Providing concrete examples of hallucination risks, brand alignment nuances, and liability considerations grounds the explanation in business risk management. Deferring to authority and eliminating human checks (Option C) or experimenting on live customers without review (Option B) creates severe reputational and commercial exposure. Bypassing the executive to escalate externally (Option A) damages working relationships and avoids direct stakeholder management.

Question #:144 - [Create effective system-level instructions]

A marketing associate is drafting Project custom instructions for a brand-voice writing workspace. The workspace will be used by several writers, and outputs need to be consistent across writers and chats.

Which approach is most likely to produce consistent outputs across many chats?

A. State Claude's role and provide a sample piece of approved brand-voice writing in the custom instructions, since one strong example carries the brand voice better than written rules.

B. State Claude's role and the brand-voice attributes; let each writer specify the audience, tone constraints, and terminology requirements per chat to keep the configuration flexible.

C. State Claude's role, summarize the brand-voice attributes, name the audience, list tone constraints, and require alignment with the brand's terminology.

D. State Claude's role, the brand-voice attributes, and the audience; leave terminology to a glossary in the Project knowledge base rather than in the custom instructions.

Answer: C

Explanation

Project custom instructions should contain persistent behavioral requirements that apply to every conversation in the workspace. Option C is correct because it explicitly defines Claude's role, intended audience, brand attributes, tone boundaries, and terminology requirements. These elements collectively reduce ambiguity and help different writers obtain consistent results across separate chats.

Option A relies too heavily on a single example. Examples can demonstrate style, but they may not communicate every prohibited tone, terminology rule, or audience requirement. Option B delegates important persistent constraints to individual writers, creating predictable variation between chats. Option D places the glossary in Project knowledge but fails to make terminology compliance an explicit behavioral requirement. Claude may reference knowledge files when relevant, but custom instructions should directly state that approved terminology must be followed.

The strongest configuration separates behavior from supporting material: custom instructions define what Claude must consistently do, while Project knowledge stores detailed glossaries, brand guides, approved examples, and other reference documents. This aligns with Claude Project guidance concerning reusable instructions, scoped knowledge, roles, workflows, and consistent output expectations.

==========

Question #:145 - [Determine when human review or additional verification is required]

An account manager has used Claude to extract requirements from stakeholder notes. Three requirements appear to conflict: two stakeholders specified mutually exclusive workflow steps, and a third requirement assumes an outcome that the first two would prevent.

Which step is most appropriate?

A. Present all three conflicting requirements as alternative options in the requirements document, leaving the resolution to the project's decision-making process later.

B. Ask Claude to propose compromise wording for each conflict and submit the compromise to stakeholders as the proposed resolution.

C. Flag the conflicts in the requirements document, document the source for each side, and route the conflicts back to the originating stakeholders for resolution.

D. Select the requirement that has the strongest business justification in the source notes, set the conflicting requirements aside, and proceed with the selected one.

Answer: C

Explanation

Option C is correct because Claude can identify and organize conflicting requirements, but it does not possess the authority or stakeholder context required to resolve substantive business disagreements independently. Each conflicting requirement should be retained, labelled with its originating source, and marked with an unresolved status. The relevant stakeholders can then clarify priorities, negotiate trade-offs, or provide an authoritative decision.

Option A delays a known dependency and risks allowing downstream design work to proceed on incompatible assumptions. Option B permits Claude to invent compromise language that may not represent any stakeholder's actual position. Claude may help draft possible resolution questions, but those proposals must not be treated as approved requirements. Option D is equally inappropriate because apparent business justification in meeting notes does not grant the account manager or Claude authority to discard competing requirements.

Anthropic's hallucination guidance recommends grounding claims in supplied evidence and making outputs auditable with citations. Its AI Fluency Discernment principles also require humans to evaluate outputs critically and retain final judgment. Source traceability and stakeholder escalation therefore provide the most reliable resolution path. See Anthropic's guidance on reducing hallucinations and the AI Fluency Framework.

==========

Question #:146 - [Determine when human review or additional verification is required]

You are a customer-success manager considering whether to escalate a Claude-generated response.

Which factor most strongly raises the impact of the output and supports escalation before external use?

A. The response is an internal draft summarizing the associate ' s notes from a customer call for their own reference.

B. The response is a casual rephrasing of an internal team status update.

C. The response is a brief internal announcement about an upcoming team all-hands meeting.

D. The response is an unchanged draft for a paying customer that includes a service-level commitment.

Answer: D

Explanation

Under the objective Determine when human review or additional verification is required, the necessity of human-in-the-loop oversight is directly proportional to the risk profile, audience, and external consequences of the generated content.

Internal-facing drafts, meeting notes, and casual operational updates (Options A, B, and C) carry low stakes because potential factual errors or awkward phrasing can be easily corrected internally with negligible business impact. Conversely, external communications sent to paying customers that state formal Service Level Agreements (SLAs), contractual commitments, or financial guarantees (Option D) represent high-stakes organizational exposure. Unverified claims in this context can bind the company legally or damage customer trust, making rigorous human review, policy validation, and escalation mandatory prior to dispatch.

Question #:147 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

You are a knowledge worker transitioning from a long, drifting conversation into a fresh, focused session.

Which is the correct order of transition steps?

(1) Begin a new chat and paste the summary as its starting context.

(2) Summarize the goals, key decisions, and open questions from the long conversation.

(3) Identify which references should persist beyond the current chat.

(4) Move persistent references into a Project's knowledge base or attach them as needed.

(5) Confirm the new chat is on-task before continuing the work.

A. 3,2,4,1,5

B. 4, 3, 2, 1, 5

C. 1,2,3,4,5

D. 2,3,4,1,5

Answer: A

Explanation

The correct sequence is 3,2,4,1,5. Before leaving the original conversation, the user should identify the source documents, policies, examples, or other references that must remain available. The user can then summarize the conversation's active goals, decisions, constraints, unresolved issues, and next actions without carrying forward irrelevant discussion.

Persistent reference materials should next be placed in the appropriate Project knowledge base or attached to the new conversation. The user then starts a fresh chat using the summary as compact working context. Finally, the user confirms that Claude has understood the objective and that the new conversation is focused before substantive work continues.

Starting a new chat before preparing the summary, as in Option C, risks losing important state or requiring repeated reconstruction. A summary is not a substitute for authoritative reference documents; durable sources should be preserved separately rather than compressed into paraphrased conversational context.

Anthropic explains that Projects provide persistent knowledge across their chats, while context is not automatically shared unless it is added to Project knowledge. Anthropic also recommends planning conversations, using summaries and memory appropriately, and providing relevant context at the start of focused work. Anthropic's Project management guidance

Question #:148 - [Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience]

A finance consultant is adapting a Claude-generated narrative for a quarterly investor update. Investors have a fixed time window for the call and expect the headline result and forward outlook to be clear early.

Which adaptation is most appropriate for this audience?

A. Lead with the quarter ' s operational highlights, present the financial result in the middle for context, and close with the forward outlook.

B. Lead with the forward outlook, since investors are most interested in what comes next, and present the headline result and drivers afterward.

C. Lead with the headline result, present the key drivers concisely, and close with the forward outlook.

D. Lead with a chronological recap of the quarter ' s events, present the headline result at the natural end of the recap, and conclude with the forward outlook.

Answer: C

Explanation

Under the objective Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience (Domain 2: Output Evaluation and Validation), adapting generated text requires restructuring content to match the executive decision-making style of the stakeholders.

Executive and investor audiences operate under strict time constraints and prioritize the bottom-line financial outcome before examining underlying mechanics (following the Minto Pyramid / Bottom-Line-Up-Front principle). Option C correctly structures the executive narrative: opening immediately with the headline financial figures, following with a concise breakdown of key operational drivers, and concluding with forward-looking guidance. Structuring the briefing chronologically (Option D) or burying core financial results in the middle of operational prose (Option A) creates cognitive friction and wastes time. Leading with the forward outlook before establishing current financial performance (Option B) lacks context.

Question #:149 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are a knowledge worker preparing inputs for a Claude prompt.

Which data type most clearly requires extra handling such as redaction or anonymization before being included in the prompt?

A. public press releases the company has already published

B. customer government identifiers and full payment-card numbers tied to named individuals

C. job titles taken from the company ' s public organizational chart

D. generic product descriptions available on the company ' s marketing site

Answer: B

Explanation

Under the objective Apply data, privacy sensitivity, regulatory policies, and privacy considerations, enterprise data protection policies require strict tiering of data assets based on sensitivity and regulatory mandates (such as GDPR, PCI-DSS, and HIPAA).

Customer government identifiers (e.g., SSN, National Insurance number) combined with full payment card numbers and individual names (Option B) represent highly sensitive Personally Identifiable Information (PII) and protected financial data. Ingesting this data into AI prompts without masking, tokenization, or redaction introduces severe compliance violations and data privacy risks. In contrast, published corporate press releases (Option A), publicly accessible executive job titles (Option C), and public marketing product descriptions (Option D) are public information assets that require no anonymization or redaction before prompt inclusion.

Question #:150 - [Create effective system-level instructions]

You are writing system-level instructions for a Project that supports recurring writing tasks.

Which step should be performed first when writing the system-level instructions?

A. Refine the drafted instructions based on observed gaps from validation runs.

B. Validate the drafted instructions against representative requests for the Project.

C. Define the purpose of the Project and the boundaries the instructions must respect.

D. Distribute the finalized instructions to collaborators on the Project.

Answer: C

Explanation

Under the objective Create effective system-level instructions (Domain 5: Configuration and Knowledge Management), engineering project-level system instructions follows a top-down operational framework.

Before authoring specific formatting rules, edge-case handlers, or role prompts, the author must first establish the high-level boundary architecture: defining the core objective and purpose of the Project, the target

audience, and the explicit constraints/guardrails the model must respect (Option C). These foundational boundaries dictate what the model should do, what it must refuse or escalate, and how it must interact with attached reference knowledge. Attempting to validate instructions against test requests (Option B) or iteratively refine them (Option A) requires a drafted system prompt to exist first. Distributing instructions to team collaborators (Option D) is the final operational rollout step after validation is complete.

Question #:151 - [Communicate Claude's value and limitations to stakeholders]

A knowledge worker is briefing a stakeholder group on Claude ' s limitations. The stakeholders will use Claude on customer-facing work where confident-sounding output that contains errors would cause real harm.

Which limitation is most important to communicate clearly?

A. Claude ' s responses vary across runs of the same prompt, so stakeholders should run each prompt several times and compare outputs before using any single response.

B. Claude can produce confident-sounding output that contains unsupported claims, so human review remains essential for high-impact work.

C. Claude can produce long, detailed responses that take time to read, so stakeholders should request shorter outputs when working under tight deadlines.

D. Claude ' s knowledge has a training cutoff, so stakeholders must verify any time-sensitive claims against current sources before using them.

店铺：学习小店66

Answer: B

Explanation

Under the objective Communicate Claude ' s value and limitations to stakeholders, managing risk in customer-facing applications requires transparently communicating the phenomenon of confident hallucinations.

Large Language Models generate text via probabilistic pattern matching, meaning they can produce articulate, authoritative, and linguistically polished output that nevertheless contains completely fabricated or unverified claims (Option B). In customer-facing workflows where misinformation causes commercial, legal, or brand harm, stakeholders must understand that surface fluency is not a proxy for factual truth, making rigorous human-in-the-loop review mandatory. While training cutoffs (Option D) and response variation (Option A) are operational realities, the primary risk for customer harm stems from unverified, confident-sounding hallucinations escaping human review. Response verbosity (Option C) is merely a cosmetic usability preference.

Question #:152 - [Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)]

A knowledge worker often switches between Claude and another AI service while working on a long-running project.

Which Claude feature most directly reduces repetitive context-setting between sessions?

A. Enable Memory and use the import capability to bring relevant context from the other AI service into Claude as a starting point for the project ' s work.

B. Rely on a single static Artifact pasted into each chat as the only continuity mechanism, ignoring the Memory feature that is purpose-built for retaining work-relevant context across sessions.

C. Open every Claude session in Incognito mode, which prevents the conversation from contributing to Memory and therefore eliminates the cross-session continuity the project would benefit from.

D. Disable Memory entirely and re-paste the same context paragraphs at the start of every Claude session, even though Memory is designed to retain that context across conversations automatically.

Answer: A

Explanation

Under the objective Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts), maintaining persistent context across extended workflows is supported by Claude ' s Memory features.

Claude ' s Memory allows users to store key preferences, ongoing project parameters, and working context that persist across independent chat sessions. Utilizing the memory import capability to transfer core project context from previous workspaces or external AI tools into Claude provides an immediate, grounded foundation for future interactions without requiring manual context re-entry in every session (Option A). In contrast, pasting static Artifacts manually into each new session (Option B) creates repetitive friction. Utilizing Incognito mode (Option C) deliberately disables session memory, eliminating continuity. Disabling Memory and repeatedly re-pasting reference paragraphs (Option D) disregards the built-in feature designed to automate persistent context.

Question #:153 - [Identify appropriate and inappropriate use cases]

You are an operations lead sorting proposed Claude use cases according to whether they are acceptable for your team to pursue.

Which two proposed use cases are acceptable for the team to pursue with Claude? (Select two.)

Each correct answer presents a complete solution.

A. Drafting a preliminary symptom summary to support a clinician’s diagnostic review.

B. Drafting an internal training summary from approved internal documentation.

C. Synthesizing themes across approved customer feedback under aggregation rules.

D. Summarizing performance-review notes across a team to support a manager’s promotion decisions.

E. Drafting a legal summary that an attorney will review and edit before sharing it with a client.

Answer: B C

Explanation

Answers B and C are the two acceptable use cases as written. Drafting an internal training summary from approved documentation is a bounded synthesis task grounded in authorized sources. Synthesizing themes from approved customer feedback under established aggregation rules is likewise a controlled analysis task, provided the data handling follows organizational privacy requirements. Both activities support human work without assigning Claude a consequential decision about an individual. Option D feeds performance-review information into a promotion process, an employment-related high-risk domain requiring formal controls and accountable human judgment. Options A and E involve healthcare and legal work. Anthropic's current Usage Policy does not categorically ban those domains, but it requires qualified professional review for high-risk advice or decisions and requires disclosure when outputs are presented directly to consumers. The brief wording in A and E mentions professional review but does not establish the complete safeguards, authorization, privacy handling, or disclosure needed to treat the workflow as approved. Therefore, they are not unconditionally acceptable "as stated." Anthropic's AI Fluency Delegation principle also requires considering consequences, reversibility, and the human capabilities that must remain in the process. B and C are the only choices that fully specify low-risk, policy-bounded knowledge work without relying on unstated safeguards. Anthropic Usage Policy

==========

Question #:154 - [Configure Claude Projects with instructions and knowledge sources]

A learning specialist is configuring a Claude Project for a recurring course-design workflow.

Which configuration approach best leverages a Skill alongside other Project elements?

A. Configure the Project with custom instructions that contradict the Skill ' s documented purpose, creating ambiguity about which guidance Claude should follow within the recurring course-design workflow.

B. Add the relevant Skill to the Project, upload the supporting knowledge sources, and write custom instructions that reference both the Skill and the knowledge.

C. Upload the supporting knowledge sources but disable the relevant Skill, eliminating the packaged capability the workflow needs and forcing each chat to reconstruct the procedure manually.

D. Add the Skill to the Project but omit the supporting knowledge sources and any custom instructions, so the Project lacks the reference content and persistent guidance the workflow requires.

Answer: B

Explanation

Under the objective Configure Claude Projects with instructions and knowledge sources (Domain 5: Configuration and Knowledge Management), maximizing the utility of Claude Projects involves harmonizing all built-in platform capabilities: custom instructions, knowledge bases, and specialized Skills.

Option B exemplifies an integrated configuration: packaging procedural execution logic into a Project Skill, uploading pedagogical frameworks and curriculum standards to Project knowledge, and authoring system instructions that explicitly define how Claude should utilize the Skill in conjunction with the knowledge

repository. In contrast, creating contradictory instructions (Option A) causes prompt collisions and erratic behavior. Disabling skills (Option C) forces repetitive manual prompt engineering in every chat. Omitting supporting reference knowledge and system instructions (Option D) leaves the Project ungrounded and under-configured.

店铺：学习小店66
店铺：学习小店66