Anthropic

CCAO-F

CCAO-F Claude Certified Associate-Foundations

[Total Questions: 118]

人择

CCAO-F

CCAO-F Claude 认证 助理-基础

编辑：学习小店66

[总问题数：118]

Category Breakdown

Category	Number of Questions
Communicate Claude's value and limitations to stakeholders	5
Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience	2
Apply data, privacy sensitivity, regulatory policies, and privacy considerations	8
Integrate Claude into existing workflows to augment or redesign workflows	4
Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)	4
Iterate prompts to improve output quality	6
Identify hallucinations, inconsistencies, and biases in responses	4
Evaluate Claude-generated outputs for accuracy and completeness	7
Leverage Claude for research, planning, and process optimization	4
Apply fact-checking and validation techniques	4
Organize and curate information for optimal outputs and select appropriate output formats	4
Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)	3
Understand, manage context limitations and memory considerations and when to restart, summarize, or persist	4
Align model selection with task requirements (e.g., cost, speed, quality)	5
Create effective system-level instructions	3
Identify appropriate and inappropriate use cases	4
Apply task decomposition techniques to structure complex requests	7
Create effective prompts for business and technical tasks	6
Configure Claude Projects with instructions and knowledge sources	9
Adjust approach based on feedback and results	4
Follow organizational AI policies and governance standards	3
Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs	3
Optimize workflows for efficiency and effectiveness	3
Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)	2
Understand ethical implications of AI usage	5
Determine when human review or additional verification is required	3
Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)	2
TOTAL	118

Question #:1 - [Communicate Claude's value and limitations to stakeholders]

You are a project manager reviewing stakeholder messages that teammates have drafted about Claude’s role in a workflow.

Which two messages are appropriate for stakeholder communication about Claude? (Select two.)

类别细分

类别	问题数量
向利益相关者传达Claude的价值和局限性	5
编辑、调整、完善并比较Claude模型生成的输出，以适应目标受众	2
应用数据、隐私敏感性、监管政策和隐私考虑	8
将Claude集成到现有工作流中，以增强或重新设计工作流	4
根据任务类型（例如，分析、研究、草拟、头脑风暴）调整提示策略	4
迭代提示以提高输出质量	6
识别响应中的幻觉、不一致性和偏见	4
评估Claude生成的输出的准确性和完整性	7
利用Claude进行研究、规划和流程优化	4
应用事实核查和验证技术	4
组织和策划信息以获得最佳输出，并选择适当的输出格式	4
区分 Claude 模型类型（例如，Haiku、Sonnet、Opus）	3
理解、管理上下文限制和记忆注意事项，以及何时重新启动、总结或持续	4
将模型选择与任务要求对齐（例如，成本、速度、质量）	5
创建有效的系统级指令	3
识别适当和不适当的使用案例	4
应用任务分解技术来构建复杂请求	7
为业务和技术任务创建有效的提示	6
配置 Claude 项目，提供指令和知识来源	9
根据反馈和结果调整方法	4
遵循组织的人工智能政策和治理标准	3
识别、诊断并解决表现不佳的提示和/或输出不佳的问题	3
优化工作流程以提高效率和效果	3
管理已上传的知识和连接器（例如，Google Drive，Gmail）	2
理解人工智能使用的伦理影响	5
确定何时需要人工审查或额外验证	3
选择适当的Claude产品功能（例如，项目、研究模式、聊天、产出物）	2
总计	118

问题 #:1 - [向利益相关者传达Claude的价值和局限性]

您是一名项目经理，正在审查团队成员起草的关于 Claude 在工作流中角色的利益相关者消息。

关于 Claude 的利益相关者沟通，哪两条消息是合适的？（选择两条。）

Each correct answer presents part of the solution.

A. A claim that Claude will handle every task without any human involvement

B. A claim that the model never makes errors and requires no quality review

C. An honest description of where Claude assists and where humans retain decisions

D. A clear statement of the limits and known failure modes of the integration

E. A vague reassurance that “the AI is taking care of it” without further detail

Answer: C D

Explanation

Options C and D are correct because responsible stakeholder communication must accurately describe Claude’s role, human accountability, and the integration’s limitations. Stakeholders should understand which activities Claude performs, which outputs require verification, who retains decision authority, and what happens when the model produces uncertain, incomplete, biased, or incorrect results. Known failure modes and escalation paths should be communicated in language appropriate to the audience.

Anthropic’s AI Fluency Framework defines Diligence as taking responsibility for what people do with AI and how they do it. Anthropic’s research also identifies honesty about AI’s role and consideration of the consequences of sharing AI-generated work as important AI Fluency behaviours. These principles support transparent descriptions rather than exaggerated capability claims.

Options A and B are inappropriate absolutes. Claude can make factual errors or produce outputs inconsistent with supplied context, so human review cannot be categorically removed. Option E is too vague to support informed trust, accountability, or effective governance. Appropriate communication should neither overstate Claude’s reliability nor obscure its contribution. It should describe Claude as a capable assistant operating within defined boundaries, with humans maintaining responsibility for consequential decisions and quality control. See Anthropic’s AI Fluency Framework and AI Fluency Index .

==========

Question #:2 - [Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience]

A finance consultant is adapting a Claude-generated narrative for a quarterly investor update. Investors have a fixed time window for the call and expect the headline result and forward outlook to be clear early.

Which adaptation is most appropriate for this audience?

A. Lead with the quarter's operational highlights, present the financial result in the middle for context, and close with the forward outlook.

B. Lead with the forward outlook, since investors are most interested in what comes next, and present the headline result and drivers afterward.

每个正确答案都是解决方案的一部分。

A. 声称 Claude 将在没有任何人类参与的情况下处理每个任务

B. 声称该模型从不出错且无需质量审查

C. 诚实描述 Claude 的协助范围以及人类保留决策的地方

D. 清楚说明集成的限制和已知的失效模式

E. 模糊的保证“人工智能正在处理它”，没有进一步的细节

答案：C D

解释

选项 C 和 D 是正确的，因为负责任的利益相关者沟通必须准确描述 Claude 的角色、人类责任以及集成的局限性。利益相关者应该了解 Claude 执行哪些活动，哪些输出需要验证，谁保留决策权，以及当模型产生不确定、不完整、偏见或错误结果时会发生什么。已知的失效模式和升级路径应以适合受众的语言进行沟通。

Anthropic 的 AI 流利度框架将勤勉定义为对人们如何使用 AI 及其使用方式负责。Anthropic 的研究还指出，诚实地对待 AI 的角色以及考虑分享 AI 生成的作品的后果是重要的 AI 流利度行为。这些原则支持透明的描述，而不是夸大的能力声明。

选项 A 和 B 是不恰当的绝对选项。Claude 可能会出现事实错误或生成与提供的上下文不一致的输出，因此人类审查不能被绝对去除。选项 E 太模糊，无法支持知情信任、问责或有效治理。适当的沟通既不应夸大 Claude 的可靠性，也不应掩盖其贡献。它应将 Claude 描述为在定义的边界内运作的能力助手，人类对后果决策和质量控制保持责任。请参见 Anthropic 的 AI 流利度框架和 AI 流利度指数。

==========

问题 #:2 - [编辑、调整、完善并比较 Claude 模型生成的输出，以适应预期受众]

一位金融顾问正在为季度投资者更新调整 Claude 生成的叙述。投资者在电话会议中有固定的时间窗口，并期望在早期明确头条结果和前景展望。

哪种调整最适合这个受众？

A. 以本季度的运营亮点开头，中间呈现财务结果以提供上下文，最后以前景展望结束。

B. 以前景展望开头，因为投资者最关心接下来会发生什么，然后再呈现头条结果和驱动因素。

C. Lead with the headline result, present the key drivers concisely, and close with the forward outlook.

D. Lead with a chronological recap of the quarter's events, present the headline result at the natural end of the recap, and conclude with the forward outlook.

Answer: C

Explanation

Under the objective **Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience** (Domain 2: Output Evaluation and Validation), adapting generated text requires restructuring content to match the executive decision-making style of the stakeholders.

Executive and investor audiences operate under strict time constraints and prioritize the bottom-line financial outcome before examining underlying mechanics (following the Minto Pyramid / Bottom-Line-Up-Front principle). Option C correctly structures the executive narrative: opening immediately with the headline financial figures, following with a concise breakdown of key operational drivers, and concluding with forward-looking guidance. Structuring the briefing chronologically (Option D) or burying core financial results in the middle of operational prose (Option A) creates cognitive friction and wastes time. Leading with the forward outlook before establishing current financial performance (Option B) lacks context.

Question #:3 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are handling a document containing mixed-sensitivity content before using it with Claude.

Which data-handling step should be performed first?

A. Redact sensitive fields and replace them with appropriate placeholders.

B. Classify the content of the document and identify which fields are sensitive.

C. Submit the redacted document to Claude for the intended task.

D. Review the redacted document with a peer to confirm the redaction is complete.

Answer: B

Explanation

Under the objective **Apply data, privacy sensitivity, regulatory policies, and privacy considerations** , responsible data management follows a strict, sequential security lifecycle when handling enterprise data for AI tasks.

Before any redaction, sanitization, or masking can occur, the user must first classify the document's data assets and systematically identify which elements constitute sensitive data (Option B)—such as Personally Identifiable Information (PII), Protected Health Information (PHI), or confidential corporate financial figures. Without establishing data classification boundaries, redaction (Option A) becomes incomplete and error-prone. Only after identifying and classifying sensitive fields can one properly redact them (Option A), conduct a quality assurance/peer review (Option D), and ultimately submit the sanitized payload to Claude (Option C).

C. 以标题结果为主导，简明扼要地呈现关键驱动因素，并以前瞻性展望结束。

D. 以季度事件的时间顺序回顾为主导，在回顾的自然结束处呈现标题结果，并以前瞻性展望结束。

答案：C

解释

在目标下 编辑、调整、完善并比较Claude模型生成的输出，以适应目标受众（领域2：输出评估与验证），调整生成的文本需要重构内容，以匹配利益相关者的高管决策风格。

高管和投资者受限于严格的时间约束，优先考虑底线财务结果，然后再审查潜在的机制（遵循Minto金字塔/底线优先原则）。选项C正确地构建了高管叙述：立即以标题财务数据开头，接着简明扼要地分解关键运营驱动因素，并以前瞻性指导结束。按时间顺序构建简报（选项D）或将核心财务结果埋在运营叙述中（选项A）会造成认知摩擦并浪费时间。在确立当前财务表现之前以前瞻性展望为主导（选项B）缺乏背景。

问题 #:3 - [应用数据、隐私敏感性、监管政策和隐私考虑]

您正在处理一份包含混合敏感内容的文档，然后再将其用于 Claude。

应该首先执行哪个数据处理步骤？

A. 删除敏感字段并用适当的占位符替换它们。

B. 对文档的内容进行分类，并识别哪些字段是敏感的。

C. 将已删除敏感信息的文档提交给 Claude 以完成预定任务。

D. 与同事审查已删除敏感信息的文档，以确认删除工作已完成。

答案： B

解释

在目标下 **应用数据、隐私敏感性、监管政策和隐私考虑** ，
负责任的数据管理在处理企业数据以进行 AI 任务时遵循严格的、顺序的安全生命周期。

在进行任何编辑、清理或遮蔽之前，用户必须首先对文档的数据
资产进行分类，并系统地识别哪些元素构成敏感数据（选项 B）——例如个人
可识别信息（PII）、受保护的健康信息（PHI）或机密的企业财务数据。
如果不建立数据分类边界，编辑（选项 A）将变得不完整且容易出错。只有在识别和分类敏感字段后，才能正确地进行编辑（选项 A）、进行质量保证/同行评审（选项 D），并最终将清理后的有效载荷提交给 Claude（选项 C）。

Question #:4 - [Integrate Claude into existing workflows to augment or redesign workflows]

You are a process consultant integrating Claude into an existing weekly workflow.

Which is the correct order of integration steps?

(1) Pilot the integrated workflow with a small group and gather feedback.

(2) Document the current workflow steps, owners, and decision points.

(3) Update the documented workflow and roll it out to the broader team.

(4) Identify the steps where Claude can augment work and where humans must remain.

(5) Define the inputs Claude needs, the outputs Claude returns, and the hand-offs around each step.

A. 2, 4, 5, 1, 3

B. 2, 5, 4, 1, 3

C. 4, 2, 5, 1, 3

D. 1, 2, 4, 5, 3

Answer: A

Explanation

Under the objective **Integrate Claude into existing workflows to augment or redesign workflows** , successfully incorporating AI into established business processes follows a structured systems engineering and change management lifecycle.

The sequence begins with baseline process mapping: documenting current as-is operational steps, role owners, and governance checkpoints (Step 2). Next, practitioners perform task decomposition to identify high-leverage opportunities for Claude augmentation while explicitly designating where human judgment must remain (Step 4). Once target touchpoints are identified, the technical and operational interface must be specified: defining the exact inputs, prompt structures, expected outputs, and hand-off protocols (Step 5). Before organization-wide adoption, the redesigned workflow is piloted with a representative cohort to gather empirical feedback and address friction points (Step 1). Finally, documentation and standard operating procedures (SOPs) are finalized for broad rollout (Step 3). This establishes the order **2, 4, 5, 1, 3** .

Question #:5 - [Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)]

You are a marketing manager using Claude to ideate concepts for a campaign and must complete the framing steps before generating concepts.

Which two framing steps must be completed BEFORE asking Claude to generate concepts? (Select two.)

问题 #:4 - [将 Claude 集成到现有工作流中，以增强或重新设计工作流]

您是一名流程顾问，将 Claude 集成到现有的每周工作流中。

集成步骤的正确顺序是什么？

(1) 在小组中试点集成工作流并收集反馈。

(2) 记录当前的工作流步骤、负责人和决策点。

(3) 更新记录的工作流并将其推广到更广泛的团队。

(4) 确定 Claude 可以增强工作的步骤以及人类必须保留的步骤。

(5) 定义 Claude 需要的输入、Claude 返回的输出以及每个步骤的交接。

A. 2, 4, 5, 1, 3

B. 2, 5, 4, 1, 3

C. 4, 2, 5, 1, 3

D. 1, 2, 4, 5, 3

答案： A

解释

在目标下 **将 Claude 集成到现有工作流中，以增强或重新设计工作流** ，
成功将人工智能融入既定业务流程遵循结构化的系统工程
和变更管理生命周期。

该过程从基线流程映射开始：记录当前的实际操作步骤、角色所有者和治理检查点（步骤 2）。接下来，实践者进行任务分解，以识别高杠杆机会用于 Claude 增强，同时明确指定人类判断必须保留的地方（步骤 4）。一旦确定目标接触点，技术和操作接口必须被指定：定义确切的输入、提示结构、预期输出和交接协议（步骤 5）。

在全组织范围内采用之前，重新设计的工作流程会在一个代表性群体中进行试点，以收集实证反馈并解决摩擦点（步骤 1）。最后，文档和标准操作程序（SOP）将最终确定，以便广泛推广（步骤 3）。这确立了顺序 **2, 4, 5, 1, 3** .

问题 #:5 - [根据任务类型调整提示策略（例如，分析、研究、起草、头脑风暴）]

您是一名市场经理，使用 Claude 为一个活动构思概念，必须在生成概念之前完成框架步骤。

在请求 Claude 生成概念之前，必须完成哪两个框架步骤？（选择两个。）

Each correct answer presents part of the solution.

A. Define the goal of the campaign and its success metrics.

B. Select a finalist concept and prepare it for stakeholder approval.

C. Review the Claude-generated concepts and select the two strongest for further development.

D. Define the brand voice and the audience the concepts will address.

E. Schedule the campaign launch and rollout dates with the agency.

Answer: A D

Explanation

Effective ideation requires a clear creative frame. Option A defines what the campaign is intended to achieve and how success will be assessed. Option D defines the intended audience and brand voice, ensuring that generated concepts are relevant to the people being addressed and consistent with the organization's identity.

Options B and C occur after concepts have been generated. A finalist cannot be selected or developed until candidate concepts exist. Option E concerns execution planning and should follow concept selection, validation, and approval. Scheduling does not provide the creative direction Claude needs during initial ideation.

A strong ideation prompt might specify the campaign objective, audience characteristics, brand attributes, channel, constraints, prohibited themes, desired number of concepts, and the dimensions along which the ideas should differ. Claude can then explore broadly within meaningful boundaries. Success metrics also create criteria for evaluating ideas after generation, preventing selection from being driven solely by subjective preference.

Anthropic's prompting guidance emphasizes providing clear context, objectives, audience information, and output expectations. For brainstorming, the framing should constrain relevance without prescribing the final answer so tightly that concept diversity is eliminated. Anthropic's prompting best practices

==========

Question #:6 - [Iterate prompts to improve output quality]

A Claude associate is incorporating reviewer feedback that named two specific issues with a Claude-drafted brief. The rest of the brief was accepted as written.

Which next step is most likely to produce a strong revision?

A. Address the two specific issues and also revise unrelated sections to maintain a consistent voice across the brief after the edits.

B. Rewrite the brief from scratch incorporating the two specific issues, since starting fresh integrates the feedback more cleanly than targeted edits.

每个正确答案都是解决方案的一部分。

A. 定义活动的目标及其成功指标。

B. 选择一个最终概念并为利益相关者审批做好准备。

C. 审查 Claude 生成的概念，并选择两个最强的进行进一步开发。

D. 定义品牌声音和概念将针对的受众。

E. 与代理商安排活动启动和推广日期。

答案： A D

解释

有效的创意构思需要一个清晰的创意框架。选项 A 定义了活动的预期目标以及成功的评估标准。选项 D 定义了目标受众和品牌声音，确保生成的概念与所针对的人群相关，并与组织的身份一致。

选项 B 和 C 在概念生成后进行。直到候选概念存在，才可以选择或开发最终方案。选项 E 涉及执行计划，应在概念选择、验证和批准之后进行。调度在初始构思阶段并未提供 Claude 所需的创意方向。

一个强有力的构思提示可能会具体说明活动目标、受众特征、品牌属性、渠道、限制条件、禁止主题、所需概念数量以及创意应有所不同的维度。然后，Claude 可以在有意义的边界内广泛探索。成功指标还为生成后的创意评估创建了标准，防止选择仅由主观偏好驱动。

Anthropic 的提示指导强调提供清晰的背景、目标、受众信息和输出期望。在头脑风暴中，框架应限制相关性，而不应过于严格地规定最终答案，以免消除概念的多样性。Anthropic 的提示最佳实践

==========

问题 #:6 - [迭代提示以提高输出质量]

一名 Claude 助理正在整合审阅者反馈，指出了 Claude 起草的简报中存在的两个具体问题。简报的其余部分被接受为书面形式。

哪个下一步最有可能产生强有力的修订？

A. 解决这两个具体问题，并修订无关部分，以在编辑后保持简报的一致声音。

B. 从头开始重写简报，融入这两个具体问题，因为重新开始比有针对性的编辑更干净地整合反馈。

C.

C. Address the two specific issues directly, leave unrelated parts unchanged, and document the changes for the next review.

D. Address the two specific issues and add a third improvement the associate identified, since combining reviewer feedback with self-identified improvements is more efficient.

Answer: C

Explanation

Under the objective **Iterate prompts to improve output quality** , maintaining control over revisions requires isolating changes to verified defects while preserving approved content.

When downstream reviewers formally approve the vast majority of an artifact and highlight only two specific deficiencies, the optimal revision approach is surgical: instruct Claude or apply edits to remediate those two exact issues while leaving all approved sections untouched (Option C). Documenting the targeted changes ensures total traceability during subsequent review rounds. In contrast, rewriting the entire deliverable from scratch (Option B) risks introducing regressions into previously accepted sections. Similarly, arbitrarily altering unrelated paragraphs (Option A) or bundling unrequested personal improvements (Option D) creates scope creep and increases reviewer overhead.

Question #:7 - [Communicate Claude's value and limitations to stakeholders]

A knowledge worker is briefing a stakeholder group on Claude's limitations. The stakeholders will use Claude on customer-facing work where confident-sounding output that contains errors would cause real harm.

Which limitation is most important to communicate clearly?

A. Claude's responses vary across runs of the same prompt, so stakeholders should run each prompt several times and compare outputs before using any single response.

B. Claude can produce confident-sounding output that contains unsupported claims, so human review remains essential for high-impact work.

C. Claude can produce long, detailed responses that take time to read, so stakeholders should request shorter outputs when working under tight deadlines.

D. Claude's knowledge has a training cutoff, so stakeholders must verify any time-sensitive claims against current sources before using them.

Answer: B

Explanation

Under the objective **Communicate Claude's value and limitations to stakeholders** , managing risk in customer-facing applications requires transparently communicating the phenomenon of confident hallucinations.

Large Language Models generate text via probabilistic pattern matching, meaning they can produce articulate, authoritative, and linguistically polished output that nevertheless contains completely fabricated or unverified

C. 直接解决这两个具体问题，保持无关部分不变，并记录更改以便下次审查。

D. 解决这两个具体问题，并添加助理识别的第三个改进，因为将审阅者反馈与自我识别的改进结合起来更有效。

答案：C

解释

在目标下 迭代提示以提高输出质量，保持对修订的控制需要
将更改隔离到经过验证的缺陷，同时保留已批准的内容。

当下游审阅者正式批准绝大多数产出物并仅突出两个具体缺陷时，最佳的修订方法是外科式的：指示 Claude 或应用编辑来修复这两个确切问题，同时保持所有已批准部分不变（选项 C）。记录有针对性的更改确保在后续审查轮次中的完全可追溯性。相比之下，从头重写整个交付物（选项 B）有引入先前接受部分回归的风险。同样，任意更改无关段落（选项 A）或捆绑未请求的个人改进（选项 D）会导致范围蔓延并增加审阅者的工作量。

问题 #:7 - [向利益相关者传达 Claude 的价值和局限性]

知识工作者正在向利益相关者小组简要介绍 Claude 的局限性。利益相关者将在非客户面对的工作中使用 Claude，其中自信的输出如果包含错误将会造成实际伤害。

哪个限制最重要，需要清晰地传达？

A. Claude 的响应在相同提示的多次运行中会有所不同，因此利益相关者在使用任何单一响应之前，应多次运行每个提示并比较输出。

B. Claude 可以生成听起来自信的输出，但其中可能包含不支持的声明，因此人工审查在高影响力的工作中仍然至关重要。

C. Claude 可以生成长篇、详细的回复，阅读需要时间，因此利益相关者在紧迫的截止日期下应请求更短的输出。

D. Claude 的知识有一个训练截止日期，因此利益相关者在使用任何时间敏感的声明之前，必须与当前来源进行核实。

答案： B

解释

在目标下 **向利益相关者传达 Claude 的价值和局限性，管理风险**
面向客户的应用程序需要透明地传达自信的
幻觉现象。

大型语言模型通过概率模式匹配生成文本，这意味着它们可以产生清晰、权威且语言上经过润色的输出，但其中仍然可能包含完全虚构或未经验证的信息。

claims (Option B). In customer-facing workflows where misinformation causes commercial, legal, or brand harm, stakeholders must understand that surface fluency is not a proxy for factual truth, making rigorous human-in-the-loop review mandatory. While training cutoffs (Option D) and response variation (Option A) are operational realities, the primary risk for customer harm stems from unverified, confident-sounding hallucinations escaping human review. Response verbosity (Option C) is merely a cosmetic usability preference.

Question #:8 - [Identify hallucinations, inconsistencies, and biases in responses]

You are evaluating a Claude output that appears to contain hallucinated content.

Which response step should be performed first when a hallucination is suspected?

A. Discard the entire output and regenerate the output with a fresh prompt.

B. Document the hallucination pattern in the team's risk register for future reference.

C. Notify the user community that the output contains a hallucinated claim.

D. Pinpoint the specific claim that appears to be unsupported by available evidence.

Answer: D

Explanation

Under the objective **Identify hallucinations, inconsistencies, and biases in responses** , diagnosing potential generative errors requires structured evidence validation before taking corrective action.

The first diagnostic step is claim isolation: carefully examining the output to pinpoint the exact statement, metric, or entity that appears unsupported by the provided source context or verified reality (Option D). Pinpointing the specific defect allows the reviewer to compare it directly against the source data to confirm whether it is an actual hallucination, an ungrounded inference, or a valid synthesis. Discarding the entire output without identifying the error (Option A) prevents root-cause analysis and wastes working iterations. Logging risks (Option B) or broadcasting notifications to users (Option C) are secondary actions that occur only after the defect has been isolated and confirmed.

Question #:9 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

A customer-success associate is drafting a prompt that asks Claude to summarize a customer issue from the case file. The case file includes the customer's full government identifier, home address, name, account number, and the description of the issue. The summary the associate needs is about the issue.

Which approach is most appropriate?

A. Submit the full case file and include an instruction telling Claude not to reference the government identifier or the home address in the summary.

B. Replace the government identifier with the customer's name and the home address with the account number, since names and account numbers are less sensitive than identifiers and addresses.

索赔（选项 B）。在客户面对的工作流程中，当错误信息造成商业、法律或品牌损害时，利益相关者必须理解表面流利性并不能作为事实真相的代理，这使得严格的人类审核变得必不可少。虽然训练截止（选项 D）和响应变异（选项 A）是操作现实，但客户受害的主要风险源于未经验证、听起来自信的幻觉逃脱人类审核。响应冗长性（选项 C）仅仅是一种表面的可用性偏好。

问题 #:8 - [识别响应中的幻觉、不一致和偏见]

您正在评估一个看似包含幻觉内容的 Claude 输出。

当怀疑存在幻觉时，应该首先执行哪个响应步骤？

A. 丢弃整个输出，并使用新的提示重新生成输出。

B. 在团队的风险登记册中记录幻觉模式以供将来参考。

C. 通知用户社区该输出包含幻觉索赔。

D. 确定看似没有可用证据支持的具体索赔。

答案： D

解释

在目标下 **识别响应中的幻觉、不一致和偏见，诊断潜在的**
生成错误需要在采取纠正措施之前进行结构化证据验证。

第一步诊断是声明隔离：仔细检查输出，以确定在提供的源上下文或经过验证的现实中似乎没有支持的确切陈述、指标或实体（选项 D）。
确定具体缺陷使审查者能够直接将其与源数据进行比较，以确认它是否是实际的幻觉、没有根据的推断或有效的综合。未识别错误而丢弃整个输出（选项 A）会阻碍根本原因分析并浪费工作迭代。
记录风险（选项 B）或向用户广播通知（选项 C）是次要行动，仅在缺陷被隔离和确认后才会发生。

问题 #:9 - [应用数据、隐私敏感性、监管政策和隐私考虑]

客户成功助理正在起草一个提示，要求 Claude 总结案例文件中的客户问题。案例文件包括客户的完整政府标识符、家庭地址、姓名、账户号码和问题描述。助理需要的摘要是关于该问题的。

哪种方法最合适？

A. 提交完整的案例文件，并包含一条指示，告诉 Claude 在摘要中不要引用政府标识符或家庭地址。

B. 将政府标识符替换为客户的姓名，将家庭地址替换为账户号码，因为姓名和账户号码比标识符和地址的敏感性低。

C. Remove or redact the government identifier and the home address before submitting the prompt, since neither is necessary for a summary of the issue.

D. Submit only the description of the issue and add the customer's name for context, since the description plus a name is sufficient to produce a summary.

Answer: C

Explanation

Under the objective **Apply data, privacy sensitivity, regulatory policies, and privacy considerations** (Domain 6: Governance, Risk, and Responsible Use), data minimization is a primary privacy requirement.

When processing enterprise documents with AI tools, users must never submit highly sensitive Personally Identifiable Information (PII)—such as national government identifiers (SSNs/National Insurance numbers) or private home addresses—unless strictly required for the analytical task. Because the associate only needs a summary of the core customer problem, redacting or removing those non-essential high-sensitivity fields prior to input ingestion (Option C) enforces sound privacy hygiene. Relying on in-prompt instructions to "ignore" ingested PII (Option A) still exposes raw sensitive tokens to the model context. Swapping identifiers for other sensitive account data (Option B) fails data protection standards.

Question #:10 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

An HR associate is preparing to use Claude on a sensitive personnel matter. The organization's AI policy explicitly states that information related to ongoing investigations must not be entered into AI tools.

Which response best aligns with the policy?

A. Enter the investigation-related information into Claude only after the investigation closes, since the policy applies during the investigation period.

B. Refrain from entering investigation-related information into Claude and consult HR leadership for an approved alternative way to handle the matter.

C. Enter the investigation-related information into Claude in an Incognito chat, since Incognito chats do not retain information and therefore fall outside the policy's intent.

D. Enter a paraphrased version of the investigation-related information that removes identifying details, since paraphrasing addresses the spirit of the policy.

Answer: B

Explanation

Under the objective **Apply data, privacy sensitivity, regulatory policies, and privacy considerations** , compliance with explicit organizational AI governance and data boundary mandates is mandatory.

When corporate policy strictly prohibits entering information concerning active personnel investigations into AI tools, employees must fully adhere to that boundary without attempting informal workarounds. Option B

C. 在提交提示之前，删除或遮蔽政府标识符和家庭地址，因为这两者对于问题的摘要并不必要。

D. 仅提交问题的描述，并添加客户的姓名以提供上下文，因为描述加上姓名足以生成摘要。

答案：C

解释

在目标应用数据、隐私敏感性、监管政策和隐私考虑（领域 6：治理、风险和负责任使用）下，数据最小化是主要的隐私要求。

在使用 AI 工具处理企业文档时，用户绝不能提交高度敏感的个人可识别信息（PII）——例如国家政府标识符（社会安全号码/国家保险号码）或私人家庭地址——除非严格要求用于分析任务。因为助理只需要核心客户问题的摘要，所以在输入摄取之前遮蔽或删除那些非必要的高敏感字段（选项 C）可以确保良好的隐私卫生。依赖提示中的指令“忽略”摄取的 PII（选项 A）仍然会将原始敏感标记暴露于模型上下文中。用其他敏感账户数据替换标识符（选项 B）未能满足数据保护标准。

问题 #:10 - [应用数据、隐私敏感性、监管政策和隐私考虑]

一名人力资源助理正在准备在一个敏感的人事问题上使用 Claude。该组织的人工智能政策明确规定与正在进行的调查相关的信息不得输入到人工智能工具中。

哪个回应最符合该政策？

A. 在调查结束后再将与调查相关的信息输入到 Claude，因为该政策在调查期间适用。

B. 避免将与调查相关的信息输入到 Claude，并咨询人力资源领导以获得批准的替代处理方式。

C. 在 Incognito 聊天中将与调查相关的信息输入到 Claude，因为 Incognito 聊天不保留信息，因此不受政策意图的限制。

D. 输入与调查相关信息的释义版本，去除识别细节，因为释义符合政策的精神。

答案： B

解释

在目标下 **应用数据、隐私敏感性、监管政策和隐私考虑** ，遵守明确的组织人工智能治理和数据边界要求是强制性的。

当公司政策严格禁止将有关活跃人事调查的信息输入到人工智能工具中时，员工必须完全遵守该边界，而不尝试非正式的变通方法。选项 B

correctly enforces compliance: immediately refraining from submitting any investigation-related text to Claude and escalating to HR leadership to determine authorized, conventional processing channels. Attempting to bypass the rule via Incognito mode (Option C) or informal paraphrasing/anonymization (Option D) violates the explicit governance mandate and risks data spillage in legally sensitive matters. Assuming the data can simply be entered once closed (Option A) ignores enduring confidentiality requirements.

Question #:11 - [Evaluate Claude-generated outputs for accuracy and completeness]

You are designing a checklist for evaluating Claude outputs and must complete the upstream steps before scoring an output.

Which two steps must be completed BEFORE scoring a Claude output against the checklist? (Select two.)

Each correct answer presents part of the solution.

A. Promote the approved output into the downstream production process.

B. Define the evaluation criteria that matter for the task at hand.

C. Specify the threshold that distinguishes acceptable from unacceptable output.

D. Forward unacceptable outputs to a senior reviewer for second-pass review.

E. Document the final score and the reviewer comments for the audit trail.

Answer: B C

Explanation

An evaluation cannot be applied consistently until the organization defines what the output must achieve and what score constitutes an acceptable result. Therefore, the evaluator must first define task-specific criteria, such as factual accuracy, completeness, relevance, tone, format compliance, privacy preservation, or citation quality. The evaluator must then establish a threshold or decision rule that separates acceptable from unacceptable performance.

Anthropic's evaluation guidance states that successful AI applications begin with clearly defined success criteria followed by evaluations that measure performance against those criteria. Effective criteria should be specific, measurable, achievable, and relevant to the application's purpose. A threshold converts those criteria into an operational decision—for example, requiring all material claims to be supported or setting a minimum score across defined dimensions.

Options A, D, and E occur after evaluation. Promotion into production follows an acceptable result. Escalation to a senior reviewer occurs after an output fails or presents elevated risk. Recording the final score and reviewer comments also follows the scoring activity. Without B and C, different reviewers could apply inconsistent standards or approve an output without knowing what "acceptable" means. Anthropic's evaluation guidance

==========

正确执行合规性：立即停止提交任何与调查相关的文本给
Claude，并向人力资源领导层升级，以确定授权的、常规的处理渠道。
试图通过隐身模式（选项 C）或非正式的改写/匿名化
（选项 D）来规避规则，违反了明确的治理指令，并在法律敏感事务中存在数据泄露的风险。
假设数据可以在关闭后简单输入（选项 A）忽视了持久的保密
要求。

问题 #:11 - [评估 Claude 生成的输出的准确性和完整性]

您正在设计一个评估 Claude 输出的检查清单，并必须在 评分输出之前完成上游步骤。

在根据检查清单评分 Claude 输出之前，必须完成哪两个步骤？（选择两个。）

每个正确答案都是解决方案的一部分。

A. 将批准的输出推广到下游生产过程中。

B. 定义与当前任务相关的评估标准。

C. 指定区分可接受输出与不可接受输出的阈值。

D. 将不可接受的输出转发给高级审阅者进行二次审查。

E. 记录审计跟踪的最终得分和审查者评论。

答案： B C

解释

在组织定义输出必须达到的目标和什么分数构成可接受结果之前，评估无法一致地应用。因此，评估者必须首先定义特定任务的标准，例如事实准确性、完整性、相关性、语气、格式合规性、隐私保护或引用质量。然后，评估者必须建立一个阈值或决策规则，以区分可接受的表现和不可接受的表现。

Anthropic 的评估指导指出，成功的 AI 应用始于明确的成功标准，随后进行评估以衡量性能是否符合这些标准。有效的标准应具体、可测量、可实现，并与应用的目的相关。阈值将这些标准转化为操作决策——例如，要求所有实质性声明都必须有支持，或在定义的维度上设定最低分数。

A、D 和 E 选项发生在评估之后。晋升到生产阶段是在获得可接受结果之后。
在输出失败或存在较高风险后，会升级到高级审阅者。记录最终分数和审阅者评论也在评分活动之后进行。如果没有 B 和 C，不同的审阅者可能会应用不一致的标准，或在不知道“可接受”意味着什么的情况下批准输出。Anthropic 的评估指导

==========

Question #:12 - [Evaluate Claude-generated outputs for accuracy and completeness]

A customer-success team member is reviewing a Claude-generated customer health-check report against the agreed deliverable list. The report covers all five required topics, but the renewal-risk section names only one risk factor where the deliverable specification calls for renewal risk to be assessed across pricing, product fit, and stakeholder change.

Which conclusion is best supported?

A. The report's completeness cannot be assessed from the deliverable specification alone; the customer should review the output and confirm whether the renewal-risk depth is sufficient.

B. The report does not meet the deliverable specification because a section that addresses only one of three required risk dimensions counts as a missing section.

C. The report meets the deliverable specification because all five required topics appear and the renewal-risk section is present in the output.

D. The report meets the topic-level requirements but the renewal-risk section is under-scoped against the specification and should be expanded before delivery.

Answer: D

Explanation

Under the objective **Evaluate Claude-generated outputs for accuracy and completeness** , quality assurance involves auditing both macro-level structure (presence of required topics) and micro-level depth (thoroughness against detailed specifications).

The report successfully includes all five mandatory high-level headings, satisfying basic structural completeness. However, evaluating the internal substance of the renewal-risk section reveals an under-scoped deliverable: the specification required analyzing three distinct dimensions (pricing, product fit, and stakeholder change), but Claude addressed only one. Therefore, Option D is the accurate assessment: the artifact fulfills topical scope but lacks required operational depth and must be expanded prior to client delivery. Claiming it completely satisfies requirements (Option C) ignores explicit criteria, while labeling the entire section missing (Option B) or offloading internal QA to the customer (Option A) violates quality management standards.

Question #:13 - [Leverage Claude for research, planning, and process optimization]

An operations assistant is using Claude to support process optimization for an existing intake workflow. The assistant has access to the current process documentation and recent cycle-time data.

Which activity best uses Claude to support this process optimization task?

A. Generate an optimized version of the intake process based on industry benchmarks, then compare it to the current process to identify gaps.

B. Apply Claude to predict the cycle-time impact of each proposed change and rank them so the team can implement improvements in priority order.

问题 #:12 - [评估 Claude 生成的输出的准确性和完整性]

一名客户成功团队成员正在根据 商定的交付清单审查 Claude 生成的客户健康检查报告。该报告涵盖了所有五个必需主题，但续订风险部分仅提到了一个 风险因素，而交付规范要求对定价、产品适配性和利益相关者变更进行续订风险评估。

哪个结论得到最有力的支持？

A. 仅从交付规范无法评估报告的完整性；客户应审查输出并确认续订风险的深度是否足够。

B. 该报告不符合交付规范，因为一个仅涉及三个必需风险维度中的一个的部分被视为缺失部分。

C. 该报告符合交付规范，因为所有五个必需主题均出现，并且续订-风险部分在输出中存在。

D. 该报告满足主题级要求，但续订风险部分相对于规范的范围不足，交付前应进行扩展。

答案： D

解释

在目标下 **评估 Claude 生成的输出的准确性和完整性，质量**保证涉及审计宏观结构（必需主题的存在）和微观深度（与详细规范的彻底性）。

该报告成功包含了所有五个强制性的高级标题，满足基本的结构完整性。然而，评估更新 风险部分的内部实质性揭示了一个范围不足的交付物：规范要求分析三个不同的维度（定价、产品 适配和利益相关者变化），但 Claude 仅处理了A.因此，选项 D 是准确的评估：该产 出物满足主题范围，但缺乏所需的操作深度，必须在客户交付之前进行扩展。声称它完全满足 要求（选项 C）忽视了明确的标准，而将整个部分标记为缺失（选项 B）或将内部质量保证 转嫁给客户（选项 A）则违反了质量管理标准。

问题 #:13 - [利用 Claude 进行研究、规划和流程优化]

一名运营助理正在使用 Claude 支持现有接收工作流程的流程优化。该助理可以访问当前的流程文档和最近的周期时间数据。

哪项活动最能利用 Claude 来支持这一流程优化任务？

A. 根据行业基准生成优化版本的接收流程，然后将其与当前流程进行比较，以识别差距。

B. 应用 Claude 预测每个提议变更的周期时间影响，并对其进行排名，以便团队可以按优先顺序实施改进。

C. Map the current intake process, identify likely bottlenecks based on the cycle-time data, and propose optimization options for human review.

D. Use Claude to interview each team member who works on the intake process and synthesize the interview output into a redesigned workflow.

Answer: C

Explanation

Under the objective **Leverage Claude for research, planning, and process optimization** , using Claude for business process re-engineering relies on diagnostic synthesis grounded in empirical operational data.

Option C demonstrates the optimal collaborative use case: ingesting existing process maps alongside actual cycle-time metrics, using Claude's analytical capabilities to locate workflow bottlenecks, delays, and redundancies, and generating structured optimization proposals for human review and decision-making. Relying on generic, ungrounded industry templates (Option A) overlooks internal operational context. Expecting Claude to calculate exact cycle-time reductions deterministically (Option B) misuses LLMs for predictive queuing simulations. Replacing human stakeholder interviews with simulated automated AI interactions (Option D) produces ungrounded assumptions and fails change management standards.

Question #:14 - [Apply fact-checking and validation techniques]

You are reviewing a Claude-generated report whose tone is confident throughout.

Which question best separates plausibility from verification?

A. Can each specific claim be traced to a credible source or to the supplied input material?

B. Does the response cover the topic comprehensively based on its length and section count?

C. Does the response open with a clear, well-framed statement of the main finding?

D. Does the response use varied sentence structure across sections?

Answer: A

Explanation

Option A is correct because confident language, logical flow, and professional formatting do not establish factual accuracy. Verification requires checking whether each material claim is supported by a credible external source or by the authoritative input supplied for the task. Claims that cannot be traced should be removed, qualified as uncertain, or subjected to additional research.

Anthropic warns that even advanced Claude models can generate information that is factually incorrect or inconsistent with the provided context. Its recommended safeguards include allowing Claude to acknowledge uncertainty, grounding factual work in direct quotations, requiring citations, and checking whether supporting evidence actually establishes each claim. A citation must also be evaluated for relevance and credibility; merely attaching a source does not prove that the source supports the precise statement.

C. 绘制当前的接收流程，基于周期时间数据识别可能的瓶颈，并提出供人工审查的优化选项。

D. 使用 Claude 采访每位参与接收流程的团队成员，并将访谈结果综合成重新设计的工作流程。

答案：C

解释

在目标下 **利用 Claude 进行研究、规划和流程优化，使用 Claude 进行**业务流程再造依赖于基于经验操作数据的诊断综合。

选项 C 展示了最佳的协作用例：将现有流程图与实际周期时间指标结合，利用 Claude 的分析能力定位工作流瓶颈、延迟和冗余，并生成结构化的优化提案供人工审查和决策。依赖于通用的、没有基础的行业模板（选项 A）忽视了内部操作背景。期望 Claude 确定性地计算精确的周期时间减少（选项 B）错误地使用了 LLM 进行预测排队模拟。用模拟的自动化 AI 交互替代人工利益相关者访谈（选项 D）产生了没有基础的假设，并未达到变更管理标准。

问题 #:14 - [应用事实核查和验证技术]

您正在审查一份由 Claude 生成的报告，其语气始终自信。

哪个问题最能区分可信性和验证？

A. 每个具体的主张是否可以追溯到一个可信的来源或提供的输入材料？

B. 根据其长度和章节数量，响应是否全面覆盖了主题？

C. 响应是否以清晰、结构良好的主要发现陈述开头？

D. 响应在各个部分中是否使用了多样的句子结构？

答案：A

解释

选项 A 是正确的，因为自信的语言、逻辑流畅和专业格式并不能建立事实准确性。验证需要检查每个材料主张是否得到可信的外部来源或为任务提供的权威输入的支持。无法追溯的主张应被删除、标记为不确定或进行额外研究。

Anthropic 警告说，即使是先进的 Claude 模型也可能生成事实不正确或与提供的上下文不一致的信息。其推荐的安全措施包括允许 Claude 承认不确定性，将事实工作基于直接引用，要求引用，并检查支持证据是否确实建立了每个主张。引用还必须评估其相关性和可信度；仅仅附上一个来源并不能证明该来源支持精确的陈述。

Options B, C, and D assess presentation characteristics rather than verification. Length and section count do not prove completeness, a strong opening does not validate the conclusion, and varied sentence structure concerns writing style. A plausible response can satisfy all three while containing unsupported assertions. Consequently, claim-level traceability is the decisive test separating an answer that merely sounds credible from one that has been verified. See Anthropic's hallucination-reduction and citation guidance .

==========

Question #:15 - [Organize and curate information for optimal outputs and select appropriate output formats]

You are a business analyst deciding which output-formatting and context-window practices to recommend to teammates.

Which two practices represent effective use of the context window? (Select two.)

Each correct answer presents part of the solution.

A. Reuse the same context block across multiple requests to avoid rebuilding it each time.

B. Paste full email threads related to the project into the context so the model has the complete conversational history.

C. Concatenate all source documents end-to-end with no separators between them.

D. Trim irrelevant material before submitting the request to keep the context focused.

E. Use clear section headers to separate different parts of the input material.

Answer: D E

Explanation

Answers D and E are correct. Trimming irrelevant material keeps the context concentrated on information that can influence the requested result. This reduces distraction, avoids wasting context capacity, and lowers the chance that stale or unrelated content will compete with authoritative sources. Clear section headers separate instructions, source material, examples, and task inputs, helping Claude distinguish their functions and attribute claims correctly. Anthropic's prompting guidance recommends structured long-context inputs and descriptive XML tags for exactly this reason: explicit boundaries reduce ambiguity when a prompt contains multiple content types or documents. Option A is unsafe as a general practice because reusing an unchanged context block can carry obsolete facts or irrelevant constraints into a new request. Option B indiscriminately includes complete email threads, creating noise and potentially unnecessary personal or confidential data. Option C removes all source boundaries, making attribution and instruction following harder. Although Anthropic also recommends placing long-form documents before the query in large-context prompts, placement cannot compensate for poor curation or missing structure. Effective context management therefore has two complementary parts: select only relevant material and organize that material into clearly labelled sections. D performs the curation step, while E supplies the structure needed for reliable interpretation. Anthropic long-context prompting guidance

==========

选项 B、C 和 D 评估的是呈现特征，而不是验证。长度和章节数量并不能证明完整性，强有力的开头并不能验证结论，而多样的句子结构则关乎写作风格。一个合理的回应可以满足这三者，同时包含不支持的主张。
因此，声明级可追溯性是区分听起来可信的答案与经过验证的答案的决定性测试。请参见 Anthropic 的幻觉减少和引用指导。

==========

问题 #:15 - [组织和策划信息以获得最佳输出并选择适当的输出格式]

您是一名业务分析师，正在决定向团队成员推荐哪些输出格式和上下文窗口实践。

哪两种实践代表了上下文窗口的有效使用？（选择两项。）

每个正确答案都是解决方案的一部分。

A. 在多个请求中重用相同的上下文块，以避免每次都重建它。

B. 将与项目相关的完整电子邮件线程粘贴到上下文中，以便模型拥有完整的对话历史。

C. 将所有源文档首尾相连，中间不加分隔符。

D. 在提交请求之前修剪无关材料，以保持上下文的集中。

E. 使用清晰的章节标题来分隔输入材料的不同部分。

答案：D E

解释

D 和 E 是正确的。修剪无关材料使上下文集中在可以影响请求结果的信息上。这减少了干扰，避免浪费上下文容量，并降低了过时或无关内容与权威来源竞争的机会。清晰的章节标题分隔指令、源材料、示例和任务输入，帮助 Claude 区分它们的功能并正确归属声明。Anthropic 的提示指导建议使用结构化的长上下文输入和描述性 XML 标签，正是出于这个原因：明确的边界减少了当提示包含多种内容类型或文档时的模糊性。选项 A 作为一般实践是不安全的，因为重复使用未更改的上下文块可能会将过时的事实或无关的约束带入新的请求。选项 B 不加区分地包含完整的电子邮件线程，造成噪音并可能包含不必要的个人或机密数据。

选项 C 移除了所有源边界，使归属和遵循指令变得更加困难。尽管 Anthropic 也建议在大型上下文提示中将长格式文档放在查询之前，但位置无法弥补糟糕的策划或缺失的结构。因此，有效的上下文管理有两个互补的部分：仅选择相关材料并将这些材料组织成清晰标记的部分。D 执行策划步骤，而 E 提供可靠解释所需的结构。

Anthropic 长上下文提示指南

==========

Question #:16 - [Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)]

You are an analyst working on a one-off complex problem that genuinely requires multi-step reasoning over an extended chain of thought.

Which model is best suited to this work?

A. Haiku, because lightweight models are always preferred regardless of complexity.

B. Any model, because reasoning depth does not vary across the lineup.

C. Opus, because it is positioned as the most capable for advanced reasoning on complex, specialized tasks.

D. A non-Anthropic model, because the Claude lineup has no option for complex reasoning.

Answer: C

Explanation

Among the choices provided, Opus is the appropriate model for a complex, one-off problem requiring sustained, multi-step reasoning. Opus models are designed for advanced analysis, demanding knowledge work, complex tool use, and long-horizon tasks. The additional capability is justified because the workload explicitly prioritizes reasoning quality rather than minimum latency or cost.

Option A incorrectly treats lightweight models as universally preferable. Haiku is optimized for speed and cost-sensitive, straightforward workloads, but that does not make it the best choice for every complex problem. Option B ignores genuine capability and reasoning differences between model tiers. Option D is false because the Claude lineup includes models designed for difficult reasoning tasks.

The current Claude portfolio has evolved and now includes additional high-capability models, but Opus remains the strongest valid selection among the listed answers. In production, the analyst should test representative cases and compare accuracy, latency, and cost rather than choosing solely by tier name. For this explicitly complex one-off task, however, higher reasoning capability is the dominant requirement. Anthropic describes Opus as suited to complex analysis, enterprise work, advanced research, and deep reasoning. Anthropic's model-selection guidance

==========

Question #:17 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

You are a research associate preparing inputs for a long task that references two lengthy regulatory documents, but only specific sections apply.

Which approach best preserves context-window capacity?

A. Extract only the relevant sections from each document and include those, omitting unrelated chapters.

B. Paste the full text of both documents without trimming to maximize the available material.

C. Split each document into one-character pieces and provide them one at a time.

问题 #:16 - [区分 Claude 模型类型（例如 Haiku、Sonnet、Opus）]

你是一名分析师，正在处理一个真正需要多步骤推理的复杂一次性问题，涉及延长的思维链条。

哪种模型最适合这项工作？

A. Haiku，因为无论复杂度如何，轻量级模型总是优先选择。

B. 任何模型，因为推理深度在整个系列中没有差异。

C. Opus，因为它被定位为最适合复杂、专业任务的高级推理。

D. 非 Anthropic 模型，因为 Claude 系列没有适合复杂推理的选项。

答案：C

解释

在提供的选项中，Opus 是适合需要持续多步骤推理的复杂一次性问题的合适模型。Opus 模型设计用于高级分析，要求知识工作、复杂工具使用和长远任务。额外的能力是合理的，因为工作负载明确优先考虑推理质量，而非最低延迟或成本。

选项 A 错误地将轻量级模型视为普遍优选。Haiku 优化了速度和成本敏感的简单工作负载，但这并不意味着它是每个复杂问题的最佳选择。选项 B 忽视了模型层级之间的真实能力和推理差异。选项 D 是错误的，因为 Claude 系列包含为困难推理任务设计的模型。

当前的 Claude 组合已经发展，并且现在包括额外的高能力模型，但 Opus 仍然是列出答案中最强的有效选择。在生产中，分析师应测试 代表性案例，并比较准确性、延迟和成本，而不是仅仅根据层级名称进行选择。然而，对于这个明确复杂的一次性任务，更高的推理能力是主要要求。
Anthropic 将 Opus 描述为适合复杂分析、企业工作、高级研究和深度推理。Anthropic 的模型选择指导

==========

问题 #:17 - [理解、管理上下文限制和记忆注意事项，以及何时重启、总结或持续]

您是一名研究助理，正在为一个长任务准备输入，该任务引用了两个冗长的监管文件，但仅适用特定部分。

哪种方法最能保持上下文窗口容量？

A. 仅提取每个文件中相关的部分并包含这些内容，省略无关章节。

B. 粘贴两个文件的完整文本而不进行修剪，以最大化可用材料。

C. 将每个文件拆分为一个字符的片段，并逐个提供。

D. Skip the documents entirely and rely on Claude to invent the missing context.

Answer: A

Explanation

Option A is correct because Claude's context window is finite and must accommodate the system instructions, conversation history, documents, tool results, the current request, and the generated response. Anthropic specifically cautions that more context is not automatically better: as unnecessary content accumulates, relevant details may become harder to retrieve and accuracy can decline through "context rot." Curating the context is therefore as important as its total capacity.

Extracting only the applicable regulatory sections preserves the authoritative language needed for the task while removing unrelated chapters that consume tokens and distract from the relevant requirements. The extracts should retain headings, section identifiers, effective dates, and source labels so Claude's conclusions remain traceable. Option B wastes capacity and may reduce focus. Option C destroys meaningful semantic structure and creates an unusable interaction pattern. Option D removes the grounding evidence entirely and invites hallucination, which is especially inappropriate for regulatory analysis.

For long documents, Anthropic also recommends grounding claims in direct quotations and citations. Thus, the strongest approach is to provide carefully selected, clearly labelled excerpts and require Claude to trace material claims to them. See Anthropic's documentation on context windows and reducing hallucinations .

==========

Question #:18 - [Integrate Claude into existing workflows to augment or redesign workflows]

You are an operations lead integrating Claude into a multi-person team workflow.

Which integration step should be performed first?

A. Identify where Claude adds value and where each handoff to a human occurs.

B. Pilot the integrated workflow with a small group on representative work.

C. Iterate the integrated workflow based on the findings from the pilot.

D. Document the integrated workflow and onboard the rest of the team to it.

Answer: A

Explanation

Under the objective **Integrate Claude into existing workflows to augment or redesign workflows** , successful AI adoption requires structured process mapping prior to implementation, piloting, or scaling.

The foundational first step (Option A) is conducting task decomposition and interface analysis: analyzing the existing workflow to determine exact stages where Claude provides tangible leverage (e.g., synthesis, drafting, data categorization) versus stages that mandate human decision-making, verification, and sign-off (human-in-the-loop handoffs). Attempting to run a pilot (Option B), iterate based on pilot metrics (Option C),

D. 完全跳过文件，依赖 Claude 来创造缺失的上下文。

答案： A

解释

选项 A 是正确的，因为 Claude 的上下文窗口是有限的，必须容纳系统指令、对话历史、文档、工具结果、当前请求和生成的响应。Anthropic 特别警告说，更多的上下文并不一定更好：随着不必要内容的积累，相关细节可能变得更难以检索，准确性可能因“上下文腐烂”而下降。因此，策划上下文与其总容量同样重要。

仅提取适用的监管部分保留了任务所需的权威语言，同时去除了消耗令牌且分散相关要求注意力的无关章节。提取内容应保留标题、章节标识符、有效日期和来源标签，以便 Claude 的结论保持可追溯性。选项 B 浪费了容量，可能降低专注度。选项 C 破坏了有意义的语义结构，并创建了一个无法使用的交互模式。选项 D 完全移除了基础证据，并引发幻觉，这在监管分析中尤其不合适。

对于长文档，Anthropic 还建议将主张建立在直接引用和引文上。因此，最强的方法是提供经过精心挑选、清晰标记的摘录，并要求 Claude 将材料主张追溯到这些摘录。请参阅 Anthropic 关于上下文窗口和减少幻觉的文档。

==========

问题 #:18 - [将 Claude 集成到现有工作流中，以增强或重新设计工作流]

您是一个运营负责人，将 Claude 整合到一个多人的团队工作流程中。

应该首先执行哪个集成步骤？

A. 识别 Claude 增加价值的地方以及每次交接给人类的环节。

B. 在一个代表性的工作小组中引导集成工作流程。

C. 根据试点的发现迭代集成工作流。

D. 记录集成工作流并将其余团队成员引入其中。

答案： A

解释

在目标下 **将 Claude 集成到现有工作流中，以增强或重新设计工作流** ，成功的人工智能采纳需要在实施、试点或扩展之前进行结构化的过程映射。

基础的第一步（选项 A）是进行任务分解和接口分析：分析现有工作流，以确定 Claude 提供实际杠杆的确切阶段（例如，综合、起草、数据分类）与需要人类决策、验证和签字的阶段（人机交互交接）。尝试运行试点（选项 B），根据试点指标进行迭代（选项 C），

or author final training documentation (Option D) before defining the functional boundaries and handoff architecture results in unstructured trials, unclear accountability, and higher operational risk.

Question #:19 - [Communicate Claude's value and limitations to stakeholders]

While preparing stakeholder communication about a proposed Claude use case, a senior manager is applying the AI Fluency Framework Description competency.

Which framing best reflects Description principles for stakeholder communication?

A. Omit the human oversight that will remain in place, even though Description principles require expectations that reflect the actual capability boundaries of the use case.

B. Understate Claude’s capabilities to lower stakeholder expectations, even though Description principles require accuracy in both directions rather than systematic minimization.

C. Describe what Claude can reliably produce, the known limitations, and the human oversight that will remain in place, calibrated to the audience’s familiarity with AI.

D. Overstate Claude’s capabilities to secure stakeholder support, even though Description principles require accurate framing of what Claude can and cannot reliably produce.

Answer: C

Explanation

Option C is correct because effective Description communicates the intended product, process, and collaborative expectations accurately. Stakeholders need to know what Claude will do, what inputs it requires, which outputs it can produce reliably, where errors or limitations may occur, and which decisions or reviews remain under human ownership. The explanation should be calibrated to the audience: executives may need business value and risk boundaries, while operational or technical users may require workflow details and validation requirements.

Option A conceals a material governance control and could lead stakeholders to misunderstand Claude’s autonomy. Option B is not responsible simply because it is conservative; systematically understating capabilities can produce poor decisions and unjustified resistance. Option D is plainly inappropriate because exaggerated claims create unrealistic expectations and weaken informed oversight.

Anthropic defines Description as effectively communicating goals to produce useful AI behaviour and outputs. Its guidance distinguishes Product Description, Process Description, and Performance Description. Transparent stakeholder framing also supports Diligence by preserving accountability for how AI is represented and used. Therefore, balanced communication about capabilities, limitations, and human oversight is the only defensible framing. See Anthropic’s AI Fluency Description lesson and AI Fluency Framework .

==========

Question #:20 - [Align model selection with task requirements (e.g., cost, speed, quality)]

或作者最终培训文档（选项 D）在定义功能边界和交接之前，
架构导致无结构的试验、不明确的责任和更高的操作风险。

问题 #:19 - [向利益相关者传达 Claude 的价值和局限性]

在准备关于提议的 Claude 用例的利益相关者沟通时，一位高级经理正在应用
AI 流利度框架描述能力。

哪种框架最能反映利益相关者沟通的描述原则？

A. 省略将继续存在的人类监督，尽管描述原则要求
期望反映用例的实际能力边界。

B. 低估 Claude 的能力以降低利益相关者的期望，尽管描述原则
要求在两个方向上都保持准确，而不是系统性地最小化。

C. 描述 Claude 可以可靠地产出什么、已知的局限性，以及将继续存在的人类监督，
并根据受众对 AI 的熟悉程度进行调整。

D. 夸大 Claude 的能力以获得利益相关者的支持，尽管描述原则
要求准确框定 Claude 可以和不能可靠地产出的内容。

答案：C

解释

选项 C 是正确的，因为有效的描述准确地传达了预期的产品、过程和
协作期望。利益相关者需要知道 Claude 将做什么、需要什么输入、
可以可靠地产出哪些输出、可能出现错误或局限的地方，以及哪些决策或审查
仍然由人类负责。解释应根据受众进行调整：高管可能需要
商业价值和风险边界，而运营或技术用户可能需要工作流细节和
验证要求。

选项 A 隐藏了一个重要的治理控制，可能导致利益相关者误解 Claude 的
自主性。选项 B 仅仅因为保守而不负责任；系统性地低估
能力可能导致糟糕的决策和不合理的抵制。选项 D 显然不合适，因为
夸大的说法会产生不切实际的期望，并削弱知情监督。

Anthropic 将描述定义为有效传达目标以产生有用的 AI 行为和
输出。其指导区分了产品描述、过程描述和性能描述。
透明的利益相关者框架还通过保持对 AI 表现和使用方式的问责来支持尽职调查。因此，关
于能力、局限性和人类 监督的平衡沟通是唯一可以辩护的框架。请参见 Anthropic 的 AI 流
利度描述课程和 AI 流利度 框架。

==========

问题 #:20 - [将模型选择与任务要求对齐（例如，成本、速度、质量）]

You are a project manager at Orinexa, Inc. You are picking a Claude model for a new production workload and must complete the requirements steps before testing candidates.

Which two steps must be completed BEFORE testing candidate models on a representative sample? (Select two.)

Each correct answer presents part of the solution.

A. Define the quality bar, the latency tolerance, and the expected request volume.

B. Retest the selected model whenever a new model version is released.

C. Choose a candidate model based on the requirements profile and known capabilities.

D. Promote the selected model to production traffic for the workload.

E. Sign off on the production rollout plan with the platform and security teams.

Answer: A C

Explanation

Under the objective **Align model selection with task requirements (e.g., cost, speed, quality)** , model evaluation follows a structured engineering workflow prior to benchmark testing.

Before running comparative empirical tests on a representative sample dataset, the team must first establish evaluation criteria: defining the required output quality bar, maximum acceptable latency, throughput targets, and budget constraints (Option A). Next, the team maps those requirements against known model family characteristics (Haiku, Sonnet, Opus) to select the appropriate candidate models for testing (Option C). Once requirements are set and candidates selected, empirical sample testing can proceed. Promoting models to production (Option D), securing final platform/security rollout sign-offs (Option E), and ongoing regression testing for new model releases (Option B) are downstream deployment activities that occur after testing is completed.

Question #:21 - [Create effective system-level instructions]

You are a marketing manager deciding what to include in custom instructions for a writing-focused Project.

Which two items belong in the custom instructions? (Select two.)

Each correct answer presents a complete solution.

A. The prompt author’s preferred response length for internal messages unrelated to external deliverables.

B. The standard structure and length expectations for typical deliverables.

C. The brand voice and tonal expectations the writing must follow.

D. The preferred writing style of the marketing manager who will review all final deliverables.

您是 Orinexa, Inc. 的项目经理。您正在为新的生产工作负载选择一个 Claude 模型，并且必须在测试候选模型之前完成需求步骤。

在对代表性样本测试候选模型之前，必须完成哪两个步骤？（选择 两个。）

每个正确答案都是解决方案的一部分。

A. 定义质量标准、延迟容忍度和预期请求量。

B. 每当发布新模型版本时，重新测试所选模型。

C. 根据需求配置文件和已知能力选择候选模型。

D. 将所选模型推广到工作负载的生产流量中。

E. 与平台和安全团队签署生产发布计划。

答案：A C

解释

在目标下 **将模型选择与任务要求（例如，成本、速度、质量）对齐，模型** 评估遵循结构化的工程工作流程，然后进行基准测试。

在对代表性样本数据集进行比较实证测试之前，团队必须首先建立评估标准：定义所需的输出质量标准、最大可接受延迟、吞吐量目标，和预算限制（选项 A）。接下来，团队将这些要求与已知模型系列特征（Haiku、Sonnet、Opus）进行映射，以选择适合测试的候选模型（选项 C）。一旦要求确定并选择了候选，实证样本测试可以进行。将模型推广到生产（选项 D）、确保最终平台/安全发布签署（选项 E）以及对新模型发布进行持续回归测试（选项 B）是测试完成后发生的下游部署活动。

问题 #:21 - [创建有效的系统级指令]

您是一名市场经理，正在决定在以写作为重点的项目中包含哪些自定义指令。

哪些两个项目应包含在自定义指令中？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 提示作者对与外部交付物无关的内部消息的首选响应长度。

B. 典型交付物的标准结构和长度期望。

C. 写作必须遵循的品牌声音和语调期望。

D. 将审查所有最终交付物的市场经理的首选写作风格。

E. A representative sample of past writing that reflects the team's preferred style and structure.

Answer: B C

Explanation

Project instructions should contain persistent behavioral requirements that apply across the Project's recurring tasks. Option B defines the expected structure and length of typical deliverables, while Option C establishes the organization's brand voice and tonal requirements. Both are stable instructions that Claude should consistently apply across chats.

Option A concerns unrelated internal messages and therefore does not belong in a Project dedicated to external writing deliverables. Option D reflects one reviewer's personal preference rather than an approved organizational standard. Option E can be valuable, but the representative document itself is better stored as Project knowledge or attached reference material. The custom instructions can direct Claude to follow that approved example, but they should not attempt to reproduce an entire sample document unnecessarily.

Anthropic explains that Project instructions are intended to provide project-specific context, workflow guidelines, task requirements, and roles that apply consistently across multiple conversations. Uploaded Project knowledge supplies the source documents and reference examples Claude should consult. Separating durable behavioral rules from supporting reference material makes the configuration easier to maintain and reduces conflicting guidance. Consequently, B and C are the correct instruction-level elements. Anthropic's personalization and Project-instruction guidance

==========

Question #:22 - [Identify appropriate and inappropriate use cases]

You are an operations lead sorting proposed Claude use cases according to whether they are acceptable for your team to pursue.

Which two proposed use cases are acceptable for the team to pursue with Claude? (Select two.)

Each correct answer presents a complete solution.

A. Drafting a preliminary symptom summary to support a clinician's diagnostic review.

B. Drafting an internal training summary from approved internal documentation.

C. Synthesizing themes across approved customer feedback under aggregation rules.

D. Summarizing performance-review notes across a team to support a manager's promotion decisions.

E. Drafting a legal summary that an attorney will review and edit before sharing it with a client.

Answer: B C

Explanation

E. 反映团队首选风格和结构的过去写作的代表性样本。

答案： B C

解释

项目指令应包含适用于项目重复任务的持续行为要求。选项 B 定义了典型交付物的预期结构和长度，而选项 C 确立了组织的品牌声音和语调要求。这两者都是 Claude 应在聊天中始终如一地应用的稳定指令。

选项 A 涉及与项目外部写作交付物无关的内部消息，因此不应包含在专注于外部写作交付物的项目中。选项 D 反映了一位审阅者的个人偏好，而不是经过批准的组织标准。选项 E 可能有价值，但代表性文档本身更适合存储为项目知识或附加参考材料。自定义指令可以指导 Claude 遵循该经过批准的示例，但不应试图不必要地重现整个样本文档。

Anthropic 解释说，项目指令旨在提供特定于项目的上下文、工作流程 指南、任务要求和适用于多个对话的一致角色。上传的 项目知识提供了 Claude 应该参考的源文件和示例。将持久的行为规则与支持性参考材料分开，使配置更易于维护，并减少了相互矛盾的指导。因此，B 和 C 是正确的指令级元素。Anthropic 的 个性化和项目指令指导

==========

问题 #:22 - [识别适当和不适当的用例]

您是运营负责人，负责根据提议的 Claude 用例是否适合您的团队进行排序。

哪两个提议的用例适合团队与 Claude 一起追求？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 起草初步症状摘要以支持临床医生的诊断审查。

B. 根据批准的内部文档起草内部培训摘要。

C. 在聚合规则下综合批准的客户反馈主题。

D. 总结团队的绩效评审笔记，以支持经理的晋升决策。

E. 起草一份法律摘要，供律师审阅和编辑，然后再与客户分享。

答案： B C

解释

Answers B and C are the two acceptable use cases as written. Drafting an internal training summary from approved documentation is a bounded synthesis task grounded in authorized sources. Synthesizing themes from approved customer feedback under established aggregation rules is likewise a controlled analysis task, provided the data handling follows organizational privacy requirements. Both activities support human work without assigning Claude a consequential decision about an individual. Option D feeds performance-review information into a promotion process, an employment-related high-risk domain requiring formal controls and accountable human judgment. Options A and E involve healthcare and legal work. Anthropic's current Usage Policy does not categorically ban those domains, but it requires qualified professional review for high-risk advice or decisions and requires disclosure when outputs are presented directly to consumers. The brief wording in A and E mentions professional review but does not establish the complete safeguards, authorization, privacy handling, or disclosure needed to treat the workflow as approved. Therefore, they are not unconditionally acceptable "as stated." Anthropic's AI Fluency Delegation principle also requires considering consequences, reversibility, and the human capabilities that must remain in the process. B and C are the only choices that fully specify low-risk, policy-bounded knowledge work without relying on unstated safeguards. Anthropic Usage Policy

==========

Question #:23 - [Apply task decomposition techniques to structure complex requests]

You are a procurement associate decomposing a vendor-evaluation task.

Which dependency ordering reflects sound sequencing?

A. Define evaluation criteria first, gather vendor data against those criteria, then score and rank the vendors.

B. Skip the criteria and ask Claude to produce a vendor recommendation without any inputs.

C. Score the vendors first and decide on the criteria afterward.

D. Rank the vendors before collecting any data.

Answer: A

Explanation

Option A is correct because vendor evaluation must begin with an agreed decision framework. The organization should first define relevant criteria, measurement methods, mandatory requirements, scoring weights, acceptable evidence, and disqualification conditions. Typical criteria might cover capability, security, compliance, implementation effort, support, total cost, and contractual risk.

Vendor information can then be gathered consistently against the same framework. Claude may help extract evidence from proposals, populate a comparison structure, identify missing information, and calculate scores when the rules are explicitly defined. After the evidence has been validated, the vendors can be scored and ranked. This sequence supports fairness, traceability, and repeatability.

Options B, C, and D reverse or omit essential dependencies. Asking Claude for a recommendation without inputs invites unsupported assumptions. Scoring before defining criteria permits the desired outcome to influence the evaluation framework. Ranking before collecting evidence has no defensible analytical basis.

答案 B 和 C 是两个可接受的使用案例。根据 批准的文档起草内部培训摘要是一个基于授权来源的有限综合任务。从已批准的客户反馈中合成主题，遵循既定的聚合规则，同样是一个受控分析任务，前提是数据处理遵循组织的隐私要求。这两项活动支持人类工作，而不赋予 Claude 对个体做出重要决策的权力。选项 D 将绩效评估信息纳入晋升流程，这是一个与就业相关的高风险领域，需要正式控制和负责任的人类判断。选项 A 和 E 涉及医疗保健和法律工作。Anthropic 当前的使用政策并不绝对禁止这些领域，但要求对高风险建议或决策进行合格的专业审查，并在输出直接呈现给消费者时要求披露。A 和 E 中简短的措辞提到了专业审查，但并未建立完整的保障措施、授权、隐私处理或披露，以将工作流程视为已批准。因此，它们并不是无条件可接受的“如所述”。Anthropic 的 AI 流畅性委托原则还要求考虑后果、可逆性以及必须保留在流程中的人类能力。B 和 C 是唯一完全指定低风险、政策限制知识工作的选择，而不依赖于未说明的保障措施。Anthropic 使用政策

==========

问题 #:23 - [应用任务分解技术来构建复杂请求]

你是一名采购助理，正在分解供应商评估任务。

哪个依赖顺序反映了合理的排序？

A. 首先定义评估标准，收集针对这些标准的供应商数据，然后对供应商进行评分和排名。

B. 跳过标准，要求 Claude 在没有任何输入的情况下生成供应商推荐。

C. 先对供应商进行评分，然后再决定标准。

D. 在收集任何数据之前对供应商进行排名。

答案： A

解释

选项 A 是正确的，因为供应商评估必须以达成一致的决策框架开始。组织应首先定义相关标准、测量方法、强制性要求、评分权重、可接受的证据和取消资格条件。典型标准可能涵盖能力、安全性、合规性、实施工作量、支持、总成本和合同风险。

然后可以根据相同的框架一致地收集供应商信息。Claude 可能会帮助从提案中提取证据，填充比较结构，识别缺失信息，并在规则明确时计算分数。在证据经过验证后，可以对供应商进行评分和排名。这个顺序支持公平性、可追溯性和可重复性。

选项 B、C 和 D 反转或省略了基本依赖关系。在没有输入的情况下向 Claude 请求建议会导致不支持的假设。在定义标准之前进行评分会使期望的结果影响评估框架。在收集证据之前进行排名没有可辩护的分析基础。

Anthropic recommends defining specific, measurable, relevant success criteria before building evaluations. The same principle applies to vendor selection: criteria must precede measurement and judgment.

Therefore, the sound dependency chain is criteria definition, evidence collection, validation, scoring, and ranking. See Anthropic's guidance on defining success criteria and evaluations .

==========

Question #:24 - [Leverage Claude for research, planning, and process optimization]

You are a product designer using Claude in a solution-design exercise.

Which solution-design step should be performed first when using Claude?

A. Generate candidate solution concepts using Claude across diverse styles.

B. Compare the candidate concepts against the constraints and select a finalist.

C. Articulate the problem the solution must address and the constraints in play.

D. Produce detailed mock-ups of the chosen solution for stakeholder review.

Answer: C

Explanation

Option C is correct because effective solution design begins by defining the problem, desired outcome, success criteria, and relevant constraints. Without this foundation, Claude may generate polished concepts that solve the wrong problem or violate important business, technical, regulatory, budgetary, or audience requirements. Anthropic's AI Fluency Delegation guidance calls this "Problem Awareness": understanding the goal and the work required before deciding how to involve AI. Its applied Delegation process likewise begins with establishing the project vision and defining what a successful result looks like before breaking the work into tasks.

After the problem and constraints are clear, Claude can productively generate diverse solution concepts, making Option A a later ideation step. Option B follows concept generation because alternatives cannot be compared until they exist and the evaluation constraints have been established. Option D comes later still, after a candidate has been evaluated and selected. Starting with mock-ups would prematurely commit effort to an unvalidated solution. Therefore, articulating the problem and constraints first creates the grounding Claude needs for relevant ideation, systematic comparison, and defensible design decisions. This sequence is consistent with Anthropic's AI Fluency Delegation guidance and Applying Delegation lesson .

==========

Question #:25 - [Evaluate Claude-generated outputs for accuracy and completeness]

Before sharing a Claude-generated brief, an analyst is applying the AI Fluency Framework Discernment competency to evaluate it.

Which review best reflects Discernment principles?

Anthropic 建议在构建评估之前定义具体、可衡量、相关的成功标准。
同样的原则适用于供应商选择：标准必须在测量和判断之前确定。

因此，合理的依赖链是标准定义、证据收集、验证、评分和排名。请参阅 Anthropic 关于定义成功标准和评估的指导。

==========

问题 #:24 - [利用 Claude 进行研究、规划和流程优化]

您是一名产品设计师，在解决方案设计练习中使用 Claude。

在使用 Claude 时，应该首先执行哪个解决方案设计步骤？

A. 使用 Claude 生成多种风格的候选解决方案概念。

B. 将候选概念与约束进行比较，并选择一个最终方案。

C. 阐明解决方案必须解决的问题和相关的约束条件。

D. 制作所选解决方案的详细模型以供利益相关者审查。

答案：C

解释

选项 C 是正确的，因为有效的解决方案设计始于定义问题、期望结果、成功标准和相关约束。如果没有这个基础，Claude 可能会生成精致的概念，但解决了错误的问题或违反了重要的商业、技术、监管、预算或受众要求。Anthropic 的 AI 流利度委托指导称之为“问题意识”：在决定如何涉及 AI 之前，理解目标和所需的工作。其应用的委托过程同样始于建立项目愿景，并定义成功结果的样子，然后再将工作分解为任务。

在问题和约束明确后，Claude 可以有效地生成多样的解决方案概念，使选项 A 成为后续的构思步骤。选项 B 紧随概念生成，因为在替代方案存在并且评估约束已建立之前，无法进行比较。选项 D 则更晚出现，在候选方案经过评估和选择之后。以模型开始将过早地将精力投入到未经验证的解决方案中。因此，首先阐明问题和约束为 Claude提供了相关构思、系统比较和可辩护设计决策所需的基础。这一顺序与 Anthropic 的 AI 流利度委托指导和应用委托课程一致。

==========

问题 #:25 - [评估 Claude 生成的输出的准确性和完整性]

在分享 Claude 生成的简报之前，分析师正在应用 AI 流利度框架的洞察力能力来评估它。

哪个评审最能反映洞察力原则？

A.

A. Accept the brief on the basis that it reads fluently and the subject matter aligns with the analyst's professional knowledge of the topic.

B. Skip the source material check during review and rely on overall tone and logical flow as proxies for factual accuracy.

C. Review the opening paragraph and the conclusion of the brief, since these sections typically reflect the quality of the full document.

D. Conduct a systematic check of the brief against the task requirements, source material, and professional standards before sharing it.

Answer: D

Explanation

Under the objective **Evaluate Claude-generated outputs for accuracy and completeness** and the AI Fluency Framework Discernment competency, rigorous output evaluation requires systematic verification rather than surface appraisal.

Discernment requires actively auditing AI outputs across three core dimensions: completeness against original prompt requirements, factual fidelity against underlying source documentation, and compliance with domain-specific professional standards (Option D). Relying on surface fluency, elegant style, or subjective plausibility (Option A) creates a false sense of security, as LLMs frequently articulate hallucinations with high confidence. Treating logical flow or tone as proxies for factual accuracy (Option B) skips necessary verification gates. Similarly, spot-checking only the opening and closing paragraphs (Option C) overlooks hallucinations, omissions, or logical flaws buried within the main body.

Question #:26 - [Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)]

You are an operations manager preparing a quick reference card for a team.

Which description correctly characterizes the three Claude model tiers in general terms?

A. Haiku is the most capable model for the deepest reasoning, while Opus is the lightweight model for quick replies.

B. All three models offer the same reasoning depth and differ only in response speed and cost.

C. Haiku is fast and lightweight, Sonnet is the balanced default for most everyday work, and Opus is the most capable for complex reasoning at higher latency and cost.

D. Sonnet is the fastest of the three models because its architecture is optimized for speed rather than reasoning depth.

Answer: C

Explanation

A. 接受该简报的理由是它读起来流畅，且主题与分析师对该主题的专业知识相符。

B. 在评审过程中跳过源材料检查，依赖整体语气和逻辑流作为事实准确性的代理。

C. 审查简报的开头段落和结论，因为这些部分通常反映整个文档的质量。

D. 在分享之前，系统地检查简报是否符合任务要求、源材料和专业标准。

答案： D

解释

在目标下 **评估 Claude 生成的输出的准确性和完整性以及 AI** 流利度框架的洞察力能力，严格的输出评估需要系统验证，而不是表面评估。

洞察力要求在三个核心维度上积极审计 AI 输出：与原始提示要求的完整性、与基础源文档的事实忠实度，以及与特定领域专业标准的合规性（选项 D）。依赖表面流利度、优雅风格或主观可信度（选项 A）会产生虚假的安全感，因为大型语言模型经常以高度自信的方式表达幻觉。将逻辑流或语气视为事实准确性的代理（选项 B）跳过了必要的验证关卡。同样，仅检查开头和结尾段落（选项 C）会忽视埋藏在主体中的幻觉、遗漏或逻辑缺陷。

问题 #:26 - [区分 Claude 模型类型（例如，Haiku、Sonnet、Opus）]

您是一名运营经理，正在为团队准备一张快速参考卡。

哪个描述正确地概括了三种 Claude 模型层次的一般特征？

A. Haiku 是最具深度推理能力的模型，而 Opus 是轻量级模型，适用于快速回复。

B. 这三种模型提供相同的推理深度，仅在响应速度和成本上有所不同。

C. Haiku 快速且轻量，Sonnet 是大多数日常工作的平衡默认选项，而 Opus 是在更高延迟和成本下最具复杂推理能力的模型。

D. Sonnet 是三种模型中速度最快的，因为其架构是针对速度而非 推理深度进行优化的。

答案： C

解释

Under the objective **Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)** (Domain 3: Product and Model Selection), Anthropic structures its model family across three clear tiers of intelligence, latency, and cost:

- **Claude Haiku** : The fastest, most cost-efficient, and lightweight model designed for high-volume, low-latency tasks and simple classification.
- **Claude Sonnet** : The balanced, versatile enterprise workhorse combining high intelligence and throughput for everyday knowledge-work tasks.
- **Claude Opus** : The frontier model offering deep reasoning and analytical capacity for complex, multi-step problem solving at higher latency and operational cost.

Option C perfectly summarizes these structural trade-offs. Options A, B, and D misrepresent the capability hierarchy, speed profiles, and architectural tiering of the Claude family.

Question #:27 - [Create effective prompts for business and technical tasks]

A communications manager is drafting a prompt for Claude to produce a quarterly newsletter for store managers in three regions. The agreed key messages, regional details, and a prior newsletter the team liked are all available.

Which prompt approach is most likely to produce a usable first draft?

A. Attach the prior newsletter, and ask Claude to match its tone and structure while incorporating the new key messages for the three named regions.

B. Attach the prior newsletter and the agreed key messages, and ask Claude to produce a similar newsletter for this quarter.

C. Provide the agreed key messages and the three regions, and ask Claude to choose an appropriate length and tone for store managers.

D. Name the audience, the three regions, the length, the tone, and the agreed key messages, and reference the prior newsletter only as a tone example.

Answer: D

Explanation

Under the objective **Create effective prompts for business and technical tasks** , Anthropic's core prompt engineering principle emphasizes being explicit, direct, and providing complete structural constraints rather than relying on implicit document matching.

Option D establishes all essential prompt components directly within the prompt itself: explicitly defining the target audience (store managers), geographic scope (three regions), length constraints, tone guidelines, and the core messaging points, while treating the historical newsletter as a calibrated few-shot tone reference. This explicit framing eliminates ambiguity and prevents the model from copying obsolete structure or irrelevant sections from the historical document. In contrast, Option A relies excessively on broad pattern-matching

在目标下 **区分 Claude 模型类型（例如，Haiku、Sonnet、Opus）（领域 3:** 产品和模型选择），Anthropic 将其模型家族结构分为三个明确的智能、延迟和成本层次：

- **Claude Haiku** ：设计用于高容量、低延迟任务和简单分类的最快、最具成本效益和轻量级模型。
- **Claude Sonnet** ：结合高智能和高吞吐量的平衡、多功能企业工作马，适用于日常知识工作任务。
- **Claude Opus** ：该前沿模型提供深度推理和分析能力，适用于复杂的多步骤问题解决，具有更高的延迟和运营成本。

选项 C 完美总结了这些结构权衡。选项 A、B 和 D 错误地描述了 Claude 家族的能力层级、速度特征和架构分层。

问题 #:27 - [为商业和技术任务创建有效的提示]

一位通讯经理正在为 Claude 起草一个提示，以便为三个地区的店经理制作季度通讯。已商定的关键信息、地区细节以及团队喜欢的先前通讯都已准备好。

哪种提示方法最有可能产生可用的初稿？

A. 附上先前的通讯，并要求 Claude 匹配其语气和结构，同时融入三个指定地区的新关键信息。

B. 附上先前的通讯和商定的关键信息，并要求 Claude 为本季度制作一份类似的通讯。

C. 提供商定的关键信息和三个地区，并要求 Claude 选择适合店经理的长度和语气。

D. 说明受众、三个地区、长度、语气和商定的关键信息，并仅将先前的通讯作为语气示例进行参考。

答案： D

解释

在目标下 **为商业和技术任务创建有效的提示 , Anthropic 的核心提示** 工程原则强调明确、直接，并提供完整的结构约束，而不是依赖于隐式文档匹配。

选项 D 直接在提示中建立所有必要的提示组件：明确界定目标受众（店经理）、地理范围（三个地区）、长度限制、语气指南，以及核心信息点，同时将历史通讯视为经过校准的少量示例语气参考。这种明确的框架消除了模糊性，防止模型复制历史文档中过时的结构或不相关的部分。相比之下，选项 A 过于依赖广泛的模式匹配。

against an attachment without providing explicit parameter boundaries in the prompt body. Option B lacks structural and tonal detail, while Option C delegates tone and length decisions entirely to the model.

Question #:28 - [Configure Claude Projects with instructions and knowledge sources]

A learning specialist is configuring a Claude Project for a recurring course-design workflow.

Which configuration approach best leverages a Skill alongside other Project elements?

A. Configure the Project with custom instructions that contradict the Skill's documented purpose, creating ambiguity about which guidance Claude should follow within the recurring course-design workflow.

B. Add the relevant Skill to the Project, upload the supporting knowledge sources, and write custom instructions that reference both the Skill and the knowledge.

C. Upload the supporting knowledge sources but disable the relevant Skill, eliminating the packaged capability the workflow needs and forcing each chat to reconstruct the procedure manually.

D. Add the Skill to the Project but omit the supporting knowledge sources and any custom instructions, so the Project lacks the reference content and persistent guidance the workflow requires.

Answer: B

Explanation

Under the objective **Configure Claude Projects with instructions and knowledge sources** (Domain 5: Configuration and Knowledge Management), maximizing the utility of Claude Projects involves harmonizing all built-in platform capabilities: custom instructions, knowledge bases, and specialized Skills.

Option B exemplifies an integrated configuration: packaging procedural execution logic into a Project Skill, uploading pedagogical frameworks and curriculum standards to Project knowledge, and authoring system instructions that explicitly define how Claude should utilize the Skill in conjunction with the knowledge repository. In contrast, creating contradictory instructions (Option A) causes prompt collisions and erratic behavior. Disabling skills (Option C) forces repetitive manual prompt engineering in every chat. Omitting supporting reference knowledge and system instructions (Option D) leaves the Project ungrounded and under-configured.

Question #:29 - [Configure Claude Projects with instructions and knowledge sources]

You are reviewing items proposed for inclusion in a Project that supports policy summaries.

Which two items are appropriate to include in the Project? (Select two.)

Each correct answer presents part of the solution.

A. the summary format and the audience expectations the summaries must meet

B. the current policy library that the summaries are drawn from

在没有在提示正文中提供明确参数边界的情况下，针对附件。选项 B 缺乏结构和语调细节，而选项 C 完全将语调和长度的决策委托给模型。

问题 #:28 - [配置 Claude 项目与指令和知识来源]

一名学习专家正在为一个定期的课程设计工作流程配置 Claude 项目。

哪种配置方法最能有效利用技能与其他项目元素？

A. 使用与技能文档目的相矛盾的自定义指令配置项目，造成关于Claude在重复的课程设计工作流中应遵循哪种指导的模糊性。

B. 将相关技能添加到项目中，上传支持的知识来源，并编写自定义指令，引用技能和知识。

C. 上传支持的知识来源，但禁用相关技能，消除工作流所需的打包能力，迫使每个聊天手动重建程序。

D. 将技能添加到项目中，但省略支持的知识来源和任何自定义指令，因此项目缺乏工作流所需的参考内容和持续指导。

答案： B

解释

在目标下 **使用指令和知识来源配置Claude项目（领域5：配置和知识管理），**最大化Claude项目的效用涉及协调所有内置平台能力：自定义指令、知识库和专业技能。

选项B示例了一个集成配置：将程序执行逻辑打包到项目技能中，将教学框架和课程标准上传到项目知识中，并撰写系统指令，明确规定Claude应如何结合知识库使用技能。相比之下，创建矛盾指令（选项A）会导致提示冲突和不稳定行为。禁用技能（选项C）迫使每个聊天中进行重复的手动提示工程。省略支持的参考知识和系统指令（选项D）使项目失去基础并且配置不足。

问题 #:29 - [配置 Claude 项目与指令和知识来源]

您正在审查提议纳入支持政策摘要的项目的项目项。

哪些两个项目适合纳入该项目？（选择两个。）

每个正确答案都是解决方案的一部分。

A. 摘要格式和摘要必须满足的受众期望

B. 摘要所引用的当前政策库

C.

C. presentation slides from a recent team training session on internal communication standards

D. active client case files maintained by a separate legal team for a different workstream

E. employee onboarding records used in a separate HR workflow managed by the same team

Answer: A B

Explanation

Under the objective **Configure Claude Projects with instructions and knowledge sources** , curating Project scope requires adding only persistent, relevant reference assets while maintaining strict boundaries against unrelated context.

Option A represents foundational system instructions and prompt scaffolding: specifying target formatting schemas, structural sections, and audience expectations ensures consistent, repeatable policy summaries across all chats. Option B provides the canonical ground truth: uploading the current active policy documentation into the Project knowledge base gives Claude the direct reference material needed to generate factually grounded summaries. In contrast, uploading general presentation slide decks (Option C) injects unneeded token overhead. Including active legal case files (Option D) or employee onboarding records from unrelated workflows (Option E) causes context bleed, violates data compartmentalization principles, and wastes context window capacity.

Question #:30 - [Evaluate Claude-generated outputs for accuracy and completeness]

A strategy manager is reviewing a Claude-generated recommendation to consolidate the company's two regional warehouses into one. The recommendation cites three sources that estimate cost savings and one source confirming that consolidation is operationally feasible. Two source documents also contain estimates of one-time transition costs and a stakeholder concern about regional service levels, neither of which appears in the recommendation.

Which concern is most warranted?

A. The recommendation is acceptable for an initial round, but the missing material should be added in a separate appendix rather than re-prompting the original output.

B. The recommendation should be rejected because it relies on only four sources, which is insufficient for a decision of this size.

C. The recommendation is sound because every source it cites supports the consolidation conclusion.

D. The recommendation reflects selective use of the source documents and should be re-prompted to address the transition costs and the service-level concern before it is used.

Answer: D

Explanation

Option D is correct because the recommendation is incomplete and directionally biased. Although its cited evidence may genuinely support consolidation, the omitted transition costs and service-level concern are

C. 最近一次关于内部沟通标准的团队培训会议的演示幻灯片

D. 由不同法律团队维护的活跃客户案件文件，用于不同的工作流

E. 同一团队管理的用于单独人力资源工作流的员工入职记录

答案： A B

解释

在目标下 **配置 Claude 项目与指令和知识来源，策划项目**
范围要求仅添加持久的、相关的参考资产，同时保持对不相关上下文的严格界限。

选项 A 代表基础系统指令和提示框架：指定目标格式模式、结构部分和受众期望，确保在所有聊天中一致、可重复的政策摘要。选项 B 提供了规范的真实依据：将当前活跃的政策文档上传到项目知识库，为 Claude 提供生成事实基础摘要所需的直接参考材料。相比之下，上传一般的演示幻灯片（选项 C）会引入不必要的令牌开销。包括活跃的法律案件文件（选项 D）或来自不相关工作流的员工入职记录（选项 E）会导致上下文泄漏，违反数据分隔原则，并浪费上下文窗口容量。

问题 #:30 - [评估 Claude 生成的输出的准确性和完整性]

一名战略经理正在审查一份 Claude 生成的建议，建议将公司的两个 地区仓库合并为A.该 建议引用了三个估算成本节省的来源和一个 确认合并在操作上可行的来源。两个来源文件还包 含一次性过渡成本的估算和一个利益相关者对地区服务水平的担忧，但这两项内容在建议中均未出 现。

哪个担忧是最合理的?

A. 该建议在初步阶段是可以接受的，但缺失的材料应在 单独的附录中添加，而不是重新提示原始输出。

B. 该建议应被拒绝，因为它仅依赖于四个来源，这对于如此规模的决策来说是不够的。

C. 该建议是合理的，因为它引用的每个来源都支持合并的结论。 该建议反映了对来源文件的选择性使用，在使用之前应重新提示以

D. 解决过渡成本和服务水平的担忧。

答案： D

解释

选项 D 是正确的，因为该建议不完整且方向性偏见。尽管其引用的 证据可能确实支持合并，但遗漏的过渡成本和服务水平的担忧是

material to the decision. Accuracy is not limited to whether included claims are supported; it also requires completeness, balanced use of the available evidence, and faithful treatment of factors that could alter the conclusion.

The recommendation should be re-prompted to incorporate the omitted evidence, quantify its effect where possible, explain unresolved uncertainty, and present counterarguments or risks alongside the projected savings. The revised output should then be checked against every relevant source. Anthropic recommends multidimensional evaluations aligned with the application's purpose, including task fidelity, relevance, context utilization, and other task-specific criteria. Its hallucination guidance also recommends citations and verification of claims against supporting source text.

Option A incorrectly treats material evidence as optional appendix content when it belongs in the core analysis. Option B invents an arbitrary source-count threshold; evidence quality and coverage matter more than a fixed number. Option C considers only confirmatory citations and ignores contradictory or qualifying information. Therefore, D identifies the central problem: selective evidence usage that could mislead stakeholders. See Anthropic's guidance on evaluating outputs and verifying claims with citations .

==========

Question #:31 - [Align model selection with task requirements (e.g., cost, speed, quality)]

You are a customer-success lead running an interactive workflow where each turn must respond quickly and the per-turn reasoning is light.

Which selection best aligns with the requirements?

A. Choose Haiku to keep latency low and to handle a light reasoning load efficiently at scale.

B. Choose a model based on the alphabetical order of its name.

C. Choose any model because latency does not vary by model.

D. Choose Opus to maximize reasoning depth despite higher latency.

Answer: A

Explanation

Option A correctly matches the model tier to the workload. An interactive, high-volume workflow with light reasoning places greater importance on response speed, operational efficiency, and cost than on maximum reasoning depth. Haiku is positioned as the fast, lightweight Claude model for responsive tasks, making it the appropriate starting choice.

Option B uses a criterion unrelated to performance. Option C is incorrect because model tiers differ in capability, latency, and cost characteristics. Option D prioritizes advanced reasoning even though the scenario explicitly states that reasoning demands are light and rapid responses are required. Selecting a more capable model than the task needs can increase latency and expense without producing a meaningful business benefit.

Model selection should still be validated empirically. The team should define an acceptable quality threshold, test representative customer-success requests, measure response latency and task accuracy, and confirm that Haiku meets the required service level. If the real workload contains complex exceptions, the workflow could

与决策相关的材料。准确性不仅限于所包含的主张是否得到支持；它还要求完整性、平衡使用可用证据，以及对可能改变结论的因素的忠实处理。

建议应重新提示，以纳入遗漏的证据，尽可能量化其影响，解释未解决的不确定性，并在预计的节省旁边呈现反对论点或风险。然后，修订后的输出应与每个相关来源进行核对。Anthropic 建议进行与应用目的相一致的多维评估，包括任务忠实度、相关性、上下文利用和其他特定任务标准。其幻觉指导还建议引用和验证主张与支持性源文本的一致性。

A选项错误地将重要证据视为可选附录内容，而它应属于核心分析。B选项设定了一个任意的来源计数阈值；证据的质量和覆盖范围比固定数量更重要。C选项仅考虑确认性引用，忽略矛盾或限定信息。因此，D选项识别出核心问题：选择性使用证据可能误导利益相关者。请参见Anthropic关于评估输出和通过引用验证主张的指导。

==========

问题 #:31 - [将模型选择与任务要求对齐（例如，成本、速度、质量）]

您是一名客户成功负责人，正在运行一个互动工作流，每个回合必须快速响应，每回合的推理负担较轻。

哪个选择最符合要求？

A. 选择 Haiku 以保持低延迟，并高效处理轻推理负担。

B. 根据模型名称的字母顺序选择一个模型。

C. 选择任何模型，因为延迟不因模型而异。

D. 选择 Opus 以最大化推理深度，尽管延迟较高。

答案： A

解释

选项 A 正确地将模型层级与工作负载匹配。一个互动的、高容量的工作流，推理负担较轻，对响应速度、操作效率和成本的重视程度高于最大推理深度。Haiku 被定位为快速、轻量级的 Claude 模型，适用于响应性任务，因此是合适的起始选择。

选项 B 使用了与性能无关的标准。选项 C 是错误的，因为模型层级在能力、延迟和成本特性上有所不同。选项 D 优先考虑高级推理，尽管场景明确指出推理需求较轻且需要快速响应。选择一个比任务需求更强大的模型可能会增加延迟和费用，而不会带来有意义的商业利益。

模型选择仍需通过实证验证。团队应定义一个可接受的质量阈值，测试具有代表性的客户成功请求，测量响应延迟和任务准确性，并确认 Haiku 满足所需的服务水平。如果实际工作负载包含复杂的例外情况，工作流可以

route only those cases to a more capable model. Anthropic's current learning materials characterize Haiku as its fastest option for lightweight work, while its prompt-engineering guidance identifies model selection as a direct lever for improving cost and latency. Anthropic's Claude learning resources

==========

Question #:32 - [Align model selection with task requirements (e.g., cost, speed, quality)]

You are an operations assistant selecting a model for a recurring meeting-summary task that does not require deep reasoning and runs at moderate volume.

Which selection best balances cost, speed, and quality?

A. Haiku, which is suitable only when the task requires the fastest possible turnaround.

B. Opus, which prioritizes depth at higher latency and rate-limit consumption.

C. Sonnet, which provides solid quality at moderate latency and rate-limit consumption for everyday work.

D. A custom model, which the Associate-level user would need to build and train independently.

Answer: C

Explanation

Under the objective **Align model selection with task requirements (e.g., cost, speed, quality)** , model architecture selection must be balanced against operational constraints, cognitive task complexity, and throughput requirements.

Claude 3.5 Sonnet serves as the enterprise default workhorse, engineered to deliver high-tier reasoning, comprehensive summarization capability, and excellent structural precision at a balanced cost and latency profile (Option C). For standard, recurring administrative tasks like meeting summarization at moderate operational volume, Sonnet provides the optimal equilibrium. Claude 3 Opus (Option B) is over-engineered and cost-prohibitive for routine summarization that does not demand advanced multi-step logic. Haiku (Option A) is optimized for near-instant latency and high-volume basic classification, but the characterization that it is "suitable only when the task requires the fastest turnaround" misrepresents its general utility, making Sonnet the primary choice. Training a custom base model (Option D) is completely unnecessary and outside standard enterprise workflows.

Question #:33 - [Identify hallucinations, inconsistencies, and biases in responses]

You are a knowledge worker reviewing a Claude-generated brief that asserts a "well-known industry standard" without naming any source.

How should this assertion be handled?

A. Strengthen the assertion by adding more confident wording.

B. Republish the brief unchanged because the claim sounds authoritative.

仅将这些案例路由到更强大的模型。Anthropic 当前的学习材料将 Haiku 描述为其在轻量级工作中最快的选项，而其提示工程指导则将模型选择视为改善成本和延迟的直接杠杆。Anthropic 的 Claude 学习资源

==========

问题 #:32 - [将模型选择与任务要求对齐（例如，成本、速度、质量）]

您是一名运营助理，正在为一个不需要深度推理且运行在中等量级的定期会议摘要任务选择模型。

哪个选择在成本、速度和质量之间取得最佳平衡？

A. Haiku，仅在任务需要尽可能快的周转时适用。

B. Opus，优先考虑深度，但延迟较高且消耗速率限制。

C. Sonnet，在日常工作中提供适度延迟和速率限制消耗下的良好质量。

D. 一个自定义模型，助理级用户需要独立构建和训练。

答案：C

解释

在目标下 **将模型选择与任务要求（例如，成本、速度、质量）对齐，模型架构选择必须与操作约束、认知任务复杂性和吞吐量要求相平衡。**

Claude 3.5 Sonnet 作为企业默认的工作马，旨在以平衡的成本和延迟配置提供高层次推理、全面的总结能力和出色的结构精度（选项 C）。对于标准的、定期的行政任务，如在适度操作量下的会议总结，Sonnet 提供了最佳平衡。Claude 3 Opus（选项 B）对于不需要高级多步骤逻辑的常规总结来说，过于复杂且成本高昂。Haiku（选项 A）优化了近乎即时的延迟和高容量的基本分类，但其“仅在任务需要最快周转时适用”的描述误导了其一般实用性，使 Sonnet 成为主要选择。训练一个自定义基础模型（选项 D）完全没有必要，并且超出了标准企业工作流程。

问题 #:33 - [识别响应中的幻觉、不一致和偏见]

您是一名知识工作者，正在审查一份 Claude 生成的简报，该简报声称存在一个“众所周知的行业标准”，但未提及任何来源。

应如何处理这一声明？

A. 通过添加更自信的措辞来加强这一声明。

B. 因为该声明听起来权威，所以不变更地重新发布简报。

C.

C. Accept the assertion because the phrase “well-known” is reassuring.

D. Treat the assertion as unverified, and either source it from an authoritative reference or remove it.

Answer: D

Explanation

The phrase “well-known industry standard” is not evidence. Without the name of the standard, its issuing body, version, publication date, or an authoritative citation, the statement cannot be independently verified. Option D correctly treats the assertion as unsupported and requires either authoritative substantiation or removal.

Claude can produce fluent, confident language that appears credible even when the underlying claim is incomplete, inaccurate, or fabricated. Adding stronger language, as proposed in Option A, would amplify the unsupported claim rather than correct it. Options B and C confuse plausibility and confidence with verification. A claim does not become reliable merely because it sounds familiar or uses reassuring terminology.

The reviewer should identify the purported standard, locate the original issuing organization or official publication, confirm that the standard applies to the subject and jurisdiction, and cite the relevant section. If those checks cannot be completed, the claim should be deleted or rewritten to disclose uncertainty. Anthropic recommends grounding factual statements in direct source material, using citations to make claims auditable, and retracting claims for which supporting evidence cannot be found. This approach directly addresses hallucination risk while preserving the brief’s credibility. Anthropic’s hallucination-reduction guidance

==========

Question #:34 - [Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)]

You are a project lead reviewing a teammate’s habit of using the same prompt template for every task regardless of type.

Which feedback is most warranted?

A. The prompting strategy should be adapted to each task type because one template does not produce equally strong outputs across all tasks.

B. The prompting strategy should not change between tasks because adapting it wastes time and adds no value.

C. The habit is ideal because a single template guarantees consistent quality across all task types.

D. Task type has no effect on the appropriate prompting strategy.

Answer: A

Explanation

C. 接受这一声明，因为“众所周知”这一短语令人安心。

D. 将该声明视为未经验证，并从权威参考中获取来源或将其删除。

答案： D

解释

短语“众所周知的行业标准”并不是证据。没有标准的名称、发布机构、版本、出版日期或权威引用，该声明无法独立验证。
选项 D 正确地将该声明视为不支持，并要求提供权威的证实或
删除。

Claude 可以生成流畅、自信的语言，即使在基础声明不完整、不准确或虚构的情况下也显得可信。添加更强的语言，如选项 A 中所提议的，将放大 这一不支持的声明，而不是纠正它。选项 B 和 C 将可信性与 验证混淆。一个声明并不会因为听起来熟悉或使用令人安心的术语而变得可靠。

审查者应识别所称标准，找到原始发布组织或官方出版物，确认该标准适用于主题和管辖区，并引用相关部分。如果无法完成这些检查，则应删除或重写声明以披露不确定性。Anthropic建议将事实陈述基于直接来源材料，使用引用使声明可审计，并撤回无法找到支持证据的声明。这种方法直接解决了幻觉风险，同时保持了简报的可信度。Anthropic 的幻觉减少指导

==========

问题 #:34 - [根据任务类型调整提示策略（例如，分析、研究、起草、头脑风暴）]

您是项目负责人，正在审查一位团队成员在每个任务中使用相同提示模板的习惯，无论任务类型如何。

哪种反馈最为恰当？

A. 提示策略应根据每个任务类型进行调整，因为一个模板在所有任务中并不能产生同样强的输出。

B. 提示策略在任务之间不应改变，因为调整它会浪费时间且没有价值。

C. 这一习惯是理想的，因为单一模板可以保证所有任务类型的一致质量。

D. 任务类型对适当的提示策略没有影响。

答案： A

解释

Different tasks require different prompting structures, evidence, constraints, and evaluation methods. A research request should define research questions, source requirements, currency expectations, and citation rules. An analytical task should specify the decision to support, relevant data, assumptions, and comparison criteria. Drafting work requires audience, tone, purpose, structure, and length. Brainstorming normally benefits from broader exploration, diversity requirements, and delayed evaluation.

A reusable template can provide a useful baseline, but it should not remain unchanged when task characteristics differ. Options B, C, and D incorrectly assume that uniformity guarantees effectiveness. In practice, excessive rigidity can omit critical instructions or impose an inappropriate structure. A compliance report and an early-stage ideation exercise should not be prompted identically.

Anthropic's prompting documentation covers multiple techniques—including clear instructions, examples, role prompting, structured formats, prompt chaining, and success criteria—because no single technique is optimal for every workload. Anthropic's legal-summarization guidance also demonstrates that prompt details can be adjusted for different levels of technicality, verbosity, and structure. The project lead should therefore standardize reusable components while adapting task-specific objectives, inputs, constraints, and output formats. Anthropic's prompt-engineering overview

==========

Question #:35 - [Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)]

You are an operations lead mapping production tasks to Claude model strengths to set realistic expectations.

Which two production tasks fit Claude's strengths most clearly? (Select two.)

Each correct answer presents a complete solution.

A. monitoring a live sensor data stream and flagging anomalies as they occur in real time

B. issuing a binding legal determination based solely on Claude's analysis of case documents

C. drafting a tone-and-audience-aware customer-facing email under human review

D. calculating the precise settlement value of a derivative contract using live market inputs

E. synthesizing a single executive summary across many long source documents

Answer: C E

Explanation

Under the objective **Differentiate between Claude model types (e.g., Haiku, Sonnet, Opus)** and foundational AI capabilities, generative models are specifically optimized for natural language understanding, cross-document synthesis, and nuanced stylistic drafting.

Drafting audience-tailored, empathetic customer communications for human review (Option C) and synthesizing large volumes of complex source text into concise executive summaries (Option E) leverage Claude's extensive context window and linguistic fluency. Conversely, tasks requiring millisecond real-time event-driven streaming detection (Option A) or high-frequency deterministic quantitative financial settlement

不同的任务需要不同的提示结构、证据、约束和评估方法。一个研究请求应定义研究问题、来源要求、时效期望和引用规则。分析任务应指定支持的决策、相关数据、假设和比较标准。起草工作需要考虑受众、语气、目的、结构和长度。头脑风暴通常受益于更广泛的探索、多样性要求和延迟评估。

可重用的模板可以提供有用的基线，但当任务 特征不同时，它不应保持不变。选项 B、C 和 D 错误地假设统一性保证有效性。实际上，过度的僵化可能会遗漏关键指令或施加不适当的结构。合规 报告和早期阶段的构思练习不应被相同地提示。

Anthropic 的提示文档涵盖了多种技术——包括清晰的指令、示例、 角色提示、结构化格式、提示链和成功标准——因为没有单一的技术对每个工作负载都是 最佳的。Anthropic 的法律摘要指导也表明，提示细节可以根据不同的技术性、冗长性和结构进行调整。因此，项目负责人应标准化可重用组件，同时调整特定任务的目标、输入、约束和输出 格式。Anthropic 的提示工程概述

==========

问题 #:35 - [区分 Claude 模型类型（例如，Haiku、Sonnet、Opus）]

您是运营负责人，将生产任务与 Claude 模型的优势进行匹配，以设定现实的期望。

哪两个生产任务最清晰地符合 Claude 的优势？ （选择两个。）

每个正确答案都提供了完整的解决方案。

A. 监控实时传感器数据流并在实时发生时标记异常

B. 仅基于 Claude 对案件文件的分析发布具有约束力的法律裁定

C. 在人工审查下起草针对受众的、关注语气的客户邮件

D. 使用实时市场输入计算衍生合同的精确结算价值

E. 综合多个长篇源文件的单一执行摘要

答案： C E

解释

在目标下 **区分 Claude 模型类型（例如，Haiku、Sonnet、Opus） 和** 基础 AI 能力，生成模型专门优化用于自然语言理解，跨文档综合和细致的风格起草。

为人工审查起草针对受众的、富有同理心的客户沟通（选项 C）和将大量复杂源文本综合成简明的执行摘要（选项 E）利用了Claude 的广泛上下文窗口和语言流利度。相反，需要毫秒级实时事件驱动流检测的任务（选项 A）或高频确定性定量金融结算

calculations on live feeds (Option D) are poorly suited for general LLMs and require specialized, deterministic streaming engines. Additionally, delegating final binding legal rulings entirely to an AI (Option B) represents an inappropriate governance risk.

Question #:36 - [Adjust approach based on feedback and results]

You have iterated a Claude prompt eight times, and the output quality has plateaued for the last four attempts.

Which conclusion is most appropriate?

A. Iteration should stop and the current output should be accepted as-is regardless of remaining issues.

B. Iteration should stop and the task should be abandoned without communicating to stakeholders.

C. Iteration has reached diminishing returns and the next step is human review or a different approach.

D. Iteration should continue indefinitely because more attempts always improve quality.

Answer: C

Explanation

Under the objective **Adjust approach based on feedback and results** , recognizing the law of diminishing returns in prompt engineering is essential for operational efficiency.

When a prompt has undergone multiple revision cycles (e.g., eight iterations) and the output quality plateaus with no observable improvement over four consecutive attempts, further micro-tweaks to the prompt text are unlikely to succeed. Option C provides the appropriate path forward: recognizing that the prompting approach has plateaued and pivoting either to direct human editing/review (human-in-the-loop completion) or fundamentally redesigning the workflow strategy (such as decomposing the task into smaller chained sub-prompts or switching model tiers). In contrast, accepting flawed output uncritically (Option A) compromises standards, abandoning the initiative silently (Option B) violates project accountability, and iterating indefinitely (Option D) wastes time and token budget.

Question #:37 - [Iterate prompts to improve output quality]

You are reviewing claims about prompt iteration that colleagues have made during recent training.

Which two claims about prompt iteration are accurate? (Select two.)

Each correct answer presents a complete solution.

A. Iteration should stop only after every possible alternative phrasing has been tried.

B. Repeatedly resubmitting the same prompt is the most reliable way to improve the output.

C. Iteration is most productive when each change targets a specifically diagnosed weakness.

D. More iterations always produce a better output, regardless of what was changed.

实时数据上的计算（选项 D）不适合一般的 LLM，并且需要专门的、确定性的流媒体引擎。此外，完全将最终的法律裁决委托给 AI（选项 B）代表了一种不适当的治理风险。

问题 #:36 - [根据反馈和结果调整方法]

您已经对 Claude 提示进行了八次迭代，输出质量在过去四次尝试中停滞不前。

哪个结论最为合适？

A. 迭代应该停止，当前输出应按原样接受，无论剩余问题如何。

B. 迭代应该停止，任务应在不与利益相关者沟通的情况下放弃。

C. 迭代已达到收益递减，下一步是人工审查或采取不同的方法。

D. 迭代应该无限继续，因为更多的尝试总是能提高质量。

答案：C

解释

在目标下 **根据反馈和结果调整方法，认识到提示工程中的收益递减法则对运营效率至关重要。** 收益递减法则。

当一个提示经历了多次修订周期（例如，八次迭代）且输出质量在连续四次尝试中没有可观察的改善时，对提示文本进行进一步的微调不太可能成功。选项 C 提供了适当的前进路径：认识到提示方法已经达到瓶颈，并转向直接的人类编辑/审查（人类参与的完成）或根本重新设计工作流策略（例如，将任务分解为更小的链式子提示或切换模型层级）。相比之下，无批判地接受有缺陷的输出（选项 A）会妥协标准，默默放弃主动权（选项 B）会违反项目问责制，而无限期迭代（选项 D）则浪费时间和代币预算。

问题 #:37 - [迭代提示以提高输出质量]

您正在审查同事在最近培训中关于提示迭代的声明。

关于提示迭代，哪两个声明是准确的？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 迭代应在尝试了所有可能的替代措辞后才停止。

B. 重复提交相同的提示是提高输出的最可靠方法。

C. 当每个变化针对特定诊断出的弱点时，迭代最为高效。

D. 更多的迭代总是会产生更好的输出，无论改变了什么。

E. Comparing the output against the original criteria validates whether the iteration helped.

Answer: C E

Explanation

Options C and E are correct because disciplined prompt iteration is an evidence-based improvement cycle. First, compare the output with the original task requirements and success criteria. Identify a specific weakness, such as missing evidence, excessive length, incorrect tone, poor structure, ambiguous instructions, or failure to follow a required schema. Then make a targeted change addressing that weakness and compare the new output with the previous version using the same evaluation criteria.

Option B changes nothing except the sampled response, so it does not reliably diagnose or repair the prompt. Option D is false because additional iterations can introduce regressions, conflicting instructions, or unnecessary complexity. Option A proposes an impossible and wasteful stopping rule; there are effectively unlimited alternative phrasings. Iteration should stop when the output meets the established quality threshold, when improvement has plateaued, or when a different model, workflow, tool, or human-editing approach is more appropriate.

Anthropic describes prompt engineering as a cycle of defining success criteria, testing representative cases, refining the prompt, and validating the result. Consequently, targeted modification and criteria-based comparison—not repetition or iteration volume—determine whether the process is productive. See Anthropic's evaluation framework and prompting guidance .

==========

Question #:38 - [Create effective system-level instructions]

You are writing system-level instructions for a Project that supports recurring writing tasks.

Which step should be performed first when writing the system-level instructions?

A. Refine the drafted instructions based on observed gaps from validation runs.

B. Validate the drafted instructions against representative requests for the Project.

C. Define the purpose of the Project and the boundaries the instructions must respect.

D. Distribute the finalized instructions to collaborators on the Project.

Answer: C

Explanation

Under the objective **Create effective system-level instructions** (Domain 5: Configuration and Knowledge Management), engineering project-level system instructions follows a top-down operational framework.

Before authoring specific formatting rules, edge-case handlers, or role prompts, the author must first establish the high-level boundary architecture: defining the core objective and purpose of the Project, the target audience, and the explicit constraints/guardrails the model must respect (Option C). These foundational

E. 将输出与原始标准进行比较可以验证迭代是否有帮助。

答案： C E

解释

C 和 E 选项是正确的，因为有纪律的提示迭代是一个基于证据的改进循环。
首先，将输出与原始任务要求和成功标准进行比较。识别一个具体的 弱点，例如缺少证据
、过长、语气不当、结构差、指令模糊，或未遵循所需的模式。然后进行针对性更改以解决该弱点
，并使用相同的评估标准将新输出与之前的版本进行比较。

选项 B 除了采样的响应外不改变任何内容，因此无法可靠地诊断或修复提示。
选项 D 是错误的，因为额外的迭代可能会引入回归、冲突的指令或不必要的复杂性。选项
A 提出了一个不可能且浪费的停止规则；实际上有无限的替代措辞。当输出达到既定的质量阈值
时，或者当改进停滞不前时，或者当其他模型、工作流、工具或人工编辑方法更合适时，迭代应停
止。

Anthropic 将提示工程描述为一个定义成功标准、测试代表性案例、
完善提示和验证结果的循环。因此，针对性的修改和基于标准的
比较——而不是重复或迭代的数量——决定了该过程是否有效。请参见 Anthropic 的
评估框架和提示指导。

==========

问题 #:38 - [创建有效的系统级指令]

您正在为一个支持重复写作任务的项目编写系统级指令。

在编写系统级指令时，应该首先执行哪个步骤？

A. 根据验证运行中观察到的差距来完善草拟的指令。

B. 验证草拟的指令是否符合项目的代表性请求。

C. 定义项目的目的以及指令必须遵循的边界。

D. 将最终的指令分发给项目的合作者。

答案： C

解释

在目标下 **创建有效的系统级指令 (领域 5: 配置和知识**
管理），工程项目级系统指令遵循自上而下的操作框架。

在撰写具体的格式规则、边缘案例处理程序或角色提示之前，作者必须首先建立高层次的边界架构
：定义项目的核心目标和目的、目标受众，以及模型必须遵循的明确约束/保护措施（选项 C
）。这些基础

boundaries dictate what the model should do, what it must refuse or escalate, and how it must interact with attached reference knowledge. Attempting to validate instructions against test requests (Option B) or iteratively refine them (Option A) requires a drafted system prompt to exist first. Distributing instructions to team collaborators (Option D) is the final operational rollout step after validation is complete.

Question #:39 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are a knowledge worker preparing inputs for a Claude prompt.

Which data type most clearly requires extra handling such as redaction or anonymization before being included in the prompt?

A. public press releases the company has already published

B. customer government identifiers and full payment-card numbers tied to named individuals

C. job titles taken from the company's public organizational chart

D. generic product descriptions available on the company's marketing site

Answer: B

Explanation

Under the objective **Apply data, privacy sensitivity, regulatory policies, and privacy considerations** , enterprise data protection policies require strict tiering of data assets based on sensitivity and regulatory mandates (such as GDPR, PCI-DSS, and HIPAA).

Customer government identifiers (e.g., SSN, National Insurance number) combined with full payment card numbers and individual names (Option B) represent highly sensitive Personally Identifiable Information (PII) and protected financial data. Ingesting this data into AI prompts without masking, tokenization, or redaction introduces severe compliance violations and data privacy risks. In contrast, published corporate press releases (Option A), publicly accessible executive job titles (Option C), and public marketing product descriptions (Option D) are public information assets that require no anonymization or redaction before prompt inclusion.

Question #:40 - [Adjust approach based on feedback and results]

You are reviewing colleagues' responses to feedback received on Claude-drafted communications.

Which two feedback responses are productive? (Select two.)

Each correct answer presents a complete solution.

A. Incorporating all feedback received, including contradictory suggestions, into the next draft simultaneously

B. Deferring all feedback to a later revision cycle to avoid disrupting the current draft's consistency

C. Asking clarifying questions when feedback is ambiguous before acting on it

边界决定模型应该做什么，必须拒绝或升级什么，以及它必须如何与附加的参考知识进行互动。尝试根据测试请求验证指令（选项 B）或迭代地完善它们（选项 A）需要首先存在一个草拟的系统提示。将指令分发给团队合作者（选项 D）是在验证完成后的最终操作推出步骤。

问题 #:39 - [应用数据、隐私敏感性、监管政策和隐私考虑]

您是一名知识工作者，为 Claude 提示准备输入。

哪种数据类型在包含在提示之前最明显需要额外处理，例如编辑或匿名化？

A. 公司已经发布的公共新闻稿

B. 与特定个人相关的客户政府标识符和完整支付卡号

C. 从公司公共组织结构图中提取的职位名称

D. 公司营销网站上提供的通用产品描述

答案： B

解释

在目标下 **应用数据、隐私敏感性、监管政策和隐私考虑** ，企业数据保护政策要求根据敏感性和监管要求（如 GDPR、PCI-DSS 和 HIPAA）对数据资产进行严格分级。

客户政府标识符（例如，社会安全号码、国家保险号码）与完整支付卡号和个人姓名（选项 B）结合在一起，代表高度敏感的个人可识别信息（PII）和受保护的财务数据。在没有掩码、标记或编辑的情况下将这些数据纳入 AI 提示中，会引入严重的合规违规和数据隐私风险。相比之下，已发布的公司新闻稿（选项 A）、公开可访问的高管职位名称（选项 C）和公共营销产品描述（选项 D）是公共信息资产，在提示包含之前无需进行匿名化或编辑。

问题 #:40 - [根据反馈和结果调整方法]

您正在审查同事对 Claude 起草的沟通反馈的回应。

哪两个反馈回应是有效的？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 将所有收到的反馈，包括矛盾的建议，同时纳入下一个草稿中

B. 将所有反馈推迟到后续修订周期，以避免干扰当前草稿的一致性

C. 在反馈模糊时提出澄清问题，然后再采取行动

D. Mapping each piece of feedback to the specific change made in the next draft

E. Declining to revise sections generated by Claude on the basis that the model's output should be trusted as written

Answer: C D

Explanation

Options C and D are correct because productive feedback handling requires clarification, traceability, and controlled revision. When feedback is ambiguous, the writer should confirm the reviewer's intent before changing the draft. Otherwise, an incorrect interpretation may introduce new problems or remove content the reviewer intended to preserve.

Mapping each feedback item to a specific revision creates an auditable record showing what changed and why. It also helps identify unresolved comments, conflicting requests, and recommendations that were deliberately declined. This approach supports systematic comparison between the original and revised outputs.

Option A is inappropriate because contradictory suggestions cannot always be implemented simultaneously; the conflict must first be resolved by the appropriate reviewer or decision-maker. Option B postpones potentially material corrections without justification. Option E incorrectly assumes that Claude-generated text deserves automatic acceptance. Claude's output must be evaluated using the same professional, factual, and audience-specific standards applied to human-created content.

Anthropic's Description-Discernment process recommends assessing Claude's output, providing specific feedback, requesting targeted revisions, and applying human expertise and judgment to the final result. Therefore, clarification and feedback-to-change traceability are the two productive responses. See Anthropic's Description-Discernment Loop and evaluation guidance .

==========

Question #:41 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

You are a project manager working through a long planning conversation with Claude and must keep the conversation productive as it grows.

Which two practices keep a long planning conversation productive? (Select two.)

Each correct answer presents a complete solution.

A. Open a new thread for every minor follow-up question to keep threads short.

B. Restate constraints and goals when the focus shifts to a new subtopic.

C. Periodically summarize decisions made so far to compress the working state.

D. Switch context aggressively between unrelated planning topics within one thread.

E. Avoid summarizing so the model retains every original word it has produced.

D. 将每条反馈与下一个草稿中所做的具体更改进行映射拒绝基于模型输

E. 出应被信任为书面形式而修订 Claude 生成的部分

答案： C D

解释

选项 C 和 D 是正确的，因为有效的反馈处理需要澄清、可追溯性和受控修订。当反馈模糊时，作者应在更改草稿之前确认审阅者的意图。否则，错误的解释可能会引入新问题或删除审阅者希望保留的内容。

将每条反馈项映射到特定修订创建了一个可审计的记录，显示了什么改变以及为什么。这也有助于识别未解决的评论、冲突请求和被故意拒绝的建议。这种方法支持原始输出和修订输出之间的系统比较。

选项 A 不合适，因为矛盾的建议不能总是同时实施；冲突必须首先由适当的审查者或决策者解决。选项 B 在没有理由的情况下推迟潜在的重要修正。选项 E 错误地假设 Claude 生成的文本应自动接受。Claude 的输出必须使用与人类创作内容相同的专业、事实和特定受众的标准进行评估。

Anthropic 的描述-辨识过程建议评估 Claude 的输出，提供具体反馈，请求有针对性的修订，并将人类的专业知识和判断应用于最终结果。
因此，澄清和反馈-变更可追溯性是两种有效的响应。请参见 Anthropic 的描述-辨识循环和评估指导。

==========

问题 #:41 - [理解、管理上下文限制和记忆注意事项，以及何时重新启动、总结或持续]

您是一名项目经理，正在与 Claude 进行长时间的规划对话，并必须保持对话的高效。

哪两种做法可以保持长时间的规划对话高效？（选择两项。）

每个正确答案都提供了完整的解决方案。

A. 为每个小的后续问题开启一个新线程，以保持线程简短。

B. 当焦点转向新子主题时，重申约束和目标。

C. 定期总结迄今为止做出的决策，以压缩工作状态。

D. 在一个线程内积极切换无关的规划主题。

E. 避免总结，以便模型保留它所生成的每一个原始词汇。

Answer: B C

Explanation

Under the objective **Understand, manage context limitations and memory considerations and when to restart, summarize, or persist** , managing conversational state across long planning sessions is essential for maintaining output quality and coherence. Large Language Models operate within finite context windows where attention can degrade as extraneous tokens accumulate.

Option B is a best practice because shifting subtopics often dilutes earlier instructions; explicitly restating key constraints and strategic goals ensures the model anchors its attention on active parameters without being distracted by obsolete conversational turns. Option C represents context compression—a core technique where key milestones, agreed parameters, and decisions are consolidated into a dense summary. This reduces token overhead, frees up working memory, and prevents hallucination or drift. Conversely, opening a new thread for every minor question (Option A) fractures contextual continuity, switching topics arbitrarily (Option D) pollutes attention heads, and avoiding summarization (Option E) accelerates context bloat and degrades performance.

Question #:42 - [Identify hallucinations, inconsistencies, and biases in responses]

You are sorting Claude output structural defects by which most undermines clarity.

Which structural defect most severely undermines the clarity of the output?

A. A single subheading is shorter than the other subheadings in the document.

B. Two adjacent paragraphs present the same information using inconsistent terminology.

C. Typographic inconsistencies appear throughout multiple sections of the document.

D. The main conclusion contradicts the evidence presented in the body.

Answer: D

Explanation

Under the objective **Identify hallucinations, inconsistencies, and biases in responses** , evaluating output quality requires distinguishing between cosmetic formatting imperfections and critical semantic contradictions.

A contradiction between the central conclusion and the supporting factual evidence in the body (Option D) represents a critical structural and logical breakdown. This defect directly destroys the internal consistency, credibility, and actionable utility of the deliverable, potentially misleading stakeholders and causing operational errors. In contrast, unequal subheading lengths (Option A), minor cosmetic typos (Option C), or slight terminology drift across paragraphs (Option B) represent surface-level stylistic flaws that can be quickly edited without fundamentally invalidating the underlying message of the artifact.

Question #:43 - [Apply fact-checking and validation techniques]

答案： B C

解释

在目标 理解、管理上下文限制和记忆注意事项以及何时
重新启动、总结或持续 下，管理长时间规划会话中的对话状态对于
保持输出质量和连贯性至关重要。大型语言模型在有限的上下文窗口内操作，
当多余的标记积累时，注意力可能会下降。

选项 B 是最佳实践，因为切换子主题往往会稀释早期指令；明确重申关键 约束和战略目标确保模型将注意力锚定在活动参数上，而不会被过时的对话转向分散注意力。选项 C 代表上下文压缩——一种核心技术，将关键里程碑、达成的参数和决策整合成一个密集的总结。这减少了标记开销，释放了工作记忆，并防止幻觉或漂移。相反，为每个小问题开启一个新 线程（选项 A）会破坏上下文的连续性，任意切换主题（选项 D）会污染注意力头，而避免总结（选项 E）会加速上下文膨胀并降低性能。

问题 #:42 - [识别回答中的幻觉、不一致和偏见]

您正在按最严重破坏清晰度的方式对 Claude 输出的结构缺陷进行排序。

哪个结构缺陷最严重地破坏了输出的清晰度?

A. 一个子标题比文档中的其他子标题短。

B. 两个相邻的段落使用不一致的术语呈现相同的信息。

C. 文档的多个部分出现排版不一致。

D. 主要结论与正文中呈现的证据相矛盾。

答案： D

解释

在目标下 **识别回答中的幻觉、不一致和偏见，评估输出**
质量需要区分表面格式缺陷和关键语义矛盾。

中心结论与正文中支持的事实证据之间的矛盾（选项 D）
代表了一个关键的结构和逻辑崩溃。这个缺陷直接破坏了内部一致性、
可信度和可操作性，可能误导利益相关者并导致
操作错误。相比之下，不等的子标题长度（选项 A）、轻微的排版错误（选项 C）或
段落间轻微的术语漂移（选项 B）代表了表面层次的风格缺陷，可以
快速编辑而不根本无效化工件的基本信息。

问题 #:43 - [应用事实核查和验证技术]

You are reviewing a Claude-generated competitor brief for unsupported claims.

Which is the correct order of review steps?

(1) Cross-check each specific claim against the supplied source material or trusted external references.

(2) Decide whether to correct, re-prompt, or escalate based on the findings.

(3) Document each unsupported or inconsistent claim with its location and severity.

(4) Identify the specific factual claims, statistics, and citations in the brief.

(5) Read the brief from beginning to end and flag any claims that feel surprising.

A. 5, 1, 4, 3, 2

B. 1, 4, 5, 3, 2

C. 5, 4, 1, 3, 2

D. 4, 5, 1, 3, 2

Answer: C

Explanation

Answer C is correct. A defensible fact-check begins with a complete reading of the brief (5), which reveals its overall argument and flags surprising or unusually confident assertions. The reviewer then identifies the concrete factual claims, statistics, and citations that can actually be tested (4). Those items are checked against supplied evidence or trustworthy external sources (1). Any unsupported, contradictory, or inaccurate claim is then recorded with its location and severity (3), creating a usable audit trail. Only after the evidence is assembled should the reviewer decide whether to correct the text, re-prompt Claude, or escalate the issue (2). This produces the sequence 5, 4, 1, 3, 2. Option D reverses the first two activities, while Options A and B attempt verification before a proper claim inventory exists. Anthropic's guidance recommends structured research, explicit success criteria, and verification across sources; the AI Fluency framework's Discernment and Diligence competencies also keep evaluation and accountability with the human reviewer. The PDF marks D, but that order is weaker and should be corrected to C. Anthropic prompting best practices

==========

Question #:44 - [Leverage Claude for research, planning, and process optimization]

A project manager is defining how Claude can support requirements analysis for an upcoming engagement. Their team will conduct stakeholder interviews and review existing process documentation as part of discovery.

Which activity fits this domain?

A. Use Claude to generate a complete requirements list from the project name and a short description, since requirements for similar engagements are largely standard.

您正在审查一份 Claude 生成的竞争对手简报，以查找不支持的声明。

正确的审查步骤顺序是什么？

(1) 将每个具体声明与提供的来源材料或可信的外部参考进行交叉检查。

(2) 根据发现决定是纠正、重新提示还是升级。

(3) 记录每个不支持或不一致的声明及其位置和严重性。

(4) 确定简报中的具体事实声明、统计数据和引用。

(5) 从头到尾阅读简报，并标记任何令人惊讶的声明。

A. 5, 1, 4, 3, 2

B. 1, 4, 5, 3, 2

C. 5, 4, 1, 3, 2

D. 4, 5, 1, 3, 2

答案：C

解释

答案 C 是正确的。一个合理的事实核查始于对简报的完整阅读 (5)，这揭示了其整体论点并标记出令人惊讶或异常自信的断言。审查者随后识别出可以实际测试的具体事实声明、统计数据和引用 (4)。这些项目与提供的证据或可信的外部来源进行检查 (1)。任何不支持、矛盾或不准确的声明随后被记录其位置和严重性 (3)，创建一个可用的审计轨迹。只有在证据汇总后，审查者才应决定是纠正文本、重新提示 Claude 还是升级问题 (2)。这产生了序列 5, 4, 1, 3, 2。选项 D 反转了前两个活动，而选项 A 和 B 在适当的索赔清单存在之前尝试进行验证。Anthropic 的指导建议进行结构化研究、明确的成功标准以及跨来源的验证；AI 流利度框架的辨别和勤勉能力也将评估和问责制保持在人工审查者手中。PDF 标记为 D，但该顺序较弱，应更正为 C。Anthropic 提示最佳实践

==========

问题 #:44 - [利用 Claude 进行研究、规划和流程优化]

项目经理正在定义 Claude 如何支持即将到来的参与的需求分析。
他们的团队将进行利益相关者访谈，并审查现有的流程文档作为发现的一部分。

哪个活动适合这个领域？

A. 使用 Claude 从项目名称和简短描述生成完整的需求列表，因为类似参与的需求大多是标准化的。

B.

B. Use Claude to prioritize the requirements the team has already gathered, leaving gathering itself to manual analyst work since prioritization is more time-consuming.

C. Use Claude to synthesize stakeholder inputs and existing process documentation into a structured list of requirements with traceability to each source.

D. Use Claude to conduct the stakeholder interviews directly, with the analyst reviewing the recordings afterward to confirm the requirements Claude extracted.

Answer: C

Explanation

Option C is correct because requirements analysis is grounded in evidence gathered during discovery. Claude can help organize interview notes and process documentation, identify recurring themes, extract candidate requirements, flag conflicts, and produce a consistent structure. Requiring traceability to each source allows analysts to verify the output and return unclear or disputed requirements to the relevant stakeholder.

Option A asks Claude to invent a complete requirements set from insufficient context. Similar projects may provide useful hypotheses, but they cannot substitute for the organization's actual stakeholders, constraints, workflows, and objectives. Option B unnecessarily limits Claude's role: Claude can support synthesis and extraction as well as prioritization, provided qualified humans verify the results. Option D transfers the stakeholder-interview responsibility too broadly. Claude may help prepare questions, summarize authorized transcripts, or organize findings, but human analysts should manage stakeholder relationships, pursue contextual follow-ups, and interpret sensitive or ambiguous responses.

Anthropic recommends providing clear context and structured instructions, while its hallucination guidance advises grounding factual work in source text and auditable citations. A structured, source-traceable requirements list applies both principles and keeps humans responsible for validation and final decisions. See Anthropic's prompting best practices and source-grounding guidance .

==========

Question #:45 - [Create effective system-level instructions]

A learning specialist is configuring a Project for course-design work. Their organization has an internal instructional-design standard and a preferred output structure for lesson outlines.

Which custom-instruction set best supports this use case?

A. Name Claude's role as a course designer, require alignment with the organization's instructional-design standards, and specify the preferred output structure for lesson outlines.

B. Name Claude's role as a course designer and require alignment with the organization's instructional-design standards; leave the output structure to Claude based on each lesson's topic.

C. Specify only the preferred output structure for lesson outlines, since the structure carries the standards implicitly and naming the role adds no value.

D. Name Claude's role as a course designer; let each chat prompt specify the standards and output structure for that lesson, since lessons vary widely.

B. 使用 Claude 对团队已经收集的需求进行优先级排序，将收集工作留给人工分析师，因为优先级排序更耗时。

C. 使用 Claude 将利益相关者的输入和现有的过程文档合成一个结构化的需求列表，并与每个来源保持可追溯性。

D. 直接使用 Claude 进行利益相关者访谈，分析师随后查看录音以确认 Claude 提取的需求。

答案：C

解释

选项 C 是正确的，因为需求分析是基于在发现过程中收集的证据。Claude 可以帮助组织访谈记录和过程文档，识别重复主题，提取候选需求，标记冲突，并生成一致的结构。要求与每个来源保持可追溯性使得分析师能够验证输出，并将不清晰或有争议的需求返回给相关利益相关者。

选项 A 要求 Claude 从不足的上下文中发明一整套需求。类似项目可能 提供有用的假设，但它们不能替代组织的实际利益相关者、约束、 工作流和目标。选项 B 不必要地限制了 Claude 的角色：只要合格的人类验证结果，Claude 可以支持合成和 提取以及优先级排序。选项 D 将利益相关者访谈的责任转移得过于宽泛。Claude 可以帮助准备问题，总结授权的 转录，或组织发现，但人类分析师应管理利益相关者关系，进行 上下文跟进，并解释敏感或模糊的回应。

Anthropic 建议提供清晰的上下文和结构化的指令，同时其幻觉指导建议将事实工作基于源文本和可审计的引用。一个结构化的、可追溯来源的需求列表同时适用这两个原则，并使人类对验证和最终决策负责。请参见 Anthropic 的提示最佳实践和源基础指导。

==========

问题 #:45 - [创建有效的系统级指令]

一位学习专家正在为课程设计工作配置一个项目。他们的组织有一个内部的教学设计标准和一个课程大纲的首选输出结构。

哪个自定义指令集最能支持这个用例?

A. 指定 Claude 作为课程设计师的角色，要求与组织的教学设计标准对齐，并指定课程大纲的首选输出结构。

B. 指定 Claude 作为课程设计师的角色，并要求与组织的教学设计标准对齐；将输出结构留给 Claude，根据每节课的主题进行调整。

C. 仅指定课程大纲的首选输出结构，因为该结构隐含地承载了标准，而命名角色没有增加任何价值。

D. 将 Claude 的角色定义为课程设计师；让每个聊天提示指定该课程的标准和输出结构，因为课程差异很大。

Answer: A

Explanation

Option A is correct because effective Project instructions should establish Claude's role, the authoritative standards governing the work, and the expected output structure. These elements create consistent behaviour across the Project's course-design chats. The role establishes the professional perspective Claude should adopt, the instructional-design standard defines the governing methodology, and the lesson-outline structure specifies the required deliverable.

Anthropic explains that Project instructions tell Claude how to behave and respond across every chat within the Project. Consequently, recurring requirements should be placed in Project instructions instead of being manually repeated in each conversation. The organization's instructional-design documentation should also be uploaded to Project knowledge so Claude can reference the actual standard rather than infer it from a brief instruction.

Option B omits a known structural requirement and permits unnecessary variation. Option C supplies the format but not the governing methodology or role context; structure alone cannot communicate the complete instructional standard. Option D defeats the persistence benefit of Projects and increases inconsistency between users and chats.

Individual prompts can still specify lesson-specific objectives, audiences, subjects, and constraints, but the stable role, standards, and output schema belong in the Project-level instructions. See Anthropic's documentation on Project instructions and knowledge and prompting best practices .

Only six genuinely unique questions were found. This is the complete Set 3 batch.

Question #:46 - [Integrate Claude into existing workflows to augment or redesign workflows]

You are a project manager weighing workflow steps by how much leverage Claude integration provides.

Which workflow step typically offers the greatest Claude leverage in a knowledge-work team?

A. approving final deliverables for external publication without further review

B. negotiating contractual terms with external parties on behalf of the company

C. drafting and synthesizing across many sources for a downstream reviewer

D. making final personnel decisions about hiring, promotion, or termination

Answer: C

Explanation

Under the objective **Integrate Claude into existing workflows to augment or redesign workflows** , AI integration delivers the highest return on investment when deployed for high-volume synthesis and initial artifact creation paired with human oversight ("human-in-the-loop").

答案： A

解释

选项 A 是正确的，因为有效的项目指令应明确 Claude 的角色、指导工作的权威标准以及预期的输出结构。这些元素在项目的课程设计聊天中创造了一致的行为。角色确立了 Claude 应该采用的专业视角，教学设计标准定义了指导方法论，而课程大纲结构则指定了所需的交付物。

Anthropic 解释说，项目指令告诉 Claude 在项目中的每个聊天中如何行为和响应。因此，重复的要求应放在项目指令中，而不是在每次对话中手动重复。该组织的教学设计文档也应上传到项目知识中，以便 Claude 可以参考实际标准，而不是从简短的指令中推断。

选项 B 忽略了已知的结构要求，并允许不必要的变动。选项 C 提供了格式，但没有指导方法论或角色背景；仅靠结构无法传达完整的教学标准。选项 D 破坏了项目的持久性优势，并增加了用户和聊天之间的不一致性。

个别提示仍然可以指定课程特定的目标、受众、主题和限制，但稳定的角色、标准和输出架构属于项目级指令。请参阅 Anthropic 的项目指令和知识与提示最佳实践文档。

仅发现六个真正独特的问题。这是完整的第 3 套批次。

问题 #:46 - [将 Claude 集成到现有工作流中，以增强或重新设计工作流]

您是一名项目经理，根据 Claude 集成提供的杠杆程度来权衡工作流步骤。

在知识工作团队中，哪个工作流步骤通常提供最大的 Claude 杠杆?

A. 批准最终交付物以供外部发布而无需进一步审查

B. 代表公司与外部方谈判合同条款

C. 为下游审阅者起草和综合多个来源

D. 做出关于招聘、晋升或解雇的最终人事决定

答案： C

解释

在目标下 **将 Claude 集成到现有工作流中，以增强或重新设计工作流，AI** 集成在高容量综合和初始
产出物创建中与人工监督（“人机协作”）配对时，提供最高的投资回报。

Drafting and synthesizing information across disparate documents (Option C) leverages Claude's core strengths: large context window comprehension, fast text processing, structured summarization, and tone adaptation. A knowledge worker acting as a downstream reviewer can quickly audit, refine, and approve the generated draft, drastically reducing cycle time. In contrast, options involving autonomous high-stakes determinations—such as unreviewed external publications (Option A), binding contractual negotiations (Option B), or final personnel and employment actions (Option D)—violate responsible AI governance principles and represent inappropriate delegation risks where human accountability, legal authority, and contextual judgment cannot be automated.

Question #:47 - [Iterate prompts to improve output quality]

The first output from Claude is partially useful but has tone and detail issues.

Which two refinement actions are most likely to produce a meaningfully better output? (Select two.)

Each correct answer presents a complete solution.

A. Add a specific tone descriptor and a concrete audience to the prompt.

B. Provide an example of an output that meets the desired standard.

C. Resubmit the same prompt several times and select the best response.

D. Append the phrase “please do better” to the end of the original prompt.

E. Increase the temperature setting and resubmit the unchanged prompt.

Answer: A B

Explanation

Option A directly addresses the tone problem by specifying both the required voice and the audience for whom the response is being written. Audience context helps Claude determine vocabulary, technical depth, formality, and emphasis. Option B addresses ambiguity by providing a concrete example that demonstrates the desired structure, detail level, tone, and overall quality.

Option C may produce superficial variation, but it does not correct the prompt’s underlying deficiencies. Option D supplies no actionable description of what must improve. Option E increases output variability without clarifying the missing tone or detail requirements and may make results less consistent.

Prompt iteration should be diagnostic. The user should identify the specific defect, modify one or more prompt elements that control that defect, generate a new output, and compare it with the original success criteria. If the response remains too general, the next revision might add required sections, source material, minimum depth, or an evaluation rubric.

Anthropic’s prompting guidance recommends clear instructions, relevant context, examples, and explicit output requirements. Examples are particularly useful when the intended standard is difficult to describe abstractly. A and B therefore introduce information Claude can act upon, while the other choices merely repeat or randomize the same insufficient instruction. Anthropic’s prompt-engineering guidance

在不同文档之间起草和综合信息（选项 C）利用了 Claude 的核心优势：大上下文窗口理解、快速文本处理、结构化摘要和语气适应。作为下游审阅者的知识工作者可以快速审核、完善和批准生成的草稿，从而大幅缩短周期时间。相比之下，涉及自主高风险决策的选项——例如未经审查的外部出版物（选项 A）、具有约束力的合同谈判（选项 B）或最终的人事和雇佣行动（选项 D）——违反了负责任的 AI 治理原则，并代表了不当委托风险，在这些情况下，人类的责任、法律权威和上下文判断无法被自动化。

问题 #:47 - [迭代提示以提高输出质量]

Claude 的第一次输出部分有用，但存在语气和细节问题。

哪两个改进措施最有可能产生更有意义的输出？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 在提示中添加一个具体的语气描述符和一个具体的受众。

B. 提供一个符合所需标准的输出示例。

C. 多次重新提交相同的提示并选择最佳响应。

D. 在原始提示的末尾添加短语“请做得更好”。

E. 增加温度设置并重新提交未更改的提示。

答案： A B

解释

选项 A 通过指定所需的语气和响应对象直接解决了语气问题，帮助 Claude 确定词汇、技术深度、正式程度和强调。选项 B 通过提供一个具体示例来解决模糊性，该示例展示了所需的结构、细节水平、语气和整体质量。

选项 C 可能产生表面的变化，但并未纠正提示的根本缺陷。选项 D 没有提供可操作的改进描述。选项 E 增加了输出的可变性，但没有明确缺失的语气或细节要求，可能使结果不够一致。

提示迭代应具有诊断性。用户应识别具体缺陷，修改一个或多个控制该缺陷的提示元素，生成新输出，并与原始成功标准进行比较。如果响应仍然过于笼统，下一次修订可能会添加所需的部分、来源材料、最低深度或评估标准。

Anthropic 的提示指导建议提供清晰的指示、相关的上下文、示例和明确的输出要求。当预期标准难以抽象描述时，示例尤其有用。因此，A 和 B 引入了 Claude 可以采取行动的信息，而其他选项仅仅重复或随机化相同的不充分指示。Anthropic 的提示工程指导

==========

Question #:48 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are an HR specialist reviewing data items proposed for inclusion in a Claude prompt.

Which two data items are appropriate to include in a Claude prompt for a routine task? (Select two.)

Each correct answer presents a complete solution.

A. A redacted job description that the model will adapt for a posting.

B. An anonymized summary of an HR policy that the model will rephrase.

C. Accommodation request notes from an employee's HR file needed to draft a role-adjustment memo.

D. A compensation-band summary that includes employee names and current salary figures for a specific team.

E. Employee identification numbers and hire dates for the team roster included to help Claude personalize onboarding communications.

Answer: A B

Explanation

Options A and B apply data minimization appropriately. The redacted job description contains the content necessary for adaptation without exposing unnecessary identifying information. Likewise, an anonymized HR-policy summary provides the policy substance required for rewriting while removing personal details. Both inputs are proportionate to routine content-generation tasks.

Options C, D, and E contain sensitive employee information. Accommodation records may reveal health or disability-related information and normally require heightened confidentiality and a clearly authorized business purpose. Named salary information is confidential compensation data. Employee identifiers and hire dates can be used to identify or profile individual workers and are unnecessary merely to personalize onboarding communications. Supplying such information would violate the principle of using only the minimum data necessary for the task.

Anthropic advises users to be thoughtful about sharing sensitive personal, health, financial, and confidential business information. Its customer-support implementation guidance also recommends removing personally identifiable information unless it is explicitly required and authorized. Organizational classification rules, approved tools, access controls, contractual terms, and applicable privacy requirements must still be followed even when information has been partially redacted. Anthropic's sensitive-data guidance

==========

Question #:49 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

==========

问题 #:48 - [应用数据、隐私敏感性、监管政策和隐私考虑]

您是一名人力资源专家，正在审查提议纳入 Claude 提示的数据项。

在 Claude 提示中，哪两个数据项适合用于常规任务？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 经过编辑的职位描述，模型将根据该描述进行调整以发布招聘信息。

B. 经过匿名处理的人力资源政策摘要，模型将对其进行改写。

C. 员工人力资源档案中的住宿请求记录，用于起草角色调整备忘录。

D. 包含员工姓名和特定团队当前薪资数据的薪酬区间摘要。

E. 团队名册中的员工识别号码和入职日期，以帮助 Claude 个性化入职沟通。

答案： A B

解释

选项 A 和 B 适当地应用了数据最小化。经过编辑的职位描述包含了适应所需的内容，而没有暴露不必要的识别信息。同样，经过匿名处理的人力资源政策摘要提供了重写所需的政策实质，同时去除了个人细节。这两项输入与常规内容生成任务是相称的。

选项 C、D 和 E 包含敏感的员工信息。住宿记录可能会透露健康或残疾相关信息，通常需要更高的保密性和明确授权的商业目的。带有姓名的薪资信息是机密的薪酬数据。员工识别符和入职日期可用于识别或描绘个别员工，仅用于个性化入职沟通是不必要的。提供此类信息将违反仅使用完成任务所需的最小数据原则。

Anthropic 建议用户在分享敏感的个人、健康、财务和机密商业信息时要谨慎。其客户支持实施指南还建议在没有明确要求和授权的情况下，删除个人可识别信息。即使信息已部分编辑，组织分类规则、批准的工具、访问控制、合同条款和适用的隐私要求仍必须遵循。

==========

问题 #:49 - [应用数据、隐私敏感性、监管政策和隐私考虑]

A finance manager is about to discuss a confidential pre-announcement figure with Claude.

Which two settings best align with sound privacy practice for this conversation? (Select two.)

Each correct answer presents a complete solution.

A. Skip the privacy setting decision and proceed with default behavior, since the conversation will not explicitly instruct Claude to remember the figure.

B. Disable Memory contribution for the conversation if Incognito mode is not used, so the confidential figure is not retained as persistent context that could surface in later unrelated sessions.

C. Treat the conversation as appropriate for default Memory settings, since the figure will only be discussed briefly and is unlikely to be retained.

D. Enable Memory contribution for the conversation so the context carries forward to support follow-up analysis in future sessions.

E. Open the conversation in Incognito mode, which prevents the conversation from contributing to Memory and avoids persistent retention of the confidential pre-announcement figure across sessions.

Answer: B E

Explanation

Under the objective **Apply data, privacy sensitivity, regulatory policies, and privacy considerations** , managing confidential or market-sensitive figures requires controlling memory persistence and data retention settings.

Pre-announcement financial figures represent material non-public information (MNPI) that must not persist beyond the immediate analytical session. Option E applies privacy controls by utilizing Incognito mode, which ensures the session does not contribute to long-term memory or persist in chat history. Option B achieves the same data protection control in standard chat by explicitly toggling off Memory contributions, ensuring the sensitive number is not saved into persistent memory where it could leak into future unrelated prompts. Conversely, proceeding with default settings (Option A), assuming brief discussions avoid retention (Option C), or enabling persistent memory retention for confidential figures (Option D) creates serious compliance and insider data exposure risks.

Question #:50 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

A manager is deciding what changes to make while conducting a Memory maintenance review for a long-running workflow.

Which two actions best support Memory quality over time? (Select two.)

A. Delete all memories as the maintenance action to ensure a clean slate, then allow Claude to rebuild context organically through subsequent workflow runs.

一位财务经理即将与 Claude 讨论一个机密的预公告数字。

哪两个设置最符合此对话的良好隐私实践？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 跳过隐私设置决策，继续使用默认行为，因为对话不会明确指示 Claude 记住该数字。

B. 如果未使用隐身模式，则禁用对话的记忆贡献，以便机密数字不会作为持久上下文保留，从而在后续无关的会话中出现。

C. 将对话视为适合默认记忆设置，因为该数字只会被简要讨论，并且不太可能被保留。

D. 为对话启用记忆贡献，以便上下文能够延续，支持未来会话中的后续分析。

E. 在隐身模式下打开对话，这样可以防止对话对记忆的贡献，并避免在会话之间持久保留机密的预公告数字。

答案：B E

解释

在目标下 **应用数据、隐私敏感性、监管政策和隐私考虑** ，管理机密或市场敏感数字需要控制记忆持久性和数据保留设置。

预公告财务数字代表重要的非公开信息（MNPI），不得在即时分析会话之外持久存在。选项E通过利用隐身模式应用隐私控制，确保会话不会对长期记忆产生贡献或在聊天历史中持久存在。选项B通过明确关闭记忆贡献，在标准聊天中实现相同的数据保护控制，确保敏感数字不会保存到持久记忆中，从而可能泄露到未来无关的提示中。相反，使用默认设置（选项A），假设简短讨论避免保留（选项C），或为机密数字启用持久记忆保留（选项D）都会带来严重的合规性和内部数据暴露风险。

问题 #:50 - [理解、管理上下文限制和记忆注意事项，以及何时重启、总结或保持]

一位经理正在决定在进行长期工作流的记忆维护审查时进行哪些更改。

哪两项行动最能支持记忆质量的持续提升？（选择两项。）将所有

A. 记忆删除作为维护措施，以确保干净的状态，然后允许 Claude 通过后续工作流运行自然重建上下文。

B. Export the current memories as a backup before making changes, so prior context can be restored if a maintenance edit unintentionally removes information the workflow still depends on.

C. Leave all memories untouched on the basis that the workflow has been running consistently and no output-quality issues have been reported.

D. Disable Memory entirely to eliminate the risk of stale entries surfacing in future workflow runs.

E. Identify and edit or delete entries that are stale, inaccurate, or no longer relevant, and add context Claude has not automatically captured but the workflow continues to need.

Answer: B E

Explanation

Option B creates a recoverable checkpoint before maintenance. Exporting the current Memory allows the manager to restore important context if a necessary entry is accidentally removed or rewritten incorrectly. Option E performs the actual quality maintenance by removing stale or inaccurate information and adding durable context that the workflow still requires.

Deleting everything, as proposed in Option A, discards valid context and forces the system to reconstruct it imperfectly from later activity. Option C assumes that the absence of a reported problem proves every stored entry remains accurate; stale Memory may affect future tasks even when current outputs appear acceptable. Option D eliminates useful continuity instead of correcting the specific quality problems.

Anthropic allows users to view, edit, and export Memory. Its documentation states that exported Memory can serve as a backup or be transferred to another service. Users can also add information that Claude has not automatically retained. A responsible maintenance cycle should therefore back up the current state, inspect entries for accuracy and relevance, remove obsolete details, add missing durable context, and verify future outputs. This preserves continuity while reducing the risk that outdated assumptions contaminate later sessions. Anthropic's Memory import and export guidance

==========

Question #:51 - [Apply task decomposition techniques to structure complex requests]

You are using Claude to redesign an employee onboarding workflow and must complete the high-level decomposition steps before specifying detailed artifacts.

Which two decomposition steps must be completed BEFORE specifying exact email content and the schedule? (Select two.)

Each correct answer presents part of the solution.

A. Pilot the onboarding workflow with a small cohort of new hires.

B. Identify the major phases of the onboarding experience.

C. Negotiate the onboarding budget with the finance department.

B. 在进行更改之前，将当前记忆导出作为备份，以便在维护编辑意外删除工作流仍依赖的信息时，可以恢复先前的上下文。

C. 基于工作流一直在稳定运行且没有报告输出质量问题的理由，保持所有记忆不变。

D. 完全禁用记忆，以消除未来工作流运行中出现过时条目的风险。

E. 识别并编辑或删除过时、不准确或不再相关的条目，并添加 Claude 尚未自动捕获但工作流仍然需要的上下文。

答案：B E

解释

选项 B 在维护之前创建了一个可恢复的检查点。导出当前记忆允许经理在必要条目意外被删除或错误重写时恢复重要上下文。
选项 E 通过删除过时或不准确的信息并添加工作流仍然需要的持久上下文来执行实际的质量维护。

如选项 A 所提议的那样，删除所有内容会丢弃有效的上下文，并迫使系统从后续活动中不完美地重建它。选项 C 假设报告问题的缺失证明每个存储条目仍然准确；即使当前输出看起来可接受，过时的记忆也可能影响未来的任务。
选项 D 消除了有用的连续性，而不是纠正特定的质量问题。

Anthropic 允许用户查看、编辑和导出记忆。其文档指出，导出的记忆可以作为备份或转移到其他服务。用户还可以添加 Claude 未自动保留的信息。因此，负责任的维护周期应备份当前状态，检查条目的准确性和相关性，删除过时的细节，添加缺失的持久上下文，并验证未来的输出。这在减少过时假设污染后续会话的风险的同时，保持了连续性。Anthropic 的记忆导入和导出指导

==========

问题 #:51 - [应用任务分解技术来构建复杂请求]

您正在使用 Claude 重新设计员工入职工作流程，必须在指定详细产出物之前完成高层次的任务分解步骤。

在指定确切的电子邮件内容和 日程安排之前，必须完成哪两个任务分解步骤？（选择两个。）

每个正确答案都是解决方案的一部分。

A. 与一小组新员工试点入职工作流程。

B. 识别入职体验的主要阶段。

C. 与财务部门协商入职预算。

D. Define the overall objective of the onboarding experience.

E. Roll out the onboarding workflow to every new hire across the company.

Answer: B D

Explanation

Under the objective **Apply task decomposition techniques to structure complex requests** , complex business problems must be decomposed hierarchically—from macro objectives down to granular operational artifacts.

Before generating low-level execution components such as scheduled email templates or individual checklists, the architect must first establish the high-level structure. This entails defining the overall strategic objective of the program (Option D) to establish success metrics, and identifying the sequential lifecycle phases (e.g., Pre-boarding, Day 1, Week 1, 30-60-90 days) of the onboarding journey (Option B). Once the overarching framework and chronological phases are clearly defined, prompt engineers can systematically task Claude with drafting the supporting content for each specific phase. Piloting (Option A) and full rollout (Option E) occur downstream after artifact creation, while budgetary negotiations (Option C) are outside workflow decomposition.

Question #:52 - [Evaluate Claude-generated outputs for accuracy and completeness]

You are validating evaluation criteria proposed for a Claude-generated business brief.

Which three criteria are valid for evaluating a Claude-generated brief? (Select three.)

Each correct answer presents part of the solution.

A. Factual accuracy of the claims against the supplied source material

B. Consistency of the writing style with the organization’s established tone guidelines

C. Alignment of the output with the requested format and length constraints

D. Total word count of the output relative to general industry benchmarks for business briefs

E. Presence of an executive-summary section regardless of whether one was requested

Answer: A B C

Explanation

Options A, B, and C are correct. The source document incorrectly instructed the reader to select two and omitted Option B, even though Anthropic explicitly recognizes tone and style as valid evaluation dimensions. The question has therefore been corrected to “Select three.”

Factual accuracy measures whether claims faithfully reflect the supplied sources. Style consistency evaluates whether the brief follows the organization’s established voice, terminology, and audience expectations.

D. 定义入职体验的整体目标。

E. 将入职工作流程推广到公司每位新员工。

答案： B D

解释

在目标下 **应用任务分解技术来构建复杂请求，复杂的**
商业问题必须从宏观目标分解到微观操作 产出物，采用分层结构。

在生成低级执行组件，例如定时电子邮件模板或单独的检查清单之前，架构师必须首先建立高层结构。这涉及到定义程序的整体战略目标（选项 D），以建立成功指标，并识别入职旅程的顺序生命周期阶段（例如，预入职、第一天、第一周、30-60-90 天）（选项 B）。一旦总体框架和时间阶段被清晰定义，提示工程师可以系统地指派 Claude 起草每个特定阶段的支持内容。试点（选项 A）和全面推广（选项 E）在产出物创建后进行，而预算谈判（选项 C）则不在工作流分解之内。

问题 #:52 - [评估 Claude 生成的输出的准确性和完整性]

您正在验证为 Claude 生成的商业简报提出的评估标准。

评估 Claude 生成的简报的三个有效标准是什么？（选择三个。）

每个正确答案都是解决方案的一部分。

A. 对所提供源材料的声明的事实准确性

B. 写作风格与组织既定语调指南的一致性

C. 输出与请求的格式和长度限制的一致性

D. 输出的总字数相对于商业简报的一般行业基准

E. 无论是否请求，都存在执行摘要部分

答案： A B C

解释

选项 A、B 和 C 是正确的。源文档错误地指示读者选择两个，并且遗漏了选项 B，尽管 Anthropic 明确将语调和风格视为有效的评估维度。因此，问题已更正为“选择三个。”

事实准确性衡量声明是否忠实反映所提供的来源。风格一致性评估简报是否遵循组织既定的声音、术语和受众期望。

Format and length compliance determine whether Claude followed explicit deliverable constraints. Together, these criteria cover factual fidelity, audience suitability, and instruction adherence.

Option D is not a sound criterion because an external industry word-count benchmark may have no relationship to the actual business need. The relevant measure is compliance with the requested length and sufficient coverage of the required material. Option E is also invalid as written: an executive summary is required only if the task specification, template, or audience needs call for one. Automatically demanding it would evaluate an unstated requirement.

Anthropic's evaluation documentation identifies task fidelity, relevance, tone and style, context utilization, and other task-specific success criteria as valid dimensions. It also stresses that criteria should be specific, measurable, achievable, and relevant. See Anthropic's official evaluation guidance .

==========

Question #:53 - [Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience]

A project manager is transforming a Claude-generated draft into a polished board memo. The board reads the memo before the meeting and expects it to be scannable, factually verified, and consistent with the organization's standard terminology.

Which set of refinements is most appropriate?

A. Apply consistent headings, tighten wording for executive scanability, align terminology with the organization's standards, and verify each fact against source data.

B. Apply consistent headings, expand each section to give the board full context, and align terminology with the organization's standards.

C. Tighten wording for executive scanability and verify each fact against source data; leave heading structure and terminology as written to preserve the draft's voice.

D. Apply consistent headings and align terminology with the organization's standards; rely on Claude's verification of facts, since the draft was generated from the source data.

Answer: A

Explanation

Under the objective **Edit, adapt, refine, and compare the output generated by Claude model(s) for the intended audience** (Domain 2: Output Evaluation and Validation), preparing deliverables for executive boards requires comprehensive structural, linguistic, and factual refinement.

Option A covers all four essential post-generation refinement criteria: applying standardized heading hierarchies for visual navigation, condensing prose to maximize executive scanability, aligning terminology with enterprise glossaries, and rigorously validating every metric and claim against primary source records. Expanding narrative sections unnecessarily (Option B) reduces scanability for board members. Ignoring heading structure and vocabulary alignment (Option C) produces an unpolished deliverable. Relying blindly on the model's internal factual correctness without external verification (Option D) introduces governance and hallucination risks into board-level decisions.

格式和长度的合规性决定了Claude是否遵循了明确的交付约束。这些标准共同涵盖了事实的准确性、受众的适宜性和指令的遵循。

选项D不是一个合理的标准，因为外部行业的字数基准可能与实际的业务需求没有关系。相关的衡量标准是遵循请求的长度和对所需材料的充分覆盖。选项E的表述也无效：只有在任务规范、模板或受众需求要求时，才需要执行摘要。自动要求它将评估一个未说明的要求。

Anthropic的评估文档将任务的忠实度、相关性、语气和风格、上下文利用以及其他特定任务的成功标准识别为有效维度。它还强调标准应具体、可测量、可实现和相关。请参见Anthropic的官方评估指导。

==========

问题 #:53 - [编辑、调整、完善并比较Claude模型生成的输出，以适应预期受众]

项目经理正在将Claude生成的草稿转变为一份精炼的董事会备忘录。董事会在会议前阅读备忘录，并期望其可扫描、经过事实核查，并与组织的标准术语一致。

哪一组改进最为合适？

A. 应用一致的标题，简化措辞以提高高管的可扫描性，并将术语与组织的标准对齐，核实每个事实与源数据的一致性。

B. 应用一致的标题，扩展每个部分以提供董事会完整的背景，并将术语与组织的标准对齐。

C. 简化措辞以提高高管的可扫描性，并核实每个事实与源数据的一致性；保留标题结构和术语的原样书写，以保持草稿的语气。

D. 应用一致的标题，并将术语与组织的标准对齐；依赖Claude对事实的核实，因为草稿是从源数据生成的。

答案： A

解释

在目标编辑、调整、改进和比较Claude模型生成的输出以适应目标受众（领域2：输出评估与验证）时，为高管董事会准备的交付物需要全面的结构、语言和事实的改进。

A选项涵盖了所有四个基本的生成后改进标准：应用标准化的标题层级以便于视觉导航，压缩散文以最大化高管的可扫描性，将术语与企业术语表对齐，并严格验证每个指标和声明与主要源记录的一致性。不必要地扩展叙述部分（选项 B）降低了董事会成员的可扫描性。忽视标题结构和词汇对齐（选项 C）会产生未打磨的交付物。盲目依赖模型内部的事实正确性而不进行外部验证（选项 D）会给董事会决策带来治理和幻觉风险。

Question #:54 - [Follow organizational AI policies and governance standards]

A Claude associate is evaluating whether to enable a Skill that was provided by an unfamiliar third party.

Which two checks best support a sound trust decision? (Select two.)

A. Verify the source of the Skill against the organization’s approved-Skill list before enabling it within Claude.ai or any Project the team uses for its work.

B. Review the permissions and capabilities the Skill requests and confirm that the requested access is appropriate for the task the Skill is intended to perform.

C. Treat the Skill’s appearance in a public listing as sufficient validation, without confirming the source, requested permissions, or alignment with the organization’s approved-Skill list.

D. Enable the Skill immediately on the basis of strong external reviews, even though its source has not been validated and its permissions remain unverified.

E. Skip permission review on the assumption that the Skill cannot exceed the boundaries of the workflow, even though Skills can request access that the task does not require.

Answer: A B

Explanation

A Skill from an unfamiliar party must be treated as untrusted until its origin and behavior are reviewed. Option A verifies provenance and confirms that the Skill is permitted by the organization’s governance process. Option B applies least privilege by examining what the Skill can access or execute and determining whether those capabilities are necessary for its stated task.

Public availability, popularity, or favorable reviews do not establish security. A Skill can contain instructions, scripts, dependencies, external calls, or other resources capable of causing unintended actions or exposing data. Therefore, Options C and D substitute reputation for technical and organizational validation. Option E is also unsafe because Skills may execute code or access resources available in the surrounding environment; assumed workflow boundaries are not a reliable security control.

Anthropic warns that malicious or compromised Skills can create prompt-injection, unauthorized-access, and data-exfiltration risks. Its guidance instructs users to install Skills only from trusted sources and to inspect bundled files, scripts, dependencies, network calls, and requested operations before enabling them. Organizational allowlists and permission reviews provide complementary controls: one establishes trust in the source, while the other limits what the Skill may do. Anthropic’s Skill security guidance

==========

Question #:55 - [Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs]

You are an analyst reviewing a Claude response that addresses two of three required questions and skips the third.

问题 #:54 - [遵循组织的人工智能政策和治理标准]

一名 Claude 助理正在评估是否启用由不熟悉的第三方提供的技能。

哪两个检查最能支持合理的信任决策？（选择两个。）在 Cla

A. ude.ai 或团队用于工作的任何项目中启用之前，验证技能的来源是否与组织的批准技能列表相符。

B. 审查技能请求的权限和能力，并确认请求的访问权限是否适合技能预期执行的任务。

C. 将技能在公共列表中的出现视为足够的验证，而不确认来源、请求的权限或与组织的批准技能列表的对齐。

D. 基于强有力的外部评审立即启用该技能，即使其来源尚未得到验证且其权限仍未被确认。

E. 跳过权限审查，假设技能无法超出工作流的边界，即使技能可以请求任务不需要的访问权限。

答案： A B

解释

来自不熟悉方的技能必须被视为不可信，直到其来源和行为经过审查。选项 A 验证来源并确认该技能被组织的治理流程所允许。选项 B 通过检查技能可以访问或执行的内容，应用最小权限，并确定这些能力是否对其声明的任务是必要的。

公开可用性、受欢迎程度或好评并不能建立安全性。技能可能包含指令、脚本、依赖项、外部调用或其他可能导致意外操作或暴露数据的资源。因此，选项 C 和 D 用声誉替代技术和组织验证。选项 E 也不安全，因为技能可能执行代码或访问周围环境中可用的资源；假定的工作流边界并不是可靠的安全控制。

Anthropic 警告说，恶意或被破坏的技能可能会造成提示注入、未经授权访问和数据外泄风险。其指导用户仅从可信来源安装技能，并在启用之前检查捆绑文件、脚本、依赖项、网络调用和请求的操作。组织白名单和权限审查提供了互补的控制：一个建立了对来源的信任，而另一个限制了技能可以做的事情。Anthropic 的技能安全指导

==========

问题 #:55 - [识别、诊断和解决表现不佳的提示和/或糟糕输出的问题]

您是一名分析师，正在审查一个 Claude 的回应，该回应回答了三个必需问题中的两个，并跳过了第三个。

Which prompt element most likely needs strengthening?

A. The context provided to Claude should be expanded with additional background detail about the subject matter.

B. The output format should be revised to allow Claude to determine the appropriate structure for each question's answer.

C. The role assigned to Claude should be changed to a more specialized expert persona to increase response depth.

D. The task statement should explicitly enumerate the three required questions and require an answer to each.

Answer: D

Explanation

Under the objective **Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs** , diagnosing incomplete outputs requires mapping the specific failure mode directly to the corresponding prompt component.

When a model reliably answers some inquiries but completely omits another, the root cause is typically prompt ambiguity or buried instructions within dense prose. Strengthening the core task statement by explicitly enumerating the required deliverables (e.g., using numbered lists or tagged XML blocks like < question_1 > , < question_2 > , < question_3 >) and mandating a complete response for each item (Option D) provides clear structural constraints that prevent omissions. Adding generic background context (Option A), changing persona framing (Option C), or relaxing output formatting constraints (Option B) fails to address the underlying instruction-following issue.

Question #:56 - [Identify appropriate and inappropriate use cases]

You are a bank manager presented with a request to use Claude as the sole decision-maker on customer credit-line approvals.

Which response is most appropriate?

A. Accept the sole-decision-maker design because Claude can process applications faster than a human review team.

B. Implement the design on a pilot basis and notify compliance only if issues arise during production use.

C. Decline the sole-decision-maker design and propose Claude assisting analysts who retain decision authority.

D. Expand the design so Claude both evaluates applications and issues final approval notices to customers directly.

Answer: C

哪个提示元素最需要加强?

A. 提供给 Claude 的上下文应扩展，增加关于主题的额外背景细节。

B. 输出格式应修订，以允许 Claude 确定每个问题答案的适当结构。

C. 分配给 Claude 的角色应更改为更专业的专家角色，以增加回应的深度。

D. 任务声明应明确列出三个必需的问题，并要求对每个问题进行回答。

答案： D

解释

在目标 识别、诊断和解决表现不佳的提示和/或糟糕输出的问题 下，诊断不完整的输出需要将特定的失效模式直接映射到
相应的提示组件。

当一个模型可靠地回答某些询问但完全遗漏另一些时，根本原因通常是 提示模糊或密集文本中的隐藏指令。通过明确列举所需交付物（例如，使用编号列表或标记的 XML 块，如 < question_1 > , < question_2 > , < question_3 > ）并要求每个项目的完整响应（选项 D），可以加强核心任务声明，提供明确的结构约束，防止遗漏。添加通用背景上下文（选项 A）、改变角色框架（选项 C）或放宽输出格式约束（选项 B）未能解决根本的指令遵循问题。

问题 #:56 - [识别适当和不适当的使用案例]

您是一名银行经理，收到请求使用 Claude 作为客户信用额度批准的唯一决策者。

哪个回应最为合适?

A. 接受唯一决策者设计，因为 Claude 可以比人工审查团队更快地处理申请。

B. 在试点基础上实施该设计，仅在生产使用中出现问题时通知合规部门。

C. 拒绝唯一决策者设计，建议 Claude 协助保留决策权的分析师。

D. 扩展设计，使 Claude 既评估申请，又直接向客户发出最终批准通知。

答案： C

Explanation

Credit-line approval directly affects an individual's financial eligibility and is therefore a high-risk financial decision. Claude may assist analysts by summarizing application information, checking completeness, organizing evidence, or identifying cases requiring further review, but qualified humans must retain final decision authority. Option C provides this augmentation model.

Option A values processing speed over fairness, regulatory compliance, explainability, and accountability. Option B is unacceptable because compliance and risk controls must be established before production, not after customers are affected. Option D increases the risk by allowing Claude both to decide and communicate a consequential financial determination without professional review.

Anthropic's Usage Policy explicitly identifies loan approvals and creditworthiness determinations as high-risk financial use cases. It requires a qualified professional to review advice, recommendations, or subjective decisions that directly affect consumers before finalization. The organization remains responsible for accuracy and appropriateness. Depending on the deployment, disclosure of AI involvement may also be required.

A compliant workflow should define permitted assistance, require human approval, validate the model's outputs, monitor for disparate impact, document decision rationale, and provide appropriate appeal or correction processes. Claude should augment professional judgment, not replace the accountable decision-maker. Anthropic's high-risk use-case requirements

==========

Question #:57 - [Configure Claude Projects with instructions and knowledge sources]

You are configuring a new Claude Project for a specific recurring workload.

Which Project configuration step should be performed first?

A. Define the purpose of the Project and the recurring tasks it must support.

B. Test the configured Project on a representative request from the workload.

C. Add reference materials and instructions that the Project will rely on.

D. Invite collaborators to the Project and confirm the appropriate access levels.

Answer: A

Explanation

The Project's purpose and recurring tasks must be defined before selecting knowledge sources, writing instructions, testing behavior, or inviting collaborators. Option A establishes the configuration requirements: what the Project is intended to accomplish, which tasks belong within its scope, who will use the outputs, and what consistent behavior is required.

Only after the purpose is clear can the configurator determine which reference documents belong in Project knowledge and which persistent behavioral requirements belong in Project instructions. Testing follows

解释

信用额度批准直接影响个人的财务资格，因此这是一个高风险的财务决策。Claude 可以通过总结申请信息、检查完整性、组织证据或识别需要进一步审查的案例来协助分析师，但合格的人类必须保留最终决策权。选项 C 提供了这种增强模型。

选项 A 重视处理速度而非公平性、合规性、可解释性和问责制。
选项 B 是不可接受的，因为合规和风险控制必须在生产之前建立，而不是在客户受到影响之后。
选项 D 通过允许 Claude 同时决定和传达重要的财务决定而增加了风险，而没有专业审查。

Anthropic 的使用政策明确将贷款批准和信用worthiness 评估识别为高风险 金融使用案例。它要求合格的专业人士在最终确定之前审查直接影响消费者的建议、推荐或主观 决策。该组织对准确性和适当性仍然负责。根据部署情况，可能还需要披露 AI 的参与。

合规工作流应定义允许的协助，要求人工批准，验证模型的 输出，监控差异影响，记录决策理由，并提供适当的上诉或 纠正流程。Claude 应增强专业判断，而不是取代负责的决策者。Anthropic 的高风险使用案例要求

==========

问题 #:57 - [配置 Claude 项目与指令和知识来源]

您正在为特定的重复工作负载配置一个新的 Claude 项目。

应该首先执行哪个项目配置步骤？

A. 定义项目的目的及其必须支持的重复任务。

B. 在工作负载的代表性请求上测试配置的项目。

C. 添加项目将依赖的参考材料和指令。

D. 邀请合作者加入项目并确认适当的访问级别。

答案： A

解释

在选择知识来源、编写
指令、测试行为或邀请合作者之前，必须定义项目的目的和重复任务。选项 A 确定配置要求：项目旨在实现的目标、属于其范围的任务、谁将使用输出，以及
所需的一致行为。

只有在目的明确后，配置者才能确定哪些参考文档属于项目知识，哪些持久的行为要求属于项目指令。测试在配置之后进行，因为必须评估代表性请求与预期结果的对比。

configuration because a representative request must be evaluated against an expected result. Collaborator access should be configured after the Project's scope and information sensitivity are understood, allowing appropriate view or edit permissions to be assigned.

Option C begins adding materials without first determining their relevance. Option B attempts to test an undefined configuration. Option D introduces users before the Project's purpose, data, and access requirements have been established.

Anthropic describes Projects as self-contained workspaces with knowledge bases, focused chats, and persistent Project instructions. Its documentation explains that uploaded materials provide shared context and instructions control Claude's behavior across the Project's chats. Defining the recurring workload first prevents irrelevant knowledge, conflicting instructions, and excessive access. Anthropic's Project management guidance

==========

Question #:58 - [Configure Claude Projects with instructions and knowledge sources]

An HR business partner is building a long-running workspace where a team handbook, a leveling guide, and a policies-FAQ document will be referenced across many separate chats by several team members.

Which Claude feature is designed for this use case?

A. Connect the team's Google Drive folder where the three documents are stored, so the Connector surfaces them inside each chat when they are needed.

B. Create a Project, which provides a persistent workspace with its own knowledge base and custom instructions shared across chats and members.

C. Generate an Artifact containing the three documents, which gives the team an editable surface for reference content that persists across chats.

D. Attach all three documents to each chat as needed, since per-chat attachments give the chat direct access to the documents without additional setup.

Answer: B

Explanation

Option B is correct because Claude Projects are specifically designed to organize recurring work around persistent instructions and reference knowledge. Anthropic explains that documents uploaded to a Project's knowledge base become available as context across chats in that Project. Project instructions likewise establish consistent guidance for Claude's behaviour and responses. Team and Enterprise users can share Projects with other organization members using appropriate view or edit permissions.

A Google Drive Connector can retrieve information from connected files, but it is not the best primary answer for a curated workspace with stable instructions and a defined knowledge base. An Artifact is an editable output surface rather than a persistent multi-chat reference repository. Reattaching the same documents to every chat would work technically, but it creates unnecessary repetition and increases the risk that a team member forgets a required source or uses an outdated version.

在理解项目的范围和信息敏感性后，应配置合作者访问权限，以便分配适当的查看或编辑权限。

选项 C 在未首先确定材料相关性的情况下开始添加材料。选项 B 尝试测试一个未定义的配置。选项 D 在项目的目的、数据和访问要求尚未建立之前引入用户。

Anthropic 将项目描述为具有知识库、专注聊天和持久项目指令的自包含工作空间。其文档解释说，上传的材料提供共享上下文，指令控制 Claude 在项目聊天中的行为。首先定义重复工作量可以防止无关知识、冲突指令和过度访问。Anthropic 的项目管理指导

==========

问题 #:58 - [使用指令和知识来源配置 Claude 项目]

一位人力资源业务合作伙伴正在建立一个长期的工作区，在这个工作区中，团队手册、等级指南和政策-常见问题文档将被多个团队成员在许多独立的聊天中引用。

哪个 Claude 功能是为此用例设计的？

A. 连接团队的 Google Drive 文件夹，其中存储了这三份文档，以便连接器在每次聊天中需要时将它们呈现出来。

B. 创建一个项目，它提供一个持久的工作区，拥有自己的知识库和跨聊天及成员共享的自定义指令。

C. 生成一个包含这三份文档的产出物，为团队提供一个可编辑的参考内容表面，能够在聊天中持久存在。

D. 根据需要将所有三份文档附加到每个聊天中，因为每个聊天的附件使聊天能够直接访问文档，而无需额外设置。

答案： B

解释

选项 B 是正确的，因为 Claude 项目专门设计用于围绕持久指令和参考知识组织重复工作。Anthropic 解释说，上传到项目知识库的文档在该项目的聊天中作为上下文可用。项目指令同样为 Claude 的行为和响应建立了一致的指导。团队和企业用户可以使用适当的查看或编辑权限与其他组织成员共享项目。

Google Drive 连接器可以从连接的文件中检索信息，但它并不是具有稳定指令和定义知识库的策划工作区的最佳主要答案。产出物是一个可编辑的输出表面，而不是一个持久的多聊天参考存储库。将相同的文档重新附加到每个聊天在技术上是可行的，但这会造成不必要的重复，并增加团队成员忘记所需来源或使用过时版本的风险。

The Project should contain only current, authoritative versions of the handbook, leveling guide, and FAQ. Access permissions and document maintenance responsibilities should also be defined. Therefore, a shared Project is the feature that most directly meets the stated multi-chat, multi-member requirement. See Anthropic' s documentation on creating and managing Projects and Project capabilities .

==========

Question #:59 - [Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs]

You are optimizing a recurring Claude workflow and must complete the diagnostic steps before changing the workflow.

Which two diagnostic steps must be completed BEFORE changing the recurring workflow? (Select two.)

Each correct answer presents part of the solution.

A. Notify executive leadership of the projected savings from the optimization.

B. Identify the steps that contribute most to time, cost, or quality issues.

C. Deploy the updated workflow across the team and monitor for adoption issues.

D. Measure the current workflow's quality, time, and cost across recent runs.

E. Document the revised workflow steps and update the team's standard operating procedures.

Answer: B D

Explanation

Under the objective **Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs** , workflow optimization must be rooted in evidence-based diagnostics before making modifications to system instructions or prompt chains.

The diagnostic phase requires two prerequisite steps: establishing a quantitative baseline by measuring quality metrics, latency, token spend, and human intervention frequency across recent historical runs (Option D), and conducting a bottleneck analysis to pinpoint the exact sub-steps responsible for performance degradation, excessive token cost, or quality defects (Option B). Implementing changes without these baseline diagnostics leads to blind iterations. Deployment (Option C) and SOP updates (Option E) are downstream execution phases, while leadership notifications (Option A) occur after solutions are verified.

Question #:60 - [Optimize workflows for efficiency and effectiveness]

You are evaluating proposed workflow changes against whether they meaningfully improve the workflow.

Which two proposed changes meaningfully improve a recurring Claude workflow? (Select two.)

Each correct answer presents a complete solution.

A. updating the team's shared workspace name to reflect the new workflow process

项目应仅包含手册、分级指南和常见问题解答的当前权威版本。访问权限和文档维护责任也应被定义。因此，共享项目是最直接满足所述多聊天、多成员要求的功能。请参阅 Anthropic 的文档，了解如何创建和管理项目及项目功能。

==========

问题 #:59 - [识别、诊断和解决表现不佳的提示和/或糟糕输出的问题]

您正在优化一个重复的 Claude 工作流，并且必须在更改工作流之前完成诊断步骤。

在更改重复工作流之前必须完成哪两个诊断步骤？（选择两个。）

每个正确答案都是解决方案的一部分。

A. 通知高层领导优化预计节省的成本。

B. 识别对时间、成本或质量问题贡献最大的步骤。

C. 在团队中部署更新后的工作流程，并监控采用问题。

D. 测量当前工作流程在最近运行中的质量、时间和成本。

E. 记录修订后的工作流程步骤，并更新团队的标准操作程序。

答案： B D

解释

在目标 识别、诊断和解决表现不佳的提示和/或差的 输出 下，工作流程优化必须基于证据的诊断，才能在对系统指令或提示链进行修改之前进行。

诊断阶段需要两个前提步骤：通过测量质量 指标、延迟、令牌消耗和最近历史运行中的人工干预频率（选项 D）建立定量基线，以及 进行瓶颈分析以确定导致性能下降、过高令牌成本或质量缺陷的确切子步骤（选项 B）。在没有这些基线诊断的情况下实施更改 会导致盲目迭代。部署（选项 C）和标准操作程序更新（选项 E）是下游执行 阶段，而领导通知（选项 A）在解决方案验证后进行。

问题 #:60 - [优化工作流程以提高效率和有效性]

您正在评估提议的工作流程更改，以确定它们是否真正改善了工作流程。

哪两个提议的更改真正改善了重复的 Claude 工作流程？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 更新团队共享工作区名称以反映新的工作流程过程

B. labeling each workflow step with descriptive names to improve readability for new team members

C. extracting the standard reference material into a Project to avoid repeating it

D. reorganizing the workflow document's section headings to improve navigation

E. adding a quality check on outputs before they enter the downstream process

Answer: C E

Explanation

Under the objective **Optimize workflows for efficiency and effectiveness** , meaningful operational improvements must deliver measurable gains in throughput, token efficiency, or output reliability.

Option C provides major efficiency gains by moving recurring reference documentation into a persistent Claude Project knowledge base, eliminating redundant token overhead and manual copy-pasting across dozens of daily chats. Option E provides vital effectiveness and risk mitigation by establishing a standardized human-in-the-loop quality gate, preventing defective or hallucinated outputs from propagating into downstream operational pipelines. In contrast, renaming workspaces (Option A), re-labeling steps for cosmetic readability (Option B), or shuffling documentation headings (Option D) represent superficial administrative edits that do not improve execution speed, cost, or output quality.

Question #:61 - [Configure Claude Projects with instructions and knowledge sources]

An HR business partner is configuring a new Project for recurring policy questions from managers. The Project will be used across many chats by several HR team members.

Which content belongs in the Project knowledge base?

A. the current employee handbook plus prior versions of the handbook going back five years, so Claude can answer questions about how policies have changed

B. the current employee handbook, the leveling guide, the policies-FAQ, and every email the HR team has sent about policy in the past year, for additional context

C. the current employee handbook only, with the leveling guide and the policies-FAQ attached at the start of each chat as needed for that chat's topic

D. the current employee handbook, the leveling guide, and the policies-FAQ document referenced across the Project's chats

Answer: D

Explanation

Under the objective **Configure Claude Projects with instructions and knowledge sources** , the project knowledge base is designed to store authoritative, canonical, and frequently accessed reference material that remains stable across multiple chat sessions.

B. 为每个工作流程步骤标注描述性名称，以提高新团队成员的可读性

C. 将标准参考材料提取到一个项目中，以避免重复使用

D. 重新组织工作流程文档的章节标题，以改善导航

E. 在输出进入下游流程之前添加质量检查

答案： C E

解释

在目标下 **优化工作流程以提高效率和有效性，有意义的操作**
改进必须在吞吐量、令牌效率或输出可靠性上带来可衡量的收益。

选项 C 通过将重复的参考文档移入持久的 Claude 项目知识库，提供了重大效率提升，消除了冗余的令牌开销和在 数十个日常聊天中手动复制粘贴的需求。选项 E 通过建立标准化的 人工干预质量门，提供了重要的有效性和风险缓解，防止缺陷或幻觉输出传播到 下游操作管道。相比之下，重命名工作区（选项 A）、为步骤重新标记以提高可读性（选项 B）或重新排列文档标题（选项 D）只是表面上的 管理编辑，并未改善执行速度、成本或输出质量。

问题 #:61 - [配置 Claude 项目与指令和知识来源]

一名人力资源业务合作伙伴正在为管理者的重复政策问题配置一个新项目。该项目将由多名人力资源团队成员在多个聊天中使用。

哪些内容应包含在项目知识库中？

A. 当前的员工手册以及过去五年的手册版本，以便 Claude 能够回答有关政策如何变化的问题

B. 当前的员工手册、等级指南、政策常见问题解答，以及人力资源团队在过去一年中发送的关于政策的每封电子邮件，以提供额外的背景信息

C. 仅当前的员工手册，等级指南和政策常见问题解答在每个聊天开始时根据该聊天主题的需要附加

D. 当前的员工手册、等级指南，以及在项目聊天中引用的政策常见问题解答文档

答案： D

解释

在目标下 **配置 Claude 项目与指令和知识来源，项目**
知识库旨在存储权威、规范和经常访问的参考材料，这些材料在多个聊天会话中保持稳定。

Option D accurately selects the core, evergreen operational documents required for recurring HR inquiries—the current active handbook, leveling framework, and standardized FAQ. Including outdated handbooks (Option A) risks hallucination and policy contradictions because Claude might cite obsolete rules. Uploading raw email trails (Option B) injects uncurated conversational noise, conflicting statements, and potential privacy leaks into the persistent context. Relegating essential, standard documents to manual per-chat uploads (Option C) undermines the primary efficiency benefit of Claude Projects, which is to eliminate repetitive context uploading across team workflows.

Question #:62 - [Adjust approach based on feedback and results]

You are running a weekly feedback-and-adjustment cycle.

Which is the correct order of cycle steps?

(1) Translate feedback into one or two targeted adjustments for the next cycle.

(2) Run the next cycle and compare results against the prior cycle.

(3) Capture the specific feedback received during the review.

(4) Document what changed, what effect it produced, and any remaining issues.

(5) Decide whether to continue iterating, switch approach, or escalate.

A. 2, 3, 1, 4, 5

B. 1, 3, 2, 4, 5

C. 3, 1, 2, 4, 5

D. 3, 2, 1, 4, 5

Answer: C

Explanation

Under the objective **Adjust approach based on feedback and results** , structured workflow iteration follows a disciplined empirical sequence to guarantee controlled optimization.

The feedback loop begins with intake: systematically capturing concrete, specific feedback and defect observations from the recent review session (Step 3). Next, that feedback is translated into one or two targeted, hypothesis-driven prompt or workflow modifications (Step 1). The practitioner then executes the revised workflow and directly benchmarks the new outputs against the previous baseline (Step 2). After execution, the practitioner documents the exact changes made, the measurable effects observed, and any residual edge cases (Step 4). Finally, the practitioner evaluates the results to determine the strategic direction—whether to perform another iteration cycle, pivot to an alternative prompting approach, or escalate to human stakeholders (Step 5). This establishes the correct operational sequence as **3, 1, 2, 4, 5** .

选项 D 准确选择了处理重复人力资源咨询所需的核心、常青的操作文档——当前的有效手册、等级框架和标准化常见问题解答。包括过时的手册 （选项 A）存在幻觉和政策矛盾的风险，因为 Claude 可能引用过时的规则。上传原始电子邮件记录（选项 B）会将未经整理的对话噪音、相互矛盾的陈述和潜在的隐私泄露注入持久上下文。将重要的标准文档降级为手动每次聊天上传 （选项 C）削弱了 Claude 项目的主要效率优势，即消除团队工作流中重复的上下文上传。

问题 #:62 - [根据反馈和结果调整方法]

您正在进行每周的反馈和调整周期。

哪个是周期步骤的正确顺序？

(1) 将反馈转化为下一个周期的一到两个针对性调整。

(2) 进行下一个周期，并将结果与上一个周期进行比较。

(3) 捕捉在审查过程中收到的具体反馈。

(4) 记录发生了什么变化，产生了什么效果，以及任何剩余问题。

(5) 决定是否继续迭代、切换方法或升级。

A. 2, 3, 1, 4, 5

B. 1, 3, 2, 4, 5

C. 3, 1, 2, 4, 5

D. 3, 2, 1, 4, 5

答案：C

解释

在目标下 **根据反馈和结果调整方法，结构化工作流迭代遵循**
一种有纪律的实证序列，以保证受控优化。

反馈循环始于信息收集：系统地捕捉最近审查会议中的具体、明确的反馈和缺陷观察（步骤 3）。接下来，这些反馈被转化为一到两个有针对性的、以假设为驱动的提示或工作流修改（步骤 1）。然后，实践者执行修订后的工作流，并直接将新输出与之前的基准进行对比（步骤 2）。执行后，实践者记录所做的确切更改、观察到的可测量效果以及任何残留的边缘案例（步骤 4）。最后，实践者评估结果以确定战略方向——是进行另一个迭代周期、转向替代的提示方法，还是升级到人类利益相关者（步骤 5）。这确立了正确的操作顺序。

3, 1, 2, 4, 5 .

Question #:63 - [Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)]

You are organizing connected data sources for a team and must complete the planning steps before authorizing any connection.

Which two planning steps must be completed BEFORE authorizing a new Connector? (Select two.)

Each correct answer presents part of the solution.

A. Confirm the Connector is on the approved-vendor list maintained by IT.

B. Train every team member on the new Connector through formal training sessions.

C. Decommission any unused legacy Connectors that may still be authorized.

D. Confirm the data classification of the source and the team's permission to use it.

E. Migrate every existing report off the prior data source onto the new Connector.

Answer: A D

Explanation

Options A and D are correct because Connector authorization creates a security and data-governance boundary. Before connecting a service, the team must confirm that the provider is trusted and approved under organizational vendor-management requirements. It must also determine what data Claude could access, how that data is classified, and whether the proposed users have legitimate permission to use it.

Anthropic explains that Connectors can retrieve data and take actions in connected services. Claude inherits the user's source-system permissions, while custom Connectors may connect to services that Anthropic has not verified. Anthropic therefore advises users to connect only to trusted servers, carefully review requested permissions, minimize unnecessary scopes, and remain aware that connected tools may read, modify, or delete data. These considerations directly support approved-vendor and data-authorization checks.

Training may be necessary before rollout, but it does not have to be completed before the authorization decision itself. Decommissioning legacy Connectors and migrating reports are implementation or lifecycle activities that ordinarily follow approval and transition planning. They do not replace the initial trust, classification, and permission assessment. Therefore, A and D are the required pre-authorization controls. See Anthropic's Connector overview and custom Connector security guidance .

==========

Question #:64 - [Understand ethical implications of AI usage]

You are a Claude associate running an ethics review on a Claude-assisted deliverable before publication.

Which is the correct order of review steps?

(1) Confirm that transparency requirements are met for the audience receiving the deliverable.

(2) Document the review outcome and any changes made.

问题 #:63 - [管理已上传的知识和连接器（例如，Google Drive，Gmail）]

您正在为一个团队组织连接的数据源，并且必须在授权任何连接之前完成规划步骤。

在授权新的连接器之前，必须完成哪两个规划步骤？（选择两个。）

每个正确答案都是解决方案的一部分。

A. 确认连接器在 IT 维护的批准供应商列表上。

B. 通过正式培训课程对每个团队成员进行新连接器的培训。

C. 停用任何可能仍被授权的未使用的遗留连接器。

D. 确认数据源的分类以及团队使用它的权限。

E. 将每个现有报告从之前的数据源迁移到新的连接器上。

答案： A D

解释

选项 A 和 D 是正确的，因为连接器授权创建了安全和数据治理的边界。在连接服务之前，团队必须确认提供者在组织供应商管理要求下是可信和被批准的。还必须确定 Claude 可以访问哪些数据，这些数据的分类是什么，以及提议的用户是否有合法的使用权限。

Anthropic 解释说，连接器可以检索数据并在连接的服务中采取行动。Claude 继承用户的源系统权限，而自定义连接器可能连接到 Anthropic 尚未验证的服务。因此，Anthropic 建议用户仅连接到可信的服务器，仔细审查请求的权限，最小化不必要的范围，并保持警惕，连接的工具可能会读取、修改或删除数据。这些考虑直接支持批准供应商和数据授权检查。

在推出之前可能需要培训，但不必在授权决策本身之前完成。停用遗留连接器和迁移报告是实施或生命周期活动，通常在批准和过渡规划之后进行。它们并不替代最初的信任、分类和权限评估。因此，A 和 D 是所需的授权前控制措施。请参见Anthropic 的连接器概述和自定义连接器安全指导。

==========

问题 #:64 - [理解 AI 使用的伦理影响]

您是一名 Claude 助理，在发布之前对 Claude 辅助交付物进行伦理审查。

正确的审查步骤顺序是什么？

(1) 确认满足接收交付物的受众的透明度要求。

(2) 记录审查结果和所做的任何更改。

(3) Identify the audience and the potential impact of the deliverable on that audience.

(4) Make targeted revisions or escalate if a concern requires more authority to resolve.

(5) Examine the content for unsupported generalizations, fairness concerns, and accuracy issues.

A. 3, 5, 1, 4, 2

B. 3, 1, 5, 4, 2

C. 5, 3, 1, 4, 2

D. 1, 3, 5, 4, 2

Answer: A

Explanation

Answer A follows the strongest ethics-review dependency order. First identify the audience and the potential consequences of the deliverable (3), because ethical risk depends on who receives the material and how it may affect them. Next examine the content for unsupported generalizations, fairness problems, and accuracy defects (5). With the audience and substantive risks understood, confirm that the necessary transparency or disclosure requirements are met (1). Then correct the deliverable or escalate concerns that exceed the reviewer's authority (4). Finally, record the review result and all changes made (2), preserving accountability and traceability. The resulting sequence is 3, 5, 1, 4, 2. Option B checks transparency before completing the substantive ethics assessment; Options C and D begin without first establishing the affected audience and impact. Anthropic's AI Fluency framework treats Discernment as critical assessment of AI output and Diligence as responsible, ethical use with human accountability. Anthropic's Usage Policy likewise emphasizes human review and disclosure for high-risk uses. Therefore, an ethics review should move from impact framing, through content assessment and transparency, to remediation and documentation—not merely confirm that an AI disclosure exists and assume the deliverable is safe. Anthropic AI Fluency course , Anthropic Usage Policy

==========

Question #:65 - [Configure Claude Projects with instructions and knowledge sources]

An support representative is configuring a Project for drafting customer-facing apology emails after service outages. The current custom instructions tell Claude to "be empathetic and casual, keep it short, and offer a goodwill credit." The customer-service team has flagged that recent drafts have been too brief, have offered goodwill credits in cases where policy does not allow them, and have used contractions that the brand voice guide prohibits.

Which adjustment best aligns the configuration to the use case?

A. Replace "be empathetic and casual" with "match the brand voice guide," remove the instruction to offer goodwill credits, and let each draft determine its own length based on the incident.

(3) 确定受众及交付物对该受众的潜在影响。

(4) 进行有针对性的修订，或在需要更高权限解决的情况下升级。

(5) 检查内容是否存在不支持的概括、公平性问题和准确性问题。

A. 3, 5, 1, 4, 2

B. 3, 1, 5, 4, 2

C. 5, 3, 1, 4, 2

D. 1, 3, 5, 4, 2

答案： A

解释

答案 A 遵循最强的伦理审查依赖顺序。首先确定受众及交付物的潜在后果 (3)，因为伦理风险取决于谁接收材料以及它可能如何影响他们。接下来检查内容是否存在不支持的概括、公平性问题和准确性缺陷 (5)。在理解受众和实质性风险后，确认满足必要的透明度或披露要求 (1)。然后修正交付物或升级超出审查者权限的担忧 (4)。最后，记录审查结果和所有更改 (2)，以保持问责制和可追溯性。最终顺序为 3, 5, 1, 4, 2。选项 B 在完成实质性伦理评估之前检查透明度；选项 C 和 D 在未首先确定受影响受众和影响的情况下开始。Anthropic 的 AI 流利度框架将辨别视为对 AI 输出的关键评估，将勤勉视为负责任的、伦理的使用，并承担人类责任。Anthropic 的使用政策同样强调对高风险使用进行人工审查和披露。因此，伦理审查应从影响框架开始，经过内容评估和透明度，再到补救和文档记录——而不仅仅是确认存在 AI 披露并假设交付物是安全的。Anthropic AI 流利度课程，

Anthropic 使用政策

==========

问题 #:65 - [配置 Claude 项目与指令和知识来源]

一名支持代表正在为起草客户面对的道歉邮件配置一个项目，以应对服务中断。当前的自定义指令告诉 Claude “要有同理心和随意，保持简短，并提供善意信用。” 客户服务团队已标记最近的草稿过于简短，在政策不允许的情况下提供了善意信用，并使用了品牌声音指南禁止的缩写形式。

哪个调整最符合用例的配置？

A. 将“要有同理心和随意”替换为“符合品牌声音指南”，删除提供善意信用的指令，让每个草稿根据事件自行决定长度。

B. Move the brand voice guide and the goodwill-credit policy into the Project knowledge base and rely on the documents alone to govern tone, length, and credit decisions, without changing the custom instructions.

C. Specify the brand voice attributes (empathetic, formal, no contractions), set a minimum length, and instruct Claude to recommend a goodwill credit only when the attached eligibility policy permits one.

D. Keep the existing instructions and add a sentence telling Claude to consult the brand voice guide and the goodwill-credit policy that are attached to the Project knowledge base.

Answer: C

Explanation

Under the Claude objective **Configure Claude Projects with instructions and knowledge sources** , effective project configuration requires replacing vague, conflicting directives with explicit operational boundaries and grounded criteria. In this scenario, the root causes of underperformance are conflicting requirements: the prompt requests a "casual" tone while brand guidelines prohibit contractions, asks Claude to "keep it short" leading to overly brief outputs, and unconditionally directs it to "offer a goodwill credit" without verifying eligibility criteria.

Option C properly resolves all three deficiencies directly within the project instructions. First, it explicitly operationalizes the tone attributes (empathetic, formal, avoiding contractions) rather than relying on ambiguous descriptors. Second, establishing concrete length constraints (such as minimum paragraph or sentence counts) prevents the model from generating under-scoped drafts. Third, it conditions the business logic—instructing Claude to evaluate goodwill credit awards against the attached policy document in the Project knowledge base. In contrast, relying solely on uploaded knowledge files without aligning custom instructions (Options B and D) leads to prompt collisions, while Option A removes necessary policy guidance altogether.

Question #:66 - [Create effective prompts for business and technical tasks]

A knowledge worker is applying the AI Fluency Framework Description competency while revising an underperforming prompt.

Which revision best reflects Description principles?

A. Remove the existing context from the prompt and submit only the bare task statement, eliminating the audience, format, and constraint information that Description principles call for in a clear specification.

B. Specify the task scope, required output format, audience, and relevant constraints with sufficient clarity that the prompt produces a useful, reliable output on the next run.

C. Replace the specific instructions with generic phrasing that broadens the task scope, undoing the specification work that Description principles require for a reliable, useful output.

D. Add length to the prompt by inserting filler text that does not specify task scope, output format, audience, or constraints, leaving the original specification gaps unaddressed.

B. 将品牌声音指南和善意信用政策移入项目知识库，仅依靠这些文件来管理语气、长度和信用决策，而不改变自定义指令。

C. 指定品牌声音属性（同理心、正式、无缩写），设置最小长度，并指示 Claude 仅在附带的资格政策允许时推荐善意信用。

D. 保留现有指令，并添加一句话告诉 Claude 查阅附加在项目知识库中的品牌声音指南和善意信用政策。

答案：C

解释

在 Claude 目标下 **配置 Claude 项目与指令和知识来源，** 有效的项目配置需要用明确的操作边界和扎实的标准替换模糊、相互冲突的指令。在这种情况下，表现不佳的根本原因是相互冲突的要求：提示请求“随意”的语气，而品牌指南禁止使用缩写，要求 Claude “简短”导致输出过于简洁，并无条件指示其“提供善意信用”，而不验证资格标准。

选项 C 直接在项目指令中妥善解决了所有三个缺陷。首先，它明确操作化了语气属性（同情、正式、避免缩写），而不是依赖模糊的描述符。其次，建立具体的长度限制（例如最小段落或句子数量）防止模型生成范围不足的草稿。第三，它条件化了商业逻辑——指示 Claude 根据项目知识库中附加的政策文件评估善意信用奖励。相比之下，仅依赖上传的知识文件而不对齐自定义指令（选项 B 和 D）会导致提示冲突，而选项 A 则完全移除了必要的政策指导。

问题 #:66 - [为商业和技术任务创建有效的提示]

知识工作者在修订一个表现不佳的提示时，正在应用 AI 流利度框架描述能力。

哪个修订最能反映描述原则？

A. 从提示中删除现有的上下文，仅提交基本的任务陈述，消除描述原则在清晰规范中要求的受众、格式和约束信息。

B. 明确任务范围、所需输出格式、受众和相关约束，确保提示在下一次运行时产生有用、可靠的输出。

C. 用通用措辞替换具体指示，扩大任务范围，撤销描述原则对可靠、有用输出所需的规范工作。

D. 通过插入不具体说明任务范围、输出格式、受众或约束的填充文本来增加提示的长度，留下原始规范的空白未被解决。

Answer: B

Explanation

Description concerns communicating a goal to AI with enough precision to produce useful behavior and an appropriate output. Option B strengthens the information that operationally defines success: the task's scope, intended audience, required format, and relevant constraints. These elements reduce the number of assumptions Claude must make.

Option A removes useful context and is likely to make the response more generic. Option C substitutes broad language for a defined specification, increasing ambiguity. Option D confuses prompt length with prompt quality. Additional words improve performance only when they convey relevant instructions, examples, source material, constraints, or decision criteria.

A strong revision might define the role Claude should perform, the source material it may use, exclusions, tone, length, required sections, and the purpose of the deliverable. The revised prompt should then be tested against clear criteria rather than assumed to be correct after one run.

Anthropic defines Description as effectively describing goals to prompt useful AI behavior and output. Its prompting guidance recommends clear, detailed instructions, relevant context, representative examples, and explicit output requirements. Therefore, B is the only revision that directly addresses the diagnosed specification gaps. Anthropic's AI Fluency framework

==========

Question #:67 - [Iterate prompts to improve output quality]

A knowledge worker is iterating a prompt that has produced a partly acceptable response.

Which refinement practice produces the strongest learning across iterations?

A. Change one identifiable element per iteration, capture the change and its effect, and adjust another element only after the first is settled.

B. Restart from a fresh prompt each iteration so that prior wording does not bias the next attempt, and pick the strongest response at the end.

C. Make several related changes in one iteration when they target the same weakness, and revert the whole set if the combined change makes the output worse.

D. Address every weakness the response showed in a single revision, then compare the revised output against the prior version.

Answer: A

Explanation

Under the objective **Iterate prompts to improve output quality** , systematic prompt optimization relies on disciplined, hypothesis-driven iteration using controlled variables.

答案： B

解释

描述关注的是以足够的精确度向 AI 传达目标，以产生有用的行为和适当的输出。选项 B 加强了操作上定义成功的信息：任务的范围、预期受众、所需格式和相关约束。这些元素减少了 Claude 必须做出的假设数量。

选项 A 删除了有用的上下文，可能会使响应变得更加通用。选项 C 用广泛的语言替代了明确的规范，增加了模糊性。选项 D 将提示长度与提示质量混淆。只有在传达相关指令、示例、来源材料、约束或决策标准时，额外的词汇才能提高性能。

一个强有力的修订可能会定义 Claude 应该执行的角色、它可以使用的来源材料、排除项、语气、长度、所需部分和交付物的目的。然后，修订后的提示应根据明确的标准进行测试，而不是在一次运行后假定其正确。

Anthropic 将描述定义为有效地描述目标以提示有用的 AI 行为和输出。其提示指导建议提供清晰、详细的指令、相关上下文、代表性示例和明确的输出要求。因此，B 是唯一直接解决诊断出的规范差距的修订。Anthropic 的 AI 流利度框架

==========

问题 #:67 - [迭代提示以提高输出质量]

知识工作者正在迭代一个产生部分可接受响应的提示。

哪种改进实践在迭代中产生最强的学习效果？

A. 每次迭代更改一个可识别的元素，捕捉变化及其影响，并在第一个元素稳定后再调整另一个元素。

B. 每次迭代从一个新的提示开始，以避免之前的措辞对下一次尝试产生偏见，并在最后选择最强的响应。

C. 当多个相关更改针对同一弱点时，可以在一次迭代中进行这些更改，如果组合更改使输出变差，则恢复整个集合。

D. 在单次修订中解决响应显示的每个弱点，然后将修订后的输出与之前的版本进行比较。

答案： A

解释

在目标下　　迭代提示以提高输出质量，系统化的提示优化依赖于有纪律的、以假设为驱动的迭代，使用受控变量。

When a prompt yields a partially acceptable result, modifying a single isolated element at a time—such as refining role framing, adjusting format constraints, or adding specific negative constraints—allows the user to establish clear causality between the prompt modification and the resulting output change (Option A). Documenting the effect of each adjustment ensures reproducible, predictable improvements. Conversely, making multiple simultaneous revisions (Options C and D) confounds the evaluation, making it impossible to determine which specific change helped or degraded output quality. Discarding work entirely on each run (Option B) eliminates incremental learning and increases iteration time.

Question #:68 - [Determine when human review or additional verification is required]

You are a customer-success manager considering whether to escalate a Claude-generated response.

Which factor most strongly raises the impact of the output and supports escalation before external use?

A. The response is an internal draft summarizing the associate's notes from a customer call for their own reference.

B. The response is a casual rephrasing of an internal team status update.

C. The response is a brief internal announcement about an upcoming team all-hands meeting.

D. The response is an unchanged draft for a paying customer that includes a service-level commitment.

Answer: D

Explanation

Under the objective **Determine when human review or additional verification is required** , the necessity of human-in-the-loop oversight is directly proportional to the risk profile, audience, and external consequences of the generated content.

Internal-facing drafts, meeting notes, and casual operational updates (Options A, B, and C) carry low stakes because potential factual errors or awkward phrasing can be easily corrected internally with negligible business impact. Conversely, external communications sent to paying customers that state formal Service Level Agreements (SLAs), contractual commitments, or financial guarantees (Option D) represent high-stakes organizational exposure. Unverified claims in this context can bind the company legally or damage customer trust, making rigorous human review, policy validation, and escalation mandatory prior to dispatch.

Question #:69 - [Leverage Claude for research, planning, and process optimization]

You are a marketing manager using Claude to research a new market segment.

Which research step should be performed first?

A. Generate a final research report combining every Claude output produced.

B. Submit a series of Claude prompts to gather information across the segment.

C. Validate the gathered information against authoritative external sources.

当一个提示产生部分可接受的结果时，逐次修改一个孤立的元素——例如，细化角色框架、调整格式约束或添加特定的负面约束——可以让用户建立提示修改与结果输出变化之间的明确因果关系（选项 A）。
记录每次调整的效果确保可重复、可预测的改进。相反，同时进行多个修订（选项 C 和 D）会混淆评估，使得无法确定哪个具体更改有助于或降低输出质量。在每次运行中完全丢弃工作（选项 B）会消除增量学习并增加迭代时间。

问题 #:68 - [确定何时需要人工审查或额外验证]

您是一名客户成功经理，正在考虑是否升级 Claude 生成的响应。

哪个因素最强烈地提高了输出的影响，并支持在外部使用之前进行升级？

A. 该响应是一个内部草稿，概述了助理从客户电话中记录的笔记，以供他们自己参考。

B. 该响应是对内部团队状态更新的随意改写。

C. 该响应是关于即将举行的团队全员会议的简短内部公告。

D. 该响应是一个未更改的草稿，针对付费客户，包含服务水平承诺。

答案： D

解释

在目标下 **确定何时需要人工审查或额外验证，人工干预监督的必要性** 与生成内容的风险概况、受众和外部
后果直接成正比。

面向内部的草稿、会议记录和随意的操作更新（选项 A、B 和 C）风险较低，因为潜在的事实错误或尴尬的措辞可以在内部轻松纠正，对业务影响微乎其微。相反，发送给付费客户的外部沟通，声明正式的服务水平协议（SLA）、合同承诺或财务担保（选项 D）则代表了高风险的组织暴露。在这种情况下，未经验证的声明可能会在法律上约束公司或损害客户信任，因此在发出之前，严格的人工审查、政策验证和升级是必需的。

问题 #:69 - [利用 Claude 进行研究、规划和流程优化]

您是一名市场经理，使用 Claude 研究一个新的市场细分。

应该首先执行哪个研究步骤？

A. 生成一份最终研究报告，结合每个 Claude 输出。

B. 提交一系列 Claude 提示，以收集该细分市场的信息。

C. 将收集到的信息与权威外部来源进行验证。

D. Define the specific research questions that must be answered for the segment.

Answer: D

Explanation

Under the objective **Leverage Claude for research, planning, and process optimization** , effective AI-assisted research workflows follow structured problem decomposition principles.

Before interacting with the model or executing information retrieval prompts, the researcher must clearly frame the investigation by defining specific, bounded research questions and target hypotheses (Option D). Defining explicit dimensions—such as market size, competitor landscape, target customer personas, and regulatory barriers—provides the foundational framework needed to engineer targeted prompts. Submitting open-ended prompts without explicit research objectives (Option B) produces unfocused, verbose outputs. External validation (Option C) and final report synthesis (Option A) occur downstream after structured research has been executed.

Question #:70 - [Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)]

You are an operations lead evaluating prompting strategies that teammates have proposed for various task types.

Which two strategies represent appropriate matches between strategy and task type? (Select two.)

Each correct answer presents part of the solution.

A. rigid templated prompting for early-stage creative naming and tagline ideation

B. open exploratory prompting for legal contract redlining against a clause library

C. open exploratory prompting for early-stage strategic brainstorming on a new market

D. rigid templated prompting for casual customer-feedback summarization with no schema

E. rigid templated prompting for monthly compliance reports against a fixed schema

Answer: C E

Explanation

Under the objective **Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)** , prompting architectures must match the operational nature and variability of the task.

Option C correctly pairs open, exploratory prompting with divergent brainstorming and early-stage strategy, allowing Claude the flexibility to generate wide-ranging perspectives, identify unexpected market angles, and propose creative concepts. Option E correctly pairs rigid, templated prompting (with explicit constraints, schema definitions, and validation rules) with recurring compliance reporting, where deterministic output structure, consistency, and adherence to regulatory schemas are mandatory. Conversely, applying rigid

D. 定义必须为该细分市场回答的具体研究问题。

答案： D

解释

在目标下 **利用 Claude 进行研究、规划和流程优化，有效的 AI-**辅助研究工作流遵循结构化问题分解原则。

在与模型互动或执行信息检索提示之前，研究人员必须清楚地框定调查，通过定义具体的、有界的研究问题和目标假设（选项 D）。定义明确的维度——例如市场规模、竞争对手格局、目标客户角色和监管障碍——提供了构建针对性提示所需的基础框架。提交没有明确研究目标的开放式提示（选项 B）会产生不聚焦、冗长的输出。外部验证（选项 C）和最终报告综合（选项 A）在结构化研究执行后进行。

问题 #:70 - [根据任务类型调整提示策略（例如，分析、研究、草拟、头脑风暴）]

您是评估团队成员为各种任务类型提出的提示策略的运营负责人。

哪两种策略代表了策略与任务类型之间的适当匹配？（选择两个。）

每个正确答案都是解决方案的一部分。

A. 针对早期创意命名和标语构思的严格模板化提示

B. 针对条款库的法律合同修订的开放探索性提示

C. 针对新市场的早期战略头脑风暴的开放探索性提示

D. 针对没有模式的随意客户反馈总结的严格模板化提示

E. 针对固定模式的每月合规报告的严格模板化提示

答案： C E

解释

在目标 根据任务类型调整提示策略（例如，分析、研究、草拟、头脑风暴） 下，提示架构必须与任务的操作性质和变异性相匹配。

选项 C 正确地将开放的探索性提示与发散性头脑风暴和早期战略配对，允许 Claude 灵活生成广泛的观点，识别意想不到的市场角度，并提出创意概念。选项 E 正确地将严格的模板化提示（具有明确的约束、模式定义和验证规则）与定期合规报告配对，在这种情况下，确定性输出结构、一致性和遵循监管模式是强制性的。相反，应用严格

templates to creative ideation (Option A) constrains creativity, using open exploration for contract redlining (Option B) risks hallucination and missed clauses, and enforcing rigid schemas on informal unformatted feedback (Option D) creates unnecessary rigidity.

Question #:71 - [Apply fact-checking and validation techniques]

You are an analyst fact-checking a Claude-generated report. Two cited sources give conflicting dates for the same event.

Which approach is correct?

A. Publish both dates without resolving the conflict and let the reader choose.

B. Average the two conflicting dates and use the average.

C. Locate a primary or authoritative source for the event and use the date that source confirms.

D. Choose the more recent date on the basis that later sources typically reflect updated or corrected information.

Answer: C

Explanation

When cited sources conflict, the analyst must resolve the discrepancy through source hierarchy and corroboration. Option C is correct because a primary or authoritative source—such as the original announcement, official record, regulatory filing, or responsible organization's publication—provides stronger evidence than assumptions based on publication timing or repetition.

Publishing both dates without resolution transfers the analyst's verification responsibility to the reader. Averaging dates is logically invalid because event dates are categorical facts, not measurements that can be meaningfully averaged. Selecting the newer source is also unreliable; a later publication can repeat an earlier error, refer to a different milestone, or introduce a transcription mistake. The analyst should determine whether the sources describe the same event, locate the most authoritative record, and retain a citation showing how the final date was confirmed.

Anthropic recommends making claims auditable through citations and checking generated statements against supporting source material. Its hallucination guidance further advises retracting a claim when adequate support cannot be found. Consequently, if no authoritative source resolves the discrepancy, the report should clearly disclose the uncertainty rather than manufacture a definitive date. Anthropic's guidance on reducing hallucinations

==========

Question #:72 - [Apply task decomposition techniques to structure complex requests]

You are decomposing a "build a customer journey map" request.

Which is the correct order of decomposed steps?

创意构思的模板（选项 A）限制了创造力，使用开放探索进行合同重审（选项 B）存在幻觉和遗漏条款的风险，并且对非正式未格式化的反馈施加严格的模式（选项 D）造成不必要的僵化。

问题 #:71 - [应用事实核查和验证技术]

您是一名分析师，正在对一份 Claude 生成的报告进行事实核查。两个引用的来源对同一事件给出了相互矛盾的日期。

哪种方法是正确的？

A. 发布两个日期而不解决冲突，让读者自行选择。

B. 将两个矛盾的日期取平均并使用该平均值。

C. 找到该事件的主要或权威来源，并使用该来源确认的日期。

D. 选择较新的日期，基于后来的来源通常反映更新或更正的信息。

答案：C

解释

当引用的来源发生冲突时，分析师必须通过来源层级和证实来解决差异。选项 C 是正确的，因为主要或权威来源——例如原始公告、官方记录、监管文件或负责组织的出版物——提供的证据比基于出版时间或重复的假设更强。

在没有解决的情况下发布两个日期，将分析师的验证责任转移给读者。平均日期在逻辑上是无效的，因为事件日期是分类事实，而不是可以有意义地平均的测量值。选择较新的来源也不可靠；较晚的出版物可能会重复早期的错误，引用不同的里程碑，或引入抄写错误。分析师应确定来源是否描述同一事件，找到最权威的记录，并保留一份引用，显示最终日期是如何确认的。

Anthropic 建议通过引用使声明可审计，并将生成的陈述与支持性来源材料进行核对。其幻觉指导进一步建议在找不到足够支持时撤回声明。因此，如果没有权威来源解决差异，报告应清楚地披露不确定性，而不是制造一个确定的日期。Anthropic 关于减少幻觉的指导

==========

问题 #:72 - [应用任务分解技术来构建复杂请求]

您正在分解一个“构建客户旅程地图”的请求。

分解步骤的正确顺序是什么？

(1) Identify the touchpoints the customer encounters during each stage.

(2) Define the persona and the journey scope to be mapped.

(3) Capture pain points and opportunities at each touchpoint.

(4) Synthesize the findings into the final journey-map artifact.

(5) Identify the major stages the persona moves through.

A. 2,5,1,3,4

B. 4, 3, 2, 1, 5

C. 5,2,1,3,4

D. 2,1,5,3,4

Answer: A

Explanation

The journey must first be bounded by defining the persona and the scope being mapped. Without Step 2, the team does not know whose experience is being analyzed, which objective is relevant, or where the journey begins and ends. It then identifies the major journey stages in Step 5, such as awareness, evaluation, purchase, onboarding, and ongoing use.

Once the stages exist, the team can identify the customer's touchpoints within each stage in Step 1. Pain points, unmet needs, emotional responses, and improvement opportunities can then be recorded against those touchpoints in Step 3. Finally, the validated findings are synthesized into the journey-map artifact in Step 4. The correct order is therefore 2,5,1,3,4.

Option C identifies stages before establishing the persona and scope. Option D attempts to list touchpoints before defining the stages in which those interactions occur. Both sequences create structural ambiguity.

This decomposition follows dependency ordering: each output supplies the structure needed for the next activity. Anthropic's prompt-chaining guidance supports dividing complex work into sequential stages when intermediate results require inspection or when a defined pipeline improves control. Anthropic's prompt-chaining guidance

==========

Question #:73 - [Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)]

You are reviewing Connector setups that colleagues have proposed for various tasks.

Which two Connector setups represent safe and appropriate uses? (Select two.)

Each correct answer presents a complete solution.

A. a Connector that links to the personnel-records system for team leads to support scheduling tasks

(1) 确定客户在每个阶段遇到的接触点。

(2) 定义要映射的人物角色和旅程范围。

(3) 捕捉每个接触点的痛点和机会。

(4) 将发现综合成最终的旅程图产出物。

(5) 确定角色所经历的主要阶段。

A. 2,5,1,3,4

B. 4, 3, 2, 1, 5

C. 5,2,1,3,4

D. 2,1,5,3,4

答案： A

解释

旅程必须首先通过定义角色和要映射的范围来界定。没有第 2 步，团队不知道正在分析谁的体验，哪个目标是相关的，或者旅程从哪里开始和结束。然后在第 5 步中识别主要的旅程阶段，例如意识、评估、购买、入职和持续使用。

一旦阶段存在，团队可以在第 1 步中识别每个阶段内客户的接触点。痛点、未满足的需求、情感反应和改进机会可以在第 3 步中记录在这些接触点上。最后，经过验证的发现将在第 4 步中综合成旅程图产出物。
因此，正确的顺序是 2,5,1,3,4。

选项 C 在建立角色和范围之前识别阶段。选项 D 尝试在定义这些交互发生的阶段之前列出接触点。两个顺序都会造成结构模糊。

这种分解遵循依赖顺序：每个输出提供下一个活动所需的结构。Anthropic 的提示链指导支持在中间结果需要检查或定义的管道改善控制时，将复杂工作分解为顺序阶段。Anthropic 的提示-链指导

==========

问题 #:73 - [管理已上传的知识和连接器（例如，Google Drive，Gmail）]

您正在审查同事为各种任务提出的连接器设置。

哪两个连接器设置代表安全和适当的使用？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 一个连接器，链接到人员记录系统，以支持团队负责人安排任务

B. a Connector that links to the team's project management workspace under approved scope

C. a Connector that links to a personal cloud storage account where team members store working drafts alongside personal files

D. a read-only Connector that links to the public knowledge base for reference content

E. a Connector that links to the payroll system to allow team members to submit expense reports directly

Answer: B D

Explanation

Under the objective **Manage uploaded knowledge and connectors (e.g., Google Drive, Gmail)** , establishing data connectors requires adhering to the principle of least privilege, strict scope boundary management, and robust data classification.

Option B is an authorized, safe integration: connecting Claude to an approved, bounded project management workspace with explicit scope controls allows the model to summarize tasks and sprint updates safely. Option D is an ideal read-only integration, granting access to public documentation and reference repositories where confidential data leakage risks are zero. Conversely, connecting AI tools to core payroll infrastructure (Option E) or sensitive personnel/HR databases (Option A) introduces severe compliance, privacy, and unauthorized access liabilities. Linking personal cloud storage repositories containing unvetted mixed personal data (Option C) violates data governance standards by risking unintentional exposure of private files.

Question #:74 - [Understand, manage context limitations and memory considerations and when to restart, summarize, or persist]

You are a knowledge worker transitioning from a long, drifting conversation into a fresh, focused session.

Which is the correct order of transition steps?

(1) Begin a new chat and paste the summary as its starting context.

(2) Summarize the goals, key decisions, and open questions from the long conversation.

(3) Identify which references should persist beyond the current chat.

(4) Move persistent references into a Project’s knowledge base or attach them as needed.

(5) Confirm the new chat is on-task before continuing the work.

A. 3,2,4,1,5

B. 4, 3, 2, 1, 5

C. 1,2,3,4,5

D. 2,3,4,1,5

B. 一个连接器，链接到团队的项目管理工作区，符合批准的范围

C. 一个连接器，链接到个人云存储账户，团队成员在其中存储工作草稿以及个人文件

D. 一个只读连接器，链接到公共知识库以获取参考内容

E. 一个连接器，链接到薪资系统，以允许团队成员直接提交费用报告

答案： B D

解释

在目标下 **管理已上传的知识和连接器（例如，Google Drive，Gmail）** ，建立数据连接器需要遵循最小权限原则、严格的范围边界管理和健全的数据分类。

选项 B 是一个授权的、安全的集成：将 Claude 连接到一个经过批准的、有限的项目管理工作区，具有明确的范围控制，允许模型安全地总结任务和冲刺更新。选项 D 是一个理想的只读集成，授予访问公共文档和参考库的权限，机密数据泄露风险为零。相反，将 AI 工具连接到核心薪资基础设施（选项 E）或敏感的人员/人力资源数据库（选项 A）会引入严重的合规性、隐私和未经授权访问的责任。链接包含未经审查的混合个人数据的个人云存储库（选项 C）违反了数据治理标准，存在无意暴露私人文件的风险。

问题 #:74 - [理解、管理上下文限制和记忆注意事项，以及何时重启、总结或持续]

您是一名知识工作者，正在从一段漫长、漂流的对话过渡到一个新的、专注的会话。

过渡步骤的正确顺序是什么？

(1) 开始一个新聊天，并将摘要粘贴为其起始上下文。

(2) 总结长对话中的目标、关键决策和未解决的问题。

(3) 确定哪些参考资料应在当前聊天之外持续存在。

(4) 将持续的参考资料移入项目的知识库或根据需要附加。

(5) 在继续工作之前确认新聊天是否在任务上。

A. 3,2,4,1,5

B. 4, 3, 2, 1, 5

C. 1,2,3,4,5

D. 2,3,4,1,5

Answer: A

Explanation

The correct sequence is 3,2,4,1,5. Before leaving the original conversation, the user should identify the source documents, policies, examples, or other references that must remain available. The user can then summarize the conversation's active goals, decisions, constraints, unresolved issues, and next actions without carrying forward irrelevant discussion.

Persistent reference materials should next be placed in the appropriate Project knowledge base or attached to the new conversation. The user then starts a fresh chat using the summary as compact working context. Finally, the user confirms that Claude has understood the objective and that the new conversation is focused before substantive work continues.

Starting a new chat before preparing the summary, as in Option C, risks losing important state or requiring repeated reconstruction. A summary is not a substitute for authoritative reference documents; durable sources should be preserved separately rather than compressed into paraphrased conversational context.

Anthropic explains that Projects provide persistent knowledge across their chats, while context is not automatically shared unless it is added to Project knowledge. Anthropic also recommends planning conversations, using summaries and memory appropriately, and providing relevant context at the start of focused work. Anthropic's Project management guidance

Question #:75 - [Create effective prompts for business and technical tasks]

You are a business analyst reviewing prompt drafts written by teammates.

Which two elements belong in a well-structured prompt for a business task? (Select two.)

Each correct answer presents part of the solution.

A. A clear statement of the task that the model must perform

B. Relevant context, such as the audience and the goal of the task

C. A friendly, conversational tone instruction to make responses feel more approachable

D. A comprehensive list of company products and services to provide the model with business context

E. A short personal anecdote to make the prompt feel more conversational

Answer: A B

Explanation

Options A and B are correct because Claude needs a clear task and the context required to perform that task appropriately. The prompt should state the requested action using direct language—for example, summarize,

答案： A

解释

正确的顺序是 3,2,4,1,5。在离开原始对话之前，用户应识别必须保持可用的源文档、政策、示例或其他参考资料。然后，用户可以总结对话的活跃目标、决策、约束、未解决的问题和下一步行动，而不携带无关的讨论。

接下来，应将持久的参考材料放置在适当的项目知识库中或附加到新对话中。然后，用户使用摘要作为紧凑的工作上下文开始一个新的聊天。
最后，用户确认 Claude 已理解目标，并且新的对话集中在
实质性工作继续之前。

在准备摘要之前开始新的聊天，如选项 C 所示，存在丢失重要状态或需要
重复重建的风险。摘要不能替代权威参考文档；持久的来源
应单独保存，而不是压缩到改写的对话上下文中。

Anthropic 解释说，项目在其聊天中提供持久的知识，而上下文不会
自动共享，除非它被添加到项目知识中。Anthropic 还建议规划
对话，适当地使用摘要和记忆，并在
集中工作开始时提供相关上下文。Anthropic 的项目管理指导

问题 #:75 - [为商业和技术任务创建有效的提示]

您是一名商业分析师，正在审查团队成员撰写的提示草稿。

在商业任务的结构良好的提示中，哪两个元素是必需的？（选择两个。）

每个正确答案都是解决方案的一部分。

A. 模型必须执行的任务的清晰陈述

B. 相关上下文，例如受众和任务的目标

C. 友好、对话式的语气指令，使响应更具亲和力

D. 公司产品和服务的全面列表，以为模型提供商业上下文

E. 一个简短的个人轶事，使提示感觉更具对话性

答案： A B

解释

A和B选项是正确的，因为Claude需要一个明确的任务和执行该任务所需的上下文，以便适当地进行。提示应使用直接的语言陈述请求的行动，例如，摘要，

compare, classify, draft, calculate, or recommend. It should then provide relevant information such as the intended audience, business objective, authoritative sources, constraints, success criteria, and required output format.

Anthropic's prompting guidance emphasizes clarity, specificity, contextual grounding, and explicit formatting instructions. Audience and purpose are particularly important in business tasks because the same underlying information may need very different treatment for executives, customers, technical teams, or regulators.

Option C can be useful when an approachable tone is genuinely required, but it is not an essential element of every structured business prompt. Tone should be selected according to the task rather than added automatically. Option D introduces excessive and potentially irrelevant information; only products or services relevant to the task should be included. Option E similarly adds noise unless the anecdote supplies necessary factual context or illustrates the desired output.

Therefore, a clear task statement and relevant goal-and-audience context form the indispensable foundation. See Anthropic's prompting best practices .

==========

Question #:76 - [Configure Claude Projects with instructions and knowledge sources]

An HR business partner is configuring two separate Projects for two distinct client engagements.

Which configuration best prevents context bleed between the two engagements?

A. Set up each Project with its own distinct memory context, knowledge sources, and instructions, and verify that information from one Project does not appear in the other Project's responses.

B. Use a single shared Project for both client engagements with combined memory, knowledge sources, and instructions, on the assumption that Claude will keep the two clients' contexts separate without configuration.

C. Configure both Projects to share the same memory context to reduce setup effort, even though shared memory between unrelated client engagements is precisely the configuration that produces context bleed.

D. Skip Project configuration entirely and use general chats for both engagements, which provides no scoped memory contexts and offers no structural separation between the two clients' work streams.

Answer: A

Explanation

Under the Claude objective **Configure Claude Projects with instructions and knowledge sources** , preventing context bleed and data crossover between distinct clients is a critical privacy, security, and project governance requirement. Projects in Claude serve as isolated contextual containers designed to compartmentalize project-specific knowledge files, custom system instructions, and chat histories.

Option A correctly implements strict boundary isolation by creating dedicated, independent Projects for each client engagement. By giving each Project its own discrete knowledge base and unique system prompt, reference material and conversational state from one client remain entirely inaccessible to the other. In

比较，分类，草拟，计算或推荐。然后应提供相关信息，例如预期受众、商业目标、权威来源、限制条件、成功标准和所需的输出格式。

Anthropic的提示指导强调清晰性、具体性、上下文基础和明确的格式指令。受众和目的在商业任务中尤为重要，因为相同的基本信息可能需要对高管、客户、技术团队或监管者进行非常不同的处理。

C选项在确实需要亲切语气时可能有用，但它并不是每个结构化商业提示的必要元素。语气应根据任务选择，而不是自动添加。D选项引入了过多且可能无关的信息；只有与任务相关的产品或服务应被包含。E选项同样增加了噪音，除非轶事提供必要的事实背景或说明所需的输出。

因此，清晰的任务陈述和相关的目标与受众背景构成了不可或缺的基础。
请参见 Anthropic 的提示最佳实践。

==========

问题 #:76 - [使用指令和知识来源配置 Claude 项目]

人力资源业务合作伙伴正在为两个不同的客户参与配置两个独立的项目。

哪种配置最能防止两个参与之间的上下文混淆？

A. 为每个项目设置独特的记忆上下文、知识来源和指令，并验证一个项目的信息不会出现在另一个项目的响应中。

B. 为两个客户参与使用一个共享项目，结合记忆、知识来源和指令，假设 Claude 会在没有配置的情况下保持两个客户的上下文分离。

C. 配置两个项目共享相同的记忆上下文，以减少设置工作，尽管在无关客户参与之间共享记忆正是导致上下文混淆的配置。

D. 完全跳过项目配置，使用一般聊天进行两个参与，这不会提供范围内的记忆上下文，并且在两个客户的工作流之间没有结构分离。

答案： A

解释

在 Claude 目标下 **配置 Claude 项目与指令和知识来源，**
防止不同客户之间的上下文泄漏和数据交叉是一个关键的隐私、安全和项目治理要求。Claude 中的项目作为隔离的上下文容器，旨在
对项目特定的知识文件、自定义系统指令和聊天记录进行分隔。

选项 A 通过为每个客户参与创建专用的独立项目，正确地实现了严格的边界隔离。通过为每个项目提供独立的知识库和独特的系统提示，一个客户的参考材料和对话状态对另一个客户完全不可访问。

contrast, combining client documentation into a single shared Project (Option B) or sharing memory configurations across workstreams (Option C) directly causes cross-tenant contamination and context bleed. Similarly, using unstructured general chats without Project containers (Option D) lacks scoped memory and persistence boundaries, significantly elevating operational and confidentiality risks.

Question #:77 - [Integrate Claude into existing workflows to augment or redesign workflows]

An operations assistant is redesigning a recurring data-processing workflow step to use Code Execution.

Which two design choices best support reliable integration? (Select two.)

A. Standardize the input file format the step expects, so each Code Execution run receives consistent input and produces comparable, verifiable output across recurring weekly cycles.

B. Vary the input file format from run to run to accommodate the different source systems that supply the data each week.

C. Embed the Code Execution step inside the workflow without documenting the expected output format or the fields it produces.

D. Eliminate the human review step that follows Code Execution, since the sandboxed environment already verifies that the code ran without errors.

E. Define a brief output-verification step in which a human reviewer confirms the computed result against an expected range or sanity check before the output advances to downstream consumers.

Answer: A E

Explanation

Options A and E are correct because reliable automation requires controlled inputs and validated outputs. Standardizing the expected input format reduces parsing failures, inconsistent field mappings, and uncontrolled variation between weekly runs. The integration should define required columns, data types, date formats, permitted null values, file naming conventions, and error-handling behaviour. This makes results comparable and supports repeatable testing.

Human verification remains necessary because successful code execution proves only that the program completed without a runtime error. It does not prove that the source data was correct, the implemented calculation matched the business requirement, or the result is operationally reasonable. A sanity check against an expected range, reconciled total, sample calculation, or known baseline helps detect silent logical and data-quality errors before downstream use.

Option B introduces avoidable variability and should instead be handled through standardized preprocessing or explicit adapters. Option C creates an undocumented interface that downstream consumers cannot reliably interpret. Option D confuses sandbox isolation and successful execution with result validation. Anthropic confirms that Code Execution can process files, perform calculations, and generate analytical outputs in a sandbox, but its outputs must still be evaluated against task-specific success criteria. See Anthropic's Code Execution documentation and evaluation guidance .

==========

相比之下，将客户文档合并到一个共享项目中（选项 B）或在工作流之间共享记忆配置（选项 C）会直接导致跨租户污染和上下文泄漏。
同样，使用没有项目容器的非结构化一般聊天（选项 D）缺乏范围内的记忆和持久性边界，显著提高了操作和保密风险。

问题 #:77 - [将 Claude 集成到现有工作流中以增强或重新设计工作流]

一名运营助理正在重新设计一个定期的数据处理工作流步骤，以使用代码执行。

哪两个设计选择最能支持可靠的集成？（选择两个。）标准化步骤

A. 所期望的输入文件格式，以便每次代码执行运行都能接收一致的输入，并在每周的周期中产生可比较、可验证的输出。

B. 在每次运行中改变输入文件格式，以适应每周提供数据的不同源系统。

C. 将代码执行步骤嵌入工作流中，而不记录预期的输出格式或其产生的字段。

D. 消除代码执行后的人为审查步骤，因为沙盒环境已经验证了代码在没有错误的情况下运行。

E. 定义一个简短的输出验证步骤，由人工审查员在输出推进到下游消费者之前，确认计算结果是否在预期范围或合理性检查内。

答案： A E

解释

选项 A 和 E 是正确的，因为可靠的自动化需要受控的输入和验证的输出。
标准化预期的输入格式可以减少解析失败、不一致的字段映射，以及每周运行之间的不可控变化。集成应定义所需的列、数据类型、日期格式、允许的空值、文件命名约定和错误处理行为。这使得结果可比较，并支持可重复的测试。

人工验证仍然是必要的，因为成功的代码执行仅证明程序在没有运行时错误的情况下完成。它并不能证明源数据是正确的，实施的计算符合业务要求，或者结果在操作上是合理的。对预期范围、对账总数、样本计算或已知基准的合理性检查有助于在下游使用之前检测静默的逻辑和数据质量错误。

选项 B 引入了可避免的变异性，应该通过标准化预处理或显式适配器来处理。选项 C 创建了一个下游消费者无法可靠解释的未记录接口。选项 D 将沙箱隔离和成功执行与结果验证混淆。Anthropic 确认代码执行可以在沙箱中处理文件、执行计算并生成分析输出，但其输出仍必须根据特定任务的成功标准进行评估。请参阅 Anthropic 的代码执行文档和评估指南。

==========

Question #:78 - [Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs]

You are a Claude associate troubleshooting a recurring poor output.

Which is the correct order of diagnostic steps?

(1) Form a hypothesis about which prompt element most likely caused the deficiency.

(2) Apply a single targeted change and observe the effect on the output.

(3) Read the output end to end and identify the specific deficiency.

(4) Compare the deficient output to the prompt to spot mismatches between input and output.

(5) Document the root cause and the resolution for future reference.

A. 1, 3, 4, 2, 5

B. 4, 3, 1, 2, 5

C. 3, 1, 4, 2, 5

D. 3, 4, 1, 2, 5

Answer: D

Explanation

Under the objective **Identify, diagnose, and resolve issues with underperforming prompts and/or poor outputs** (Domain 7: Troubleshooting and Optimization), troubleshooting follows a structured diagnostic protocol.

The troubleshooting sequence begins with symptom identification: reading the output end-to-end to categorize the exact flaw (e.g., factual error, structural omission, tone mismatch) (Step 3). Second, the practitioner performs an input-output diff: comparing the deficient output against the prompt instructions to spot instruction omissions or ambiguities (Step 4). Third, the practitioner forms a testable hypothesis regarding which prompt element caused the failure (Step 1). Fourth, they execute a controlled experiment by applying a single targeted prompt adjustment and observing the revised output (Step 2). Finally, they document the verified root cause and solution (Step 5). This establishes the order **3, 4, 1, 2, 5** .

Question #:79 - [Determine when human review or additional verification is required]

You are a knowledge worker deciding whether to escalate a Claude-generated output.

Which is the correct order of decision steps?

(1) Identify the audience and the impact of the output if it is wrong.

(2) Document the decision and the rationale for traceability.

问题 #:78 - [识别、诊断和解决表现不佳的提示和/或糟糕输出的问题]

您是 Claude 的一名助理，正在排查重复出现的糟糕输出。

诊断步骤的正确顺序是什么？

(1) 形成一个假设，关于哪个提示元素最可能导致缺陷。

(2) 应用一个单一的针对性更改，并观察对输出的影响。

(3) 从头到尾阅读输出，并识别具体的缺陷。

(4) 将缺陷输出与提示进行比较，以发现输入和输出之间的不匹配。

(5) 记录根本原因和解决方案以备将来参考。

A. 1, 3, 4, 2, 5

B. 4, 3, 1, 2, 5

C. 3, 1, 4, 2, 5

D. 3, 4, 1, 2, 5

答案： D

解释

在目标 识别、诊断和解决表现不佳的提示和/或差劲的
输出（领域 7：故障排除与优化）下，故障排除遵循结构化的诊断
协议。

故障排除序列从症状识别开始：从头到尾阅读输出以分类
确切的缺陷（例如，事实错误、结构遗漏、语气不匹配）（步骤 3）。其次，实践者
执行输入输出差异比较：将缺陷输出与提示指令进行比较，以发现
指令遗漏或模糊之处（步骤 4）。第三，实践者形成一个可测试的假设，关于
哪个提示元素导致了失败（步骤 1）。第四，他们通过应用一个
单一的针对性提示调整并观察修订后的输出来执行受控实验（步骤 2）。最后，他们记录
经过验证的根本原因和解决方案（步骤 5）。这确立了顺序 **3, 4, 1, 2, 5** .

问题 #:79 - [确定何时需要人工审查或额外验证]

您是一名知识工作者，正在决定是否升级 Claude 生成的输出。

正确的决策步骤顺序是什么？

(1) 确定受众以及如果输出错误将产生的影响。

(2) 记录决策及其理由以便追溯。

(3) Compare the output's risk profile to the organization's escalation criteria.

(4) Decide whether to use, iterate further, or escalate.

(5) Assess the output's accuracy, completeness, and any unverified claims.

A. 1,3,5,4,2

B. 4, 3, 2, 1, 5

C. 3,1,5,4,2

D. 5,1,3,4,2

Answer: D

Explanation

The correct order is 5,1,3,4,2. The reviewer must first inspect the output itself for factual errors, omissions, inconsistencies, unsupported statements, and incomplete requirements. This establishes the evidence needed to characterize the output's risk. The reviewer then considers its audience and the consequences if an error reaches that audience. The same defect may be low risk in a private brainstorming note but serious in legal, financial, employment, medical, or customer-facing material.

Next, the assessed risk profile is compared with the organization's formal escalation criteria. Only then can the reviewer make an informed decision to use the output, revise it, obtain additional verification, or escalate it to an authorized specialist. The final step is documenting the decision and rationale for traceability.

Option A evaluates audience before establishing the actual quality of the output, while Option C applies escalation criteria before assessing either the content or its audience. Anthropic's Discernment principle concerns accurately evaluating AI outputs, while Diligence requires humans to remain responsible for how those outputs are used. Anthropic also advises validating critical information even when hallucination-reduction methods have been applied. Anthropic's AI Fluency framework

==========

Question #:80 - [Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)]

You received a vague request to "look at our pricing." After discovery, the goal is confirmed: produce a structured competitor-pricing summary the team can act on, not new pricing ideas.

Which strategy best fits the clarified task?

A. Use a divergent brainstorming approach to generate a wide range of possible competitor-pricing observations, then narrow to the most likely ones.

B. Use a comparative analysis strategy that contrasts the company's pricing against a single named competitor, since pairwise comparison produces the clearest output.

(3) 将输出的风险概况与组织的升级标准进行比较。

(4) 决定是使用、进一步迭代还是升级。

(5) 评估输出的准确性、完整性以及任何未经验证的声明。

A. 1,3,5,4,2

B. 4, 3, 2, 1, 5

C. 3,1,5,4,2

D. 5,1,3,4,2

答案： D

解释

正确的顺序是 5,1,3,4,2。审查者必须首先检查输出本身是否存在事实错误、遗漏、不一致、无支持的陈述和不完整的要求。这建立了表征输出风险所需的证据。然后，审查者考虑其受众以及如果错误到达该受众将产生的后果。同样的缺陷在私人头脑风暴笔记中可能风险较低，但在法律、财务、就业、医疗或面向客户的材料中则可能严重。

接下来，评估的风险概况与组织的正式升级标准进行比较。只有在此之后，审查者才能做出明智的决定，使用输出、修订它、获取额外验证或将其升级到授权专家。最后一步是记录决策及其理由以便追溯。

选项 A 在确定输出的实际质量之前评估受众，而选项 C 在评估内容或其受众之前应用 升级标准 。Anthropic 的辨别原则 涉及准确评估 AI 输出，而勤勉要求人类对这些输出的使用保持负责。Anthropic 还建议即使在应用了幻觉 减少方法的情况下，也要验证关键信息。Anthropic 的 AI 流利度框架

==========

问题 #:80 - [根据任务类型调整提示策略（例如，分析、研究、草拟、头脑风暴）]

您收到了一项模糊的请求，要求“查看我们的定价”。经过发现，目标得到确认：生成一个结构化的竞争对手定价摘要，以便团队可以采取行动，而不是新的定价想法。

哪个策略最适合澄清后的任务？

A. 使用发散性头脑风暴方法生成广泛的可能竞争对手定价观察，然后缩小到最可能的观察。

B. 使用比较分析策略，将公司的定价与一个特定的竞争对手进行对比，因为成对比较产生最清晰的输出。

C.

C. Use a research strategy that gathers structured information about competitor pricing, names sources, and notes confidence in each finding.

D. Use an open conversational strategy that explores competitor pricing iteratively across several prompts, allowing the structure to emerge from the conversation.

Answer: C

Explanation

Under the objective **Adapt prompting strategies based on task type (e.g., analysis, research, drafting, brainstorming)** , prompt architectures must be tailored to the exact analytical objective established during discovery.

Because the clarified objective is to generate an actionable, evidence-based competitor pricing briefing (rather than creative ideation), the workflow demands a structured research and synthesis strategy (Option C). This approach directs Claude to extract concrete pricing data across key competitors, explicitly attribute claims to named source documents or market reports, and transparently state confidence levels for each datapoint. Divergent brainstorming (Option A) produces speculative ideas when factual market intelligence is needed. Arbitrarily restricting analysis to a single competitor (Option B) ignores the broader competitive landscape. Relying on unstructured open conversation (Option D) produces inconsistent formatting unsuitable for executive decision-making.

Question #:81 - [Configure Claude Projects with instructions and knowledge sources]

A senior manager is reviewing a colleague's habit of never updating their team's Project configurations because "if it works once, it works forever."

Which feedback is most warranted?

A. Configurations should be updated only when output quality visibly degrades, since proactive updates risk introducing regressions in working configurations.

B. Configurations should be left alone if the team is satisfied with current outputs, and any required updates should be handled at the chat level rather than the Project level.

C. Configurations should be reviewed and updated periodically because policies, terminology, and source documents change over time, even when output quality has not visibly degraded.

D. Configurations should be updated on a fixed schedule regardless of whether the underlying policies and source documents have changed, since regular maintenance prevents drift.

Answer: C

Explanation

Option C is correct because a Claude Project is a persistent workspace whose instructions and knowledge influence multiple chats. Anthropic explains that Project instructions tell Claude how to behave and respond

C. 使用研究策略，收集关于竞争对手定价的结构化信息，命名来源，并记录对每个发现的信心。

D. 使用开放的对话策略，通过多个提示迭代探索竞争对手定价，让结构从对话中自然产生。

答案：C

解释

在目标 根据任务类型（例如，分析、研究、起草、头脑风暴）调整提示策略 下，提示架构必须根据在发现阶段确立的确切分析目标进行定制。

因为明确的目标是生成一个可操作的、基于证据的竞争对手定价简报（而不是创造性构思），所以工作流程要求采用结构化的研究和综合策略（选项 C）。这种方法指导 Claude 提取关键竞争对手的具体定价数据，明确将主张归因于命名的源文档或市场报告，并透明地陈述每个数据点的置信水平。
发散性头脑风暴（选项 A）在需要事实市场情报时产生投机性想法。
任意限制分析为单一竞争对手（选项 B）忽视了更广泛的竞争环境。
依赖于无结构的开放对话（选项 D）产生不一致的格式，不适合高管决策。

问题 #:81 - [配置 Claude 项目与指令和知识来源]

一位高级经理正在审查一位同事从不更新团队项目配置的习惯，因为“如果它一次有效，它就会永远有效。”

哪种反馈最为恰当？

A. 只有在输出质量明显下降时，才应更新配置，因为主动更新可能会引入工作配置中的回归问题。

B. 如果团队对当前输出感到满意，则应保持配置不变，任何必要的更新应在聊天级别处理，而不是在项目级别处理。

C. 配置应定期审查和更新，因为政策、术语和源文档会随着时间的推移而变化，即使输出质量没有明显下降。

D. 无论基础政策和源文档是否发生变化，配置都应按照固定的时间表进行更新，因为定期维护可以防止漂移。

答案：C

解释

选项 C 是正确的，因为 Claude 项目是一个持久的工作区，其指令和知识影响多个聊天。Anthropic 解释说，项目指令告诉 Claude 如何在整个项目中表现和响应。

across the Project, while uploaded knowledge is made available as context across its chats. Consequently, outdated policies, terminology, templates, or reference documents can systematically influence future outputs even when the degradation is not immediately obvious.

A sensible maintenance practice is to review the configuration periodically and whenever a meaningful source, policy, workflow, audience requirement, or organizational standard changes. Updates should then be tested against representative tasks and defined success criteria. Option A is too reactive because waiting for visible failure may allow inaccurate or obsolete outputs to circulate. Option B is incorrect because chat-level corrections do not reliably repair the persistent instructions or knowledge used in other Project chats. Option D is also too rigid: review can occur on a schedule, but changes should be evidence-based rather than made automatically when nothing relevant has changed.

Therefore, the best practice is controlled, periodic review combined with change-triggered maintenance and validation. This keeps the Project aligned without introducing unnecessary configuration churn. See Anthropic's guidance on creating and managing Projects and building evaluations .

==========

Question #:82 - [Follow organizational AI policies and governance standards]

You are a Claude associate assessing a proposed Claude use case before approving it for your team.

Which is the correct order of assessment steps?

(1) Compare the use case against the organization's policies and the relevant regulatory considerations.

(2) Document the assessment outcome and the rationale for traceability.

(3) Identify the audience, decision impact, and reversibility of the outputs.

(4) Decide whether the use case proceeds, requires modification, or is declined.

(5) Identify the data types involved and whether sensitive data is implicated.

A. 3,1,5,4,2

B. 3,5,1,4,2

C. 1,3,5,4,2

D. 5,3,1,4,2

Answer: B

Explanation

A sound assessment begins by establishing who will receive or rely on the output, the consequences of an incorrect result, and whether the resulting action can be reversed. This initial impact analysis determines the level of scrutiny required. The assessor should then identify the data involved, especially personal,

同时，已上传的知识作为上下文在其聊天中可用。因此，过时的政策、术语、模板或参考文档可能会系统性地影响未来的输出，即使这种下降并不立即明显。

一个合理的维护实践是定期审查配置，并在有意义的来源、政策、工作流程、受众需求或组织标准发生变化时进行审查。然后，应根据代表性任务和定义的成功标准对更新进行测试。选项 A 过于被动，因为等待可见的失败可能会导致不准确或过时的输出流通。选项 B 是不正确的，因为聊天级别的修正无法可靠地修复在其他项目聊天中使用的持续指令或知识。选项 D 也过于僵化：审查可以按计划进行，但更改应基于证据，而不是在没有相关变化时自动进行。

因此，最佳实践是控制的、定期的审查，结合变更触发的维护和验证。这保持了项目的一致性，而不会引入不必要的配置变动。请参见 Anthropic 关于创建和管理项目及构建评估的指导。

==========

问题 #:82 - [遵循组织的 AI 政策和治理标准]

您是一名 Claude 助理，在批准提议的 Claude 用例之前对其进行评估。

正确的评估步骤顺序是什么？

(1) 将用例与组织的政策和相关的监管考虑进行比较。

(2) 记录评估结果及其可追溯性的理由。

(3) 确定受众、决策影响和输出的可逆性。

(4) 决定用例是否继续、需要修改或被拒绝。

(5) 确定涉及的数据类型以及是否涉及敏感数据。

A. 3,1,5,4,2

B. 3,5,1,4,2

C. 1,3,5,4,2

D. 5,3,1,4,2

答案： B

解释

有效评估的开始是确定谁将接收或依赖输出、错误结果的后果，以及所采取的行动是否可以逆转。这个初步影响分析决定了所需的审查级别。评估者应识别涉及的数据，特别是个人数据，

confidential, regulated, or otherwise sensitive information. Once the use case and its information exposure are understood, it can be compared meaningfully against organizational AI policies, legal requirements, and regulatory restrictions.

The next step is to decide whether the use case should proceed, be modified with safeguards, or be rejected. Documentation comes last because it records the completed assessment, decision, supporting evidence, restrictions, and rationale for auditability. Therefore, the correct order is 3,5,1,4,2.

This sequencing reflects the AI Fluency principles of Delegation and Diligence: humans determine whether and how AI should be used and remain responsible for the consequences. Anthropic also advises users to be thoughtful about highly sensitive personal and business information. Options A, C, and D place policy review or data classification before the use case's audience and impact have been properly established. Anthropic AI Fluency

==========

Question #:83 - [Determine when human review or additional verification is required]

An account manager has used Claude to extract requirements from stakeholder notes. Three requirements appear to conflict: two stakeholders specified mutually exclusive workflow steps, and a third requirement assumes an outcome that the first two would prevent.

Which step is most appropriate?

A. Present all three conflicting requirements as alternative options in the requirements document, leaving the resolution to the project's decision-making process later.

B. Ask Claude to propose compromise wording for each conflict and submit the compromise to stakeholders as the proposed resolution.

C. Flag the conflicts in the requirements document, document the source for each side, and route the conflicts back to the originating stakeholders for resolution.

D. Select the requirement that has the strongest business justification in the source notes, set the conflicting requirements aside, and proceed with the selected one.

Answer: C

Explanation

Option C is correct because Claude can identify and organize conflicting requirements, but it does not possess the authority or stakeholder context required to resolve substantive business disagreements independently. Each conflicting requirement should be retained, labelled with its originating source, and marked with an unresolved status. The relevant stakeholders can then clarify priorities, negotiate trade-offs, or provide an authoritative decision.

Option A delays a known dependency and risks allowing downstream design work to proceed on incompatible assumptions. Option B permits Claude to invent compromise language that may not represent any stakeholder's actual position. Claude may help draft possible resolution questions, but those proposals

机密、受监管或其他敏感信息。一旦用例及其信息暴露被理解，就可以与组织的人工智能政策、法律要求和监管限制进行有意义的比较。

下一步是决定用例是继续、修改以增加保护措施，还是被拒绝。文档排在最后，因为它记录了完成的评估、决策、支持证据、限制和审计的理由。因此，正确的顺序是 3,5,1,4,2。

这种排序反映了人工智能流畅性原则中的委托和勤奋：人类决定人工智能的使用方式及其责任，并对后果负责。Anthropic 还建议用户对高度敏感的个人和商业信息保持谨慎。选项 A、C 和 D 在使用案例的受众和影响尚未得到妥善确定之前，将政策审查或数据分类放在首位。

==========

问题 #:83 - [确定何时需要人工审查或额外验证]

一名客户经理使用 Claude 从利益相关者的笔记中提取需求。三个需求似乎存在冲突：两个利益相关者指定了相互排斥的工作流程步骤，而第三个需求假设的结果将被前两个阻止。

哪个步骤最合适？

A. 在需求文档中将所有三个冲突的需求作为替代选项呈现，留待项目的决策过程稍后解决。

B. 请 Claude 提出每个冲突的妥协措辞，并将妥协提交给利益相关者作为建议的解决方案。

C. 在需求文档中标记冲突，记录每一方的来源，并将冲突反馈给原始利益相关者以便解决。

D. 选择在源笔记中具有最强商业理由的需求，将冲突的需求搁置，并继续进行所选的需求。

答案：C

解释

选项 C 是正确的，因为 Claude 可以识别和组织冲突的需求，但它不具备解决实质性商业分歧所需的权威或利益相关者背景。每个冲突的需求应保留，标记其来源，并标记为 未解决状态。相关利益相关者可以澄清优先级、协商权衡，或提供权威决策。

选项 A 延迟了已知的依赖关系，并有风险让下游设计工作在不兼容的假设上继续进行。选项 B 允许 Claude 发明可能不代表任何利益相关者实际立场的妥协语言。Claude 可能帮助起草可能的解决问题，但这些提案

must not be treated as approved requirements. Option D is equally inappropriate because apparent business justification in meeting notes does not grant the account manager or Claude authority to discard competing requirements.

Anthropic's hallucination guidance recommends grounding claims in supplied evidence and making outputs auditable with citations. Its AI Fluency Discernment principles also require humans to evaluate outputs critically and retain final judgment. Source traceability and stakeholder escalation therefore provide the most reliable resolution path. See Anthropic's guidance on reducing hallucinations and the AI Fluency Framework .

==========

Question #:84 - [Create effective prompts for business and technical tasks]

You are a knowledge worker summarizing common prompt failure patterns for the team.

Which pattern most often produces vague or off-target output?

A. A prompt that names a topic but does not state the task, audience, or required output structure.

B. A prompt that explicitly names the role, task, audience, and required output format.

C. A prompt that includes a representative example of the desired output.

D. A prompt that adds clear constraints on length and tone.

Answer: A

Explanation

Option A describes an under-specified prompt. Naming only a topic does not tell Claude what action to perform, who will use the result, which information should receive priority, or how the response must be organized. Claude must then infer these requirements, increasing the likelihood of a generic, mis-scoped, or incorrectly formatted response.

An effective business prompt normally identifies the task, supplies relevant context, defines the intended audience, states the desired output structure, and includes material constraints such as tone, length, scope, or exclusions. A representative example can further clarify the expected standard. Consequently, Options B, C, and D describe techniques that generally reduce ambiguity rather than cause it.

Anthropic's prompting guidance recommends clear, detailed instructions and relevant context, while its prompt-engineering framework assumes that users first define success criteria and a testable objective. The prompt should make the expected behavior observable: "summarize this policy for store managers in a five-bullet briefing" is materially stronger than "employee policy." When an output is vague, the correct diagnosis is usually not insufficient model capability but insufficiently described intent, audience, or format. Claude usage and prompting guidance

==========

Question #:85 - [Apply task decomposition techniques to structure complex requests]

不得被视为已批准的需求。选项 D 同样不合适，因为会议记录中明显的商业 理由并不赋予客户经理或 Claude 权威去丢弃竞争的需求。

Anthropic 的幻觉指导建议将主张建立在提供的证据基础上，并使输出可审计并附有引用。其 AI 流畅性辨别原则还要求人类对输出进行批判性评估并保留最终判断。因此，源可追溯性和利益相关者升级提供了最可靠的解决路径。请参阅 Anthropic 关于减少幻觉和 AI 流畅性框架的指导。

==========

问题 #:84 - [为商业和技术任务创建有效的提示]

您是一名知识工作者，为团队总结常见的提示失败模式。

哪种模式最常产生模糊或偏离目标的输出？

A. 一个仅命名主题但未说明任务、受众或所需输出结构的提示。

B. 一个明确命名角色、任务、受众和所需输出格式的提示。

C. 一个包含所需输出的代表性示例的提示。

D. 一个对长度和语气添加明确限制的提示。

答案： A

解释

选项 A 描述了一个未充分指定的提示。仅命名一个主题并不能告诉 Claude 应该执行什么操作，谁将使用结果，哪些信息应优先考虑，或者响应必须如何组织。Claude 必须推断这些要求，从而增加了生成通用、范围错误或格式不正确的响应的可能性。

有效的商业提示通常会识别任务，提供相关背景，定义预期受众，说明所需输出结构，并包括诸如语气、长度、范围或排除项等材料限制。一个代表性示例可以进一步澄清预期标准。因此，选项 B、C 和 D 描述的技术通常会减少模糊性，而不是导致模糊。

Anthropic 的提示指导建议提供清晰、详细的指令和相关背景，而其 prompt-engineering 框架假设用户首先定义成功标准和可测试目标。提示应使预期行为可观察：“为商店经理总结此政策，提供五个要点”在实质上比“员工政策”更强。当输出模糊时，正确的诊断通常不是模型能力不足，而是意图、受众或格式描述不足。Claude 使用和提示指导

==========

问题 #:85 - [应用任务分解技术来构建复杂请求]

A senior project coordinator has been asked to use Claude to produce an end-of-year report covering finance, operations, and customer outcomes. The three areas have separate data owners and separate source documents.

Which decomposition approach is most likely to produce a strong report?

A. Define the report goals, gather inputs per section, draft each section in its own prompt, then synthesize the executive summary from the drafted sections.

B. Draft the executive summary first to anchor the report's narrative, then draft each section so it supports the summary already written.

C. Draft the three sections in parallel, each using a section-specific prompt, then concatenate and lightly edit the outputs into the final report.

D. Prompt Claude once with all source documents and request the full report, including the executive summary, in a single pass.

Answer: A

Explanation

Under the objective **Apply task decomposition techniques to structure complex requests** , multi-domain deliverables requiring distinct data inputs demand modular, step-by-step composition.

Option A exemplifies best-practice task decomposition: first, establishing the overarching narrative and reporting goals; second, gathering and isolating domain-specific source material; third, executing dedicated, highly focused prompts to draft each detailed section (finance, operations, customer outcomes); and finally, feeding the finalized section drafts into Claude to synthesize a comprehensive, cohesive executive summary. In contrast, drafting the executive summary before the underlying sections exist (Option B) forces the model to invent conclusions. Dumping all disparate documents into a single monolithic prompt (Option D) risks attention dilution and superficial analysis. Merely concatenating isolated outputs without an overarching executive synthesis (Option C) produces a disjointed final deliverable.

Question #:86 - [Understand ethical implications of AI usage]

You are an HR specialist sorting potential ethical risks of a Claude-supported workflow.

Which two risks pose the highest ethical concern in an HR-adjacent workflow? (Select two.)

Each correct answer presents a complete solution.

A. decisions that materially affect a person's employment without human accountability

B. a clerical typo in a routine internal calendar invitation

C. inconsistent tone and formatting across internal HR communications sent to employees

D. inconsistent use of the company's preferred dash style across documents

一位高级项目协调员被要求使用 Claude 制作一份涵盖财务、
运营和客户结果的年终报告。这三个领域有各自的数据所有者和独立的源文件。

哪种分解方法最有可能产生一份强有力的报告？

A. 定义报告目标，收集每个部分的输入，分别在各自的提示中起草每个部分，然后从起草的部分中综合执行摘要。

B. 首先起草执行摘要以锚定报告的叙述，然后起草每个部分，以支持已经写好的摘要。

C. 并行撰写三个部分，每个部分使用特定的提示，然后将输出连接并轻微
编辑成最终报告。

D. 一次性向 Claude 提供所有源文档并请求完整报告，包括执行摘要。

答案： A

解释

在目标下 **应用任务分解技术来构建复杂请求 , 多领域**
需要不同数据输入的交付物要求模块化、逐步构建。

选项 A 体现了最佳实践的任务分解：首先，建立整体叙述和
报告目标；其次，收集和隔离特定领域的源材料；第三，执行专门的、
高度集中的提示来起草每个详细部分（财务、运营、客户结果）；最后，
将最终的部分草稿输入 Claude，以合成一份全面、连贯的执行摘要。
相比之下，在基础部分存在之前起草执行摘要（选项 B）迫使模型
发明结论。将所有不同的文档汇总到一个单一的整体提示中（选项 D）有可能导致
注意力分散和表面分析。仅仅将孤立的输出连接在一起而没有一个全面的
执行综合（选项 C）会产生一个支离破碎的最终交付物。

问题 #:86 - [理解人工智能使用的伦理影响]

您是一名人力资源专家，正在整理与 Claude 支持的工作流程相关的潜在伦理风险。

在与人力资源相关的工作流程中，哪两个风险构成最高的伦理关注？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 在没有人类问责的情况下，实质性影响个人就业的决策

B. 例行内部日历邀请中的文书错误

C. 发送给员工的内部人力资源沟通中语气和格式不一致

D. 在文档中不一致使用公司的首选破折号样式

E.

E. outputs that systematically disadvantage members of a protected group

Answer: A E

Explanation

Under the objective **Understand ethical implications of AI usage** , evaluating HR workflows requires identifying systemic harms, legal compliance liabilities, and threats to employee rights.

Option A highlights the ethical danger of autonomous algorithmic decision-making: delegating high-stakes determinations (such as termination, performance ratings, or compensation) to an AI system without accountable human oversight violates fundamental fairness and labor ethics. Option E represents severe algorithmic bias and discrimination: generating outputs that systematically disadvantage candidates or employees based on protected characteristics (e.g., race, gender, age, disability). Both scenarios represent critical ethical risks. Conversely, minor clerical typos in calendar invites (Option B), formatting irregularities in general announcements (Option C), and punctuation style inconsistencies (Option D) are minor operational defects that carry zero ethical or regulatory consequences.

Question #:87 - [Create effective prompts for business and technical tasks]

A business analyst is converting a sticky-note request from a stakeholder into a structured prompt for Claude.

Which is the correct order of conversion steps?

(1) Confirm the audience and the decision the response must support.

(2) Submit the structured prompt to Claude.

(3) Identify the underlying task hidden in the sticky-note language.

(4) Specify the desired length, tone, and output format.

(5) Add the supporting facts and constraints relevant to the task.

A. 1, 3, 5, 4, 2

B. 2, 3, 1, 5, 4

C. 3, 1, 5, 4, 2

D. 3, 5, 1, 4, 2

Answer: C

Explanation

Answer C gives the proper conversion sequence. The analyst first determines the real task hidden behind the informal sticky-note wording (3); without that step, the prompt may solve the wrong problem. Next, the analyst confirms who will consume the result and which decision it must support (1). Audience and decision purpose determine what evidence is relevant, so the supporting facts, boundaries, and constraints are added

E. 系统性地使受保护群体成员处于不利地位的输出

答案： A E

解释

在目标下 **理解人工智能使用的伦理影响，评估人力资源工作流程需要** 识别系统性伤害、法律合规责任和对员工权利的威胁。

选项 A 突出了自主算法决策的伦理危险：将高风险的决定（如解雇、绩效评估或薪酬）委托给没有问责人类监督的人工智能系统，违反了基本的公平性和劳动伦理。选项 E 代表严重的算法偏见和歧视：生成系统性使候选人或员工在受保护特征（例如，种族、性别、年龄、残疾）基础上处于不利地位的输出。两种情况都代表关键的伦理风险。相反，日历邀请中的小文书错误（选项 B）、一般公告中的格式不规则（选项 C）和标点样式不一致（选项 D）是小的操作缺陷，不会带来任何伦理或监管后果。

问题 #:87 - [为商业和技术任务创建有效的提示]

一名业务分析师正在将利益相关者的便签请求转换为 Claude 的结构化提示。

转换步骤的正确顺序是什么？

（1）确认受众及响应必须支持的决策。

(2) 将结构化提示提交给 Claude。

(3) 确定隐藏在便签语言中的基本任务。

(4) 指定所需的长度、语气和输出格式。

(5) 添加与任务相关的支持事实和约束条件。

A. 1, 3, 5, 4, 2

B. 2, 3, 1, 5, 4

C. 3, 1, 5, 4, 2

D. 3, 5, 1, 4, 2

答案： C

解释

答案 C 给出了正确的转换顺序。分析师首先确定隐藏在非正式便签措辞背后的真实任务（3）；如果没有这一步，提示可能会解决错误的问题。接下来，分析师确认谁将使用结果以及该结果必须支持哪个决策（1）。受众和决策目的决定了哪些证据是相关的，因此添加了支持事实、边界和约束。

afterward (5). Once the substantive requirements are stable, the analyst specifies presentation requirements such as length, tone, and output format (4). The completed prompt can then be submitted to Claude (2). This yields 3, 1, 5, 4, 2. Option A starts with the audience before clarifying the underlying task. Option D supplies facts before establishing the decision context, which can result in irrelevant or insufficient context. Option B begins by submitting a prompt that has not yet been structured. Anthropic's official prompting guidance says Claude performs best with clear, explicit instructions, relevant context, precise output constraints, and sequentially stated steps when order or completeness matters. These principles align directly with the AI Fluency Description competency: clearly describe the intended product, process, and interaction before expecting a reliable result. Anthropic prompting best practices

==========

Question #:88 - [Communicate Claude's value and limitations to stakeholders]

An associate is responding to an executive who claims that Claude will eliminate the need for any human review on customer-facing content. The executive is the budget approver for the team's AI tools.

Which response is most appropriate?

A. Escalate the executive's claim to a senior leader outside the team before responding directly, since the issue affects more than just the associate's team.

B. Pilot the executive's proposal on a low-risk subset of customer-facing content first, and use the pilot results to make the case for retaining human review on higher-risk content.

C. Defer to the executive's authority and remove the human review step from customer-facing content, monitoring the results closely for the first several weeks.

D. Acknowledge the productivity gains, then explain that human review remains essential on customer-facing content because of accuracy and brand risk, with specific examples.

Answer: D

Explanation

Under the objective **Communicate Claude's value and limitations to stakeholders** (Domain 4: Workflow Integration and Solution Design), business professionals must balance diplomacy with responsible AI stewardship when engaging leadership.

Option D provides the professional and grounded response: it validates the executive's enthusiasm for AI efficiency and productivity acceleration, while clearly framing why human-in-the-loop oversight is non-negotiable for external, customer-facing deliverables. Providing concrete examples of hallucination risks, brand alignment nuances, and liability considerations grounds the explanation in business risk management. Deferring to authority and eliminating human checks (Option C) or experimenting on live customers without review (Option B) creates severe reputational and commercial exposure. Bypassing the executive to escalate externally (Option A) damages working relationships and avoids direct stakeholder management.

Question #:89 - [Evaluate Claude-generated outputs for accuracy and completeness]

之后 (5)。一旦实质性要求稳定，分析师会指定展示要求 例如长度、语气和输出格式 (4)。完成的提示可以提交给 Claude (2)。这 产生 3、1、5、4、2。选项 A 先关注受众，然后澄清基础任务。选项 D 在建立决策背景之前提供 事实，这可能导致不相关或不足的背景。选项 B 通过提交尚未结构化的提示开始。Anthropic 的官方提示指导表示 Claude 在有清晰、明确的指令、相关背景、精确的输出约束和在顺序或完整性重要时按顺序陈述步骤时表现最佳。这些原则与 AI 流畅性描述能力直接对齐：在期待可靠结果之前，清晰描述预期的产品、过程和互动。Anthropic 提示最佳实践

==========

问题 #:88 - [向利益相关者传达 Claude 的价值和局限性]

一名助理正在回应一位声称 Claude 将消除对客户面对内容的任何人工审查需求的高管。这位高管是团队 AI 工具的预算批准者。

哪个回应最为合适？

A. 在直接回应之前，将执行官的声明上报给团队外的高级领导，因为该问题影响的不仅仅是助理的团队。

B. 首先在面向客户的内容的低风险子集上试点执行官的提案，并利用试点结果为保留对高风险内容进行人工审查提供依据。

C. 遵从高管的权威，移除面向客户内容的人类审查步骤，在最初几周内密切监控结果。

D. 承认生产力的提升，然后解释人类审查在面向客户的内容中仍然至关重要，因为准确性和品牌风险，举一些具体例子。

答案： D

解释

在目标下 **向利益相关者传达 Claude 的价值和局限性 (领域 4: 工作流** 在整合和解决方案设计中，商业专业人士在与领导层互动时必须平衡外交与负责任的人工智能管理。

选项 D 提供了专业且扎实的回应：它验证了高管对 AI 效率和生产力加速的热情，同时清晰地框定了为什么人机协作的监督对于外部、面向客户的交付是不可谈判的。提供具体的幻觉风险、品牌一致性细微差别和责任考虑的例子，使解释扎根于商业风险管理。

依赖权威并消除人工检查（选项 C）或在没有审查的情况下对活客户进行实验（选项 B）会造成严重的声誉和商业风险。绕过高管以外部升级（选项 A）会损害工作关系并避免直接管理利益相关者。

问题 #:89 - [评估 Claude 生成的输出的准确性和完整性]

A project lead is evaluating a Claude-generated status report against the project charter. The report will be delivered to a steering committee, which expects accurate status against committed milestones.

Which set of criteria provides the strongest evaluation frame?

A. Readability, narrative flow, and whether the report tells a coherent story about the project's progress.

B. Speed of generation, visual presentation quality, and consistency with the formatting used in previous status reports.

C. Length, formatting consistency, and tone appropriateness for a steering committee audience.

D. Accuracy of facts against the charter, completeness against required reporting fields, and relevance to the audience receiving the report.

Answer: D

Explanation

==========

Question #:90 - [Identify hallucinations, inconsistencies, and biases in responses]

A Claude associate is reviewing a Claude-drafted set of customer-segment descriptions for an internal marketing brief. One description applies a generalization about a demographic group's purchasing behavior that does not hold for individual customers in the segment.

Which response is most appropriate?

A. Keep the description as written for the internal brief, since internal use does not carry the same risk as external publication of demographic generalizations.

B. Revise the description to focus on observed behaviors rather than generalizations about people, and validate the revision against actual customer data.

C. Remove the entire customer-segment description from the brief, since any segmentation that involves demographic characteristics is likely to introduce similar issues.

D. Add a disclaimer to the description, noting that the generalization may not apply to all individuals in the segment, and keep the underlying description unchanged.

Answer: B

Explanation

Option B removes the unsupported demographic generalization and replaces it with evidence-based behavioral analysis. A useful customer segment should be grounded in observable factors—such as purchase frequency, product usage, channel preference, or demonstrated needs—rather than assumptions about how members of a demographic group supposedly behave.

项目负责人正在根据项目章程评估 Claude 生成的状态报告。该报告将提交给一个指导委员会，该委员会期望准确反映已承诺的里程碑状态。

哪一组标准提供了最强的评估框架？

A. 可读性、叙述流畅性，以及报告是否讲述了关于项目进展的连贯故事。

B. 生成速度、视觉呈现质量，以及与之前状态报告中使用的格式的一致性。

C. 长度、格式一致性，以及对指导委员会受众的语气适宜性。

D. 与章程的事实准确性、与所需报告字段的完整性，以及与接收报告的受众的相关性。

答案： D

解释

==========

问题 #:90 - [识别响应中的幻觉、不一致和偏见]

一名 Claude 助理正在审查一组为内部营销简报撰写的客户细分描述。一个描述对某个特定人群的购买行为进行了概括，而该概括并不适用于该细分市场中的个别客户。

哪个回应最为合适？

A. 保持描述的原样，以便用于内部简报，因为内部使用并不承担与外部发布人口概括相同的风险。

B. 修订描述，专注于观察到的行为，而不是对人们的概括，并根据实际客户数据验证修订内容。

C. 从简报中删除整个客户细分描述，因为任何涉及人口特征的细分都可能引入类似问题。

D. 在描述中添加免责声明，指出该概括可能不适用于该细分中的所有个体，并保持基础描述不变。

答案： B

解释

选项B删除了不支持的人口概括，并用基于证据的行为分析替代。一个有用的客户细分应基于可观察的因素——例如购买频率、产品使用、渠道偏好或表现出的需求——而不是关于人口群体成员假定行为的假设。

Internal distribution does not eliminate bias risk. An internal marketing brief may influence targeting, product decisions, resource allocation, or customer treatment. Therefore, Option A is incorrect. Option C is unnecessarily broad because responsible segmentation remains possible when criteria are relevant, lawful, and supported by data. Option D preserves the biased claim and merely adds a disclaimer; acknowledging that a generalization is unreliable does not make it appropriate to retain.

The reviewer should identify the unsupported statement, examine the underlying evidence, replace group-level assumptions with validated patterns, and test whether the revised description unfairly disadvantages or misrepresents customers. Anthropic's Usage Policy prohibits promoting discriminatory practices based on protected or identifying attributes and emphasizes responsible handling of potentially biased outputs. AI Fluency Discernment similarly requires users to assess the usefulness, limitations, and consequences of generated material rather than accepting plausible wording uncritically. Anthropic's Usage Policy

==========

Question #:91 - [Communicate Claude's value and limitations to stakeholders]

You are a communications specialist preparing to describe Claude's role in a workflow to multiple stakeholder groups and must complete the preparation steps before drafting messages.

Which two preparation steps must be completed BEFORE drafting the stakeholder messages? (Select two.)

Each correct answer presents part of the solution.

A. Archive the drafted messages in the corporate communications repository.

B. Identify the stakeholder groups and what each group needs to understand.

C. Define the key facts about Claude's role and the boundaries that apply.

D. Send the drafted messages out and gather feedback for revision.

E. Schedule a follow-up forum to handle questions raised by the messages.

Answer: B C

Explanation

Under the Claude objective **Communicate Claude's value and limitations to stakeholders** , crafting effective change-management and enablement communications requires establishing core positioning and audience segmentation prior to drafting content.

Before composing stakeholder updates, the specialist must first define the core ground truth: what specific operational role Claude plays, what tasks it augments, and what strict boundaries or limitations exist (Option C), including human review requirements and non-delegable tasks. Simultaneously, the specialist must segment audience cohorts (e.g., leadership, end users, compliance teams) to identify their distinct concerns, technical familiarity, and required takeaways (Option B). Establishing these two pillars ensures that communications are accurate, targeted, and set realistic expectations. Post-drafting activities such as sending materials (Option D), archiving (Option A), or hosting follow-up forums (Option E) occur only after foundational messaging is developed.

内部分发并不能消除偏见风险。内部市场简报可能影响目标定位、产品决策、资源分配或客户对待。因此，选项A是不正确的。选项C是不必要的宽泛，因为在标准相关、合法且有数据支持的情况下，负责任的细分仍然是可能的。选项D保留了偏见声明，仅仅添加了免责声明；承认一个概括是不可靠的并不意味着保留它是合适的。

审稿人应识别不支持的陈述，检查其基础证据，用经过验证的模式替换群体级假设，并测试修订后的描述是否不公平地使客户处于不利地位或误导客户。Anthropic 的使用政策禁止基于受保护或可识别属性促进歧视性做法，并强调对潜在偏见输出的负责任处理。AI 流利度辨别同样要求用户评估生成材料的有用性、局限性和后果，而不是不加批判地接受似是而非的措辞。Anthropic 的使用政策

==========

问题 #:91 - [向利益相关者传达 Claude 的价值和局限性]

您是一名沟通专家，正在准备向多个利益相关者群体描述 Claude 在工作流中的角色，并必须在起草信息之前完成准备步骤。

在起草利益相关者信息之前，必须完成哪两个准备步骤？（选择两个。）

每个正确答案都是解决方案的一部分。

A. 将起草的信息存档在公司沟通库中。

B. 识别利益相关者群体及每个群体需要理解的内容。

C. 定义关于Claude角色的关键事实和适用的边界。

D. 发送草拟的消息并收集反馈以进行修订。

E. 安排后续论坛以处理消息中提出的问题。

答案： B C

解释

在 Claude 目标下 **向利益相关者传达Claude的价值和局限性，制定**有效的变更管理和赋能沟通需要在起草内容之前建立核心定位和audience细分。

在撰写利益相关者更新之前，专家必须首先定义核心事实：Claude扮演的具体操作角色、它增强的任务以及存在的严格边界或限制（选项C），包括人工审查要求和不可委派的任务。同时，专家必须细分受众群体（例如，领导层、最终用户、合规团队），以识别他们的独特关注点、技术熟悉度和所需的要点（选项B）。建立这两个支柱确保沟通准确、针对性强，并设定现实期望。草拟后续活动如发送材料（选项D）、归档（选项A）或举办后续论坛（选项E）仅在基础消息开发后进行。

Question #:92 - [Apply task decomposition techniques to structure complex requests]

You are a knowledge worker who decomposed a “draft a board memo” request into fifteen tiny steps and noticed the output now feels disjointed because related ideas were split apart.

Which adjustment is most appropriate?

A. Remove all sequencing so the steps run in random order.

B. Consolidate related steps into fewer cohesive sections that group naturally connected ideas.

C. Subdivide each tiny step into ten more tiny steps for additional precision.

D. Combine the original request back into one unstructured sentence.

Answer: B

Explanation

Task decomposition is valuable only when the resulting stages represent meaningful, logically connected units of work. Here, dividing a board memo into fifteen extremely small steps has fragmented related ideas and weakened the document’s narrative coherence. Option B corrects over-decomposition by combining naturally connected activities into broader sections, such as framing the decision, analyzing evidence, presenting risks, and stating the recommendation.

Option A removes dependency order entirely, which would make the workflow less reliable. Option C intensifies the existing problem by creating even smaller fragments. Option D goes too far in the opposite direction by discarding all useful structure. The appropriate solution is neither maximal decomposition nor a single unstructured instruction; it is a limited number of cohesive stages with clear dependencies.

Anthropic explains that explicit prompt chaining is useful when intermediate outputs must be inspected or when a specific pipeline structure is required. However, its guidance also warns against unnecessary delegation and overengineering when simpler direct work preserves context more effectively. The correct granularity should therefore improve control and reviewability without separating ideas that must be developed together. Anthropic’s prompting best practices

==========

Question #:93 - [Follow organizational AI policies and governance standards]

A knowledge worker is explaining the purpose of an organizational AI governance framework to a colleague.

Which description is most accurate?

A. A governance framework defines approved tools, allowed data, required reviews, and reporting paths so AI is used consistently and accountably.

B. A governance framework lists the AI tools the organization licenses and the cost of each, so users can pick the most cost-effective tool for each task.

问题 #:92 - [应用任务分解技术来构建复杂请求]

您是一名知识工作者，将“起草董事会备忘录”的请求分解为十五个小步骤，并注意到输出现在感觉支离破碎，因为相关的想法被分开了。

哪个调整最合适？

A. 移除所有顺序，使步骤以随机顺序进行。

B. 将相关步骤合并为更少的连贯部分，以自然连接的想法进行分组。

C. 将每个小步骤细分为十个更小的步骤，以获得更高的精确度。

D. 将原始请求重新组合成一个无结构的句子。

答案： B

解释

任务分解只有在结果阶段代表有意义的、逻辑上连接的工作单元时才有价值。在这里，将董事会备忘录分解为十五个极小的步骤使相关想法支离破碎，削弱了文档的叙事连贯性。选项 B 通过将自然连接的活动合并为更广泛的部分来纠正过度分解，例如框定决策、分析证据、呈现风险和陈述建议。

选项 A 完全移除了依赖顺序，这将使工作流程变得不可靠。选项 C通过创建更小的碎片加剧了现有问题。选项 D 在相反的方向上走得太远，丢弃了所有有用的结构。适当的解决方案既不是最大化分解，也不是单一的无结构指令；而是有限数量的连贯阶段，具有明确的依赖关系。

Anthropic 解释说，当必须检查中间输出或需要特定管道结构时，显式提示链是有用的。然而，它的指导也警告在简单的直接工作能够更有效地保持上下文时，避免不必要的委托和过度工程。因此，正确的粒度应该改善控制和可审查性，而不分离必须一起发展的想法。Anthropic 的提示最佳实践

==========

问题 #:93 - [遵循组织的 AI 政策和治理标准]

一名知识工作者正在向同事解释组织 AI 治理框架的目的。

哪个描述最准确？

A. 治理框架定义了批准的工具、允许的数据、所需的审查和报告路径，以便 AI 一致且负责任地使用。

B. 治理框架列出了组织许可的 AI 工具及其成本，以便用户可以为每个任务选择最具成本效益的工具。

C.

C. A governance framework defines the training every employee must complete before using AI tools, with separate requirements for each tool the organization licenses.

D. A governance framework documents the AI policies the organization is legally required to adopt, focusing on regulatory compliance rather than day-to-day use.

Answer: A

Explanation

Under the objective **Follow organizational AI policies and governance standards** , an enterprise AI governance framework establishes the policies, guardrails, and operational standards necessary for safe, consistent, and accountable AI adoption across business units.

Option A provides the comprehensive definition: it outlines sanctioned AI platforms and models, specifies data classification rules (what data tiers may or may not be ingested), mandates human-in-the-loop review criteria for high-impact outputs, and provides clear escalation/reporting paths for unintended behaviors or security incidents. In contrast, financial license catalogs (Option B) represent procurement tools, training requirements (Option C) cover only onboarding logistics, and narrowing governance purely to mandatory legal mandates while excluding daily workflows (Option D) fails to address organizational risk and daily operational quality.

Question #:94 - [Iterate prompts to improve output quality]

You are a refining a prompt over several iterations. The output drifts further from the requested template with each change.

Which step is most appropriate?

A. Discard all prior versions and start with no record of what worked.

B. Continue making large simultaneous changes until the output happens to align.

C. Revert to the version of the prompt that produced the closest match and adjust from that baseline.

D. Stop iterating and accept the most off-target version.

Answer: C

Explanation

Under the objective **Iterate prompts to improve output quality** , managing prompt development requires maintaining baseline versioning and avoiding cumulative degradation.

When successive prompt revisions introduce drift, unintended behaviors, or progressive degradation away from the target output template, continuing to add modifications on top of an already degraded prompt only exacerbates the issue. The appropriate engineering practice is rollback: reverting immediately to the historical version that yielded the highest quality baseline (Option C) and resuming disciplined, single-variable

C. 治理框架定义了每位员工在使用 AI 工具之前必须完成的培训，并为组织许可的每个工具设定了单独的要求。

D. 治理框架记录了组织在法律上必须采用的 AI 政策，重点关注合规性而非日常使用。

答案： A

解释

在目标下 **遵循组织的人工智能政策和治理标准，企业人工智能**
治理框架建立了安全、一致和负责任的人工智能在各业务单元中采用所需的政策、保护措施和操作标准。

选项 A 提供了全面的定义：它概述了被批准的人工智能平台和模型，指定了数据分类规则（哪些数据层可以或不可以被摄取），强制要求对高影响输出进行人机协作审查标准，并提供了针对意外行为或安全事件的明确升级/报告路径。相比之下，金融许可证目录（选项 B）代表采购工具，培训要求（选项 C）仅涵盖入职物流，而将治理纯粹缩小到强制性法律要求，同时排除日常工作流程（选项 D）未能解决组织风险和日常操作质量。

问题 #:94 - [迭代提示以提高输出质量]

您正在对一个提示进行多次迭代。每次更改后，输出与请求的模板的偏差越来越大。

哪个步骤最合适?

A. 丢弃所有先前版本，从没有记录成功的内容开始。

B. 继续进行大规模的同时更改，直到输出恰好对齐。

C. 恢复到生成最接近匹配的提示版本，并从该基线进行调整。

D. 停止迭代并接受最偏离目标的版本。

答案： C

解释

在目标下 **迭代提示以提高输出质量，管理提示开发需要**
维护基线版本控制，避免累积退化。

当连续的提示修订引入漂移、意外行为或逐渐偏离目标输出模板时，继续在已经退化的提示上添加修改只会加剧问题。适当的工程实践是回滚：立即恢复到产生最高质量基线的历史版本（选项 C），并恢复有纪律的单变量

iterations from that verified state. Discarding all historical prompt versions (Option A) loses valuable context, making multiple erratic modifications simultaneously (Option B) creates further unpredictability, and accepting substandard output (Option D) fails quality assurance standards.

Question #:95 - [Understand ethical implications of AI usage]

An HR team member is reviewing a Claude-drafted set of interview questions intended for use across all candidates for a single role. The questions will be asked in the same order to every candidate.

Which review practice best supports fairness?

A. Review the questions to ensure they apply equally to all candidates, avoid assumptions about candidate backgrounds, and focus on the role's actual requirements.

B. Review the questions for length and tone, since the questions Claude drafts are well-aligned to role requirements by default and need only stylistic adjustment.

C. Review the questions and add follow-up questions tailored to each candidate's resume so each interview can explore the candidate's specific experience.

D. Review the questions and rotate the order across candidates so no candidate is consistently asked the hardest questions first.

Answer: A

Explanation

Under the objective **Understand ethical implications of AI usage** , applying AI in human resources demands rigorous bias auditing to ensure fair, standardized, and legally defensible evaluation practices.

Structured interviewing requires that questions focus strictly on observable, job-related competencies and avoid implicit assumptions or biased phrasing that could systematically disadvantage candidates from diverse non-traditional backgrounds (Option A). Human review must verify that Claude-generated questions remain objective, relevant, and standardized across applicants. Assuming AI outputs are unbiased by default and checking only stylistic tone (Option B) introduces compliance and equity risks. Injecting unstructured, ad-hoc questions per candidate (Option C) or scrambling question order inconsistently (Option D) undermines standardization and equitable scoring across applicant pools.

Question #:96 - [Understand ethical implications of AI usage]

Preparing an AI-assisted work product for external delivery, a senior manager is applying the AI Fluency Framework Diligence competency.

Which step best reflects Diligence principles?

A. Delegate accountability for the AI-assisted work product to Claude itself rather than retaining it as a human obligation, contrary to the Diligence principle that humans remain accountable for AI-assisted outputs.

从该验证状态的迭代。丢弃所有历史提示版本（选项 A）会失去宝贵的上下文，
同时进行多次不稳定的修改（选项 B）会造成进一步的不确定性，
接受不合格的输出（选项 D）未能满足质量保证标准。

问题 #:95 - [理解人工智能使用的伦理影响]

人力资源团队成员正在审查一套由 Claude 起草的面试问题，旨在适用于所有候选人，针对同一个职位。这些问题将以相同的顺序问每位候选人。

哪种评审实践最能支持公平性？

A. 审查问题以确保它们对所有候选人适用，避免对候选人背景的假设，并专注于角色的实际要求。

B. 审查问题的长度和语气，因为 Claude 起草的问题默认与角色要求高度一致，仅需进行风格调整。

C. 审查问题并添加针对每位候选人简历量身定制的后续问题，以便每次面试都能探讨候选人的具体经验。

D. 审查问题并在候选人之间轮换顺序，以确保没有候选人总是首先被问到最难的问题。

答案： A

解释

在目标下 **理解 AI 使用的伦理影响，应用 AI 于人力资源需要**
严格的偏见审计，以确保公平、标准化和法律上可辩护的评估实践。

结构化面试要求问题严格关注可观察的、与工作相关的能力，避免隐含假设或可能系统性地使来自多样化非传统背景的候选人处于不利地位的偏见措辞（选项 A）。人工审查必须验证 Claude 生成的问题在申请者之间保持客观、相关和标准化。假设 AI 输出默认是无偏见的，仅检查风格语气（选项 B）会引入合规和公平风险。针对每位候选人注入非结构化的临时问题（选项 C）或不一致地打乱问题顺序（选项 D）会破坏标准化和申请者池的公平评分。

问题 #:96 - [理解人工智能使用的伦理影响]

在为外部交付准备一个人工智能辅助的工作产品时，一位高级经理正在应用人工智能流利度框架的尽职调查能力。

哪个步骤最能反映尽职调查原则？

A. 将人工智能辅助的工作产品的责任委托给 Claude 本身，而不是将其保留为人类的义务，这与尽职调查原则相悖，后者认为人类对人工智能辅助的输出仍然负有责任。

B.

B. Deliver the work product without independent verification on the basis that AI assistance shifts accountability away from the human, even though Diligence holds the human fully accountable for the output.

C. Skip verification of any element on the assumption that fluent output implies accuracy, even though Diligence requires the human to verify and correct AI-assisted outputs before they are acted upon.

D. Identify the elements of the work product that must be independently verified or corrected before delivery, and take ownership of those verifications as a professional accountability obligation.

Answer: D

Explanation

Option D correctly applies Diligence because it preserves human accountability throughout the use of Claude. AI assistance does not transfer responsibility for the accuracy, legality, suitability, or consequences of a deliverable to the model. The responsible professional must identify claims, calculations, citations, recommendations, and other elements requiring independent validation and must correct deficiencies before the material is distributed externally.

Anthropic defines Diligence as taking responsibility for what people do with AI and how they do it. This includes maintaining appropriate oversight, recognizing the limitations of generated content, and ensuring that important outputs receive review proportionate to their impact. Anthropic's hallucination-reduction guidance similarly states that critical information must be validated because techniques that reduce hallucinations cannot eliminate them entirely.

Options A and B explicitly attempt to transfer accountability to Claude, which is incompatible with Diligence. Option C incorrectly treats fluent presentation as proof of factual accuracy. Language models can produce convincing but unsupported statements, so apparent confidence cannot replace verification. The manager must retain ownership of the final work product and independently validate the elements that could affect external stakeholders. Anthropic's AI Fluency definitions and hallucination guidance

==========

Question #:97 - [Iterate prompts to improve output quality]

You are a content creator. A first response from Claude is accurate but uses inconsistent terminology that does not match your organization's glossary.

Which iterative change addresses the issue most directly?

A. Increase the requested length so the inconsistent terminology appears more often.

B. Ask Claude to invent additional terms unrelated to the glossary.

C. Remove the topic from the prompt to avoid the terminology issue entirely.

D. Provide the organization's glossary and instruct Claude to use only those terms throughout the response.

Answer: D

B. 在没有独立验证的情况下交付工作产品，理由是人工智能的帮助将责任转移离人类，尽管尽职调查要求人类对输出负全责。

C. 跳过对任何元素的验证，假设流利的输出意味着准确性，尽管尽职调查要求人类在采取行动之前验证和纠正人工智能辅助的输出。

D. 识别在交付之前必须独立验证或纠正的工作产品元素，并将这些验证视为专业责任义务。

答案： D

解释

选项 D 正确地应用了尽职调查，因为它在使用 Claude 的过程中保持了人类的责任。人工智能的帮助并不将交付物的准确性、合法性、适用性或后果的责任转移给模型。负责的专业人员必须识别需要独立验证的声明、计算、引用、建议和其他元素，并在材料外部分发之前纠正缺陷。

Anthropic 将勤勉定义为对人们如何使用 AI 及其使用方式负责。这包括保持适当的监督，认识到生成内容的局限性，并确保重要输出接受与其影响成比例的审查。Anthropic 的幻觉减少指导同样指出，关键信息必须经过验证，因为减少幻觉的技术无法完全消除它们。

选项 A 和 B 明确试图将责任转移给 Claude，这与勤勉不兼容。选项 C 错误地将流畅的表达视为事实准确性的证明。语言模型可以生成令人信服但没有支持的陈述，因此明显的自信不能替代验证。经理必须保留最终工作产品的所有权，并独立验证可能影响外部利益相关者的要素。Anthropic 的 AI 流畅性定义和幻觉指导

==========

问题 #:97 - [迭代提示以提高输出质量]

您是一名内容创作者。Claude 的第一次响应是准确的，但使用了与您组织的术语表不匹配的不一致术语。

哪个迭代更改最直接地解决了这个问题？

A. 增加请求的长度，以便不一致的术语出现得更频繁。

B. 要求 Claude 发明与词汇表无关的额外术语。

C. 从提示中删除主题，以完全避免术语问题。

D. 提供组织的词汇表，并指示 Claude 在整个响应中仅使用这些术语。

答案： D

Explanation

Under the objective **Iterate prompts to improve output quality** (Domain 1: Prompting and Task Execution), resolving domain-specific vocabulary inconsistencies requires grounding the prompt with explicit terminology constraints.

When Claude generates accurate conceptual content but uses generic or non-standard synonyms, the most direct prompt refinement is providing the organization's canonical terminology glossary (or uploading it to Project knowledge) accompanied by a strict constraint instructing the model to use only those defined terms (Option D). This eliminates vocabulary drift and guarantees brand consistency. Expanding prompt length (Option A) amplifies terminology discrepancies. Encouraging invented terms (Option B) worsens terminology alignment. Deleting topics from the prompt (Option C) fails the original task requirements.

Question #:98 - [Align model selection with task requirements (e.g., cost, speed, quality)]

A knowledge worker is explaining the cost, speed, and quality trade-offs across Claude models to a colleague.

Which generalization correctly describes the trade-off?

A. More capable models generally consume less of the usage limit because their reasoning is more efficient, even though they run more slowly than lighter models.

B. More capable models generally consume more resources and run more slowly, while lighter models are usually faster and less expensive.

C. Lighter models consume more resources per request than more capable models because they always require multiple passes to match higher-model quality.

D. Speed and resource consumption are independent of model capability; the difference between Haiku, Sonnet, and Opus is reasoning depth alone.

Answer: B

Explanation

Option B is the best generalization, although the source's original phrase "consume more of the rate limit" was technically imprecise and has been corrected to "consume more resources." Anthropic's current model comparison characterizes Haiku as the fastest and lowest-cost tier, Sonnet as a balance of speed and intelligence, and Opus or higher capability tiers as appropriate for more demanding work with greater cost or latency.

Option A incorrectly assumes that higher capability automatically reduces usage consumption. Option C makes the opposite unsupported absolute: lightweight models do not always require multiple passes. Option D ignores documented differences in latency, pricing, context capacity, tool support, and workload suitability.

The generalization must not be treated as a universal per-task law. Anthropic now advises evaluating cost per completed task rather than relying only on per-token pricing. A stronger model may complete difficult work in fewer turns and can occasionally cost less overall than repeated attempts with a smaller model. Teams should therefore define quality, latency, volume, and budget requirements, then benchmark candidate models on representative workloads. Option B remains the correct broad comparison, but empirical testing determines

解释

在目标下 迭代提示以提高输出质量（领域 1：提示和任务执行），
解决特定领域的词汇不一致性需要用明确的术语约束来为提示提供基础。

当 Claude 生成准确的概念内容但使用通用或非标准同义词时，最直接的提示改进是提供组织的规范术语词汇表（或将其上传到项目知识），并附上严格的约束，指示模型仅使用那些定义的术语（选项 D）。这消除了词汇漂移并保证品牌一致性。扩展提示长度（选项 A）会加剧术语差异。鼓励发明术语（选项 B）会恶化术语对齐。从提示中删除主题（选项 C）未能满足原始任务要求。

问题 #:98 - [将模型选择与任务要求对齐（例如，成本、速度、质量）]

一位知识工作者正在向同事解释Claude模型在成本、速度和质量之间的权衡。

哪个概括正确描述了这种权衡？

A. 更强大的模型通常消耗更少的使用限制，因为它们的推理更efficient，尽管它们的运行速度比轻量模型慢。

B. 更强大的模型通常消耗更多资源并且运行更慢，而轻量模型通常更快且成本更低。

C. 轻量模型每次请求消耗的资源比更强大的模型更多，因为它们总是需要多次传递才能匹配更高模型的质量。

D. 速度和资源消耗与模型能力无关；Haiku、Sonnet和Opus之间的差异仅在于推理深度。

答案： B

解释

选项B是最佳概括，尽管来源的原始短语“消耗更多的速率限制”在技术上不准确，已更正为“消耗更多资源”。Anthropic当前的模型比较将Haiku描述为最快和最低成本的层级，将Sonnet描述为速度和智能的平衡，而Opus或更高能力层级则适合更高要求的工作，伴随更大的成本或延迟。

选项 A 错误地假设更高的能力自动减少使用消耗。选项 C 做出了相反的无支持绝对：轻量级模型并不总是需要多次传递。选项 D 忽略了文档中记录的延迟、定价、上下文容量、工具支持和工作负载适用性方面的差异。

这一概括不应被视为普遍的每任务法则。Anthropic 现在建议评估每个 完成任务的成本，而不仅仅依赖于每个令牌的定价。一个更强大的模型可能在更少的回合中完成困难的工作，并且有时整体成本可能低于使用较小模型的重复尝试。因此，团队 应定义质量、延迟、数量和预算要求，然后在具有代表性的工作负载上对候选模型进行基准测试。选项 B 仍然是正确的广泛比较，但经验测试决定

the actual production choice. See Anthropic's model comparison , model-selection guidance , and cost-per-task guidance .

Question #:99 - [Apply task decomposition techniques to structure complex requests]

You are a senior analyst using Claude to analyze requirements from several stakeholder sources.

Which is the correct order of steps?

(1) Group related requirements and flag conflicts or ambiguities for stakeholder review.

(2) Validate the structured output against the original sources for accuracy and completeness.

(3) Submit the consolidated inputs to Claude with a structured extraction prompt.

(4) Gather and label the source materials so each requirement can be traced.

(5) Document the final requirements set with source traceability and status.

A. 1, 4, 3, 2, 5

B. 4, 3, 2, 1, 5

C. 3, 4, 1, 2, 5

D. 4, 1, 3, 2, 5

Answer: D

Explanation

Option D is correct: 4, 1, 3, 2, 5. First, gather and label the source materials so every requirement can be traced to a stakeholder interview, process document, or other authoritative input. Second, organize related material and identify apparent conflicts or ambiguities. This preparation prevents unrelated statements from being blended and highlights issues that Claude should preserve rather than silently resolve.

Third, submit the consolidated material using a structured extraction prompt that defines the requested fields, such as requirement identifier, statement, source, owner, priority, ambiguity, and status. Anthropic's prompting guidance emphasizes clear instructions, contextual information, and explicit output formats.
Fourth, validate Claude's structured output against the original sources. This step is essential because a well-formatted answer can still omit, distort, or combine requirements. Anthropic recommends auditable citations and verification against supporting text, retracting claims that cannot be grounded.

Finally, document the approved requirements set with traceability and resolution status. Options A and C begin analysis or prompting before the sources have been properly gathered and labelled. The missing text in Option B cannot establish a valid alternative, so it has been preserved as missing rather than invented. This sequence combines task decomposition with source-grounded validation. See Anthropic's prompting best practices and hallucination-reduction guidance .

==========

实际的生产选择。请参见 Anthropic 的模型比较、模型选择指导和每个 任务的成本指导。

问题 #:99 - [应用任务分解技术来构建复杂请求]

您是一名高级分析师，使用 Claude 分析来自多个利益相关者来源的需求。

正确的步骤顺序是什么？

(1) 将相关要求分组，并标记冲突或模糊之处以供利益相关者审查。

(2) 验证结构化输出与原始来源的准确性和完整性。

(3) 将整合后的输入提交给 Claude，并使用结构化提取提示。

(4) 收集并标记源材料，以便每个要求都可以追溯。

(5) 记录最终的要求集，并附上源追溯和状态。

A. 1, 4, 3, 2, 5

B. 4, 3, 2, 1, 5

C. 3, 4, 1, 2, 5

D. 4, 1, 3, 2, 5

答案： D

解释

选项 D 是正确的：4, 1, 3, 2, 5。首先，收集并标记源材料，以便每个要求都可以 追溯到利益相关者访谈、流程文档或其他权威输入。其次，组织相关材料并识别明显的 冲突或模糊之处。这一准备工作可以防止无关陈述混合在一起，并突出 Claude 应该保留而不是默默解决的问题。

第三，使用结构化提取提示提交整合后的材料，该提示定义所请求的字段，
例如要求标识符、陈述、来源、所有者、优先级、模糊性和状态。Anthropic 的
提示指导强调清晰的指令、上下文信息和明确的输出格式。
第四，验证 Claude 的结构化输出与原始来源的一致性。这一步至关重要，因为格式良好的 答案仍然可能遗漏、扭曲或合并要求。Anthropic 建议进行可审计的引用，并对支持文本进行验证，撤回无法立足的主张。

最后，记录已批准的需求集，包括可追溯性和解决状态。选项 A 和 C 在源数据尚未正确收集和标记之前开始分析或提示。选项 B 中缺失的文本无法建立有效的替代方案，因此被保留为缺失而不是虚构。此 序列将任务分解与基于源的验证相结合。请参阅 Anthropic 的提示最佳实践和幻觉减少指导。

==========

Question #:100 - [Align model selection with task requirements (e.g., cost, speed, quality)]

You are an HR specialist reviewing model choices made by colleagues for various tasks.

Which two model choices represent appropriate matches between the model and the task? (Select two.)

Each correct answer presents a complete solution.

A. a higher-capability model selected solely because it is the most expensive option

B. a higher-capability model for one-line keyword extraction at high request volume

C. a higher-capability model for complex multi-step legal reasoning under review

D. a lighter, faster model for nuanced multi-document strategic synthesis

E. a lighter, faster model for routine FAQ-style replies under tight latency budgets

Answer: C E

Explanation

Under the objective **Align model selection with task requirements (e.g., cost, speed, quality)** , deploying models effectively requires matching model cognitive capacity to task complexity and throughput requirements.

Option C correctly routes complex, multi-layered tasks—such as synthesizing intricate legal precedents, statutory compliance, or multi-step policy analysis—to high-capability models (e.g., Claude 3 Opus or Sonnet) where deep reasoning is essential. Option E correctly routes simple, high-frequency, low-complexity tasks—such as standard FAQ lookups—to light, fast models (e.g., Claude 3 Haiku) to achieve ultra-low latency and minimal cost per request. Conversely, choosing models purely based on cost (Option A) is inefficient, deploying large frontier models for simple keyword extraction (Option B) wastes financial and rate-limit budgets, and assigning complex strategic synthesis across many documents to lightweight models (Option D) leads to shallow analysis and missed nuances.

Question #:101 - [Identify appropriate and inappropriate use cases]

You are a project manager reviewing Claude usage approaches that teammates have proposed for a project workflow.

Which two workflow steps are well-suited for Claude support? (Select two.)

Each correct answer presents a complete solution.

A. approving a final external press release without any human review

B. issuing legally binding contractual commitments on behalf of the company

C. deciding promotion outcomes for staff based solely on the model's judgment

问题 #:100 - [将模型选择与任务要求对齐（例如，成本、速度、质量）]

您是一名人力资源专家，正在审查同事为各种任务做出的模型选择。

哪两个模型选择代表模型与任务之间的适当匹配？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 仅因其是最昂贵选项而选择的高能力模型

B. 用于高请求量的一行关键词提取的高能力模型

C. 用于复杂多步骤法律推理的高能力模型正在审查中

D. 用于细致的多文档战略综合的轻量级、更快的模型

E. 用于在严格延迟预算下进行常规 FAQ 风格回复的轻量级、更快的模型

答案： C E

解释

在目标下 **将模型选择与任务要求对齐（例如，成本、速度、质量），部署** 模型有效地需要将模型的认知能力与任务复杂性和吞吐量要求相匹配。

选项 C 正确地将复杂的多层任务（例如，综合复杂的法律先例、法定合规或多步骤政策分析）路由到高能力模型（例如，Claude 3 Opus 或Sonnet），在这些情况下深度推理是必不可少的。选项 E 正确地将简单、高频率、低复杂度的任务（例如，标准常见问题查询）路由到轻量、快速的模型（例如，Claude 3 Haiku），以实现超低延迟和每次请求的最低成本。相反，仅仅基于成本选择模型（选项 A）是低效的，为简单的关键词提取部署大型前沿模型（选项 B）浪费了财务和速率限制预算，而将复杂的战略综合任务分配给轻量模型（选项 D）则导致浅层分析和遗漏细微差别。

问题 #:101 - [识别适当和不适当的用例]

您是一名项目经理，正在审查团队成员为项目工作流程提出的 Claude 使用方法。

哪两个工作流程步骤适合 Claude 支持？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 批准最终的外部新闻稿而不进行任何人工审查

B. 代表公司发布具有法律约束力的合同承诺

C. 仅基于模型的判断决定员工的晋升结果

D. synthesizing a literature review across many uploaded research documents

E. drafting a structured project status update from a set of meeting notes

Answer: D E

Explanation

Under the objective **Identify appropriate and inappropriate use cases** , determining suitable application domains hinges on evaluating AI capabilities against risk severity and the presence of human oversight.

Claude excels at information extraction, multi-document synthesis, and structured text generation. Synthesizing complex findings from multiple research papers (Option D) and compiling meeting notes into organized, structured status summaries (Option E) are classic high-leverage knowledge-work tasks that streamline team operations while keeping final outputs subject to team review. Conversely, allowing an AI model to autonomously authorize external corporate press releases without human sign-off (Option A), bind an organization to contractual liabilities (Option B), or determine career-altering personnel promotions (Option C) represents dangerous and inappropriate delegation that violates responsible AI principles, legal compliance, and human accountability standards.

Question #:102 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

You are an operations team member preparing inputs to summarize customer feedback. The feedback file mixes public quotations with personal contact details.

Which preparation approach is most appropriate?

A. Strip out the feedback content and submit only the personal contact details.

B. Submit the entire file unchanged so Claude has complete context.

C. Replace the feedback content with the personal contact details and ask Claude to invent the missing feedback.

D. Extract only the feedback content needed for the summary, redact or anonymize personal contact details, and submit the trimmed input.

Answer: D

Explanation

Option D follows data-minimization and purpose-limitation principles. The task requires analysis of customer feedback, not access to customer contact information. The appropriate preparation process is therefore to retain the feedback statements needed for the analysis while removing names, email addresses, telephone numbers, account identifiers, and other unnecessary personal information.

Option A removes the useful content while retaining the sensitive data, directly reversing the correct handling approach. Option B exposes unnecessary personal information merely to provide more context. Option C discards the genuine feedback and invites Claude to fabricate replacement content, producing an unreliable

D. 综合许多已上传研究文献的文献综述

E. 从一组会议记录中起草结构化的项目状态更新

答案：D E

解释

在目标下 **识别适当和不适当的用例，确定合适的应用**
领域取决于评估人工智能能力与风险严重性以及人类监督的存在。

Claude 在信息提取、多文档综合和结构化文本生成方面表现出色。
从多篇研究论文中综合复杂发现（选项 D）并将会议记录汇编成
有组织的、结构化的状态摘要（选项 E）是经典的高杠杆知识工作任务，
可以简化团队操作，同时保持最终输出需经团队审查。相反，允许人工智能
模型在没有人工签字的情况下自主授权外部公司新闻稿（选项 A）、使
组织承担合同责任（选项 B）或决定影响职业生涯的人员晋升
（选项 C）则代表了危险且不当的委托，违反了负责任的人工智能原则、法律
合规性和人类问责标准。

问题 #:102 - [应用数据、隐私敏感性、监管政策和隐私考虑]

您是运营团队的一员，正在准备输入以总结客户反馈。反馈文件
混合了公开引用和个人联系信息。

哪种准备方法最合适？

A. 剔除反馈内容，仅提交个人联系信息。

B. 提交整个文件，保持不变，以便 Claude 拥有完整的上下文。

C. 用个人联系信息替换反馈内容，并要求 Claude 发明缺失的
反馈。

D. 仅提取总结所需的反馈内容，编辑或匿名处理个人联系
信息，并提交修剪后的输入。

答案： D

解释

选项 D 遵循数据最小化和目的限制原则。该任务需要分析客户 反馈，而不是访问客户联系信息。因
此，适当的准备过程是 保留分析所需的反馈陈述，同时删除姓名、电子邮件地址、电话号码、
账户标识符和其他不必要的个人信息。

选项 A 删除了有用内容，同时保留了敏感数据，直接逆转了正确的处理
方法。选项 B 暴露了不必要的个人信息，仅仅是为了提供更多上下文。选项 C
丢弃了真实反馈，并邀请 Claude 编造替代内容，产生不可靠的

summary. Redaction or anonymization preserves the analytical value of the input while reducing privacy exposure and limiting the consequences of unauthorized disclosure.

Anthropic advises users to be thoughtful about sharing highly sensitive personal or confidential information. Its implementation guidance also recommends removing personally identifiable information unless it is explicitly required and authorized. Redaction does not override organizational policy: the user must still confirm that the approved Claude environment, access controls, contractual terms, retention settings, and intended purpose permit the remaining data to be processed. Anthropic's sensitive-data guidance

==========

Question #:103 - [Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)]

A knowledge worker often switches between Claude and another AI service while working on a long-running project.

Which Claude feature most directly reduces repetitive context-setting between sessions?

A. Enable Memory and use the import capability to bring relevant context from the other AI service into Claude as a starting point for the project's work.

B. Rely on a single static Artifact pasted into each chat as the only continuity mechanism, ignoring the Memory feature that is purpose-built for retaining work-relevant context across sessions.

C. Open every Claude session in Incognito mode, which prevents the conversation from contributing to Memory and therefore eliminates the cross-session continuity the project would benefit from.

D. Disable Memory entirely and re-paste the same context paragraphs at the start of every Claude session, even though Memory is designed to retain that context across conversations automatically.

Answer: A

Explanation

Under the objective **Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)** , maintaining persistent context across extended workflows is supported by Claude's Memory features.

Claude's Memory allows users to store key preferences, ongoing project parameters, and working context that persist across independent chat sessions. Utilizing the memory import capability to transfer core project context from previous workspaces or external AI tools into Claude provides an immediate, grounded foundation for future interactions without requiring manual context re-entry in every session (Option A). In contrast, pasting static Artifacts manually into each new session (Option B) creates repetitive friction. Utilizing Incognito mode (Option C) deliberately disables session memory, eliminating continuity. Disabling Memory and repeatedly re-pasting reference paragraphs (Option D) disregards the built-in feature designed to automate persistent context.

Question #:104 - [Create effective prompts for business and technical tasks]

摘要。编辑或匿名化在减少隐私暴露和限制未经授权披露后果的同时，保留了输入的分析价值。

Anthropic 建议用户在分享高度敏感的个人或机密信息时要谨慎。其实施指导还建议删除个人可识别信息，除非明确要求和授权。编辑并不覆盖组织政策：用户仍需确认批准的 Claude 环境、访问控制、合同条款、保留设置和预期目的允许处理剩余数据。Anthropic 的敏感数据指导

==========

问题 #:103 - [选择适当的 Claude 产品功能（例如，项目、研究模式、聊天、产出物）]

知识工作者在进行长期项目时，通常在 Claude 和其他 AI 服务之间切换。

哪个 Claude 功能最直接减少会话之间重复的上下文设置？

A. 启用记忆并使用导入功能将其他 AI 服务中的相关上下文带入 Claude，作为项目工作的起点。

B. 依赖于粘贴到每个聊天中的单个静态产出物作为唯一的连续性机制，忽略了专为在会话之间保留与工作相关的上下文而设计的记忆功能。

C. 在隐身模式下打开每个 Claude 会话，这样可以防止对记忆的贡献，从而消除项目所需的跨会话连续性。

D. 完全禁用记忆，并在每个 Claude 会话开始时重新粘贴相同的上下文段落，尽管记忆设计为自动保留跨对话的上下文。

答案： A

解释

在目标 选择适当的 Claude 产品功能（例如，项目、研究模式、聊天、产出物） 中，Claude 的记忆功能支持在扩展工作流中保持持久的上下文。

Claude 的记忆允许用户存储关键偏好、正在进行的项目参数和在独立聊天会话中持久的工作上下文。利用记忆导入功能将核心项目上下文从以前的工作区或外部 AI 工具转移到 Claude，为未来的互动提供了一个立即、扎实的基础，而无需在每个会话中手动重新输入上下文（选项 A）。相比之下，手动将静态产出物粘贴到每个新会话中（选项 B）会造成重复的摩擦。

使用隐身模式（选项 C）故意禁用会话记忆，消除连续性。禁用 记忆并反复重新粘贴参考段落（选项 D）无视了旨在自动化持久上下文的内置功能。

问题 #:104 - [为商业和技术任务创建有效的提示]

A business analyst has been asked to use Claude to extract requirements from a recorded stakeholder interview transcript. The transcript is approximately 90 minutes long and covers multiple topics.

Which approach is most likely to produce a usable structured output?

A. Provide the transcript along with a structured prompt that requests must-haves, nice-to-haves, open questions, and conflicts as separate sections.

B. Provide the transcript and ask Claude to produce a single ranked list of requirements, since a single list is easier for stakeholders to review than separate sections.

C. Provide the transcript and ask Claude to summarize it; extract requirements from the summary in a second pass since two passes catch more detail.

D. Provide the transcript and ask Claude to produce a chronological list of every statement that contains a verb, then classify each statement as a requirement or not.

Answer: A

Explanation

Under the objective **Create effective prompts for business and technical tasks** , prompting Claude for complex analysis requires clear framing, explicit task decomposition, and structural schema constraints.

Transcripts from 90-minute interviews contain unstructured, conversational discussions spanning multiple priorities, assumptions, and debates. Providing the raw source material alongside a structured schema—specifying categories such as must-haves, nice-to-haves, unresolved open questions, and stakeholder conflicts (Option A)—enables Claude to parse and categorize information accurately without losing critical context. In contrast, forcing a single flat list (Option B) flattens priority nuances and obscures conflicts. Summarizing first (Option C) introduces unnecessary loss of detail and risks compounding omissions in the second pass. Parsing every statement containing a verb (Option D) creates extreme token noise and unworkable overhead.

Question #:105 - [Adjust approach based on feedback and results]

A knowledge worker is explaining how to use feedback to improve Claude-supported work over time.

Which description is most accurate?

A. Capture specific feedback after each run, translate it into targeted prompt or workflow changes, and observe whether subsequent runs improve.

B. Capture feedback only after several runs so patterns emerge from the volume of observations, then apply changes based on the patterns rather than any single run.

C. Capture feedback as an aggregate quality score per run, since aggregate scores show whether quality is improving without requiring detail on individual issues.

D. Capture general impressions after each run and apply them as broad prompt rewrites, since broad rewrites cover more potential issues than targeted changes.

一名业务分析师被要求使用 Claude 从录制的利益相关者访谈记录中提取需求。该记录大约 90 分钟长，涵盖多个主题。

哪种方法最有可能产生可用的结构化输出？

A. 提供记录以及一个结构化提示，要求将必须具备的、可选的、开放性问题和冲突作为单独部分列出。

B. 提供记录并要求 Claude 生成一个单一的需求排名列表，因为单一列表比单独部分更容易供利益相关者审查。

C. 提供记录并要求 Claude 对其进行总结；在第二次处理时从总结中提取需求，因为两次处理可以捕捉更多细节。

D. 提供记录并要求 Claude 生成一个包含每个动词的陈述的时间顺序列表，然后将每个陈述分类为需求或非需求。

答案： A

解释

在目标下 **为商业和技术任务创建有效的提示，提示 Claude 进行** 复杂分析需要清晰的框架、明确的任务分解和结构性模式约束。

90 分钟访谈的记录包含无结构的对话讨论，涉及多个优先事项、假设和辩论。提供原始源材料以及结构化模式——指定必须具备的、可选的、未解决的开放性问题和利益相关者冲突等类别（选项 A）——使 Claude 能够准确解析和分类信息，而不会丢失关键上下文。相比之下，强迫使用单一平面列表（选项 B）会扁平化优先级的细微差别并掩盖冲突。首先进行总结（选项 C）会引入不必要的细节损失，并有可能在第二次处理时加重遗漏的风险。

解析每个包含动词的语句（选项 D）会产生极大的令牌噪声和不可行的开销。

问题 #:105 - [根据反馈和结果调整方法]

知识工作者正在解释如何利用反馈来逐步改善 Claude 支持的工作。

哪个描述最准确？

A. 在每次运行后捕捉具体反馈，将其转化为针对性的提示或工作流更改，并观察后续运行是否有所改善。

B. 仅在多次运行后捕捉反馈，以便从观察的数量中识别出模式，然后根据模式应用更改，而不是基于任何单次运行。

C. 将反馈作为每次运行的综合质量评分进行捕捉，因为综合评分显示质量是否在改善，而无需详细说明个别问题。

D. 在每次运行后捕捉一般印象，并将其作为广泛的提示重写应用，因为广泛的重写涵盖的潜在问题比针对性更改更多。

Answer: A

Explanation

Under the objective **Adjust approach based on feedback and results** , iterative refinement requires tight, closed feedback loops characterized by concrete observation, targeted modification, and empirical evaluation.

Option A details the gold-standard iteration cycle: capturing specific, granular defects immediately following an execution run (e.g., tone misalignment, omitted edge cases, formatting errors), translating those observations into targeted, discrete adjustments in prompt instructions or workflow logic, and validating whether subsequent outputs resolve the issue without regressions. In contrast, deferring feedback collection across multiple unmonitored cycles (Option B) delays error detection. Relying solely on high-level aggregate numerical ratings (Option C) lacks the actionable diagnostic detail needed to locate root causes. Applying sweeping, unfocused prompt overhauls (Option D) obscures cause-and-effect relationships and frequently introduces new failure modes.

Question #:106 - [Optimize workflows for efficiency and effectiveness]

You are running an optimization pass on a recurring workflow.

Which is the correct order of optimization steps?

(1) Apply targeted optimization to the bottleneck step.

(2) Roll out the optimized workflow to the broader team and document the change.

(3) Identify the bottleneck step using measured time per step and queue length.

(4) Map the current workflow steps, owners, and decision points.

(5) Pilot the change with a small group and measure the effect against the prior baseline.

A. 4,3,1,5,2

B. 4, 3, 2, 1, 5

C. 4,1,3,5,2

D. 3,4,1,5,2

Answer: A

Explanation

The correct sequence is 4,3,1,5,2. Optimization must begin by mapping the current workflow, including its steps, owners, inputs, handoffs, and decision points. Without an accurate current-state map, the team cannot reliably associate delays or defects with a particular stage. It should then use measured evidence—such as processing time, waiting time, queue length, rework, or error frequency—to identify the actual bottleneck.

答案： A

解释

在目标下 **根据反馈和结果调整方法，迭代改进需要紧密的、** 封闭的反馈循环，其特征是具体观察、针对性修改和实证评估。

选项 A 详细描述了黄金标准的迭代周期：在执行运行后立即捕捉具体、细微的缺陷（例如，语气不一致、遗漏的边缘案例、格式错误），将这些 观察转化为提示指令或工作流逻辑中的针对性、离散调整，并验证 后续输出是否解决了问题而没有回归。相比之下，推迟在多个未监控周期中收集反馈（选项 B）会延迟错误检测。仅依赖高层次的综合 数值评分（选项 C）缺乏定位根本原因所需的可操作诊断细节。应用 全面、无焦点的提示大修（选项 D）模糊了因果关系，并频繁引入新的失效模式。

问题 #:106 - [优化工作流以提高效率和有效性]

您正在对一个重复的工作流进行优化处理。

优化步骤的正确顺序是什么？

(1) 对瓶颈步骤应用有针对性的优化。

(2) 将优化后的工作流推广到更广泛的团队并记录更改。

(3) 使用每个步骤的测量时间和队列长度识别瓶颈步骤。

(4) 绘制当前工作流的步骤、负责人和决策点。

(5) 在小组中试点更改，并与之前的基线进行效果测量。

A. 4,3,1,5,2

B. 4, 3, 2, 1, 5

C. 4,1,3,5,2

D. 3,4,1,5,2

答案： A

解释

正确的顺序是 4,3,1,5,2。优化必须从绘制当前工作流开始，包括其步骤、负责人、输入、交接和决策点。没有准确的当前状态图，团队无法可靠地将延迟或缺陷与特定阶段关联。然后应使用测量证据——例如处理时间、等待时间、队列长度、返工或错误频率——来识别实际的瓶颈。

After locating the constraint, the team can apply a targeted improvement to that step. Changing the workflow before identifying the bottleneck, as in Option C, risks optimizing a noncritical activity while leaving the primary delay untouched. The change should next be piloted with a limited group and compared against the previous baseline. This determines whether the intervention improves throughput or quality without creating downstream problems. Only after a successful pilot should the process be rolled out broadly and formally documented.

This sequence is consistent with Anthropic's evaluation approach: define measurable criteria, test changes against representative conditions, and validate performance before production use. Option D identifies the bottleneck before establishing the workflow map needed to interpret the measurements. Anthropic's evaluation guidance

==========

Question #:107 - [Configure Claude Projects with instructions and knowledge sources]

You are an operations lead and notice that a Project's outputs have been drifting from the team's current expectations.

Which maintenance action should be tried first?

A. Retire the Project and rebuild a new one from scratch with fresh content.

B. Switch the Project to a different Claude model in the hope it behaves better.

C. Review the Project's instructions and reference materials against current standards.

D. Continue using the Project and accept the drift as the new baseline of behavior.

Answer: C

Explanation

Project output drift commonly occurs when persistent instructions, reference documents, terminology, policies, or expected formats no longer reflect the team's current operating standard. Option C addresses the most direct and controllable cause by reviewing the Project's instructions and knowledge sources before replacing the Project or changing models.

Anthropic explains that Project instructions define how Claude should behave and respond across chats in that Project. Documents uploaded to Project knowledge provide persistent context that Claude uses throughout those chats. If either component contains obsolete requirements, conflicting guidance, or superseded source material, Claude can consistently produce results that no longer meet the team's expectations. The appropriate maintenance response is to compare instructions and knowledge against current standards, remove obsolete files, resolve contradictions, clarify requirements, and test the revised configuration with representative requests.

Option A is unnecessarily destructive before the cause has been diagnosed. Option B changes the model without correcting stale or conflicting instructions and therefore may preserve the underlying problem. Option D institutionalizes degraded output rather than correcting it. Reviewing and updating the Project configuration is the lowest-risk and most evidence-based first action. Anthropic's Project management guidance

在找到约束后，团队可以对该步骤应用有针对性的改进。在识别瓶颈之前更改工作流，如选项 C，存在优化非关键活动而忽视主要延迟的风险。接下来应在有限的小组中试点更改，并与 之前的基线进行比较。这可以确定干预是否在不产生下游问题的情况下提高了吞吐量或质量。只有在成功的试点后，流程才应广泛推广并正式记录。

该序列与Anthropic的评估方法一致：定义可测量的标准，针对代表性条件测试变化，并在生产使用前验证性能。选项D在建立解释测量所需的工作流程图之前识别瓶颈。Anthropic的评估指导

==========

问题 #:107 - [使用指令和知识来源配置Claude项目]

您是运营负责人，注意到一个项目的输出已经偏离了团队当前的期望。

应该首先尝试哪种维护措施？

A. 退休该项目，并从头开始重建一个新的项目，使用新内容。

B. 将项目切换到不同的Claude模型，希望其表现更好。

C. 根据当前标准审查项目的指令和参考材料。

D. 继续使用该项目，并接受偏差作为新的行为基线。

答案：C

解释

项目输出偏差通常发生在持续的指令、参考文档、术语、政策或预期格式不再反映团队当前的操作标准时。选项C通过在替换项目或更改模型之前审查项目的指令和知识来源，解决了最直接和可控的原因。

Anthropic 解释说，项目指令定义了 Claude 在该项目中的聊天行为和响应方式。上传到项目知识的文档提供了持久的上下文，Claude 在这些聊天中使用。如果任一组件包含过时的要求、相互冲突的指导或被取代的源材料，Claude 就可能持续产生不再符合团队期望的结果。适当的维护响应是将指令和知识与当前标准进行比较，删除过时的文件，解决矛盾，澄清要求，并用代表性的请求测试修订后的配置。

选项 A 在原因尚未诊断之前是不必要的破坏性。选项 B 在未纠正过时或相互冲突的指令的情况下更改模型，因此可能保留潜在问题。选项 D 制度化了降级输出而不是纠正它。审查和更新项目配置是最低风险和最基于证据的首要行动。Anthropic 的项目管理指导

==========

Question #:108 - [Organize and curate information for optimal outputs and select appropriate output formats]

An analyst has been asked to compute summary statistics from an uploaded sales data file and produce a chart for a weekly report.

Which output approach best fits the task?

A. Ask Claude to estimate the summary statistics from a brief preview of the file, accepting unverified figures rather than running the calculations against the full uploaded dataset.

B. Produce a written placeholder for the chart in the chat response without generating the actual visualization, leaving the weekly report without the visual output it requires.

C. Request a narrative description of the data in the chat response without computing values, leaving the summary statistics and the chart unproduced and the weekly report incomplete.

D. Use Code Execution to perform the calculations and generate the chart, then verify the computed results against the source data before sharing the output.

Answer: D

Explanation

Under the objective **Organize and curate information for optimal outputs and select appropriate output formats** , quantitative data analysis and visual charting require deterministic tooling rather than probabilistic text generation alone.

Large Language Models can occasionally make arithmetic errors when calculating summary statistics directly over raw text tokens in large files. Leveraging Claude's built-in Code Execution (such as Python in Artifacts or Analysis Tool) allows the model to run exact programmatic calculations (mean, median, variance) across complete datasets and render visualization charts (Option D). Furthermore, adhering to validation best practices by checking computed figures against source data ensures factual integrity. Options A, B, and C fail standard analytical quality bars by relying on unverified estimates, generating incomplete placeholders, or omitting essential metrics and visual deliverables.

Question #:109 - [Apply fact-checking and validation techniques]

You are a communications manager validating a Claude-generated newsletter that includes a specific industry growth figure. The figure appears in three trade-press articles, but none of them link to the underlying study.

Which validation step is correct?

A. Accept the figure because three trade-press articles repeat it.

B. Remove the source attribution and present the figure as common knowledge.

C. Locate the original study referenced by the trade-press articles and verify the figure in the primary source.

==========

问题 #:108 - [组织和策划信息以获得最佳输出，并选择适当的输出格式]

分析师被要求从上传的销售数据文件中计算汇总统计，并为每周报告生成图表。

哪种输出方法最适合该任务？

A. 请 Claude 从文件的简要预览中估算汇总统计，接受未经验证的数字，而不是对完整的上传数据集进行计算。

B. 在聊天回复中生成图表的书面占位符，而不生成实际的可视化，使每周报告缺少所需的视觉输出。

C. 在聊天回复中请求对数据的叙述性描述，而不计算数值，使汇总统计和图表未生成，且每周报告不完整。

D. 使用代码执行来进行计算并生成图表，然后在共享输出之前将计算结果与源数据进行验证。

答案： D

解释

在目标下 组织和策划信息以获得最佳输出并选择适当的输出格式，定量数据分析和可视化图表需要确定性工具，而不仅仅是概率文本生成。

大型语言模型在直接对大型文件中的原始文本标记计算汇总统计时，偶尔会出现算术错误。利用 Claude 内置的代码执行（例如 Artifacts 或分析工具中的 Python）可以让模型在完整数据集上运行精确的程序计算（均值、中位数、方差）并渲染可视化图表（选项 D）。此外，通过将计算出的数字与源数据进行核对，遵循验证最佳实践可以确保事实的完整性。选项 A、B 和 C 由于依赖未经验证的估算、生成不完整的占位符或省略重要指标和视觉交付，未能达到标准分析质量要求。

问题 #:109 - [应用事实核查和验证技术]

您是一名通讯经理，正在验证一份由 Claude 生成的新闻通讯，其中包含一个特定行业的增长数据。该数据出现在三篇行业期刊文章中，但没有一篇链接到基础研究。

哪个验证步骤是正确的？

A. 接受该数据，因为三篇行业期刊文章都重复了它。

B. 删除来源归属，将该数据呈现为常识。

C. 找到行业期刊文章引用的原始研究，并在主要 来源中验证该数据。

D. Use the highest figure across the three articles to make the newsletter more compelling.

Answer: C

Explanation

Under the objective **Apply fact-checking and validation techniques** (Domain 2: Output Evaluation and Validation), rigorous verification requires tracing claims back to primary authoritative sources rather than accepting secondary repetition.

Trade publications frequently syndicate or republish unverified statistics in an echo chamber. Under Claude verification standards, the presence of an unlinked claim across multiple secondary articles does not constitute factual validation. The only rigorous verification method is primary source attribution: locating the original study, dataset, or methodology paper to confirm the exact numeric metric and context (Option C). Accepting claims merely due to repetition (Option A) risks propagating circular reporting. Presenting unverified figures as common knowledge (Option B) or arbitrarily cherry-picking high figures (Option D) violates communication ethics and data integrity standards.

Question #:110 - [Organize and curate information for optimal outputs and select appropriate output formats]

You are a knowledge manager structuring source material in the context window for a long Claude evaluation task.

Which two practices produce a more effective use of the context window? (Select two.)

Each correct answer presents a complete solution.

A. Paste every available document into context regardless of relevance to the task.

B. Mark each source clearly with delimiters so the model can attribute claims correctly.

C. Repeat the same instruction at the start, middle, and end to reinforce it.

D. Mix sources together in a single block so the model can synthesize them freely.

E. Place the most reference-critical material near the beginning or end of context.

Answer: B E

Explanation

Under the objective **Organize and curate information for optimal outputs and select appropriate output formats** , structuring reference documents effectively within the context window ensures high-fidelity retrieval and accurate source attribution.

Option B highlights the standard prompt engineering practice of using distinct structural delimiters (such as XML tags like < doc_1 > , < policy > , or Markdown code fences). Delimiters allow Claude to distinguish cleanly between different source boundaries, instructions, and inputs, minimizing attribution errors. Option E leverages positional attention dynamics (addressing the "lost in the middle" phenomenon), where LLMs tend

D. 使用三篇文章中最高的数据，使新闻通讯更具吸引力。

答案：C

解释

在目标下 **应用事实核查和验证技术（领域 2：输出评估和验证）**，严格的验证要求将主张追溯到主要权威来源，而不是接受二次重复。

行业出版物经常在回音室中联合或重新发布未经验证的统计数据。在 Claude 验证标准下，多个二次文章中存在的未链接主张并不构成事实验证。唯一的严格验证方法是主要来源归属：找到原始 研究、数据集或方法论文，以确认确切的数值指标和背景（选项 C）。仅仅因为重复而接受主张（选项 A）有传播循环报道的风险。将未经验证的数据 呈现为常识（选项 B）或任意挑选高数据（选项 D）违反了 沟通伦理和数据完整性标准。

问题 #:110 - [组织和策划信息以获得最佳输出并选择适当的输出格式]

您是知识管理者，在长时间的 Claude 评估任务中为上下文窗口构建源材料。

哪两种做法能更有效地利用上下文窗口？（选择两个。）

每个正确答案都提供了完整的解决方案。

A. 将每个可用文档粘贴到上下文中，无论其与任务的相关性如何。

B. 清晰地用分隔符标记每个来源，以便模型能够正确归属声明。

C. 在开始、中间和结束时重复相同的指令以加强记忆。

D. 将来源混合在一个块中，以便模型可以自由合成它们。

E. 将最关键的参考材料放在上下文的开头或结尾附近。

答案：B E

解释

在目标 组织和策划信息以获得最佳输出并选择适当的输出 格式 下，有效地在上下文窗口内构建参考文档可以确保高保真检索和准确的来源归属。

选项 B 突出了使用不同结构分隔符（例如 XML 标签如 < doc_1 > , < policy > 或 Markdown 代码围栏）的标准提示工程实践。分隔符使 Claude 能够清晰地区分不同的来源边界、指令和输入，从而最小化归属错误。选项 E 利用位置注意力动态（解决“迷失在中间”现象），其中 LLMs 往往

to recall and attend most accurately to information positioned at the very beginning (primacy effect) or at the end (recency effect) of the context window. Conversely, dumping uncurated text (Option A) adds noise and consumes quota, repeating instructions excessively (Option C) wastes tokens without improving adherence, and blending documents into an unstructured blob (Option D) obscures citation provenance.

Question #:111 - [Identify appropriate and inappropriate use cases]

As part of a workflow redesign, a process analyst is applying the AI Fluency Framework Delegation competency.

Which two criteria most directly inform Delegation decisions? (Select two.)

A. The length of time the workflow has existed in its current form, since well-established processes have been sufficiently validated for AI delegation.

B. The need for human creativity, empathy, or judgment in the step, which indicates whether the task is appropriate for AI delegation or requires human capabilities that Claude cannot provide.

C. The visual complexity of the workflow diagram, since steps with more connections and dependencies are more likely to require human oversight.

D. The seniority of the team member who currently performs the step, since more senior roles typically involve higher-stakes tasks that warrant human retention.

E. The reversibility of the task and the consequences of an error, which together indicate whether the step is safe to delegate to Claude or should be retained for human decision-making.

Answer: B E

Explanation

Options B and E are correct because Delegation requires evaluating both the capabilities needed for a task and the risk created by assigning it to AI. Anthropic defines Delegation as thoughtfully deciding which work should be completed by a human, performed collaboratively, or handled independently by AI. Tasks requiring distinctly human empathy, creativity, contextual judgment, accountability, or value-based decisions are less suitable for complete delegation. Claude may assist, but a human should retain control of the consequential decision.

Reversibility and error consequences are also critical. A low-impact, easily checked draft can generally receive more AI autonomy than an irreversible action or a decision that could materially affect people. Anthropic's research on workplace AI use similarly reports that employees tend to delegate tasks that are low-stakes and readily verifiable while applying active supervision to high-stakes work.

Workflow age, diagram complexity, and employee seniority are indirect characteristics; they do not establish whether Claude has the required capabilities or whether an error can be safely corrected. An old workflow can still contain unsuitable tasks, and a junior employee may perform highly sensitive work. Thus, B and E provide the most relevant task-level and risk-level criteria. See Anthropic's Delegation lesson and research on workplace AI delegation .

==========

回忆和关注位于上下文窗口最开始（首因效应）或最后（近因效应）信息的能力。相反，倾倒未经整理的文本（选项 A）会增加噪音并消耗配额，过度重复指令（选项 C）会浪费代币而不改善遵循性，将文档混合成一个无结构的块（选项 D）则会模糊引用来源。

问题 #:111 - [识别适当和不适当的用例]

作为工作流程重新设计的一部分，过程分析师正在应用 AI 流利度框架中的委托能力。

哪两个标准最直接影响委托决策？（选择两个。）工作流程在当前形

A. 式下存在的时间长度，因为经过充分验证的成熟流程更适合 AI 委托。

B. 步骤中对人类创造力、同理心或判断力的需求，这表明该任务是否适合 AI 委托，或是否需要 Claude 无法提供的人类能力。

C. 工作流程图的视觉复杂性，因为连接和依赖关系较多的步骤更可能需要人类监督。

D. 当前执行该步骤的团队成员的资历，因为更高级别的角色通常涉及更高风险的任务，值得保留人类参与。

E. 任务的可逆性和错误的后果共同指示该步骤是否可以安全地委托给 Claude，或者应保留给人类决策。

答案：B E

解释

B 和 E 选项是正确的，因为委托需要评估完成任务所需的能力以及将其分配给 AI 所产生的风险。Anthropic 将委托定义为深思熟虑地决定哪些工作应由人类完成、协作进行或由 AI 独立处理。需要明显人类同理心、创造力、上下文判断、责任感或基于价值的决策的任务不太适合完全委托。Claude 可以提供帮助，但人类应保留对重要决策的控制。

可逆性和错误后果同样至关重要。低影响、易于检查的草稿通常可以获得比不可逆行动或可能对人产生实质性影响的决策更多的 AI 自主权。
Anthropic 对工作场所 AI 使用的研究同样报告称，员工倾向于委托低风险且易于验证的任务，同时对高风险工作进行积极监督。

工作流的年龄、图表的复杂性和员工的资历是间接特征；它们并不能确定 Claude 是否具备所需的能力，或者错误是否可以安全地纠正。旧的工作流仍然可能包含不适合的任务，而初级员工可能会执行高度敏感的工作。因此，B 和 E 提供了最相关的任务级和风险级标准。请参见 Anthropic 的委托课程和关于工作场所 AI 委托的研究。

==========

Question #:112 - [Evaluate Claude-generated outputs for accuracy and completeness]

You are a business analyst evaluating a Claude-generated business case against the agreed acceptance criteria.

Which is the correct order of evaluation steps?

(1) Compare the business case with the source data and required topics.

(2) Document gaps and inaccuracies for follow-up or correction.

(3) Restate the acceptance criteria for the business case.

(4) Decide whether to use the business case, iterate, or escalate.

(5) Read the business case from beginning to end to form an initial impression.

A. 3, 1, 5, 2, 4

B. 3, 5, 1, 2, 4

C. 5, 3, 1, 2, 4

D. 1, 3, 5, 2, 4

Answer: B

Explanation

Answer B is correct. Evaluation begins by restating the agreed acceptance criteria (3), because the reviewer needs an explicit standard before judging the business case. The reviewer then reads the document from beginning to end (5) to understand its argument, scope, and apparent completeness. After that initial pass, the reviewer performs an evidence-based comparison against the source data and required topics (1). Discovered omissions, inaccuracies, and criterion failures are documented for correction or follow-up (2). Only when those findings are available should the reviewer decide whether the business case can be used, needs another iteration, or must be escalated (4). The sequence is therefore 3, 5, 1, 2, 4. Option A compares details before completing the holistic reading; Option C reads before re-establishing the evaluation standard; Option D starts detailed comparison without a clear rubric. Anthropic's evaluation guidance states that successful Claude applications begin with specific, measurable, achievable, and relevant success criteria and normally require multidimensional evaluation. It also emphasizes task-specific tests and clear rubrics. Applying that logic to a business document means establishing the criteria first, gathering evidence second, recording defects third, and making the disposition decision last. Anthropic evaluation guidance

Question #:113 - [Apply data, privacy sensitivity, regulatory policies, and privacy considerations]

Before uploading a customer file for a Code Execution analysis, a customer-success associate at Noventra, Ltd. is reviewing the planned task.

Which two practices best align with sound data handling? (Select two.)

问题 #:112 - [评估 Claude 生成的输出的准确性和完整性]

您是一名业务分析师，正在根据商定的接受标准评估 Claude 生成的商业案例。

评估步骤的正确顺序是什么？

(1) 将商业案例与源数据和所需主题进行比较。

(2) 记录缺口和不准确之处，以便后续跟进或修正。

(3) 重新陈述商业案例的接受标准。

(4) 决定是否使用该商业案例、进行迭代或升级。

(5) 从头到尾阅读商业案例，以形成初步印象。

A. 3, 1, 5, 2, 4

B. 3, 5, 1, 2, 4

C. 5, 3, 1, 2, 4

D. 1, 3, 5, 2, 4

答案： B

解释

答案 B 是正确的。评估首先通过重新陈述商定的接受标准 (3) 开始，因为审阅者 在判断商业案例之前需要一个明确的标准。然后，审阅者从 头到尾阅读文档 (5)，以理解其论点、范围和明显的完整性。在初步阅读之后，审阅者根据源数据和所需主题进行基于证据的比较 (1)。发现的遗漏、不准确和标准失败被记录以便修正或跟进 (2)。只有在 这些发现可用时，审阅者才应决定该商业案例是否可以使用、是否需要另一次 迭代或必须升级 (4)。因此，顺序为 3、5、1、2、4。选项 A 在完成整体阅读之前比较细节；选项 C 在重新建立评估标准之前进行阅读；选项 D 在没有明确标准的情况下开始详细比较。Anthropic 的评估指导指出，成功的 Claude 应用始于具体、可衡量、可实现和相关的成功标准，并通常需要 多维评估。它还强调特定任务的测试和明确的标准。将这一逻辑应用于 商业文档意味着首先建立标准，其次收集证据，第三记录缺陷，最后做出处置决定。Anthropic 评估指导

问题 #:113 - [应用数据、隐私敏感性、监管政策和隐私考虑]

在上传客户文件进行代码执行分析之前，Noventra 有限公司的客户成功专员正在审查计划的任务。

哪两种做法最符合合理的数据处理？（选择两项。）

A.

A. Skip the upload review entirely on the basis of urgency, even though the file might contain regulated fields that organizational policy requires the user to redact before any Code Execution.

B. Confirm that the planned Code Execution task aligns with the organization's data-classification policy and escalate to the appropriate contact if the data sensitivity exceeds approved use.

C. Upload the full unredacted customer file without review, on the assumption that a sandboxed execution environment removes the need to apply the organization's data-classification policy.

D. Bypass the data-classification policy because the task is internal, treating sandboxed processing as an exemption from the review that the policy requires before sensitive data is uploaded.

E. Review the file for sensitive, confidential, or regulated fields before upload, and remove or redact any fields that are not required for the planned Code Execution analysis.

Answer: B E

Explanation

Options B and E apply organizational governance and data-minimization requirements before the file enters Claude's execution environment. The associate must first establish whether Code Execution is an approved processing method for the file's classification. If the information exceeds the approved sensitivity level, the user must escalate to privacy, security, legal, or another designated authority rather than proceeding independently.

The file must also be inspected for customer identifiers, confidential fields, regulated information, credentials, or data unrelated to the calculation. Unnecessary fields should be removed, redacted, or anonymized. A sandbox limits interaction with the surrounding system, but it does not change the sensitivity of uploaded data, provide authorization, or override the organization's handling rules. Therefore, Options C and D incorrectly treat technical isolation as a governance exemption. Option A allows urgency to displace mandatory review.

Anthropic explains that Code Execution runs in an isolated container, while also warning that file-processing configurations and network access create security considerations. Its privacy guidance recommends careful treatment of highly sensitive personal and confidential information. The correct control is to minimize and authorize the data before uploading it, not rely solely on the sandbox afterward. Anthropic's Code Execution security guidance

==========

Question #:114 - [Understand ethical implications of AI usage]

A Claude associate is evaluating a proposed use case in which Claude would issue final hiring decisions without any human review, applying the AI Fluency Framework Delegation competency.

Which classification best reflects Delegation principles?

A. Inappropriate for full AI delegation, because hiring decisions involve human judgment, accountability, and consequences that Delegation criteria reserve for human ownership rather than autonomous AI execution.

A. 完全跳过上传审核，基于紧急性，尽管文件可能包含组织政策要求用户在任何代码执行之前进行编辑的受监管字段。

B. 确认计划的代码执行任务符合组织的数据分类政策，如果数据敏感性超过批准的使用，则升级到适当的联系人。

C. 在没有审核的情况下上传完整的未编辑客户文件，假设沙盒执行环境消除了应用组织数据分类政策的必要性。

D. 绕过数据分类政策，因为任务是内部的，将沙盒处理视为在上传敏感数据之前政策要求的审核的豁免。

E. 在上传之前审查文件中的敏感、机密或受监管字段，并删除或编辑任何不需要用于计划的代码执行分析的字段。

答案：B E

解释

选项 B 和 E 在文件进入 Claude 的执行环境之前，适用组织治理和数据最小化要求。助理必须首先确定代码执行是否是该文件分类的批准处理方法。如果信息超出了批准的敏感级别，用户必须向隐私、安全、法律或其他指定权威机构升级，而不是独立进行处理。

文件还必须检查客户标识符、机密字段、受监管信息、凭证或与计算无关的数据。应删除、不公开或匿名处理不必要的字段。沙箱限制与周围系统的交互，但不会改变已上传数据的敏感性、提供授权或覆盖组织的处理规则。因此，选项 C 和 D 错误地将技术隔离视为治理豁免。选项 A 允许紧急情况取代强制审查。

Anthropic 解释说，代码执行在一个隔离的容器中运行，同时警告文件处理配置和网络访问会带来安全考虑。其隐私指导建议对高度敏感的个人和机密信息进行谨慎处理。正确的控制措施是在上传数据之前进行最小化和授权，而不是仅仅依赖于之后的沙箱。Anthropic 的代码执行安全指导

==========

问题 #:114 - [理解人工智能使用的伦理影响]

一名 Claude 助理正在评估一个提议的用例，其中 Claude 将在没有任何人工审查的情况下做出最终的招聘决定，应用人工智能流畅性框架的委托能力。

哪种分类最能反映委托原则？

A. 不适合完全的人工智能委托，因为招聘决定涉及人类判断、责任和后果，而委托标准保留给人类所有权，而不是自主的人工智能执行。

B.

B. Appropriate with light human review applied only to a sample of decisions, even though Delegation criteria reserve final hiring decisions for human ownership rather than sample-based oversight after the fact.

C. Appropriate for full AI delegation, on the basis that processing speed outweighs the human judgment, accountability, and consequence considerations that Delegation criteria require for final hiring decisions.

D. Inappropriate only because of system reliability concerns rather than accountability, even though Delegation criteria classify final hiring decisions as requiring human ownership regardless of system performance.

Answer: A

Explanation

Under the objective **Understand ethical implications of AI usage** and the AI Fluency Framework Delegation competency, determining autonomous task suitability depends on assessing human consequence, ethical responsibility, and legal accountability.

Hiring decisions directly impact individuals' careers, livelihoods, and civil rights, carrying substantial legal, moral, and organizational consequences. Delegation principles strictly classify autonomous employment, promotion, and termination determinations as non-delegable tasks that must remain under human ownership (Option A). Human judgment, context discernment, and legal accountability cannot be offloaded to an algorithmic model. Sample-based after-the-fact reviews (Option B) or delegating fully in pursuit of processing efficiency (Option C) violate responsible AI governance. Furthermore, classifying the prohibition as merely an issue of system technical reliability (Option D) ignores the fundamental imperative of ethical and human accountability.

Question #:115 - [Optimize workflows for efficiency and effectiveness]

A Claude associate is identifying the bottleneck in a content workflow that takes too long to publish. The workflow has five steps: research, drafting, internal review, legal review, and publication. There is cycle-time data for each step from the past month.

Which signal most directly identifies the bottleneck?

A. The step with the longest queue or the largest backlog of items waiting to enter it

B. The step where individual contributors report the highest workload in their weekly status updates

C. The step with the highest average cycle time per item across the past month’s runs

D. The step most recently added to the workflow, based on the assumption that process changes introduce the most friction

Answer: A

Explanation

B. 适合轻度人工审查，仅对部分决定进行审查，尽管委托标准将最终招聘决定保留给人类所有权，而不是事后基于样本的监督。

C. 适合完全的人工智能委托，基于处理速度超过人类判断、责任和后果考虑，而这些是委托标准对最终招聘决定的要求。

D. 仅因系统可靠性问题而不适合，尽管委托标准将最终招聘决定分类为需要人类所有权，而不论系统性能如何。

答案： A

解释

在目标下 **理解人工智能使用的伦理影响以及人工智能流畅性框架**
委派能力，确定自主任务的适宜性取决于评估人类后果、
伦理责任和法律责任。

招聘决策直接影响个人的职业、生计和公民权利，带来重大的法律、道德和组织后果。委派原则严格将自主就业、晋升和解雇的决定分类为不可委派的任务，必须保持在人工控制之下（选项 A）。人类判断、上下文辨别和法律责任不能转移给算法模型。基于样本的事后审查（选项 B）或完全委派以追求处理效率（选项 C）违反了负责任的人工智能治理。此外，将禁止分类为仅仅是系统技术可靠性的问题（选项 D）忽视了伦理和人类责任的基本要求。

问题 #:115 - [优化工作流以提高效率和有效性]

一名 Claude 助理正在识别一个内容工作流中的瓶颈，该工作流的出版时间过长。该工作流有五个步骤：研究、起草、内部审查、法律审查和出版。过去一个月每个步骤都有周期时间数据。

哪个信号最直接地识别瓶颈?

A. 排队时间最长的步骤或等待进入的项目积压最多的步骤

B. 在每周状态更新中，个别贡献者报告工作负载最高的步骤

C. 在过去一个月的运行中，每个项目的平均周期时间最高的步骤

D. 最近添加到工作流中的步骤，基于这样的假设：过程变化引入了最多的摩擦

答案： A

解释

Option A is correct because a persistent queue or growing backlog directly indicates that work is arriving faster than a step can process it. That step is constraining the throughput of the overall workflow: earlier work accumulates while later stages wait for completed items. Queue length should still be examined over a representative period to distinguish a sustained bottleneck from a temporary spike.

Option C is useful supporting evidence but is not always the most direct signal. A step may have a long per-item cycle time because the work is inherently complex while still possessing sufficient capacity to handle incoming demand. Conversely, a relatively short step can become the bottleneck when its available capacity is too low for the volume arriving. Employee-reported workload in Option B is subjective and may reflect effort, stress, or simultaneous responsibilities rather than workflow throughput. Option D relies on an unsupported assumption: a recently added step is not necessarily the constraint.

A sound Claude-assisted optimization process should map the workflow, collect measurable evidence, identify the constraint, test a targeted improvement, and compare results against a baseline. Anthropic recommends measurable, task-relevant success criteria and evaluation methods rather than vague impressions. Therefore, the largest sustained queue or backlog is the strongest direct indicator. See Anthropic's guidance on defining measurable success criteria and evaluations .

==========

Question #:116 - [Select appropriate Claude product features (e.g., projects, research mode, chat, artifacts)]

A finance manager must select a Claude feature for a task that requires deterministic calculations across a multi-tab spreadsheet.

Which selection best fits the requirement?

A. Use a standard chat prompt for the calculations, which generates text without running code and does not produce the reproducible computational output the multi-tab calculation task requires.

B. Use the Research feature for the calculations, which gathers and synthesizes external sources and is not the appropriate feature for deterministic computation on an uploaded spreadsheet.

C. Use an Artifact alone for the calculations, which provides a stable editable surface for the result but does not perform the deterministic computation that Code Execution would run.

D. Use Code Execution, which runs code in a sandbox to perform calculations on the uploaded file and produce outputs the associate can verify.

Answer: D

Explanation

Code Execution is the appropriate feature because it can run Python or shell-based computation in a sandboxed environment, process uploaded files, perform complex calculations, and generate analytical outputs. For a multi-tab spreadsheet, Claude can use code to read each worksheet, apply defined formulas or transformation logic, reconcile values, and return results that can be reproduced and inspected.

A normal chat response can describe calculations but does not necessarily execute them. Research mode is designed to gather and synthesize information from sources rather than serve as the primary calculation

选项 A 是正确的，因为持续的排队或不断增长的积压直接表明工作到达的速度快于某个步骤的处理速度。该步骤限制了整体工作流的吞吐量：早期的工作积累，而后续阶段则等待已完成的项目。排队长度仍应在一个具有代表性的时间段内进行检查，以区分持续的瓶颈和临时的高峰。

选项 C 是有用的支持证据，但并不总是最直接的信号。某个步骤可能因为工作本身复杂而每个项目的周期时间较长，同时仍然具备处理来电需求的足够能力。相反，当可用容量对于到达的数量过低时，相对较短的步骤可能会成为瓶颈。选项 B 中员工报告的工作负载是主观的，可能反映了努力、压力或同时的责任，而不是工作流的吞吐量。选项 D 依赖于一个不支持的假设：最近添加的步骤不一定是限制因素。

一个声音的 Claude 辅助优化过程应该映射工作流程，收集可测量的证据，识别约束，测试有针对性的改进，并将结果与基准进行比较。Anthropic 建议使用可测量的、与任务相关的成功标准和评估方法，而不是模糊的印象。因此，最大的持续排队或积压是最强的直接指标。请参阅 Anthropic 关于定义可测量成功标准和评估的指导。

==========

问题 #:116 - [选择适当的 Claude 产品功能（例如，项目、研究模式、聊天、产出物）]

财务经理必须为需要在多标签电子表格中进行确定性计算的任务选择一个 Claude 功能。

哪个选择最符合要求？

A. 使用标准聊天提示进行计算，该提示生成文本而不运行代码，并且不产生多标签计算任务所需的可重复计算输出。

B. 使用研究功能进行计算，该功能收集和综合外部来源，并且不是对上传电子表格进行确定性计算的适当功能。

C. 单独使用产出物进行计算，该功能为结果提供一个稳定的可编辑表面，但不执行代码执行将运行的确定性计算。

D. 使用代码执行，该功能在沙箱中运行代码，以对上传的文件进行计算，并生成可供助理验证的输出。

答案： D

解释

代码执行是合适的功能，因为它可以在一个沙箱环境中运行 Python 或基于 shell 的计算，处理上传的文件，执行复杂的计算，并生成分析输出。对于多标签电子表格，Claude 可以使用代码读取每个工作表，应用定义的公式或转换逻辑，调和数值，并返回可以重现和检查的结果。

正常的聊天回复可以描述计算，但不一定执行它们。研究模式旨在从来源收集和综合信息，而不是作为主要的计算工具

engine for an uploaded workbook. An Artifact can display or preserve an output, but the Artifact surface alone is not the computational mechanism.

Code execution improves reproducibility, but it does not guarantee that the formulas, assumptions, or source data are correct. The finance manager must review the generated code, validate important totals against known values, test edge cases, and reconcile outputs with the workbook's business rules. Anthropic's documentation explicitly states that Code Execution can analyze data, process uploaded files, perform complex calculations, and create visualizations in a secure sandbox. Therefore, D is the only feature selection aligned with deterministic spreadsheet computation. Anthropic's Code Execution documentation

==========

Question #:117 - [Organize and curate information for optimal outputs and select appropriate output formats]

You are an operations assistant asking Claude to summarize 200 weekly metric records across multiple regions.

Which output format communicates the data most clearly?

A. a bulleted list of observations grouped by region without consistent metrics across entries

B. a narrative summary organized by region, describing trends and notable records in prose

C. a series of regional narrative briefs, each describing weekly performance in paragraph form

D. a structured table with one record per row and one metric per column, sorted by region

Answer: D

Explanation

Under the objective **Organize and curate information for optimal outputs and select appropriate output formats** , selecting the right presentation format is determined by data density, comparability, and target audience utility.

When dealing with a high volume of multi-variable quantitative data (such as 200 metric records across multiple regional cohorts), structured tabular formatting provides the highest visual scanability and cognitive efficiency. Organizing data into a Markdown table with uniform rows, standardized metric columns, and regional sorting (Option D) enables immediate horizontal and vertical cross-comparison, trend spot-checking, and rapid verification. In contrast, narrative prose, regional paragraph briefs, or unstructured bullet points (Options A, B, and C) obscure numerical trends, hide outliers, and create unnecessary reading overhead for operational consumers.

Question #:118 - [Apply task decomposition techniques to structure complex requests]

You are evaluating whether a "redesign new-hire onboarding" request should be decomposed before prompting Claude.

Which feature of the request most strongly indicates decomposition will help?

上传工作簿的引擎。一个产出物可以显示或保存输出，但产出物表面本身并不是计算机制。

代码执行提高了可重复性，但并不能保证公式、假设或源数据是正确的。财务经理必须审查生成的代码，验证重要总计与已知值的一致性，测试边缘案例，并将输出与工作簿的业务规则进行核对。Anthropic 的文档明确指出，代码执行可以分析数据、处理上传的文件、进行复杂计算，并在安全的沙箱中创建可视化。因此，D 是唯一与确定性电子表格计算对齐的特征选择。Anthropic 的代码执行文档

==========

问题 #:117 - [组织和策划信息以获得最佳输出并选择适当的输出格式]

您是一名运营助理，正在请求 Claude 对多个 地区的 200 条每周指标记录进行总结。

哪种输出格式最清晰地传达数据？

A. 按地区分组的观察要点的项目符号列表，条目之间没有一致的指标

B. 按地区组织的叙述性总结，以散文形式描述趋势和显著记录

C. 一系列地区叙述简报，每个简报以段落形式描述每周表现

D. 一个结构化表格，每行一个记录，每列一个指标，按地区排序

答案： D

解释

在目标 组织和策划信息以获得最佳输出并选择适当的输出格式 下，选择正确的展示格式取决于数据密度、可比性和目标受众的实用性。

在处理大量多变量定量数据（例如跨多个地区群体的 200 条指标记录）时，结构化的表格格式提供了最高的视觉可扫描性和认知 efficiency。将数据组织成具有统一行、标准化指标列和 地区排序的 Markdown 表格（选项 D）可以实现即时的横向和纵向交叉比较、趋势快速检查和 快速验证。相比之下，叙述性散文、地区段落简报或非结构化的项目符号 （选项 A、B 和 C）会模糊数值趋势，隐藏异常值，并为 操作消费者创造不必要的阅读负担。

问题 #:118 - [应用任务分解技术来构建复杂请求]

您正在评估“重新设计新员工入职”请求是否应该在提示 Claude 之前进行分解。

请求的哪个特征最强烈地表明分解将有所帮助？

A.

A. The request involves content the associate has produced many times before and knows can be handled in a single well-structured prompt.

B. The request requires multiple distinct outputs: a process map, supporting materials, and a measurement plan.

C. The request is for a single structured document that can be produced from one set of inputs in one prompt.

D. The request involves a single well-defined output with a clear input and a familiar format.

Answer: B

Explanation

Option B presents a compound assignment with three materially different deliverables: a process map, supporting content, and a measurement plan. Each requires different inputs, reasoning steps, evaluation criteria, and output structures. Decomposing the request allows the team to define the onboarding objective, map the current process, design the future-state workflow, draft the supporting materials, establish success measures, and then integrate the components into a coherent package.

Task decomposition improves control because each intermediate result can be reviewed before it becomes an input to the next stage. It also prevents one large prompt from underdeveloping a component, overlooking dependencies, or blending incompatible formats. For example, measurement criteria should be based on the redesigned process rather than generated independently before the workflow is defined.

Options A, C, and D describe familiar or narrowly bounded work that can reasonably be handled with one structured prompt. Anthropic's workflow guidance recommends breaking complex interactions into unique tasks and using prompt chains when additional structure is needed. Decomposition should therefore be driven by the number of distinct deliverables and their dependencies, not simply by the length of the request. Anthropic's Claude workflow guidance

==========

A. 该请求涉及助理之前多次制作的内容，并且知道可以在一个结构良好的提示中处理。

B. 该请求需要多个不同的输出：一个流程图、支持材料和一个测量计划。

C. 该请求是一个单一的结构化文档，可以从一组输入中在一个提示中生成。

D. 该请求涉及一个单一的明确定义的输出，具有清晰的输入和熟悉的格式。

答案： B

解释

选项 B 提出了一个复合任务，包含三个实质上不同的交付物：一个流程图、支持内容和一个测量计划。每个交付物需要不同的输入、推理步骤、评估标准和输出结构。分解请求使团队能够定义入职目标，绘制当前流程，设计未来状态工作流，起草支持材料，建立成功衡量标准，然后将各个组件整合成一个连贯的包。

任务分解提高了控制能力，因为每个中间结果可以在成为下一个阶段的输入之前进行审查。它还防止了一个大型提示未能充分开发某个组件、忽视依赖关系或混合不兼容的格式。例如，测量标准应基于重新设计的过程，而不是在工作流定义之前独立生成。

A、C 和 D 选项描述了可以合理地通过一个结构化提示处理的熟悉或狭窄界限的工作。Anthropic 的工作流指导建议将复杂的交互分解为独特的任务，并在需要额外结构时使用提示链。因此，分解应由不同交付物的数量及其依赖关系驱动，而不仅仅是请求的长度。

Anthropic 的 Claude 工作流指导

==========