

Mediaflex Data Dictionary Report

Date Printed: 15-May-2023
Updated By: Jo Sims



Provided by:

*TransMedia Dynamics Inc
7719 Wood Hollow Dr
Suite 240
Austin, TX 78731
USA*

*Tel: + 1 512 600 3136
Email: jo.frost@tmd.tv
Web: www.tmd.tv*

INTRODUCTION

The Mediaflex data dictionary has been designed to provide Mediaflex clients with a means to extract metadata from the Mediaflex database without the need for additional development. It is primarily targeted for use by 3rd party reporting tools such as Crystal Reports and Microsoft Excel. Access to the Mediaflex Oracle database is restricted to a series of read only views that not only protect TMD's Intellectual Property Rights (IPR) but also simplify the complex data structures which Mediaflex is built on.

AGREEMENT

TransMedia Dynamics Ltd, 2012. All rights reserved. Except as provided below, no part of this document may be reproduced in any material form (including photocopying or storing it in any medium by electronic means) without the prior written permission of TransMedia Dynamics Ltd. except in accordance with the provisions of the (UK) Copyright, Designs and Patents Act 1988. TransMedia Dynamics grants permission to its customers that have entered into a Mediaflex Software Licence Agreement, to make copies of the Data Dictionary as a complete document (including the copyright notice) for their own internal use only. No copies may be published, distributed or made available to third parties whether by paper, electronic or other means without TransMedia Dynamics Ltd. prior written permission.

NOTE: The following views are being retired and should not be used if they already exist on the database:

View to be removed:	Instead use:
MDD_JOB_MEDIA	MDD_TASK_MEDIA
MDD_JOB_SCHEDULE	MDD_TASKS
MDD_MEDIA_FORMATS	MDD_MEDIA
MDD_MEDIA_DISCOVERY	MDD_MEDIA

VIEW DEFINITIONS

MDD_ACCESS_STATUS

Description: The accessibility to the Public of a Media Item

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key. Unique ID of Access Status
STATUS_ID	NUMBER	N	Unique identifier of the status type
ACCESS_STATUS_NAME	VARCHAR2	N	Name of status type
ACCESS_STATUS_CODE	VARCHAR2	N	
MEDIA_ID_FK	NUMBER	N	Foreign key. Links to MDD_MEDIA
DECISION_DATE	DATE	N	Date of the access status decision
MODIFIED_DATE	DATE	N	Date modified

MDD_ACQ_CATEGORY

Description: List of TV standards available in the system.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ACQ_ID_FK	NUMBER	N	Foreign Key. Joins with the MDD_ACQUISITIONS.ACQ_ID to join an Acquisition to its Category.
CAT_ID	NUMBER	N	Primary Key
CATEGORY_NAME	VARCHAR2	N	Full Category Name
CATEGORY_DESCRIPTION	VARCHAR2	Y	Description of Category

MDD_ACQ_CONTAINERS

Description: Provides information about the containers in an acquisition.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CONTAINER_ID	NUMBER	N	DO NOT USE. The name is mis-leading. It is the ID of the Acquisition Container, NOT the actual container!
ACQ_CONTAINER_ID	NUMBER	N	Primary key.

ACQ_ID	NUMBER	Y	Foreign Key. Joins with the MDD_ACQUISITIONS.ACQ_ID to link Acquisitions and Containers.
CONTAINER_BARCODE	VARCHAR2	Y	Barcode of Container
CONTAINER_DESCRIPTION	VARCHAR2	Y	Description of the Container associated with an Acquisition
PARENT	NUMBER	Y	Links to Parent of the Container
CONTAINER_FORMAT	VARCHAR2	Y	Format of the Container
PRIORITY	NUMBER	Y	Container Priority
ACCESSIONER	VARCHAR2	Y	Name of the Department that completed the Accessioning
CONTAINER_NOTES	CLOB	Y	Container Notes
CONTAINER_STATUS_ID	NUMBER	Y	Provides the Status ID. Links to relevant table to provide the Status name. Can also be used for querying
CONTAINER_STATUS	VARCHAR2	Y	Status Name of Acquisition Container
DATE_EXPECTED	DATE	Y	Date that the Acquisition Container is expected to be received
DATE_RECEIVED	DATE	Y	Date that the Acquisition Container was received
CREATED_DATE	DATE	Y	
CREATED_BY	VARCHAR2	Y	
HEIGHT	NUMBER	Y	Height of the Acquisition Container
WIDTH	NUMBER	Y	Width of the Acquisition Container
DEPTH	NUMBER	Y	Depth of the Acquisition Container

MDD_ACQ_OBJECTS

Description: Provides information about the objects in an acquisition.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
OBJECT_ID	NUMBER	N	Primary Key
ACQ_ID	NUMBER	Y	Foreign Key. Links to MDD_ACQUISITIONS.ACQ_ID to link Acquisitions and Objects
ACQ_CONTAINER_ID_FK	NUMBER	Y	Foreign Key. Joins with the MDD_ACQ_CONTAINERS.ACQ_CONTAINER_ID to link Acquisition Objects and Containers.
OBJECT_DESCRIPTION	VARCHAR2	Y	Description of the Object
PARENT_ID	NUMBER	Y	Provides link to acquisition container. (Superceded by acq_container_id_fk)
OBJECT_TYPE	NUMBER	N	Identifies the Type of the Object
MEDIA_ID2_FK	VARCHAR2	Y	Foreign Key. Links to MDD_MEDIA.MEDIA_ID2 to link Acquisitions and Media

OBJECT_BARCODE	VARCHAR2	Y	Barcode of acquisition object
ACQ_EXTERNAL_REF1	VARCHAR2	Y	Third party reference for object
MEDIUM	VARCHAR2	Y	Description of object's medium, eg: Audio, Documentation, Artefact etc.
SUB_MEDIUM	VARCHAR2	Y	Description of object's sub-medium, eg: Film, Sound Recording etc.
FORM	VARCHAR2	Y	Describes the object's form, eg: Actuality, Advertisement etc.
OBJECT_FORMAT	VARCHAR2	Y	Physical format of the object, eg: Tape, Disc, Paper etc.
CONTAINER_STATUS_ID	NUMBER	Y	ID of the Status of the Container the Object is in
CONTAINER_STATUS_DESC	VARCHAR2	Y	Status of the Container the Object is in
ACCESSION_STATUS	VARCHAR2	Y	Accession Status of Object
QTY_RECEIVED	NUMBER	Y	Total number of objects received
QTY_NOT_SELECTED	NUMBER	Y	Total number of objects not selected
QTY_REMAINING	NUMBER	Y	Total number of objects remaining
QTY_SELECTED	NUMBER	Y	Total number of objects selected
QTY_ACCESSIONED	NUMBER	Y	Total number of objects accessioned
QTY_AWAITING_ACCESSIONING	NUMBER	Y	Total number of objects awaiting accessioning
DATE_EXPECTED	DATE	Y	Date that the Acquisition Object is expected to be received
DATE_RECEIVED	DATE	Y	Date that the Acquisition Object was received
ARTICLE_LAST_MOVED	DATE	Y	The date the Article was last moved
OBJECT_NOTES	CLOB	Y	Notes associated with the Object
JOB_ID_FK	NUMBER	Y	Foreign Key. Links to the Job that an Acquisition Object is linked to
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_TASKS
ARTICLE_BARCODE	VARCHAR2	Y	Barcode of Physical Article
ARTICLE_FILENAME	VARCHAR2	Y	Filename of Digital Article
DISPOSAL_CLASS_NO	NUMBER	Y	Disposal Class Number of Article
ARTICLE_EXT_REF1	VARCHAR2	Y	External Reference 1 number for Article
ARTICLE_EXT_REF2	VARCHAR2	Y	External Reference 1 number for Article
CREATED_DATE	DATE	Y	Date Article created

MDD_ACQ_TYPES

Description: Provides information about types of acquisitions.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ACQ_TYPE_ID	NUMBER	N	Primary Key. Acquisition Type ID
ACQ_TYPE_NAME	VARCHAR2	N	Acquisition Type Name

ACQ_TYPE_CODE	VARCHAR2	Y	Acquisition Type Code.
ACQ_TYPE_CATEGORY	VARCHAR2	Y	Acquisition Type Category
ACQ_TYPE_ELEMENT	VARCHAR2	Y	Acquisition Type Element

MDD_ACQUISITIONS

Description: Provides overall information about an acquisition.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ACQ_ID	NUMBER	N	Primary Key. Acquisition ID
ENTITY_ID_FK	NUMBER	Y	Foreign Key. Provides link to the MDD_NAMES view
ACQ_TYPE_ID_FK	NUMBER	Y	Foreign Key. Provides link to Acquisition Type ID
CONSIGNMENT	VARCHAR2	Y	
COLLECTION	VARCHAR2	Y	Collection associated with Acquisition
FILE_REF	VARCHAR2	Y	Client specific reference
ACQUISITION_TYPE	VARCHAR2	Y	Acquisition Type
DESCRIPTION	VARCHAR2	Y	Description of the Acquisition
CREATED_BY	VARCHAR2	Y	User name of person who created the Acquisition
CREATED_DATE	DATE	Y	Date the Acquisition was created
CONTENTS_START_DT	DATE	Y	Date the Acquisition contents start
CONTENTS_END_DT	DATE	Y	Date the Acquisition contents end
NOTES	CLOB	Y	Provides notes associated with the Acquisition
HISTORY	CLOB	Y	Provides history associated with the Acquisition
SOURCE	VARCHAR2	Y	Original source of the Acquisition
SOURCE_ADDRESS	VARCHAR2	Y	Address of the original source of the Acquisition
SOURCE_CITY	VARCHAR2	Y	City of the original source of the Acquisition
SOURCE_STATE	VARCHAR2	Y	State of the original source of the Acquisition
SOURCE_POSTCODE	VARCHAR2	Y	Postcode of the original source of the Acquisition
CASE_OFFICER	VARCHAR2	Y	Name of Case Officer dealing with the Acquisition
CASE_OFFICER_FULL	VARCHAR2	Y	Full name of Case Officer dealing with the Acquisition
SECT_ACCESSIONING	VARCHAR2	Y	Section responsible for accessioning the Acquisition
STATUS	VARCHAR2	Y	Overall status of acquisition, eg: Received, Proposed, Complete etc.
ACQ_SYSTEM_STATUS	VARCHAR2	Y	
COPYRIGHT	NUMBER	Y	Copyright status of Acquisition
DISPOSAL_AUTHORITY	VARCHAR2	Y	Authority responsible for disposal of Acquisition
DISPOSAL_DUE_DATE	DATE	Y	Date the Acquisition is due for disposal

ALT_ID1	VARCHAR2	Y	
SERIES_ID	NUMBER	Y	Series ID of the Acquisition. Links to CRS_SERIES_ID_FK in MDD_CRS_SERIES_AGENCY
RESERVATION_ID_FK	NUMBER	Y	Foreign key. Reservation ID of the Acquisition. Links to RESERVATION_ID in MDD_SPACE_RESERVATION_ITEMS
ACQ_USER_STATUS	VARCHAR2	Y	User set status for the Acquisition
ACQ_COST	VARCHAR2	Y	Acquisition Cost in \$

MDD_ACTION_HISTORY

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ACTION	VARCHAR2	Y	
ITEM_TYPE	VARCHAR2	Y	
USER_NAME	VARCHAR2	Y	
ITEM_ID	NUMBER	Y	
ITEM_DETAILS	VARCHAR2	Y	
PC	VARCHAR2	Y	
LAST_ACCESSED	DATE	Y	

MDD_ALT_NAMES

Description: Provides information about the alternative names linked to a name authority.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
NAME_ID_FK	NUMBER	Y	Foreign Key. Provides link to MDD_NAMES
ALT_NAME_ID	NUMBER	Y	Primary Key. ID of Alternative Name
ALTERNATIVE_NAME	VARCHAR2	Y	Alternative Name
DATES	VARCHAR2	Y	Dates Alternative Name used

MDD_ASPECT_RATIO

Description: Links a legacy aspect ratio value to its afd details.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
LEGACY_VALUE	NUMBER	Y	Primary Key. Legacy aspect ratio ID.
AFD_CODE	VARCHAR2	Y	AFD code linked to legacy value.
DESCRIPTION	NVARCHAR2	Y	Description of aspect ratio.

MDD_AUDIO_FROM_MIS

Description: Provides information about the audio stored directly against a media item.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID	NUMBER	Y	Foreign Key. Linking Audio to Media
AU_NM	VARCHAR2	Y	Track number
AU_CONT_ID	VARCHAR2	Y	Audio content ID. For internal use only.
AUDIO_CONTENT	NVARCHAR2	Y	Description of audio content, eg: Full Mix
AUDIO_CONTENT_TAG	NVARCHAR2	Y	Code for Audio content
AU_LANG_ID	VARCHAR2	Y	Audio language ID. For internal use only.
AUDIO_LANGUAGE	VARCHAR2	Y	Audio language
AUDIO_LANGUAGE_CODE	VARCHAR2	Y	Code of audio language
AU_MS_ID	VARCHAR2	Y	Mono/Stereo ID. For internal use only.
AU_NR_ID	VARCHAR2	Y	Noise Reduction ID. For internal use only.
QC_STATUS	VARCHAR2	Y	Audio QC status
LANGUAGE_TAG	VARCHAR2	Y	SAP
LANGUAGE_TAG_DESC	VARCHAR2	Y	Description of Language Tag
LANGUAGE_ISO_CODE	VARCHAR2	Y	ISO Code for the Language
INTERNATIONAL_AUDIO	NUMBER	Y	Indicates whether the track has International Audio or not

MDD_AUTOPURGE_HISTORY

Description: This view provides information about all active general fileserver and storage device types and autopurge rules associated with each device.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MXF_DEVICE_ID	NUMBER	N	Unique ID of Mediaflex device.
MXF_DEVICE_NAME	VARCHAR2	N	Name of Mediaflex device.
MXF_DEVICE_CODE	VARCHAR2	N	Code of Mediaflex device.

MXF_DEVICE_TYPE	VARCHAR2	Y	Type of Mediaflex device.
DEVICE_NOTES	VARCHAR2	Y	User notes for Mediaflex device.
DEVICE_LOCATION	VARCHAR2	Y	Location that the device points to
PURGE_RULE_NAME	VARCHAR2	Y	Name of the autopurge rule.
ACTIVE	NUMBER	Y	Denotes whether or not the autopurge rule is active
LOG_ONLY	NUMBER	Y	Denotes if the autopurge rule is set to Log Only.
SCHEDULE	VARCHAR2	Y	Denotes when the autopurge rule is scheduled to run.
CREATED_DATE	DATE	Y	Date that the autopurge rule was created.
CREATED_BY	VARCHAR2	Y	User that created the autopurge rule.
MODIFIED_DATE	DATE	Y	Date that the autopurge rule was last modified.
MODIFIED_BY	VARCHAR2	Y	User that last modified the autopurge rule.

MDD_BOX_CONTAINER_TYPES

Description: Provides information about a box container type

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key. ID of the box container type
CODE	VARCHAR2	Y	Code of the box container type
NAME	VARCHAR2	Y	Name of the box container type
HEIGHT	NUMBER	Y	Height of the box container type in millimetres
WIDTH	NUMBER	Y	Width of the box container type in millimetres
DEPTH	NUMBER	Y	Depth of the box container type in millimetres

MDD_CHANNEL_GROUPS

Description: Lists channels and how they are grouped.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
GROUP_ID	NUMBER	Y	Primary Key. Unique ID of Group
GROUP_CODE	VARCHAR2	Y	Code of Group
GROUP_NAME	VARCHAR2	Y	Name of Group
CHANNEL_CODE	VARCHAR2	Y	Code of Channel in Group
ACTIVE	NUMBER	Y	Boolean value indicating whether the Group is active or not

MDD_CODES_ASPECT_RATIO

Description: Provides details of Aspect Ratios stored in the database.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
AR_ID	NUMBER	N	
AR_NAME	VARCHAR2	Y	
AR_CODE	VARCHAR2	Y	
ACTIVE	NUMBER	N	

MDD_CODES_CHANNELS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CHANNEL_ID	NUMBER	N	
CHANNEL_CODE	VARCHAR2	N	
NAME	VARCHAR2	N	
PARENT_CHANNEL	VARCHAR2	Y	
ACTIVE	NUMBER	Y	
PRIORITY	NUMBER	Y	

MDD_CODES_CULTURAL_STATUS

Description: List of Cultural Statuses available for use in the system.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CULTURAL_STATUS_ID	NUMBER	N	Unique ID of the Cultural Status
CULTURAL_STATUS_CODE	NVARCHAR2	Y	Code of Cultural Status
CULTURAL_STATUS_NAME	NVARCHAR2	N	Name of Cultural Status
CULTURAL_STATUS_DESCRIPTION	NVARCHAR2	Y	Description of Cultural Status
ACTIVE	NUMBER	N	Boolean value indicating whether the Cultural Status is active or not

MDD_CODES_DEVICES

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
DEVICE_ID	NUMBER	N	
DEVICE_NAME	VARCHAR2	N	
DEVICE_TYPE	NUMBER	Y	
DEVICE_TYPE_NAME	VARCHAR2	Y	
DEVICE_PATH	VARCHAR2	Y	
DEVICE_REF	VARCHAR2	Y	
CREATED_DATE	DATE	N	
CREATED_BY	VARCHAR2	N	
MODIFIED_DATE	DATE	Y	
MODIFIED_BY	VARCHAR2	Y	

MDD_CODES_TASK_TYPES

Description: This view provides information about a specific task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_TYPE_ID	NUMBER	Y	Primary Key. ID can be used to link from MDD_TASKS to get Task Type Description
TASK_TYPE	VARCHAR2	Y	Description of Task Type.

MDD_CODES_TEC_DETAILS

Description: List of tech codes available in the system.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TEC_NAME_ID	NUMBER	Y	Primary Key. Unique ID for Technical Condition or Treatment
TEC_TYPE_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_CODES_TEC_TYPE
TEC_CODE	VARCHAR2	Y	Code of Technical Condition or Treatment
TEC_NAME	VARCHAR2	Y	Description of Technical Condition or Treatment

TYPE	CHAR	Y	Indicates whether this is a Condition or a Treatment
ACTIVE	NUMBER	Y	Boolean value indicating whether the Group is active or not

MDD_CODES_TEC_TYPE

Description: Provides details of tech types and whether they are a condition or a treatment.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TEC_TYPE_ID	NUMBER	Y	Primary Key. Unique ID of Type
TEC_TYPE_NAME	VARCHAR2	Y	Type of material associated with the Condition or Treatment, eg Disc, Paper etc
ACTIVE	NUMBER	Y	Boolean value indicating whether the Group is active or not

MDD_CODES_TVSTD

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TVSTD_ID	NUMBER	N	Primary Key. Unique ID of TV Standard
NAME	NVARCHAR2	N	TV Standard name
LINES	NUMBER	N	Lines associated with TV Standard
FPS	NUMBER	Y	Frames Per Second
DROP_FRAME	NUMBER	N	Indicates whether this TV Standard uses a Drop Frame
CODE	VARCHAR2	Y	Mediaflex RESTful API code

MDD_CONTAINER_CONDITION_TREAT

Description: Provides details of conditions and treatments assigned to carriers.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CONTAINER_ID	NUMBER	Y	Foreign Key. Linking the Condition or Treatment to a Container
TEC_NAME_ID_FK	NUMBER	Y	Foreign Key. Linking Container to Tec Code
CONDITION_CODE	VARCHAR2	Y	Code of Technical Condition or Treatment
DESCRIPTION	VARCHAR2	Y	Description of condition or treatment of the carrier.

CONDITION_TYPE	VARCHAR2	Y	Type of material associated with the Condition or Treatment, eg Disc, Paper etc
TYPE	CHAR	Y	Indicates whether this is a Condition or a Treatment
SEVERITY	NUMBER	Y	Indicates the severity of the condition or treatment.
DATE_ENTERED	DATE	Y	Date condition or treatment was selected for the container
ENTERED_BY	VARCHAR2	Y	Name of user who selected the condition or treatment of the carrier.
DEPT_ID	NUMBER	Y	ID of the Department of the user who selected the condition or treatment of the carrier.
DEPT	VARCHAR2	Y	Name of the Department of the user who selected the condition or treatment of the carrier.
NOTES	VARCHAR2	Y	Free text notes entered for condition or treatment.

MDD_CONTAINER_FORMATS

Description: List the carrier formats available in the system.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key. Unique ID of Container Format
FORMAT_NAME	VARCHAR2	N	Name of Container Format
FORMAT_SHORTCODE	VARCHAR2	Y	Container Format shortcode
HEIGHT	NUMBER	Y	Container height
WIDTH	NUMBER	Y	Container width
DEPTH	NUMBER	Y	Container depth

MDD_CONTAINERS

Description: Provides details of carriers.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CONTAINER_ID	NUMBER	N	Primary Key. Unique ID of Carrier
BARCODE	VARCHAR2	Y	Barcode of Carrier
EXT_ID1	VARCHAR2	Y	Free text field available to enter second ID if required
EXT_ID2	VARCHAR2	Y	Free text field available to enter third ID if required
CONTAINER_SERIES_TITLE	VARCHAR2	Y	Series Title associated with Carrier
CONTAINER_TITLE	VARCHAR2	Y	Title associated with Carrier
CONTAINER_TYPE	NUMBER	Y	Value that identifies the type of Carrier

RETURN_DATE	DATE	Y	Return by Date
CONTAINER_TYPE_CODE	VARCHAR2	Y	
CONTAINER_TYPE_NAME	VARCHAR2	Y	
CONTAINED_IN	NUMBER	Y	Foreign Key. Linking to MDD_CONTAINER for a second Carrier that the first is contained within.
CONTAINER_OWNERS	VARCHAR2	Y	Identifies the owner(s) of the Carrier
FORMAT_ID	NUMBER	Y	Foreign Key. Linking format to Carrier using MDD_CONTAINER_FORMATS
FORMAT	VARCHAR2	Y	Description of Carrier format
LOCATION_FULL	VARCHAR2	Y	Full description of location of Carrier
LOCATION_CODE_FULL	VARCHAR2	Y	Location of Carrier
LAST_LIB_LOC	VARCHAR2	Y	Last library location of Carrier
SUGGESTED_LOC_NAME	VARCHAR2	Y	Name of the suggested location of Carrier
OUT_TO	VARCHAR2	Y	
STATUS	NUMBER	Y	Value used to determine Carrier status
CONTAINER_STATUS	VARCHAR2	Y	Status of Carrier
FLAG_MASTER	NUMBER	Y	Boolean value indicating whether the Carrier is the master
FLAG_SUPPLD	NUMBER	Y	Boolean value indicating whether the Carrier was supplied or made
FLAG_JOB CR	NUMBER	Y	Boolean value indicating whether the Carrier was created by a job
FLAG_WIPE	NUMBER	Y	Boolean value indicating whether the Carrier is to be wiped
FLAG_WIPED	NUMBER	Y	Boolean value indicating whether the Carrier has been wiped
FLAG_DEST	NUMBER	Y	Boolean value indicating whether the Carrier is to be destroyed
FLAG_DESTYD	NUMBER	Y	Boolean value indicating whether the Carrier has been destroyed
FLAG_ONLOAN	NUMBER	Y	Boolean value indicating whether the Carrier is on loan
FLAG_RETRNED	NUMBER	Y	Boolean value indicating whether the Carrier has been returned
FLAG_MATCHD	NUMBER	Y	Boolean value indicating whether the Carrier has been matched
FLAG_UNMATCHD	NUMBER	Y	Boolean value indicating whether the Carrier is unmatched
FLAG_IN	NUMBER	Y	Boolean value indicating whether the Carrier is in the facility
FLAG_OUT	NUMBER	Y	Boolean value indicating whether the Carrier is outside of the facility
FLAG_XOVER	NUMBER	Y	Boolean value indicating whether the Carrier has been written over
FLAG_BLANK	NUMBER	Y	Boolean value indicating whether the Carrier is blank
FLAG_OUT_INT	NUMBER	Y	Boolean value indicating whether the Carrier is on loan internally
FLAG_DAMAGED	NUMBER	Y	Boolean value indicating whether the Carrier is damaged
FLAG_ITEM_LIVE	NUMBER	Y	Boolean value indicating whether the Carrier is live
FLAG_ATTACH	NUMBER	Y	Boolean value indicating whether the Carrier is attached

FLAG_TX_OK	NUMBER	Y	Boolean value indicating whether the Carrier is suitable for transmission
FLAG_MODIF	NUMBER	Y	Boolean value indicating whether the Carrier has been modified
FLAG_CONTENT_MODIF	NUMBER	Y	Boolean value indicating whether the content of the Carrier has been modified
FLAG_TIMELINE_MODIF	NUMBER	Y	Boolean value indicating whether the timeline of the Carrier has been modified
FLAG_SH_NEW_CREATE	NUMBER	Y	Boolean value indicating whether the Carrier sh new create
FLAG_BLANK_CLI	NUMBER	Y	Boolean value indicating whether the Carrier has no owner
FLAG_BLANK_PRE_TTLD	NUMBER	Y	Boolean value indicating whether the Carrier is pre-titled blank stock
FLAG_BLANK_ASSND	NUMBER	Y	Boolean value indicating whether the Carrier has a blank assnd
FLAG_IMPORT_DATA	NUMBER	Y	Boolean value indicating whether the Carrier was imported
FLAG_NEW_ARRV	NUMBER	Y	Boolean value indicating whether the Carrier is a new arrival
FLAG_DEL	NUMBER	Y	Boolean value indicating whether the Carrier has been deleted
FLAG_ACCEPT	NUMBER	Y	Boolean value indicating whether the Carrier has been accepted
FLAG_REJECT	NUMBER	Y	Boolean value indicating whether the Carrier has been rejected
FLAG_ITEM_PART	NUMBER	Y	Boolean value indicating whether the Carrier is part of an item
FLAG_MISSING	NUMBER	Y	Boolean value indicating whether the Carrier is missing
FLAG_FTP_FILE	NUMBER	Y	
FLAG_HDR_TC_TRACK_MISSMATCH	NUMBER	Y	
FLAG_INVALID_TIMECODE_TRACK	NUMBER	Y	
FLAG_UNATTACHED	NUMBER	Y	
FLAG_EXTERNALISED	NUMBER	Y	
CREATED_BY_LOCATION_ID	NUMBER	Y	ID of the location of the user who created the Carrier
CREATED_BY_LOCATION	VARCHAR2	Y	Location of the user who created the Carrier
CREATED_BY_PARENT_LOCATION_ID	NUMBER	Y	ID of the parent location of the user who created the Carrier
USER_AREA_ID	NUMBER	Y	ID of the area that the user who created the Carrier is in
CREATED_DATE	DATE	N	Date the Carrier was created
CREATED_BY	VARCHAR2	N	Name of the user who created the Carrier
MODIFIED_DATE	DATE	Y	Date the Carrier was last modified
MODIFIED_BY	VARCHAR2	Y	Name of the user who last modified the Carrier
ATTACHMENT_FILENAMES	CLOB	Y	List of Attachment Filenames.
URL_REFERENCES	CLOB	Y	List of URL References.
ORIGIN	NUMBER	Y	ID of origin of Carrier
TAPE_NUMBER	NUMBER	Y	Number of Carrier if media crosses more than one

TOTAL_TAPES	NUMBER	Y	Total number of Carriers if media crosses more than one
TAPE_SIZE	NUMBER	Y	Size of Carrier
GROUP_NUMBER	NUMBER	Y	Foreign Key. Linking Carrier to a group
NOTES	VARCHAR2	Y	Notes associated with a Carrier
ACQ_ID	NUMBER	Y	Foreign Key. Linking Carrier to an acquisition in MDD_ACQUISITIONS
STOCK_CHECK_ID	NUMBER	Y	Foreign Key. Linking Carrier to a particular stock check list
STOCK_CHECK_STATE_ID	NUMBER	Y	ID of stock check state. Can be used for efficient querying and or sorting
STOCK_CHECK_STATE	VARCHAR2	Y	Description of stock check state
STOCK_CHECK_BY	VARCHAR2	Y	Name of user who performed stock check
STOCK_CHECK_DATE	DATE	Y	Date of most recent stock check
CONTAINER_LENGTH	NUMBER	Y	Length of Carrier (derived from xml metadata)
LOGIN_DATE	DATE	Y	The date the Carrier was logged into Mediaflex
LAST_OUT_NAME_ID_FK	NUMBER	Y	Foreign Key. Linking to MDD_NAMES

MDD_CONTENT

Description: Provides information content of a version.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CONTENT_ID	NUMBER	N	Primary Key. Unique ID of Content
VERSION_ID_FK	NUMBER	N	Foreign Key. Links to MDD_VERSIONS
CONTENT_VERSION_ID_FK	NUMBER	N	Foreign Key. Links to the Content Version in MDD_VERSIONS
CONTENT_VERSION_ID1	VARCHAR2	Y	VersionID1 of Content Version
VERSION_ID1_FK	VARCHAR2	Y	Foreign Key. Allows for linking to the VersionID1 field
LIST_INDEX	NUMBER	Y	Content index
TITLE	VARCHAR2	Y	Content Title
MEDIUM	VARCHAR2	Y	Content Medium
SUB_MEDIUM	VARCHAR2	Y	Content Sub Medium

MDD_CONTENT_PURE

Description: Further information is required re MDD_CONTENT_PURE.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
-------------	-----------	----------	----------

CONTENT_ID	NUMBER	N
PARENT_VERSION_ID_FK	NUMBER	Y
LIST_INDEX	NUMBER	Y
CONTENT_TITLE	VARCHAR2	Y

MDD_CREDITS

Description: Provides information about the credits associated with a version.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CREDIT_ID	NUMBER	N	Primary Key. Unique ID of Credit
VERSION_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_VERSIONS
ENTITY_ID_FK	NUMBER	N	Foreign Key. Links to the Entity in MDD_NAMES that is related to the Credit
NAME_ID_FK	NUMBER	N	Foreign Key. Links to the Name in MDD_NAMES that is related to the Credit
FULL_NAME	VARCHAR2	Y	Full name of the Credit
ROLE_ID	NUMBER	Y	
ROLE	VARCHAR2	Y	Role of the Credit
CREATED_BY	VARCHAR2	Y	
CREATED_DATE	DATE	Y	
MODIFIED_BY	VARCHAR2	Y	
MODIFIED_DATE	DATE	Y	

MDD_CRS_SERIES_AGENCY

Description: Provides information about the credits associated with a version.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CRS_SERIES_ID_FK	NUMBER	N	Foreign key link to CRS Series
CRS_SERIES_NUMBER	VARCHAR2	N	CRS Series Number
CRS_SERIES_TITLE	VARCHAR2	N	CRS Series Title
ENTITY_ID_FK	NUMBER	N	Foreign Key link to Name Authority Entity
AGENCY_CODE	VARCHAR2	Y	Related Agency Code
AGENCY_NAME	VARCHAR2	Y	Related Agency Name
RELATION_TYPE	NUMBER	N	Relationship Type of Agency

SERIES_TYPE	VARCHAR2	Y	Description of CRS Series Type / Predominant Form
-------------	----------	---	---

MDD_DCTC_BBS_DELIVERY_CUSTOM

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
XML_ID	NUMBER	N	
VERSION_ID_FK	NUMBER	Y	
BBS_NETWORK	VARCHAR2	Y	
BBS_USEPACKAGE_DATES	VARCHAR2	Y	
BBS_BUGPRESENTINSOURCE	VARCHAR2	Y	
BBS_PUBLISHTO_AOL	VARCHAR2	Y	
BBS_PUBLISHTO_BLINKX	VARCHAR2	Y	
BBS_PUBLISHTO_COMCAST	VARCHAR2	Y	
BBS_PUBLISHTO_DISH	VARCHAR2	Y	
BBS_PUBLISHTO_HULU	VARCHAR2	Y	
BBS_PUBLISHTO_MSN	VARCHAR2	Y	
BBS_PUBLISHTO_YAHOO	VARCHAR2	Y	
BBS_PUBLISHTO_YOUTUBE	VARCHAR2	Y	
BBS_CATEGORY_AOL	VARCHAR2	Y	
BBS_CATEGORY_COMCAST	VARCHAR2	Y	
BBS_CATEGORY_HULU	VARCHAR2	Y	
BBS_SERIESID_COMCAST	VARCHAR2	Y	
BBS_ISPUBLIC_YOUTUBE	VARCHAR2	Y	

MDD_DCTC_BBS_MRSS_CUSTOM

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
XML_ID	NUMBER	N	
BBS_PARTNER	VARCHAR2	Y	
BBS_NETWORK	VARCHAR2	Y	
VALID_FROM	VARCHAR2	Y	
VALID_TO	VARCHAR2	Y	

MASTER_JOB_ID	VARCHAR2	Y
PACKAGE_ID	VARCHAR2	Y
PAID	VARCHAR2	Y
XML_DATA	VARCHAR2	Y
CREATED_DATE	VARCHAR2	Y

MDD_DCTC_BBS_TITLE_CUSTOM

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
XML_ID	NUMBER	N	
VERSION_ID_FK	NUMBER	Y	
BBS_SERIES_TITLE	VARCHAR2	Y	
BBS_SOURCE_SERIES_DESC	VARCHAR2	Y	
BBS_EPISODE_TITLE	VARCHAR2	Y	
BBS_EPISODE_SHORT_DESC	VARCHAR2	Y	
BBS_KEYWORDS	VARCHAR2	Y	
BBS_USESERIESTITLE_AOL	VARCHAR2	Y	
BBS_SERIESTITLE_AOL	VARCHAR2	Y	
BBS_USESRCSERIESDESC_AOL	VARCHAR2	Y	
BBS_SRCSERIESDESC_AOL	VARCHAR2	Y	
BBS_USEEPISODETITLE_AOL	VARCHAR2	Y	
BBS_EPISODETITLE_AOL	VARCHAR2	Y	
BBS_USEEPSHORTDESC_AOL	VARCHAR2	Y	
BBS_EPISODESHORTDESC_AOL	VARCHAR2	Y	
BBS_USEKEYWORDS_AOL	VARCHAR2	Y	
BBS_KEYWORDS_AOL	VARCHAR2	Y	
BBS_USESERIESTITLE_BLINKX	VARCHAR2	Y	
BBS_SERIESTITLE_BLINKX	VARCHAR2	Y	
BBS_USESRCSERIESDESC_BLINKX	VARCHAR2	Y	
BBS_SRCSERIESDESC_BLINKX	VARCHAR2	Y	
BBS_USEEPISODETITLE_BLINKX	VARCHAR2	Y	
BBS_EPISODETITLE_BLINKX	VARCHAR2	Y	
BBS_USEEPSHORTDESC_BLINKX	VARCHAR2	Y	
BBS_EPISODESHORTDESC_BLINKX	VARCHAR2	Y	

BBS_USEKEYWORDS_BLINKX	VARCHAR2	Y
BBS_KEYWORDS_BLINKX	VARCHAR2	Y
BBS_USESERIESTITLE_COMCAST	VARCHAR2	Y
BBS_SERIESTITLE_COMCAST	VARCHAR2	Y
BBS_USESRCSERIESDESC_COMCAST	VARCHAR2	Y
T		
BBS_SRCSERIESDESC_COMCAST	VARCHAR2	Y
BBS_USEEPISODETITLE_COMCAST	VARCHAR2	Y
BBS_EPISODETITLE_COMCAST	VARCHAR2	Y
BBS_USEEPSHORTDESC_COMCAST	VARCHAR2	Y
BBS_EPISODESHORTDESC_COMCAST	VARCHAR2	Y
T		
BBS_USESERIESTITLE_DISH	VARCHAR2	Y
BBS_SERIESTITLE_DISH	VARCHAR2	Y
BBS_USESRCSERIESDESC_DISH	VARCHAR2	Y
BBS_SRCSERIESDESC_DISH	VARCHAR2	Y
BBS_USEEPISODETITLE_DISH	VARCHAR2	Y
BBS_EPISODETITLE_DISH	VARCHAR2	Y
BBS_USEEPSHORTDESC_DISH	VARCHAR2	Y
BBS_EPISODESHORTDESC_DISH	VARCHAR2	Y
BBS_USESERIESTITLE_HULU	VARCHAR2	Y
BBS_SERIESTITLE_HULU	VARCHAR2	Y
BBS_USESRCSERIESDESC_HULU	VARCHAR2	Y
BBS_SRCSERIESDESC_HULU	VARCHAR2	Y
BBS_USEEPISODETITLE_HULU	VARCHAR2	Y
BBS_EPISODETITLE_HULU	VARCHAR2	Y
BBS_USEEPSHORTDESC_HULU	VARCHAR2	Y
BBS_EPISODESHORTDESC_HULU	VARCHAR2	Y
BBS_USEKEYWORDS_HULU	VARCHAR2	Y
BBS_KEYWORDS_HULU	VARCHAR2	Y
BBS_USESERIESTITLE_MSN	VARCHAR2	Y
BBS_SERIESTITLE_MSN	VARCHAR2	Y
BBS_USESRCSERIESDESC_MSN	VARCHAR2	Y
BBS_SRCSERIESDESC_MSN	VARCHAR2	Y
BBS_USEEPISODETITLE_MSN	VARCHAR2	Y
BBS_EPISODETITLE_MSN	VARCHAR2	Y
BBS_USEEPSHORTDESC_MSN	VARCHAR2	Y

BBS_EPISODESHORTDESC_MSN	VARCHAR2	Y
BBS_USEKEYWORDS_MSN	VARCHAR2	Y
BBS_KEYWORDS_MSN	VARCHAR2	Y
BBS_USESERIESTITLE_YAHOO	VARCHAR2	Y
BBS_SERIESTITLE_YAHOO	VARCHAR2	Y
BBS_USESRCSERIESDESC_YAHOO	VARCHAR2	Y
BBS_SRCSERIESDESC_YAHOO	VARCHAR2	Y
BBS_USEEPISEDETITLE_YAHOO	VARCHAR2	Y
BBS_EPISODETITLE_YAHOO	VARCHAR2	Y
BBS_USEEPSHORTDESC_YAHOO	VARCHAR2	Y
BBS_EPISODESHORTDESC_YAHOO	VARCHAR2	Y
BBS_USEKEYWORDS_YAHOO	VARCHAR2	Y
BBS_KEYWORDS_YAHOO	VARCHAR2	Y
BBS_USESERIESTITLE_YOUTUBE	VARCHAR2	Y
BBS_SERIESTITLE_YOUTUBE	VARCHAR2	Y
BBS_USESRCSERIESDESC_YOUTUB E	VARCHAR2	Y
BBS_SRCSERIESDESC_YOUTUBE	VARCHAR2	Y
BBS_USEEPISEDETITLE_YOUTUBE	VARCHAR2	Y
BBS_EPISODETITLE_YOUTUBE	VARCHAR2	Y
BBS_USEEPSHORTDESC_YOUTUBE	VARCHAR2	Y
BBS_EPISODESHORTDESC_YOUTUB E	VARCHAR2	Y
BBS_USEKEYWORDS_YOUTUBE	VARCHAR2	Y
BBS_KEYWORDS_YOUTUBE	VARCHAR2	Y

MDD_DCTC_JOB_CUSTOM

Description: Provides a view of custom metadata for a job.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
JOB_ID_FK	NUMBER	Y	Foreign Key. Linking custom metadata to related Job in MDD_JOB
CHANNEL_STORAGE_LOCATION	VARCHAR2	Y	Provides details of the Storage Location specified for the job.

MDD_DCTC_MEDEXTENDED_CUSTOM

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
VERSION_ID_FK	NUMBER	Y	
NEW_MEDIA_TYPE	VARCHAR2	Y	
BBS_PUBLISH	VARCHAR2	Y	

MDD_DCTC_MEDVERSION_CUSTOM

Description: Provides custom metadata linked to a Digital Media Version

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
VERSION_ID_FK	NUMBER	Y	Foreign Key. Provides a link to the related Version
WEB_SERIES_TITLE	VARCHAR2	Y	Series Title assigned by the Web Producer
WEB_TITLE	VARCHAR2	Y	Series Title assigned by the Web Producer
WEB_SHORT_DESC	VARCHAR2	Y	Short Description assigned by the Web Producer
SOURCE_PAID	VARCHAR2	Y	PAID ID for source material used to create media item

MDD_DCTC_NLS_RUNDOWN_MEDIA

Description: List of promo and commercial Rundown Media Items.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
PACKAGE_ID	NUMBER	N	ID of Package linked to Rundown. Can be used to link to MDD_PACKAGES view
RUNDOWN_ID	NUMBER	N	ID of Rundown.
RUNDOWN_MEDIA_ID	VARCHAR2	Y	ID of Rundown Media. Links to Mediaflex MEDIA_ID2 for promos and commercials
RUNDOWN_ITEM_TYPE	VARCHAR2	Y	Item type of Rundown media
SELECTED_MFX_MEDIA_ID_FK	NUMBER	Y	ID of Mediaflex Media that has been selected for the Rundown item. Can be used to link to the MDD_MEDIA view for full details of selected media

MATCHED_MFX_MEDIA_ID	NUMBER	Y	ID of Media found to be a match in Mediaflex, ie has MEDIA ID2 that matches the Rundown Media ID
MATCHED_MEDIA_ID2	VARCHAR2	Y	ID2 of matching Mediaflex media
MATCHED_MEDIA_VERSION_ID1	VARCHAR2	Y	Version ID1 of matching Mediaflex media
MATCHED_MEDIA_TITLE	VARCHAR2	Y	Title
MATCHED_MEDIA_FILENAME	VARCHAR2	Y	Filename of matching Mediaflex media
MATCHED_MEDIA_FORMAT	VARCHAR2	Y	Format of matching Mediaflex media
MATCHED_MEDIA_LOCATION	VARCHAR2	Y	Location of matching Mediaflex media
DUE_DATE	DATE	Y	Date media is required per the Valid From date of the Package
MATCHED_MEDIA_QC_STATUS	VARCHAR2	Y	QC Status of matching Mediaflex media
PACKAGE_VIDEO_STATUS	VARCHAR2	Y	Video Status of the Package
PACKAGE_IMAGE_STATUS	VARCHAR2	Y	Image Status of the Package
PACKAGE_METADATA_STATUS	VARCHAR2	Y	Metadata Status of the Package
RUNDOWN_STATUS	NUMBER	N	Rundown Status
TARGET_SCHEDULE_READY	NUMBER	Y	Target Schedule Ready status

MDD_DCTC_NLS_VUBIQUITY_PLANNER

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
PACKAGE_ID_FK	NUMBER	N	
PROVIDER	VARCHAR2	Y	
PROVIDER_ID	VARCHAR2	Y	
ASSET_ID	VARCHAR2	Y	
PACKAGE_ASSET_ID	VARCHAR2	Y	
TITLE_ASSET_ID	VARCHAR2	Y	
MOVIE_ASSET_ID	VARCHAR2	Y	
POSTER_ART_ASSET_ID	VARCHAR2	Y	
BOX_COVER_ASSET_ID	VARCHAR2	Y	
PROVIDER_CONTENT_TIER	VARCHAR2	Y	
VIDEO_FORMAT	VARCHAR2	Y	
TITLE	VARCHAR2	Y	
LICENSING_WINDOW_START	VARCHAR2	Y	
LICENSING_WINDOW_END	VARCHAR2	Y	
MOVIE_RUN_TIME	VARCHAR2	Y	

MOVIE_FILE_NAME	VARCHAR2	Y
POSTER_ART_FILE_NAME	VARCHAR2	Y
BOX_COVER_FILE_NAME	VARCHAR2	Y
MANIFEST_ID	VARCHAR2	Y

MDD_DCTC_PACKAGE_CUSTOM

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
PACKAGE_ID_FK	NUMBER	Y	
USNETS_DISTRIBUTION_CHANNEL	VARCHAR2	Y	
KEYWORDS	VARCHAR2	Y	
VIDEO_CATEGORY	VARCHAR2	Y	

MDD_DCTC_SERIES_CUSTOM

Description: Provides custom metadata linked to a Title.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
PARENT_SERIES_ID_FK	NUMBER	Y	Foreign Key. Linking custom metadata to PARENT_SERIES_ID_FK in MDD_TITLES
PDS_SERIES_NAME	VARCHAR2	Y	Series Name from PDS

MDD_DIGITAL_FILE_LINKS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID_FK	NUMBER	N	
DIGITAL_FILE_ID_FK	NUMBER	N	
MEDIA_ITEM_INDEX	NUMBER	Y	
DIGITAL_FILE_INDEX	NUMBER	Y	
CREATED_DATE	DATE	N	
CREATED_BY	VARCHAR2	N	

MODIFIED_DATE	DATE	Y
MODIFIED_BY	VARCHAR2	Y

MDD_DIGITAL_FILES

Description: Provides information about Digital Carriers (Files).

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
DFILE_ID	NUMBER	N	Primary Key. Unique ID of Digital Carrier
DTYPE_ID	NUMBER	Y	
DFILE_TYPE	VARCHAR2	Y	Description of the Material Type eg Physical A/V Material
PATH	VARCHAR2	Y	Full location (on disk) of the Digital Carrier / File
FILENAME	VARCHAR2	Y	Filename of the digital carrier
FILE_EXTENSION	VARCHAR2	Y	
DEVICE_ID	NUMBER	Y	Foreign Key. Unique ID of the Mediaflex Device that this digital carrier is linked to in TM_DEVICE_LST
DEVICE_NAME	VARCHAR2	Y	The text description of the linked Mediaflex Device
FILESIZE	NUMBER	Y	The size (in bytes) of the digital file
CREATED	DATE	N	Date the Digital carrier record was created
CREATED_BY	VARCHAR2	N	Name of the user who created the Digital Carrier record
MODIFIED	DATE	Y	The date of the last change to the Digital Carrier record
MODIFIED_BY	VARCHAR2	Y	Name of the last user who modified the Digital Carrier record
SOM_FRAMES	NUMBER	Y	Start of Media stored in frames
SOM_TIMECODE	VARCHAR2	Y	SOM displayed as a timecode
EOM_FRAMES	NUMBER	Y	End of Media stored in frames
EOM_TIMECODE	VARCHAR2	Y	EOM displayed as a timecode
DURATION_FRAMES	NUMBER	Y	Duration of the media stored as frames
DURATION_TIMECODE	VARCHAR2	Y	Duration of the media displayed as a timecode
TV_STANDARD_ID	NUMBER	Y	Foreign Key. Unique ID of the TV Standard for the Media in TM_CFG_TVSTD
TV_STANDARD_NAME	NVARCHAR2	Y	The text description of the TV Standard for the Media
MEDIA_FILE_TYPE_ID	NUMBER	Y	Foreign Key. The unique ID of the type of Digital file in TM_CFG_MEDIA_FILE_TYPES
MEDIA_FILE_TYPE_NAME	VARCHAR2	Y	Text Description of the type of Digital File
EXT_REF1	VARCHAR2	Y	Client specific Identifier
EXT_REF2	VARCHAR2	Y	Client specific Identifier

ORIGINAL_FILENAME	VARCHAR2	Y	The last name of the file before any renaming workflows
DFILE_LINK_GUID	VARCHAR2	Y	Internal Use ID

MDD_DISPOSAL_RECORDS

Description: Disposal Records for assessed carriers

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID_FK	NUMBER	N	Foreign Key. Links to MEDIA_ID in MDD_MEDIA
DISPOSAL_CLASS_ID	NUMBER	N	Disposal class ID
DISPOSAL_CLASS	NUMBER	Y	Disposal Class
DISPOSAL_CLASS_DESCRIPTION	VARCHAR2	Y	Disposal Class Description
DISPOSAL_STATUS_ID	NUMBER	N	Disposal status ID
DISPOSAL_STATUS	VARCHAR2	Y	Disposal status
DISPOSAL_DUE_DATE	DATE	Y	Disposal due date
DISPOSAL_ACTION	VARCHAR2	Y	Disposal action
MODIFIED_BY	VARCHAR2	Y	Person who last modified the Disposal Status
MODIFIED_DT	DATE	Y	Date that the media item disposal status was last modified

MDD_ENTITY_NATIONALITIES

Description: Links Entities to their associated nationality(ies)

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ENTITY_ID	NUMBER	N	Foreign Key. Links to Entity details in MDD_ENTITIES
NATIONALITY	VARCHAR2	Y	Nationality(ies) associated with Entity

MDD_GROUP_MEDIA

Description: Links media for certain lists used in the system, eg: Stock Check lists

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TAG_ID	NUMBER	N	Primary Key. Links to TAG table (internal use only)
GROUP_ID_FK	NUMBER	Y	Foreign Key. Links to group in MDD_GROUPS
ITEM_TYPE	NUMBER	Y	Identifies how the item is grouped, eg: 3020 = Carrier

ITEM_ID	NUMBER	Y	Foreign Key. Links to a scndary view depending on the type of item
TITLE_ID_FK	NUMBER	Y	Foreign Key. Links to Title in MDD_TITLES
CONTAINER_ID_FK	NUMBER	Y	Foreign Key. Links to container in MDD_CONTAINERS
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Links to media in MDD_MEDIA
VERSION_ID_FK	NUMBER	Y	Foreign Key. Links to version in MDD_VERSIONS
JOB_ID_FK	NUMBER	Y	
LOAN_ITEM_ID_FK	NUMBER	Y	Foreign Key. Links to job in MDD_JOB
CREATED_BY	VARCHAR2	N	Name of the user who created the group
CREATED_DATE	DATE	N	Date the group was created
STATUS	NUMBER	Y	Internal use value used to determine if location matches between actual location and scanned location during a stock check
STOCK_CHECK_STATUS_ID	NUMBER	Y	
STOCK_CHECK_STATUS	VARCHAR2	Y	Status of Carriers in a Stock Check Picklist
STOCK_CHECK_DATE	DATE	Y	Date the Stock Check status was set
STOCK_CHECK_USER	VARCHAR2	Y	User who performed the stock check

MDD_GROUPS

Description: Provides a list of groups that are used to link media

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
GROUP_ID	NUMBER	N	Primary Key. Unique ID of the Group
PARENT_ID	NUMBER	Y	Foreign Key. Links to a parent Group if there is one
GROUP_NAME	VARCHAR2	Y	Name of Group
GROUP_DESCRIPTION	VARCHAR2	Y	Description of Group
CREATED_DATE	DATE	N	Date Group was created
CREATED_BY	VARCHAR2	N	Name of user who created the group
MODIFIED_DATE	DATE	Y	Date Group was modified
MODIFIED_BY	VARCHAR2	Y	Name of user who modified the group
IMPORTED_DATE	DATE	Y	Date Items were imported into the group
REFRESHED_DATE	DATE	Y	Date the Items in the group were last refreshed
GROUP_TYPE_ID	NUMBER	Y	Identifies the type of group
LIST_COMPLETED	NUMBER	N	Locked status of the Group
LIST_COMPLETED_DATE	DATE	Y	Date the Group was locked
LIST_COMPLETED_BY	VARCHAR2	Y	Name of the user who lockd the group

MDD_HISTORY

Description: Provides details of History associated with media or a task

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
HISTORY_ID	NUMBER	N	Primary Key. Unique ID of History data
HISTORY_TYPE_ID	NUMBER	N	Internal use key to determine the type of data
HISTORY_TYPE	VARCHAR2	N	Description of History type
HISTORY_TEXT	VARCHAR2	Y	History Text
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to Task History is associated with in MDD_TASKS
INTEGER1_HEADER	VARCHAR2	Y	Details captured depending on the type of History
PARENT_ID	NUMBER	N	Foreign Key. Linking to either Task or Media
PARENT_TYPE_ID	NUMBER	N	Internal use key identifying parent type
INTEGER_VALUE1	NUMBER	Y	Details captured depending on the type of History
QC_STATUS	VARCHAR2	Y	Primary Key. Links to TAG table (internal use only)
INTEGER_VALUE2	NUMBER	Y	Details captured depending on the type of History
STRING_VALUE1	VARCHAR2	Y	Details captured depending on the type of History
STRING_VALUE2	VARCHAR2	Y	Details captured depending on the type of History
NOTES	VARCHAR2	Y	Notes captured
CREATED_BY	VARCHAR2	N	Name of user who entered the details
CREATED_DATE	DATE	N	Date record was created

MDD_HISTORY_EQUIPMENT

Description: Links history to associated equipment used

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
HISTORY_ID_FK	NUMBER	Y	Foreign Key. Provides link to History data
EQUIPMENT_ORDER	NUMBER	Y	Equipment index
EQUIPMENT_NAME	VARCHAR2	Y	Name of Equipment used
EQUIPMENT_ID_FK	VARCHAR2	Y	Foreign Key. Internal use key

MDD_IBMS_VERSIONS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	
HOUSE_NUMBER	VARCHAR2	Y	
FILE_REF	VARCHAR2	Y	

MDD_JOB

Description: Provides details of Jobs created

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
JOB_ID	NUMBER	N	Primary Key. Unique ID of Job
JOB_NO	VARCHAR2	Y	Provides full Job number including client prefix
CLIENT_REF	VARCHAR2	Y	Secondary reference for Job
JOB_CREATE_DATE	DATE	Y	Date Job was created
JOB_CREATED_BY	VARCHAR2	N	Name of user who created the job
JOB_COMPLETE_BY	DATE	Y	Date Job is due to be completed by
JOB_COMPLETED_DATE	DATE	Y	Date Job was actually completed
JOB_COMPLETED_DMY	VARCHAR2	Y	Job completed in groupable format
JOB_COMPLETED_MY	VARCHAR2	Y	Month and year Job was completed
JOB_COMPLETED_M_NUM	NUMBER	Y	Month Job was completed in numerical format
JOB_COMPLETED_YEAR	VARCHAR2	Y	Year Job was completed
OWNERS	VARCHAR2	Y	Owner of Job
JOB_NOTES	VARCHAR2	Y	
PRESET_ID	NUMBER	Y	
PRESET_USED	VARCHAR2	Y	Name of preset used
PRESET_DESC	VARCHAR2	Y	Description of the preset used
PRESET_ACTIVE	NUMBER	Y	0 indicates that the preset is Not Active, 1 indicates that it is active
JOB_STATUS_ID	NUMBER	Y	Internal use ID
JOB_STATUS	VARCHAR2	Y	Status of overall Job
FAILURE_RESOLVED	NUMBER	Y	Indicates if the Job has been marked as resolved
JOB_REQUEST_REFERENCE	VARCHAR2	Y	External Reference number for Job

PARENT_JOB	NUMBER	Y	The ID of the parent job from which this job was raised.
------------	--------	---	--

MDD_JOB_MEDIA

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
JOB_ID	NUMBER	Y	
MEDIA_ID	NUMBER	Y	
SOURCE	NUMBER	Y	
TASK_ID	NUMBER	Y	
TASK_TYPE	NUMBER	Y	
TASK_TYPE_DESC	VARCHAR2	Y	
ARRIVE_BY	DATE	Y	
DESPATCH_FROM	VARCHAR2	Y	
DESPATCH_TO	VARCHAR2	Y	
COMPLETE_BY	DATE	Y	
TASK_STATUS	NUMBER	Y	
TASK_END	DATE	Y	
TASK_OPERATOR	VARCHAR2	Y	
TASK_TITLE_ID_FK	NUMBER	Y	
TASK_POS	NUMBER	Y	
SCHEDULE_AREA	NUMBER	Y	
CREATED_BY	VARCHAR2	Y	

MDD_JOB_SCHEDULE

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
JOB_NO	NUMBER	Y	
TASK_NO	NUMBER	N	
CLIENT_CODE	VARCHAR2	Y	
TASK_POS	NUMBER	Y	
SCHEDULE_AREA	NUMBER	Y	
PRESET_USED	VARCHAR2	Y	

MDD_LANG_DATA

Description: Provides details of Languages available in the system

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key. Unique ID of Language
LANGUAGE_SHORTCODE	VARCHAR2	N	Language code
LANGUAGE_NAME	VARCHAR2	Y	Full Language name
ISO_CODE	VARCHAR2	Y	Official ISO Code for Language

MDD_LOAN_HEADER

Description: Provides summary header details for a Loan

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
LOAN_NO	NUMBER	N	Primary Key. Unique ID of Loan
INT_EXT	CHAR	Y	Defines if the loan is internal or external
LOAN_TYPE_ID	NUMBER	Y	ID of loan type
LOAN_TYPE	NVARCHAR2	Y	Describes the type of Loan
DELIVERY_METHOD	VARCHAR2	Y	Method by which Loan is to be delivered if not collected
NOTES	VARCHAR2	Y	Notes for Loan
CREATED_BY	VARCHAR2	Y	Name of user who created the Loan
INT_FIRST_NAME	VARCHAR2	Y	First name of user or contact that an internal Loan is assigned to
INT_LAST_NAME	VARCHAR2	Y	Last name of user or contact that an internal Loan is assigned to
EXT_FIRST_NAME	VARCHAR2	Y	First name of user or contact that an external Loan is assigned to
EXT_LAST_NAME	VARCHAR2	Y	Last name of user or contact that an external Loan is assigned to
EXT_LOCATION	VARCHAR2	Y	Location for external Loans
EXT_ADDRESS	VARCHAR2	Y	Address of external location
NAME_AUTHORITY_NAME	VARCHAR2	Y	Name of the external name authority that loan is assigned to
NAME_AUTHORITY_ADDRESS	VARCHAR2	Y	Address of the external name authority that loan is assigned to
NAME_AUTHORITY_CITY	VARCHAR2	Y	City of the external name authority that loan is assigned to
NAME_AUTHORITY_STATE	VARCHAR2	Y	State of the external name authority that loan is assigned to
NAME_AUTHORITY_CODE	VARCHAR2	Y	Zip or postal code of the external name authority that loan is assigned to

MDD_LOAN_ITEMS

Description: Provides details about individual items within a loan.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
LOAN_ITEM_ID	NUMBER	N	
LOAN_NO	NUMBER	N	Foreign Key. Linking Loan Item to Loan Header in MDD_LOAN_HEADER
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Linking to media item in MDD_MEDIA
CONTAINER_ID_FK	NUMBER	Y	
MEDIA_ID1	VARCHAR2	Y	Media ID1 of Media on Loan
VERSION_ID_FK	NUMBER	N	Foreign Key. Linking to versions in MDD_VERSIONS
BARCODE	VARCHAR2	Y	Barcode of Carrier (if loan is linked to a Carrier)
SERIES_TITLE	VARCHAR2	Y	Title of item
EPISODE_TITLE	VARCHAR2	Y	Episode Title of item
NEXT_TX_DATE	DATE	N	Next transmission date of item
REQUIRED_DATE	DATE	Y	Date item is required
RETURN_DATE	DATE	Y	Date item is due to be returned
DATE_LOANED	DATE	Y	Date item was actually loaned
DATE_RETURNED	DATE	Y	Date item was actually returned
STATUS	VARCHAR2	Y	Status of item in Loan
ITEM_TYPE	VARCHAR2	Y	Type of item on Loan, eg: Media or Tape

MDD_LOCATION_USE

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
LOC	NUMBER	N	
ACTUAL_COUNT	NUMBER	Y	
ACTUAL_VOLUME_USED	NUMBER	Y	
ACTUAL_LENGTH_USED	NUMBER	Y	
LAST_HOME_VOLUME_USED	NUMBER	Y	
LAST_HOME_COUNT	NUMBER	Y	
LAST_HOME_LENGTH_USED	NUMBER	Y	

SUGGESTED_COUNT	NUMBER	Y
SUGGESTED_VOLUME_USED	NUMBER	Y
SUGGESTED_LENGTH_USED	NUMBER	Y
TOTAL_COUNT	NUMBER	Y
TOTAL_VOLUME_USED	NUMBER	Y
TOTAL_LENGTH_USED	NUMBER	Y

MDD_LOCATIONS

Description: Provides details of Library/Vault Locations.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
LOCATION_ID	NUMBER	N	Primary Key. Internal ID of the Location item
NAME	VARCHAR2	Y	Name of Location Item.
SHORT_CODE	VARCHAR2	Y	Short Code of the Location Item..
PARENT_ID_FK	NUMBER	Y	Foreign Key. Link to parent record in this view (MDD_LOCATIONS).
LOCATION_TYPE	VARCHAR2	Y	Type of Location Item (e.g. Shelf/Area/Bay etc.)
FULL_LOCATION_NAME	VARCHAR2	Y	Full Path of the Location Name (Underscore delimited)
FULL_LOCATION_CODE	VARCHAR2	Y	Full Path of the Location Code (Pipe Delimited).
LOCATION_BARCODE	NUMBER	Y	Barcode of Location Item.
CREATED	DATE	Y	Date the Location Item was created.
CREATED_BY	VARCHAR2	Y	Name of user who created the Location Item.
MODIFIED	DATE	Y	Date the Location Item was last modified.
MODIFIED_BY	VARCHAR2	Y	Name of user who last modified the Location Item.
AREA_EMAIL	VARCHAR2	Y	Email address defined for area notification.
ACCLIMATISATION_PERIOD	NUMBER	N	Period of Time indicated for acclimatisation of incomgin/outgoing media.
TEMPERATURE_CLASSIFICATION	VARCHAR2	Y	Label of Area Temperature configuration
AIR_CONDITIONING	VARCHAR2	Y	Label of Area Air Conditioning.
HUMIDITY	NUMBER	Y	Label of Area Humidity levels.
HOME_LONG_TERM	VARCHAR2	Y	Details of whether a location Item is configured as a Home Location (True/False).
BOOKING_READY	VARCHAR2	Y	Details of whether a loan/booking item should be marked ready in this Location Item (True/False).
BOOKING_RETURN	VARCHAR2	Y	Details of whether a loan/booking item should be marked returned in this Location Item (True/False).

CONFIGURED_STORAGE	VARCHAR2	Y	Details of whether a location item is made as configured (True/False).
LOCATION_FULL	VARCHAR2	Y	Details of whether a location item is full (True/False).
RETURN_TO_HOME	VARCHAR2	Y	Details of whether a location item is used to return items to the Library/Vault (True/False).
PREFERRED	VARCHAR2	Y	Details of whether a location item is a preferred location (True/False).
CUSTOM_FLAGS	VARCHAR2	Y	
SHELF_WIDTH	NUMBER	Y	Configured width of the shelf (in millimetres).
SHELF_HEIGHT	NUMBER	Y	Configured height of the shelf (in millimetres).
SHELF_DEPTH	NUMBER	Y	Configured depth of the shelf (in millimetres).
PRESET_NAME	VARCHAR2	Y	Name of the shelf configuration preset if used.
CAPACITY_CALCULATION_ID	NUMBER	Y	
CAPACITY_CALCULATION	VARCHAR2	Y	Details of shelf capacity configuration.
MAX_ITEMS	NUMBER	Y	Details of the configured maximum number of items on a shelf.
LOC_DELETED	NUMBER	Y	Boolean value indicating whether the Location Item has been marked as deleted or not.
LOC_DELETED_BY	VARCHAR2	Y	Name of the User who marked the Location Item as deleted
LOC_DELETED_DT	DATE	Y	Date the Location Item was marked as deleted

MDD_MEDIA

Description: Provides information about Media items (excluding virtual media items).

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID	NUMBER	N	Primary Key. Unique ID of Media item
U_TO_TXD	DATE	Y	
U_FRM_TXD	DATE	Y	
SERIES_ID_FK	NUMBER	Y	Foreign Key. Links Media to Series in MDD_TITLES
TITLE_ID_FK	NUMBER	N	Foreign Key. Links Media to Title in MDD_TITLES
MASTER_VERSION_ID_FK	NUMBER	N	Foreign Key. Links Media to master version (where immediate version is a sub-version) in MDD_VERSIONS
VERSION_ID_FK	NUMBER	N	Foreign Key. Links Media to Version in MDD_VERSIONS
ACQ_ID_FK	NUMBER	Y	Foreign Key. Links Media to Acquisition in MDD_ACQUISITIONS
MEDIA_TITLE	VARCHAR2	Y	Episode title of Media
MEDIA_SERIES_TITLE	VARCHAR2	Y	Title of Media (labeled as Series in Media details screen)
MEDIA_ID1	VARCHAR2	N	Client specific Media identifier

COMPONENT_NO	VARCHAR2	Y	n/a for most clients
CARRIER_NO	VARCHAR2	Y	n/a for most clients
TV_NUM	NUMBER	Y	
MEDIA_ID2	VARCHAR2	Y	Second client specific Media identifier
ITEM_TYPE_ID	NUMBER	N	Foreign Key. Links to item type in MDD_MEDIA_ITEM_TYPES
ITEM_TYPE	VARCHAR2	Y	Program Type, eg: Promo, Episode etc
ITEM_SUB_TYPE_ID	NUMBER	Y	
ITEM_SUB_TYPE	VARCHAR2	Y	
ITEM_FORMAT_ID	NUMBER	Y	
ITEM_FORMAT	VARCHAR2	Y	Format of item per configuration tables
NFSA_ITEM_TYPE	VARCHAR2	Y	DO NOT USE!!!
OWNERS	VARCHAR2	N	Owner(s) of the Media item
DESCRIPTION	VARCHAR2	Y	Description/Notes for Media
SERIES_NAME	VARCHAR2	Y	Title of Media (labeled as Series Name in Media details screen)
SERIES_NO	NUMBER	Y	Series number that the Media is associated with
SERIES_EPISODE_NO	NUMBER	Y	Episode number that the Media is associated with
SERIES_ID1	VARCHAR2	Y	Client specific series identifier
SERIES_ID2	VARCHAR2	Y	Second client specific series identifier
PROG_ID1	VARCHAR2	Y	Client specific program identifier
PROG_ID2	VARCHAR2	Y	Second client specific program identifier
HOUSE_NUMBER	VARCHAR2	Y	International ID that has been called House ID, Up Link Number, and/or IBMS Number. This is a Version level entry data that media inherits.
VERSION_NAME	VARCHAR2	Y	Name of the version that the Media is associated with
VERSION_ID1	VARCHAR2	Y	Client specific version identifier
VERSION_ID2	VARCHAR2	Y	Second client specific version identifier
PRODUCTION_YEAR	NUMBER	Y	Year title was produced
SOM	NUMBER	N	Start of Media stored in frames
EOM	NUMBER	N	End of Media stored in frames
SOM_TIMECODE	VARCHAR2	Y	SOM displayed as a timecode.
EOM_TIMECODE	VARCHAR2	Y	EOM displayed as a timecode.
CREATED_DATE	DATE	N	Date Media was created
CREATED_BY	VARCHAR2	N	Name of user who created Media
CREATED_BY_DEPT_ID	NUMBER	Y	Internal use ID
CREATED_BY_DEPT	VARCHAR2	Y	Name of department within which Media was created
CREATED_BY_EMAIL	VARCHAR2	Y	Email address of the person who created the Media
MODIFIED_DATE	DATE	Y	Date Media item was last changed

MODIFIED_BY	VARCHAR2	Y	Name of user who last changed the media item
STATUS_ID	NUMBER	Y	Internal use ID
STATUS_DESC	NVARCHAR2	Y	Status of program, eg: Restricted
RESTRICTION_STATUS	VARCHAR2	Y	!! This needs to be checked. The rule does not appear to be reliable.
USAGE_ID	NUMBER	Y	Internal use ID
USAGE_TYPE	VARCHAR2	Y	Displays the Usage Type of the Media item, eg: Access Copy
USAGE_SHORTCODE	VARCHAR2	Y	Shortcode of the usage type
MEDIA_STATUS_ID	NUMBER	Y	
MEDIA_STATUS	NVARCHAR2	Y	
ATTACHMENT_FILENAMES	CLOB	Y	List of Attachment Filenames.
URL_REFERENCES	CLOB	Y	List of URL References.
PROGRAM_DURATION	NUMBER	Y	Duration of the program in frames
DURATION_MILLISECONDS	NUMBER	Y	Duration of the program in milliseconds
DURATION_SECONDS	NUMBER	Y	
CALCULATED_DURATION	NUMBER	Y	EOM minus SOM stored in frames
DURATION_TIMECODE	VARCHAR2	Y	Duration displayed as a timecode
SLOT_DUR	NUMBER	Y	
ASSESS_STATUS	VARCHAR2	Y	Status of the latest assessment
ASSESS_DATE	DATE	Y	
TV_STD_ID	NUMBER	Y	Internal use ID
TV_STD	NVARCHAR2	Y	Text description of TV Standard for the Media item
ASPECT_RATIO_ID	NUMBER	Y	Internal use ID
ASPECT_RATIO	VARCHAR2	Y	Legacy value Aspect ratio of Media item
AFD_ID	NUMBER	Y	Foreign key. For internal use only
AFD_DESC	NVARCHAR2	Y	Active Format Description
ASPECT_RATIO_LEGACY_ID	NUMBER	Y	Next transmission date of item
ASPECT_RATIO_LEGACY	NVARCHAR2	Y	Date item is required
AFD_CODE	VARCHAR2	Y	Date item is due to be returned
LANGUAGE_ID	NUMBER	Y	Internal use ID
LANGUAGE	VARCHAR2	Y	Primary Language as displayed on the Media details screen
FLAG_1	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_2	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_3	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module

FLAG_4	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_5	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_6	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_7	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_8	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_9	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_10	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_11	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_12	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_13	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_14	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_15	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
FLAG_16	NUMBER	Y	Boolean value representing data according to the Flag tab in the System Administration module
CLOSEDCAPTION	VARCHAR2	Y	Boolean value indicating whether the Media item is Closed Captioned or not
SUBTITLES	VARCHAR2	Y	Boolean value indicating whether the Media item is Subtitled or not
COLOR	NUMBER	Y	Internal use ID
COLOUR_DESC	NVARCHAR2	Y	
AU_TRACKS_NUM	NUMBER	Y	DO NOT USE!! Link to MDD_MEDIA_AUDIO for audio information
AU_TRACKS_LANGUAGES	VARCHAR2	Y	DO NOT USE!! Link to MDD_MEDIA_AUDIO for audio information
AU_TRACKS_CONT	VARCHAR2	Y	DO NOT USE!! Link to MDD_MEDIA_AUDIO for audio information
AU_TRACKS_MS	VARCHAR2	Y	DO NOT USE!! Link to MDD_MEDIA_AUDIO for audio information
AU_TRACKS_MODE	VARCHAR2	Y	DO NOT USE!! Link to MDD_MEDIA_AUDIO for audio information
OS_DIR	VARCHAR2	Y	Location of digital media
OS_FILENAME	VARCHAR2	Y	Filename of digital media
DIGITAL_FILENAME	VARCHAR2	Y	

PATH	VARCHAR2	Y	Full path of digital media, including location and filename
FILE_SIZE	NUMBER	Y	Size, in bytes, of digital media
MEDIA_LOCATION	VARCHAR2	Y	Physical Location of media
DEVICE_ID	NUMBER	Y	
PARENT_ID	NUMBER	Y	DO NOT USE!!! Replaced by TITLE_ID_FK
FILE_NAME	VARCHAR2	Y	Name of file type, eg Omneon Media Server
FILE_TYPE	VARCHAR2	Y	File type category, eg Video
FILE_EXTENSION	VARCHAR2	Y	Valid extension of file type
FILENAME_NO_EXTENSION	VARCHAR2	Y	Digital Filename with file extension stripped off
MEDIA_FORMAT_ID	NUMBER	Y	Internal use ID
MEDIA_TYPE	NUMBER	N	Internal use ID
MEDIA_TYPE_DESC	VARCHAR2	Y	Description of the Material Type eg Physical A/V Material
MEDIA_FORMAT_NAME	VARCHAR2	Y	Format of Media, eg IPV Browse
ARCHIVED	NUMBER	Y	Boolean value indicating whether the Media item is archived or not. 1 = YES, 0 = NO.
DELETED	NUMBER	Y	Boolean value indicating whether the Media item has been marked as deleted or not. 1 = YES, 0 = NO (Same as MI_DELETED using friendly name)
MI_DELETED	NUMBER	Y	Boolean value indicating whether the Media item has been marked as deleted or not. 1 = YES, 0 = NO.
DELETED_DATE	DATE	Y	Date the Media was marked as deleted
FULL_TECHCODE	VARCHAR2	Y	Technical category assigned to Media
MEDIA_FORMAT_CODE	VARCHAR2	Y	Format code for Media
FLAG_SUPPLIED	NUMBER	Y	Boolean value indicating whether the Media item is supplied or not
FLAG_CREATED	NUMBER	Y	Boolean value indicating whether the Media item is created or not
ORIGIN	VARCHAR2	Y	Origin of Media, eg Made
A_GRADE	NUMBER	Y	A Grade level of Media item
V_GRADE	NUMBER	Y	V Grade level of Media item
CRS_SERIES_ID	NUMBER	Y	Internal use key
CRS_SERIES_NO	VARCHAR2	Y	CRS Series Number of Media item
CRS_SERIES_TITLE	VARCHAR2	Y	CRS Series Title of Media item
SUITABLE_VOEC	NUMBER	Y	Indicates whether End Credit is OK for V/O or not
MEDIA_LINK_ID_FK	NUMBER	Y	Provides a link back to the original source media
DIVA_CATEGORY	VARCHAR2	Y	DIVA category where archive is stored.
DIVA_MEDIA_GROUP	VARCHAR2	Y	DIVA media group where archive is stored.
FPS	NVARCHAR2	Y	
CHECKSUM	VARCHAR2	Y	CHECKSUM extracted from media file.

LAST_TX_DATE	DATE	Y	Contains Last TX Date for Media ONLY if stored directly against Media. See MDD_TRANSMISSION_SCHEDULE for full TX details.
ITEM_TYPE_SHORTCODE	VARCHAR2	Y	
ASSISTED_ASSESS_STATUS	VARCHAR2	Y	Fail, Pass, or null if no Assisted QC has been performed
MEDIA_ID3	VARCHAR2	Y	
MEDIA_SHELL	VARCHAR2	Y	YES (unattached media) or NO (has media attached)
IS_ORIGINAL_AUDIO	VARCHAR2	Y	

MDD_MEDIA_AUDIO

Description: This view uses new audio tables to provide details of media audio. This will eventually replace MDD_MEDIA_AUDIO.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
AUDIO_ID	NUMBER	N	
MEDIA_ID	NUMBER	Y	Foreign Key. Linking audio to MDD_MEDIA
TRACK_NUMBER	NVARCHAR2	Y	
AU_NM	NVARCHAR2	Y	Track number
AUDIO_NM	NVARCHAR2	Y	
AU_CONT_ID	NUMBER	Y	Audio content ID. For internal use only.
AUDIO_CONTENT	NVARCHAR2	Y	Audio content, eg: Full Mix
AUDIO_CONTENT_TAG	NVARCHAR2	Y	Code for Audio content
AU_LANG_ID	NUMBER	Y	Audio language ID. For internal use only.
AUDIO_LANGUAGE	VARCHAR2	Y	Audio language
AUDIO_LANGUAGE_CODE	VARCHAR2	Y	Code for audio language
AU_MS_ID	NUMBER	Y	Mono/Stereo ID. For internal use only.
AUDIO_MS	NVARCHAR2	Y	Details of mono or stereo.
AUDIO_MS_CODE	NVARCHAR2	Y	Code for mono or stereo.
AU_NR_ID	NUMBER	Y	Noise Reduction ID. For internal use only.
AUDIO_NR	NUMBER	Y	
QC_STATUS	NUMBER	Y	Audio QC status
LANGUAGE_TAG	NUMBER	Y	Language Tag
LANGUAGE_TAG_DESC	NVARCHAR2	Y	Description of Language Tag
LANGUAGE_ISO_CODE	VARCHAR2	Y	ISO Code for the Language
INGEST_SELECTED	NUMBER	Y	
PRIMARY_AUDIO	NUMBER	Y	Audio Track with Internal Audio set
INTERNATIONAL_AUDIO	NUMBER	Y	Indicates whether the track has International Audio or not

AUDIO_QC_PASS	NUMBER	Y	Audio has passed QC
AUDIO_QC_FAIL	NUMBER	Y	Audio has failed QC
TAG_MATCH	NUMBER	Y	
STACKED	NUMBER	Y	Indicates this audio track has be re-added / re-stacked to the mov, either from within the same mov or added as a new track (lates to stacked date , & stacked task ID's in the same table
STACKED_DATE	DATE	Y	Date the audio was stacked
TRACK_RENAMED	NUMBER	Y	Will be set to true if audio track as been renamed
CREATED_DATE	DATE	N	
CREATED_BY	VARCHAR2	N	
MODIFIED_DATE	DATE	Y	
MODIFIED_BY	VARCHAR2	Y	
KHZ	VARCHAR2	Y	
PEAK	VARCHAR2	Y	
AVG	VARCHAR2	Y	
DIP	VARCHAR2	Y	
LM100_SHORT	VARCHAR2	Y	
LM100_LONG	VARCHAR2	Y	

MDD_MEDIA_AUDIO_EXTRAS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID_FK	NUMBER	Y	
TASK_ID_FK	NUMBER	Y	
TRACK_INDEX	NUMBER	Y	
KHZ	VARCHAR2	Y	
PEAK	VARCHAR2	Y	
AVG	VARCHAR2	Y	
DIP	VARCHAR2	Y	
LM100_SHORT	VARCHAR2	Y	
LM100_LONG	VARCHAR2	Y	

MDD_MEDIA_AUDIO_NS

Description: This view uses new audio tables to provide details of media audio. This will eventually replace MDD_MEDIA_AUDIO.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID	NUMBER	Y	Foreign Key. Linking audio to MDD_MEDIA
AU_NM	NVARCHAR2	Y	Track number
AU_CONT_ID	NUMBER	Y	Audio content ID. For internal use only.
AUDIO_CONTENT	NVARCHAR2	Y	Audio content, eg: Full Mix
AUDIO_CONTENT_TAG	NVARCHAR2	Y	Code for Audio content
AU_LANG_ID	NUMBER	Y	Audio language ID. For internal use only.
AUDIO_LANGUAGE	VARCHAR2	Y	Audio language
AUDIO_LANGUAGE_CODE	VARCHAR2	Y	Code for audio language
AU_MS_ID	NUMBER	Y	Mono/Stereo ID. For internal use only.
AUDIO_MS	NVARCHAR2	Y	Details of mono or stereo.
AUDIO_MS_CODE	NVARCHAR2	Y	Code for mono or stereo.
AU_NR_ID	NUMBER	Y	Noise Reduction ID. For internal use only.
QC_STATUS	NUMBER	Y	Audio QC status
LANGUAGE_TAG	NUMBER	Y	Language Tag
LANGUAGE_TAG_DESC	NVARCHAR2	Y	Description of Language Tag
LANGUAGE_ISO_CODE	VARCHAR2	Y	ISO Code for the Language
INGEST_SELECTED	NUMBER	Y	
PRIMARY_AUDIO	NUMBER	Y	Audio Track with Internal Audio set
INTERNATIONAL_AUDIO	NUMBER	Y	Indicates whether the track has International Audio or not
AUDIO_QC_PASS	NUMBER	Y	Audio has passed QC
AUDIO_QC_FAIL	NUMBER	Y	Audio has failed QC
TAG_MATCH	NUMBER	Y	
STACKED	NUMBER	Y	Indicates this audio track has be re-added / re-stacked to the mov, either from within the same mov or added as a new track (lates to stacked date , & stacked task ID's in the same table
STACKED_DATE	DATE	Y	Date the audio was stacked
TRACK_RENAMED	NUMBER	Y	Will be set to true if audio track as been renamed

MDD_MEDIA_CHANNELS

Description: View used to link Media to Channels

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Linking to MDD_MEDIA
CHANNEL_ID_FK	NUMBER	Y	Foreign Key. Linking to MDD_CODES_CHANNELS
CHANNEL_CODE	VARCHAR2	Y	Channel code associated with Media and linked Audio

MDD_MEDIA_CONTNRS_LNK

Description: View used to link Media and Carriers

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID	NUMBER	Y	Foreign Key. Linking to carrier to MDD_MEDIA
CONTAINER_ID	NUMBER	N	Foreign Key. Linking to media to MDD_CONTAINERS
SCAN_LOCATION	VARCHAR2	Y	Scanned location of carrier

MDD_MEDIA_COPY_HISTORY

Description: View used to link Media Items to any copies created

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key
MEDIA_ID_FK	NUMBER	N	Foreign key. Copied Media Item Linking to MDD_MEDIA
SOURCE_MEDIA_ID_FK	NUMBER	N	Foreign key. Source Media Item Linking to MDD_MEDIA
SOURCE_VERSION_ID_FK	NUMBER	Y	Foreign key. Source Version Linking to MDD_VERSIONS
CREATED_DATE	DATE	N	Date copy history record was created
CREATED_BY	VARCHAR2	N	Name of user who created copy history record
ENTERED_DATE	DATE	Y	Date that copy occurred
ENTERED_BY	VARCHAR2	Y	Name of user who created the copy
CUT	NUMBER	Y	Sequence number of Media Item on source carrier/file
SIDE	VARCHAR2	Y	Side of source carrier

MDD_MEDIA_CUSTOM_STATUS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID_FK	NUMBER	N	Foreign Key, used to link to Media item
STATUS_ID	NUMBER	N	Custom Media Status ID. For internal use only.
MEDIA_STATUS	VARCHAR2	Y	Custom Media Status
STATUS_TYPE_ID	NUMBER	N	Custom Media Status Type ID. For internal use only.
MEDIA_STATUS_TYPE	VARCHAR2	Y	Custom Media Status type

MDD_MEDIA_FAULTS

Description: Provides details of faults for a particular Media item.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
FAULT_ID	NUMBER	Y	Unique ID of Fault
JOB_ID	NUMBER	Y	Foreign Key. Links fault to MDD_JOB
TASK_ID	NUMBER	Y	Foreign Key. Links fault to MDD_TASKS
MEDIA_ID	NUMBER	Y	Foreign Key. Links fault to MDD_MEDIA
FAULT_INDEX	NUMBER	Y	Index of fault per task
FAULT_TYPE	VARCHAR2	Y	Code of type of fault, eg: V (video)
CONTAINER_NUMBER	VARCHAR2	Y	Number of the associated carrier (where applicable)
TIMECODE	VARCHAR2	Y	Timecode of start of fault
FB_TCODEOS	VARCHAR2	Y	Timecode of end of fault
FAULTS	VARCHAR2	Y	Description of the fault
SEVERITY	VARCHAR2	Y	Severity of the fault
DURATION	VARCHAR2	Y	Duration of the fault
SECTORS	VARCHAR2	Y	Sectors where fault is present
NOTES	VARCHAR2	Y	Fault notes

MDD_MEDIA_FAULTS_NS

Description: Provides details of faults for a particular Media item using the new faults tables. This will eventually replace the MDD_MEDIA_FAULTS view.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
FAULT_ID	NUMBER	N	Primary Key. Unique ID of fault
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Links fault to MDD_MEDIA
JOB_ID_FK	NUMBER	Y	Foreign Key. Links fault to MDD_JOB
TASK_ID_FK	NUMBER	Y	Foreign Key. Links fault to MDD_TASKS
FAULT	VARCHAR2	Y	Description of the fault
FAULT_TYPE	VARCHAR2	Y	Code of type of fault, eg: V (video)
FAULT_INDEX	NUMBER	Y	Index of fault for a task
TIMECODE_IN	VARCHAR2	Y	Timecode of start of fault
TIMECODE_OUT	VARCHAR2	Y	Timecode of end of fault
SEVERITY	VARCHAR2	Y	Severity of the fault
DURATION	VARCHAR2	Y	Duration of the fault
SECTORS	VARCHAR2	Y	Sectors where fault is present
NOTES	VARCHAR2	Y	Fault notes
CREATED_DATE	DATE	N	Date fault entered into system
CREATED_BY	VARCHAR2	N	Name of user who entered the details of the fault
FIXED	VARCHAR2	Y	Boolean value indicating whether the fault has been fixed or not

MDD_MEDIA_FORMAT_TECH_CODES

Description: Provides information about all versions stored in the system.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID_FK	NUMBER	N	Foreign Key. Links to media item in MDD_MEDIA.
FORMAT_TECH_CODE_SUB_TYPE	VARCHAR2	N	Format Tech Code Sub Type header for media item.
FORMAT_TECH_CODE_VALUE	VARCHAR2	N	Format Tech Code value.

MDD_MEDIA_FORMATS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_TYPE	NUMBER	Y	
FORMAT_ID	NUMBER	Y	
FORMAT_NAME	VARCHAR2	Y	

FORMAT_SHORT_CODE	VARCHAR2	Y
-------------------	----------	---

MDD_MEDIA_ITEM_TYPES

Description: Provides full details of item types for media

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key. Unique ID of item type
ITEM_TYPE_NAME	VARCHAR2	Y	Name of item type
ITEM_TYPE_DESCRIPTION	VARCHAR2	Y	Description of item type
ITEM_TYPE_SHORTCODE	VARCHAR2	Y	Two letter short code of item type
ITEM_TYPE_SHORTNAME	VARCHAR2	Y	Short name code of item type
ITEM_GROUP	VARCHAR2	Y	Name of group that item belongs to
ITEM_GROUP_ID	NUMBER	Y	ID of group that item belongs to

MDD_MEDIA_LOCATORS

Description: This view displays locator metadata for media item

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
LOCATOR_ID	NUMBER	Y	Primary Key
MEDIA_ID_FK	NUMBER	Y	Foreign Key, used to link to Media item
LINKING_GUID	VARCHAR2	Y	
LOCATOR_TYPE	VARCHAR2	Y	
IN_TC_TEXT	VARCHAR2	Y	Timecode IN
OUT_TC_TEXT	VARCHAR2	Y	Timecode OUT
NOTES	VARCHAR2	Y	Operator notes
CREATED_BY	VARCHAR2	Y	Name of user who created the locator
CREATED_DATE	DATE	Y	Date locator created
MODIFIED_BY	VARCHAR2	Y	Name of user who modified the locator
MODIFIED_DATE	DATE	Y	Date locator modified

MDD_MEDIA_METADATA

Description: Provides metadata information about Media items (excluding virtual media items).

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID	NUMBER	N	
SERIES_ID_FK	NUMBER	Y	
TITLE_ID_FK	NUMBER	N	
MASTER_VERSION_ID_FK	NUMBER	N	
VERSION_ID_FK	NUMBER	N	
MEDIA_TITLE	VARCHAR2	Y	
MEDIA_SERIES_TITLE	VARCHAR2	Y	
MEDIA_ID1	VARCHAR2	N	
MEDIA_ID2	VARCHAR2	Y	
ITEM_TYPE_ID	NUMBER	N	
ITEM_TYPE	VARCHAR2	Y	
ITEM_SUB_TYPE_ID	NUMBER	Y	
ITEM_SUB_TYPE	VARCHAR2	Y	
ITEM_TYPE_SHORTCODE	VARCHAR2	Y	
ITEM_FORMAT_ID	NUMBER	Y	
ITEM_FORMAT	VARCHAR2	Y	
OWNERS	VARCHAR2	N	
DESCRIPTION	VARCHAR2	Y	
SERIES_NAME	VARCHAR2	Y	
SERIES_NO	NUMBER	Y	
SERIES_EPISODE_NO	NUMBER	Y	
SERIES_ID1	VARCHAR2	Y	
SERIES_ID2	VARCHAR2	Y	
PROG_ID1	VARCHAR2	Y	
PROG_ID2	VARCHAR2	Y	
HOUSE_NUMBER	VARCHAR2	Y	
VERSION_NAME	VARCHAR2	Y	
VERSION_ID1	VARCHAR2	Y	
VERSION_ID2	VARCHAR2	Y	
PRODUCTION_YEAR	NUMBER	Y	
SOM	NUMBER	N	
EOM	NUMBER	N	
SOM_TIMECODE	VARCHAR2	Y	
EOM_TIMECODE	VARCHAR2	Y	
CREATED_DATE	DATE	N	

CREATED_BY	VARCHAR2	N
MODIFIED_DATE	DATE	Y
MODIFIED_BY	VARCHAR2	Y
USAGE_ID	NUMBER	Y
USAGE_TYPE	VARCHAR2	Y
PROGRAM_DURATION	NUMBER	Y
DURATION_MILLISECONDS	NUMBER	Y
DURATION_SECONDS	NUMBER	Y
CALCULATED_DURATION	NUMBER	Y
DURATION_TIMECODE	VARCHAR2	Y
ASSESS_STATUS	VARCHAR2	Y
TV_STD_ID	NUMBER	Y
TV_STD	NVARCHAR2	Y
ASPECT_RATIO_ID	NUMBER	Y
ASPECT_RATIO	VARCHAR2	Y
AFD_ID	NUMBER	Y
AFD_DESC	NVARCHAR2	Y
LANGUAGE_ID	NUMBER	Y
LANGUAGE	VARCHAR2	Y
CLOSEDCAPTION	VARCHAR2	Y
SUBTITLES	VARCHAR2	Y
COLOR	NUMBER	Y
COLOUR_DESC	NVARCHAR2	Y
MEDIA_LOCATION	VARCHAR2	Y
PARENT_ID	NUMBER	Y
MEDIA_FORMAT	VARCHAR2	Y
FILE_TYPE	VARCHAR2	Y
MEDIA_FORMAT_ID	NUMBER	Y
MEDIA_TYPE	NUMBER	N
MEDIA_TYPE_DESC	VARCHAR2	Y
MEDIA_FORMAT_FULL	VARCHAR2	Y
ARCHIVED	NUMBER	Y
DELETED	NUMBER	Y
MI_DELETED	NUMBER	Y
DELETED_DATE	DATE	Y
MEDIA_FORMAT_CODE	VARCHAR2	Y
FLAG_SUPPLIED	NUMBER	Y

FLAG_CREATED	NUMBER	Y
ORIGIN	VARCHAR2	Y
A_GRADE	NUMBER	Y
V_GRADE	NUMBER	Y
SUITABLE_VOEC	NUMBER	Y
MEDIA_LINK_ID_FK	NUMBER	Y
MI_LINK_GUID	VARCHAR2	Y
DFILE_LINK_GUID	VARCHAR2	Y
DIVA_CATEGORY	VARCHAR2	Y
DIVA_MEDIA_GROUP	VARCHAR2	Y
FPS	NVARCHAR2	Y
CHECKSUM	VARCHAR2	Y
LAST_TX_DATE	DATE	Y
ASSISTED_ASSESS_STATUS	VARCHAR2	Y
MEDIA_ID3	VARCHAR2	Y
MEDIA_SHELL	VARCHAR2	Y
IS_ORIGINAL_AUDIO	VARCHAR2	Y

MDD_MEDIA_RIGHTS

Description: Provides details of Rights Agreements

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
RIGHTS_ID	NUMBER	N	Primary Key. Unique ID of Rights Agreement.
RIGHTS_HOLDER	NUMBER	Y	Rights Holder.
CONTACT	VARCHAR2	Y	Rights Contact.
AGREEMENT_DATE	DATE	Y	Agreement Date.
FILE_REF	VARCHAR2	Y	File Reference.
CREATED	DATE	Y	Date when the information got created.
CREATED_BY	VARCHAR2	Y	Name of user who created the information.
MEDIA_ID	NUMBER	Y	MEDIA ID.
PERMISSION_TYPE	NUMBER	Y	Type of Permission.
PERM_TYPE_DESC	VARCHAR2	Y	Permission type Description
START_DATE	DATE	Y	Start Date.
END_DATE	DATE	Y	End Date.
GEOGRAPHICAL_COVERAGE	NUMBER	Y	Geographical Coverage.

GEO_COVERAGE_DESC	VARCHAR2	Y	Geographic Coverage Description
PROJECT_CODE	VARCHAR2	Y	Project Code
PROJECT_CODE_DESC	VARCHAR2	Y	Project Code Description

MDD_MEDIA_SEGMENTS

Description: Provides a view on segment data held at media item level. The durations are displayed as timecode and also as a frame count.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
SEGMENT_ID	NUMBER	N	Primary Key. Unique ID of the segment.
MEDIA_ID	NUMBER	Y	Foreign Key. Links to media to MDD_MEDIA.
SEQUENCE_NO	NUMBER	Y	Sequence number of the segment
SEGMENT_NO	NUMBER	Y	Same as SEQUENCE_NO, renamed to clarify use
PART_NO	NUMBER	Y	Part number of the segment
SEGMENT_TYPE	NUMBER	Y	Internal use ID
PART_TYPE_ID	NUMBER	Y	
SEGMENT_TYPE_DESC	NVARCHAR2	Y	Description of segment type. (This will only be available if config table is used).
SEGMENT_TYPE_SHORT	NVARCHAR2	Y	Short code of Segment Type.
SEGMENT_TITLE	VARCHAR2	Y	Title assigned to segment
SOM_FRAMES	NUMBER	Y	Start of Media in frames.
SOM	VARCHAR2	Y	Start of Media displayed as a timecode.
EOM_FRAMES	NUMBER	Y	End of Media in frames.
EOM	VARCHAR2	Y	End of Media displayed as a timecode.
DURATION_FRAMES	NUMBER	Y	Duration of a segment in frames.
DUR	VARCHAR2	Y	Duration of segment displayed as a timecode.
USE_IN_DUR_CALC	NUMBER	Y	Should this segment be used to calculate duration?
TX_PART	NUMBER	Y	Is this segment valid for transmission?
CREATED_BY	VARCHAR2	N	
CREATED_DATE	DATE	N	
MODIFIED_BY	VARCHAR2	Y	
MODIFIED_DATE	DATE	Y	

MDD_MEDIA_SIMPLE

Description: Provides information about Media items (excluding virtual media items).

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID	NUMBER	N	Primary Key. Unique ID of Media item
VERSION_ID_FK	NUMBER	N	Foreign Key. Links Media to Version in MDD_VERSIONS
VERSION_NAME	VARCHAR2	Y	Name of the version that the Media is associated with
VERSION_ID1	VARCHAR2	Y	Client specific version identifier
DIGITAL_FILENAME	VARCHAR2	Y	
PATH	VARCHAR2	Y	Full path of digital media, including location and filename
DEVICE_ID	NUMBER	Y	Foreign key link to MDD_CODES_DEVICES
MEDIA_TYPE	NUMBER	N	Internal use ID
MEDIA_TYPE_DESC	VARCHAR2	Y	Description of the Material Type eg Physical A/V Material
MEDIA_FORMAT_NAME	VARCHAR2	Y	Format of Media, eg IPV Browse
DELETED	NUMBER	Y	Boolean value indicating whether the Media item has been marked as deleted or not. 1 = YES, 0 = NO (Same as MI_DELETED using friendly name)

MDD_MEDIA_USAGE_TYPES

Description: Provides full details of active media usages.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key. Unique ID of usage type.
USAGE_NAME	VARCHAR2	N	Name of usage type, eg Core audio.
USAGE_DESCRIPTION	VARCHAR2	Y	Description of usage.
USAGE_SHORTCODE	VARCHAR2	N	Usage shortcode.

MDD_MEDIA_VALUATION_MEDIA

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_FK	NUMBER	N	
MEDIA_ID1	VARCHAR2	N	
VALUATION_PERIOD_FK	NUMBER	Y	
VALUATION_PERIOD	VARCHAR2	Y	
USAGE_GROUP_FK	NUMBER	Y	

USAGE_GROUP	VARCHAR2	Y
ORIGIN_FK	NUMBER	Y
ORIGIN	VARCHAR2	Y
ACQ_TYPE_ELEMENT_FK	NUMBER	Y
ACQ_TYPE_ELEMENT	VARCHAR2	Y
ITEM_FORMAT_FK	NUMBER	Y
ITEM_FORMAT	VARCHAR2	Y
ITEM_TYPE_FK	NUMBER	Y
ITEM_TYPE	VARCHAR2	Y
VALUATION_FK	VARCHAR2	Y
TECH_CODE	VARCHAR2	Y
VALUE_BY_BITWISE	NUMBER	Y
CARRIERS	NUMBER	Y
FILE_SIZE_BYTES	NUMBER	Y
CREATED_DT	DATE	N

MDD_MEDIA_WITH_VIRTUAL

Description: Provides information about Media items (including virtual media items).

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID	NUMBER	N	
SERIES_ID_FK	NUMBER	Y	
TITLE_ID_FK	NUMBER	N	
MASTER_VERSION_ID_FK	NUMBER	N	
VERSION_ID_FK	NUMBER	N	
ACQ_ID_FK	NUMBER	Y	
MEDIA_TITLE	VARCHAR2	Y	
MEDIA_SERIES_TITLE	VARCHAR2	Y	
MEDIA_ID1	VARCHAR2	N	
COMPONENT_NO	VARCHAR2	Y	
CARRIER_NO	VARCHAR2	Y	
MEDIA_ID2	VARCHAR2	Y	
ITEM_TYPE_ID	NUMBER	N	
ITEM_TYPE	VARCHAR2	Y	
ITEM_FORMAT_ID	NUMBER	Y	

ITEM_FORMAT	VARCHAR2	Y
NFSA_ITEM_TYPE	VARCHAR2	Y
OWNERS	VARCHAR2	N
DESCRIPTION	VARCHAR2	Y
SERIES_NAME	VARCHAR2	Y
SERIES_NO	NUMBER	Y
SERIES_EPISODE_NO	NUMBER	Y
SERIES_ID1	VARCHAR2	Y
SERIES_ID2	VARCHAR2	Y
PROG_ID1	VARCHAR2	Y
PROG_ID2	VARCHAR2	Y
HOUSE_NUMBER	VARCHAR2	Y
VERSION_NAME	VARCHAR2	Y
VERSION_ID1	VARCHAR2	Y
VERSION_ID2	VARCHAR2	Y
PRODUCTION_YEAR	NUMBER	Y
SOM	NUMBER	N
EOM	NUMBER	N
SOM_TIMECODE	VARCHAR2	Y
EOM_TIMECODE	VARCHAR2	Y
CREATED_DATE	DATE	N
CREATED_BY	VARCHAR2	N
CREATED_BY_DEPT_ID	NUMBER	Y
CREATED_BY_DEPT	VARCHAR2	Y
CREATED_BY_EMAIL	VARCHAR2	Y
MODIFIED_DATE	DATE	Y
MODIFIED_BY	VARCHAR2	Y
STATUS_ID	NUMBER	Y
STATUS_DESC	NVARCHAR2	Y
RESTRICTION_STATUS	VARCHAR2	Y
USAGE_ID	NUMBER	Y
USAGE_TYPE	VARCHAR2	Y
USAGE_SHORTCODE	VARCHAR2	Y
PROGRAM_DURATION	NUMBER	Y
DURATION_MILLISECONDS	NUMBER	Y
CALCULATED_DURATION	NUMBER	Y
ASSESS_STATUS	VARCHAR2	Y

TV_STD_ID	NUMBER	Y
TV_STD	NVARCHAR2	Y
ASPECT_RATIO_ID	NUMBER	Y
ASPECT_RATIO	VARCHAR2	Y
AFD_ID	NUMBER	Y
AFD_DESC	NVARCHAR2	Y
ASPECT_RATIO_LEGACY_ID	NUMBER	Y
ASPECT_RATIO_LEGACY	NVARCHAR2	Y
AFD_CODE	VARCHAR2	Y
LANGUAGE_ID	NUMBER	Y
LANGUAGE	VARCHAR2	Y
FLAG_1	NUMBER	Y
FLAG_2	NUMBER	Y
FLAG_3	NUMBER	Y
FLAG_4	NUMBER	Y
FLAG_5	NUMBER	Y
FLAG_6	NUMBER	Y
FLAG_7	NUMBER	Y
FLAG_8	NUMBER	Y
FLAG_9	NUMBER	Y
FLAG_10	NUMBER	Y
FLAG_11	NUMBER	Y
FLAG_12	NUMBER	Y
FLAG_13	NUMBER	Y
FLAG_14	NUMBER	Y
FLAG_15	NUMBER	Y
FLAG_16	NUMBER	Y
CLOSEDCAPTION	VARCHAR2	Y
SUBTITLES	VARCHAR2	Y
COLOR	NUMBER	Y
COLOUR_DESC	NVARCHAR2	Y
AU_TRACKS_NUM	NUMBER	Y
AU_TRACKS_LANGUAGES	VARCHAR2	Y
AU_TRACKS_CONT	VARCHAR2	Y
AU_TRACKS_MS	VARCHAR2	Y
AU_TRACKS_MODE	VARCHAR2	Y
OS_DIR	VARCHAR2	Y

OS_FILENAME	VARCHAR2	Y
PATH	VARCHAR2	Y
FILE_SIZE	NUMBER	Y
MEDIA_LOCATION	VARCHAR2	Y
PARENT_ID	NUMBER	Y
FILE_NAME	VARCHAR2	Y
FILE_TYPE	VARCHAR2	Y
FILE_EXTENSION	VARCHAR2	Y
MEDIA_FORMAT_ID	NUMBER	Y
MEDIA_TYPE	NUMBER	N
MEDIA_TYPE_DESC	VARCHAR2	Y
MEDIA_FORMAT_NAME	VARCHAR2	Y
ARCHIVED	NUMBER	Y
DELETED	NUMBER	Y
MI_DELETED	NUMBER	Y
DELETED_DATE	DATE	Y
FULL_TECHCODE	VARCHAR2	Y
MEDIA_FORMAT_CODE	VARCHAR2	Y
FLAG_SUPPLIED	NUMBER	Y
FLAG_CREATED	NUMBER	Y
ORIGIN	VARCHAR2	Y
A_GRADE	NUMBER	Y
V_GRADE	NUMBER	Y
CRS_SERIES_ID	NUMBER	Y
CRS_SERIES_NO	VARCHAR2	Y
CRS_SERIES_TITLE	VARCHAR2	Y
SUITABLE_VOEC	NUMBER	Y
MEDIA_LINK_ID_FK	NUMBER	Y
DIVA_CATEGORY	VARCHAR2	Y
DIVA_MEDIA_GROUP	VARCHAR2	Y

MDD_MIS_AUDIO

Description: For internal use only. Media Audio should be accessed via MDD_MEDIA_AUDIO.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
-------------	-----------	----------	----------

MIS_ID	NUMBER	Y
TASK_ID_FK	NUMBER	Y
TRACK_INDEX	NUMBER	Y
AU_NM_ID	VARCHAR2	Y
AU_CONT_ID	VARCHAR2	Y
AU_LANG_ID	VARCHAR2	Y
AU_MS_ID	VARCHAR2	Y
AU_NR_ID	VARCHAR2	Y
KHZ	VARCHAR2	Y
PEAK	VARCHAR2	Y
AVG	VARCHAR2	Y
DIP	VARCHAR2	Y
LM100_SHORT	VARCHAR2	Y
LM100_LONG	VARCHAR2	Y
LANGUAGE_TAG	VARCHAR2	Y

MDD_MOVEMENTS

Description: Provides details of Carrier or Container Movements.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MOVEMENT_ID	NUMBER	N	Primary Key. Internal ID of the Movement
CONTAINER_ID_FK	NUMBER	Y	Foreign Key. Links to Carrier or Container in MDD_CONTAINERS
PREVIOUS_LOCATION_ID_FK	NUMBER	Y	Foreign Key. Links to original location in MDD_LOCATIONS
PREVIOUS_LOCATION_NAME	VARCHAR2	Y	Name of the original location
PREVIOUS_ENTITY_ID_FK	NUMBER	Y	Foreign Key. Links to Authorities in MDD_NAMES
MOVEMENT_REASON	VARCHAR2	Y	Description of movement
NEW_LOCATION_ID_FK	NUMBER	Y	Foreign Key. Links to new location in MDD_LOCATIONS
NEW_LOCATION_NAME	VARCHAR2	Y	Name of the new location
NEW_ENTITY_ID_FK	NUMBER	Y	Foreign Key. Links to Authorities in MDD_NAMES
CREATED_DATE	DATE	N	Date the Carrier or Container was moved
CREATED_BY	VARCHAR2	N	Name of the User who actioned the move
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to the Internal Movement or Despatch task in MDD_TASKS

MDD_NAA_CARRIER_SHM

Description: Dimentions of NAA Carrier Formats including Shelf Metres.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CARRIER_FORMAT_ID	NUMBER	N	Foreign Key. Unique ID of Carrier Format. Linking to MDD_CONTAINER_FORMATS
FORMAT_NAME	VARCHAR2	N	
FORMAT_SHORTCODE	VARCHAR2	Y	Name of Carrier Format
HEIGHT	NUMBER	Y	Carrier height
WIDTH	NUMBER	Y	Carrier width
DEPTH	NUMBER	Y	Carrier depth
WEIGHT	NUMBER	Y	Carrier depth
SHM	NUMBER	Y	Carrier shelf metres in mm

MDD_NAA_CONTAINER_SHM

Description: Dimentions of NAA Container Formats including Shelf Metres.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
CONTAINER_FORMAT_ID	NUMBER	N	Foreign Key. Unique ID of Container Format linking to MDD_BOX_CONTAINER_TYPES
FORMAT_NAME	VARCHAR2	Y	
FORMAT_SHORTCODE	VARCHAR2	Y	Name of Container Format.
HEIGHT	NUMBER	Y	Container height
WIDTH	NUMBER	Y	Container width
DEPTH	NUMBER	Y	Container depth
WEIGHT	NUMBER	Y	Container depth
SHM	NUMBER	Y	Container shelf metres in mm

MDD_NAMES

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
NAME_ID	NUMBER	N	
ENTITY_ID	NUMBER	N	
FULL_NAME	VARCHAR2	Y	
FIRSTNAME	VARCHAR2	Y	
SURNAME_OR_COMPANY_NAME	VARCHAR2	N	
CONTACT_ROLE	VARCHAR2	Y	
CONTACT_FIRSTNAME	VARCHAR2	Y	
CONTACT_SURNAME_COMPANY_NAME	VARCHAR2	N	
QUALIFIER	VARCHAR2	Y	
DATE_OF_BIRTH	DATE	Y	
DATE_OF_DEATH	DATE	Y	
OTHER_NAME	VARCHAR2	Y	
PREFERRED_NAME	VARCHAR2	Y	
NAME_TYPE	VARCHAR2	Y	
GENDER	VARCHAR2	Y	
DATES	VARCHAR2	Y	
ADDRESS	VARCHAR2	Y	
CITY	VARCHAR2	Y	
STATE	VARCHAR2	Y	
POSTCODE	VARCHAR2	Y	
PHONE1	VARCHAR2	Y	
PHONE2	VARCHAR2	Y	
FAX	VARCHAR2	Y	
EMAIL1	VARCHAR2	Y	
EMAIL2	VARCHAR2	Y	
WEB	VARCHAR2	Y	
FILE_NO	VARCHAR2	Y	
DELIVER_FAO	VARCHAR2	Y	
DELIVERY_CONTACT	VARCHAR2	Y	
DELIVERY_ADDRESS	VARCHAR2	Y	
DELIVERY_CITY	VARCHAR2	Y	
DELIVERY_STATE	VARCHAR2	Y	
DELIVERY_POSTCODE	VARCHAR2	Y	
CHECKED	DATE	Y	

CHECKED_BY	VARCHAR2	Y
DELIVERY_COUNTRY	NUMBER	Y
CULTURAL_BACKGROUND	VARCHAR2	Y
BIOGRAPHY	CLOB	Y
FULL_BIOGRAPHY	CLOB	Y
NOTES	CLOB	Y
CREATED_BY	VARCHAR2	Y
CREATED	DATE	Y
MODIFIED_BY	VARCHAR2	Y
MODIFIED	DATE	Y

MDD_NFSA_MEDIA_USAGE_GROUPS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
USAGE_ID	NUMBER	Y	
USAGE_NAME	VARCHAR2	Y	
USAGE_SHORTCODE	VARCHAR2	Y	
NFSA_USAGE_GROUP	VARCHAR2	Y	

MDD_PACKAGE_MEDIA

Description: Provides a link between a Package and the media that was selected for it

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
PACKAGE_ID_FK	NUMBER	N	Foreign Key. Provides a link to the Package
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Provides a link to the media select for the Package
MEDIA_TYPE	CHAR	Y	Type of Media selected

MDD_PACKAGE_REQUIREMENTS

Description: Provides summary information about Package Requirements

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
-------------	-----------	----------	----------

PACKAGE_REQ_ID	NUMBER	N	Primary Key. Unique ID of the Package Requirements
NAME	VARCHAR2	N	Name of Package Requirement
DESCRIPTION	VARCHAR2	Y	Description of Package Requirement
EXTERNAL_ID	VARCHAR2	Y	External ID associated with Package Requirement

MDD_PACKAGES

Description: Provides summary information about individual Packages

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
PACKAGE_ID	NUMBER	N	Primary Key. Unique ID of the Package
PACKAGE_REQ_ID_FK	NUMBER	Y	Foreign key linking to MDD_PACKAGE_REQUIREMENTS view
VALID_FROM	DATE	Y	Date Package is valid from
VALID_TO	DATE	Y	Date Package is valid to
VERSION_ID_FK	NUMBER	Y	Foreign Key. Provides a link to corresponding version
PREP_JOB_ID	NUMBER	Y	
PREP_JOB_STATUS_ID	NUMBER	Y	
PREP_JOB_STATUS	VARCHAR2	Y	
JOB_ID_FK	NUMBER	Y	Foreign Key. Provides a link to corresponding job
PACKAGE_JOB_NO	VARCHAR2	Y	Reference to the Job that was raised from the Package
PACKAGE_JOB_STATUS_ID	NUMBER	Y	
PACKAGE_JOB_STATUS	VARCHAR2	Y	Status of the Package Publish Job
EXTERNAL_REF	VARCHAR2	Y	External Reference ID
ASSET_ID_CHOICE	VARCHAR2	Y	Option selected for handling an Asset ID when package is reset
USER_ASSET_ID	VARCHAR2	Y	Custom Asset ID entered when package is reset
CREATED_BY	VARCHAR2	Y	Name of user who created the Package
CREATED_DATE	DATE	N	Date the Package was created
CREATED_BY_EMAIL	VARCHAR2	Y	Email address of user who created the Package
MODIFIED_DATE	DATE	Y	
MODIFIED_BY	VARCHAR2	Y	
DELETED	NUMBER	N	Deleted status of Package. 0 = Not Deleted, 1 = Deleted

MDD_POST_EVENT_NOTES

Description: Provides Event Notes from Make Details of Post tasks.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key.
EVENT_NOTES	VARCHAR2	Y	Event Notes from Make Details of Post task.
MEDIA_ID_FK	NUMBER	N	Foreign key. Links to MDD_MEDIA for full details of associated media.

MDD_PRODUCERS

Description: Provides a list of producers for a particular task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to task in MDD_TASKS
PRODUCER	VARCHAR2	Y	Name of producer.
PRODUCER_TITLE	VARCHAR2	Y	Title of producer.

MDD_PROGRAM_FORM

Description: There may be more than one form for a particular program. This view provides a list of forms per program.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TITLE_OR_VERSION_ID_FK	NUMBER	N	Foreign Key. Links to either title (MDD_TITLES) or version (MDD_VERSIONS) depending on the item
FORM	VARCHAR2	Y	Description of form.

MDD_PROGRAMS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
PROGRAM_ID	NUMBER	Y	
ITEM_TYPE_ID	NUMBER	Y	
SERIES_TITLE	VARCHAR2	Y	
EPISODE_NUM	NUMBER	Y	
TITLE	VARCHAR2	Y	

SERIES_FROM_ABS	VARCHAR2	Y
PRODUCTION_YEAR	NUMBER	Y
CREATED_BY	VARCHAR2	Y
CREATED_DATE	DATE	Y
MODIFIED_BY	VARCHAR2	Y
MODIFIED_DATE	DATE	Y
VERSION_NAME	VARCHAR2	Y
GENRE	VARCHAR2	Y
MEDIUM	VARCHAR2	Y
SUB_MEDIUM	VARCHAR2	Y
FORM	VARCHAR2	Y

MDD_RECORD_LABEL_MEDIA_LINKS

Description: Provides details of links between Record Labels and Media Items.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
RECORD_LABEL_ID_FK	NUMBER	N	Foreign Key. Link to Record Label details in MDD_RECORD_LABELS.
MEDIA_ID_FK	NUMBER	N	Foreign Key. Link to Media Item details in MDD_MEDIA.
RECORD_LABEL_ID	NUMBER	N	Record Label ID.
VERSION_ID_FK	NUMBER	Y	Foreign Key. Link to Version details in MDD_VERSIONS.
CARRIER_NO	NUMBER	Y	Carrier Number of linked Media Item.
SIDE_NO	NUMBER	Y	Carrier Side Number of linked Media Item.
RELEASE_YEAR	VARCHAR2	Y	Record Label Release Year.
CATALOGUE_NO_PREFIX	VARCHAR2	Y	Catalogue Number Prefix.
CATALOGUE_NO_NUMBER	VARCHAR2	Y	Catalogue Number.
CATALOGUE_NO_SUFFIX	VARCHAR2	Y	Catalogue Number Suffix.

MDD_RECORD_LABELS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
RECORD_LABEL_ID	NUMBER	Y	Primary Key. Internal ID of the Record Label.
RECORD_LABEL_NAME	VARCHAR2	Y	Name of Record Label.
COPYRIGHT_HOLDER_ID_FK	NUMBER	Y	Foreign Key. Links to Copyright Holder details in MDD_NAMES.

COPYRIGHT_HOLDER	VARCHAR2	Y	Name of Copyright Holder.
CREATED_BY	NVARCHAR2	Y	Name of the user who created the Record Label.
CREATED_DATE	DATE	Y	Date the Record Label was created.
MODIFIED_BY	NVARCHAR2	Y	Name of the user who last modified the Record Label.
MODIFIED_DATE	DATE	Y	Date the Record Label was last modified.

MDD_RELATED_NAMES

Description: This view displays other names related to a Name Authority. It also provides a foreign key allowing a link to the MDD_NAMES view for more details of related name if required.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
NAME_ID_FK	NUMBER	Y	Foreign Key. Links to the MDD_NAMES view for full details of the primary name authority.
RELATED_NAME_ID	NUMBER	Y	Primary Key. Unique ID of the related name. This can also be used as a link to the MDD_NAMES view to see full details of the related name
RELATED_NAME	VARCHAR2	Y	Full related name (or company name)
DATES	VARCHAR2	Y	Dates that related name are relevant.

MDD_RESPONSIBILITIES

Description: Provides details of responsibilities assigned to a role in the system.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
USER_ID	VARCHAR2	Y	User logon ID.
FIRST_NAME	VARCHAR2	Y	First name of user.
LAST_NAME	VARCHAR2	Y	Last name of user.
ROLE_ID	NUMBER	N	ID for internal use only.
ROLE_NAME	VARCHAR2	N	Name of role that has responsibilities assigned.
ROLE_DESCRIPTION	VARCHAR2	Y	Description of the role that has responsibilities assigned.
RESPONSIBILITY	VARCHAR2	Y	Responsibility. This starts at the highest level and works its way through to the finer detail.
RESPONSIBILITY_DESC	VARCHAR2	Y	Description of the responsibility
PERMISSION	NUMBER	N	ID for internal use only.
ACCESS_TO	CHAR	Y	Indicates if a user has access rights for a particular function where applicable.

VIEW	CHAR	Y	Indicates if a user has view rights for a particular function where applicable.
MODIFY	CHAR	Y	Indicates if a user has modify rights for a particular function where applicable.
DELETE	CHAR	Y	Indicates if a user has delete rights for a particular function where applicable.

MDD_RESTRICTION_REASONS

Description: The reason why a Media Item is not accessible to the public

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
RESTRICTION_REASON_ID	NUMBER	N	Primary Key. Unique ID of Restriction Reason
ACCESS_STATUS_ID_FK	NUMBER	N	Foreign key. Links to ID in MDD_ACCESS_STATUS
RESTRICTION_REASON	VARCHAR2	N	Reason of Restriction
DATE_MODIFIED	DATE	N	Date Modified

MDD_RIGHTS

Description: Provides details of Rights Agreements

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
RIGHTS_ID	NUMBER	N	Primary Key. Unique ID of Rights Agreement.
RIGHTS_HOLDER	NUMBER	Y	Rights Holder.
CONTACT	VARCHAR2	Y	Rights Contact.
AGREEMENT_DATE	DATE	Y	Agreement Date.
FILE_REF	VARCHAR2	Y	File Reference.
CREATED	DATE	Y	Date when the information got created.
CREATED_BY	VARCHAR2	Y	Name of user who created the information.
PERMISSION_TYPE	NUMBER	Y	Type of Permission.
PERM_TYPE_DESC	VARCHAR2	Y	Permission type Description
START_DATE	DATE	Y	Start Date.
END_DATE	DATE	Y	End Date.
GEOGRAPHICAL_COVERAGE	NUMBER	Y	Geographical Coverage.
GEO_COVERAGE_DESC	VARCHAR2	Y	Geographic Coverage Description
PROJECT_CODE	VARCHAR2	Y	Project Code

PROJECT_CODE_DESC	VARCHAR2	Y	Project Code Description
-------------------	----------	---	--------------------------

MDD_SERIES_INDICATORS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
INDICATOR_ID	NUMBER	N	Primary Key. Unique ID of Indicator
EXTERNAL_ID	NUMBER	Y	Unique identifier assigned to the Indicator by Record Search
INDICATOR_NAME	VARCHAR2	Y	Name of Indicator
INDICATOR_DESCRIPTION	VARCHAR2	Y	Description of Indicator

MDD_SERIES_INDICATORS_LNK

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
ID	NUMBER	N	Primary Key.
INDICATOR_ID_FK	NUMBER	N	Foreign key. Linking to indicator in MDD_SERIES_INDICATORS
SERIES_ID_FK	NUMBER	Y	Foreign key. Linking to series in MDD_TITLES
IMPORTED	NUMBER	N	Flag indicating if Indicator was imported
MI_ID_FK	NUMBER	Y	Foreign key. Linking to media in MDD_MEDIA
MEDIA_ID_FK	NUMBER	Y	Foreign key. Linking to media in MDD_MEDIA. (Replaces MI_ID_FK which was incorrectly named).

MDD_SPACE_RESERVATION_ITEMS

Description: Provides overall information about a space reservation item

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
RESERVATION_ID	NUMBER	Y	Primary Key. Reservation ID
LOCATION_ID	NUMBER	Y	ID of the location of the reservation item
ITEM_COUNT	NUMBER	Y	Number of items in the reservation
ITEM_TYPE_ID	NUMBER	Y	ID of the reservation item type
ITEM_TYPE_NAME	VARCHAR2	Y	Friendly name of the item type

FORMAT_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_CONTAINERS.FORMAT_ID
RESERVATION_LENGTH	NUMBER	Y	Length of the reservation in millimeters. Only non-zero when FORMAT_ID = 0
RESERVATION_NAME	VARCHAR2	Y	Name of the reservation
CREATED_DATE	DATE	N	Date that the reservation was created

MDD_SYNONYMS

Description: This view displays synonyms for a Name Authority.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
SYNONYM_ID	NUMBER	N	Primary Key. Unique ID of the synonym.
NAME_ID_FK	NUMBER	N	Foreign Key. Links to the MDD_NAMES view for full details of the primary name authority.
SYNONYM_NAME	VARCHAR2	Y	Synonym name, eg Jim Smith vs James Smith.
DATES	VARCHAR2	Y	Dates that related name are relevant.
NAME_TYPE	VARCHAR2	Y	

MDD_TASK_CONFIG

Description: Provides Task configuration details.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID_FK	NUMBER	Y	Foreign key link to Task.
JOB_ID_FK	NUMBER	Y	Foreign key link to Job.
ITEM_INDEX	NUMBER	Y	ID for internal use only.
TASK_TYPE_ID	NUMBER	Y	Unique identifier of task type.
TASK_TYPE	VARCHAR2	Y	Type of task.
MOVE_MODE	VARCHAR2	Y	The mode of move used by a Data Move task.
TOOL_TYPE	VARCHAR2	Y	Type of Digital Tool used.
ARRIVE_BY	DATE	Y	
DESPATCH_FROM_LOCATION	VARCHAR2	Y	
DESPATCH_TO_LOCATION	VARCHAR2	Y	
DESPATCH_TO_CONTACT	VARCHAR2	Y	Location to where media is to be dispatched.
DESPATCH_TO_CONTACT_FIRST	VARCHAR2	Y	
DESPATCH_TO_CONTACT_LAST	VARCHAR2	Y	

DESPATCH_TO_ADDRESS	VARCHAR2	Y	Address to which media is to be dispatched.
DESPATCH_TO_MAIL_CODE	VARCHAR2	Y	Mail code to which media is to be dispatched.
DESPATCH_TO_NA	VARCHAR2	Y	Name Authority to whom the media is to be dispatched.
DESPATCH_TO_NA_ADDRESS	VARCHAR2	Y	Address of Name Authority to whom the media is to be dispatched.
DESPATCH_TO_NA_CITY	VARCHAR2	Y	City for Name Authority to whom the media is to be dispatched.
DESPATCH_TO_NA_STATE	VARCHAR2	Y	State for Name Authority to whom the media is to be dispatched.
DESPATCH_TO_NA_CODE	VARCHAR2	Y	Post Code of Name Authority to whom the media is to be dispatched.
ENTITY_ID_FK	NUMBER	Y	Foreign key link to Entity.
AGENCY_CODE	VARCHAR2	Y	State for Name Authority to whom the media is to be dispatched.
AGENCY_NAME	VARCHAR2	Y	Post Code of Name Authority to whom the media is to be dispatched.
PROFILE_NAME	VARCHAR2	Y	Name of Profile used in a Transcode task.

MDD_TASK_EQUIPMENT

Description: This view provides information about equipment and/or facilities used in a task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_TASKS for full details of associated task.
JOB_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_JOB for full details of associated job.
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_MEDIA for full details of associated media.
DEVICE_USED	VARCHAR2	Y	ID of device used.
DEVICE_NAME	VARCHAR2	Y	Name of device used.
DEVICE_CODE	VARCHAR2	Y	Code allocated to device used.
FACILITY_ID	VARCHAR2	Y	ID of facility used.
FACILITY_NAME	VARCHAR2	Y	Name of facility used.

MDD_TASK_EQUIPMENT_ID

Description: This view is for internal use only. Use MDD_TASK_EQUIPMENT for details of equipment used in a task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID_FK	NUMBER	Y	For internal use only.

JOB_ID_FK	NUMBER	Y	For internal use only.
MEDIA_ID_FK	NUMBER	Y	For internal use only.
LINE_NO	NUMBER	Y	For internal use only.
DEVICE_ID	VARCHAR2	Y	For internal use only.
FACILITY_ID	VARCHAR2	Y	For internal use only.

MDD_TASK_MEDIA

Description: This view provides information about media associated with a task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_TASKS for full details of associated task.
JOB_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_JOB for full details of associated job.
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_MEDIA for full details of associated media.
CONTAINER_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_CONTAINERS for full details of associated carrier.
MEDIA_CLASS	VARCHAR2	Y	Indicates whether the media is real or virtual at this stage of the task/job.
SOURCE	NUMBER	Y	Boolean value indicating whether the media is the source media for the task, or media created as a result of the task.
ARRIVE_BY	DATE	Y	Date media is expected.
DESPATCH_FROM	VARCHAR2	Y	This field is obsolete. Please use MDD_TASK_CONFIG view for this data.
DESPATCH_TO	VARCHAR2	Y	This field is obsolete. Please use MDD_TASK_CONFIG view for this data.
SOURCE_DEST	NUMBER	Y	ID for Internal use only.
ITEM_INDEX	NUMBER	Y	
TA_REPORT_ID_FK	NUMBER	Y	
AGENCY_CODE	NUMBER	Y	
AGENCY_NAME	VARCHAR2	Y	
MEDIA_STATUS_ID	NUMBER	Y	ID for internal use only.
MEDIA_STATUS	VARCHAR2	Y	Indicates the status of the media, eg Ready.
DEVICE_PATH	VARCHAR2	Y	
DEVICE	VARCHAR2	Y	

MDD_TASK_OUTPUT_MEDIA

Description: This view provides information about media associated with a task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_TASKS for full details of associated task.
JOB_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_JOB for full details of associated job.
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_MEDIA for full details of associated media.
CONTAINER_ID_FK	VARCHAR2	Y	
MEDIA_CLASS	VARCHAR2	Y	Indicates whether the media has been soft deleted or still available.
SOURCE	NUMBER	Y	Always set to zero for this view.

MDD_TASK_SOURCE_MEDIA

Description: This view provides information about media associated with a task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_TASKS for full details of associated task.
JOB_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_JOB for full details of associated job.
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_MEDIA for full details of associated media.
CONTAINER_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_CONTAINERS for full details of associated carrier.
MEDIA_CLASS	VARCHAR2	Y	Indicates whether the media is real or virtual at this stage of the task/job.
SOURCE	NUMBER	Y	Boolean value indicating whether the media is the source media for the task, or media created as a result of the task.
ARRIVE_BY	DATE	Y	Date media is expected.
DESPATCH_FROM	VARCHAR2	Y	This field is obsolete. Please use MDD_TASK_CONFIG view for this data.
DESPATCH_TO	VARCHAR2	Y	This field is obsolete. Please use MDD_TASK_CONFIG view for this data.
SOURCE_DEST	NUMBER	Y	ID for Internal use only.

AGENCY_CODE	NUMBER	Y	
AGENCY_NAME	VARCHAR2	Y	
MEDIA_STATUS_ID	NUMBER	Y	ID for internal use only.
MEDIA_STATUS	VARCHAR2	Y	
DEVICE_PATH	VARCHAR2	Y	
DEVICE	VARCHAR2	Y	

MDD_TASK_TIMELINE

Description: This view provides information about actions associated with a task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_TIMELINE_ID	NUMBER	N	Primary Key. Unique ID for task timeline entry.
TASK_ID_FK	NUMBER	N	Foreign Key. Links task to MDD_TASKS.
JOB_ID_FK	NUMBER	N	Foreign Key. Links task to MDD_JOB.
LOG_ACTION	VARCHAR2	Y	Description of the action that initiated the logging.
NOTES	VARCHAR2	Y	Log detail.
OPERATOR_ID	VARCHAR2	N	Name of the operator who initiated the action.
TIMESTAMP	DATE	N	The date and time the action occurred

MDD_TASK_VIDEO_MEASUREMENTS

Description: This view provides information about the video measurements noted for a media item in a task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_MEDIA for full details of associated media.
TASK_ID_FK	NUMBER	Y	Foreign Key. Links to MDD_TASKS for full details of associated task.
VITC	VARCHAR2	Y	Displays the Virtual Interval TimeCode (VITC) for a piece of media in a task.
DIGITAL_ERR	VARCHAR2	Y	Digital error condition of media in the task.
LTC	VARCHAR2	Y	Longitudinal TimeCode (LTC) for a piece of media in the task.
DIGITAL_BLANKING	VARCHAR2	Y	Details of digital blanking for a piece of media in the task.
DIGITAL_CH	VARCHAR2	Y	Details of digital channels for a piece of media in the task.
PB_PHASE	VARCHAR2	Y	Details of PB phase for a piece of media in the task.

BARS_REF	VARCHAR2	Y	Bars reference for a piece of media in the task.
AUD_REF	VARCHAR2	Y	Audio reference for a piece of media in the task.

MDD_TASKS

Description: This view provides information about a specific task.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID	NUMBER	N	Primary Key. Unique ID for task.
JOB_ID_FK	NUMBER	Y	Foreign Key. Links task to MDD_JOB.
TASK_TYPE_ID	NUMBER	Y	ID for internal use only.
TASK_TYPE	VARCHAR2	Y	Type of task, eg Ingest.
TASK_CLIENT	VARCHAR2	Y	Client associated with the task.
TASK_START_DATE	DATE	Y	Actual start date for the task.
TASK_END_DATE	DATE	Y	Actual end date for the task.
COMPLETE_BY	DATE	Y	Date task is due to be completed by.
TASK_STARTED_BY	VARCHAR2	Y	Name of the operator who started the task.
TASK_COMPLETED_BY	VARCHAR2	Y	Name of the operator who completed the task.
TASK_OPERATOR	VARCHAR2	Y	Operator assigned to the task. Obsolete. Replaced by TASK_COMPLETED_BY
TASK_OPERATOR_FULL	VARCHAR2	Y	Full name of operator assigned to the task.
CURRENT_OPERATOR_FULL	VARCHAR2	Y	
TASK_POSITION	NUMBER	Y	Position of task within the job.
SCHEDULE_AREA	NUMBER	Y	ID for internal use only.
SCHEDULE_AREA_NAME	VARCHAR2	Y	Name of Schedule Area that task is assigned to.
SCHEDULE_AREA_PARENT	VARCHAR2	Y	Parent Schedule Area that task is assigned to.
SCHEDULE_AREA_CODE_FULL	VARCHAR2	Y	Full Schedule Area codes that task is assigned to.
SCHEDULE_AREA_FULL	VARCHAR2	Y	Full Schedule Area that task is assigned to.
CREATED_DATE	DATE	N	Date task was created.
CREATED_BY	VARCHAR2	N	Name of user who created the task.
CREATED_BY_FULL	VARCHAR2	Y	Full name of user who created the task.
MODIFIED_DATE	DATE	Y	Data task was last modified.
MODIFIED_BY	VARCHAR2	Y	Name of user who last modified the task.
MODIFIED_BY_FULL	VARCHAR2	Y	Full name of user who last modified the task.
TASK_STATUS_ID	NUMBER	Y	ID for internal use only.
TASK_STATUS	VARCHAR2	Y	Status of task, eg In progress.

EQUIPMENT_USED_ID	VARCHAR2	Y	Foreign Key. Links task to MDD_TASK_EQUIPMENT.
TASK_NOTES	VARCHAR2	Y	Notes for task.
FULL_NOTES	VARCHAR2	Y	Full notes for task.
JOB_RAISED	NUMBER	Y	ID of the job raised by a Raise Workflow task.
FRIENDLY_NAME	VARCHAR2	Y	

MDD_TASKS_OLD

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TASK_ID	NUMBER	N	
PRESET	VARCHAR2	Y	
COMPLETED_DATE	DATE	Y	
DAY	VARCHAR2	Y	
MONTH	VARCHAR2	Y	
YEAR	VARCHAR2	Y	
TASK_TYPE	NUMBER	Y	

MDD_TITLE_GENRE

Description: Provides information about the genre of a title.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TITLE_ID_FK	NUMBER	N	Foreign_Key. Links genre to MDD_TITLES.
GENRE_ID	NUMBER	Y	Primary Key. Unique ID of genre.
GENRE	VARCHAR2	Y	Genre description.

MDD_TITLES

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
TITLE_ID	NUMBER	N	Primary Key. Unique ID of title.
TITLE_TYPE	VARCHAR2	Y	

PARENT_SERIES_ID_FK	NUMBER	Y	Foreign key linking back to TITLE_ID of parent Series.
SERIES_TITLE	VARCHAR2	Y	Series Title.
PARENT_SEASON_ID_FK	NUMBER	Y	
SEASON	VARCHAR2	Y	Season.
TITLE	VARCHAR2	Y	Episode or Standalone Title.
ORIGINAL_TITLE	VARCHAR2	Y	
ITEM_TYPE_ID	NUMBER	N	Describes the type of Title, eg Series or Episode.
EPISODE_NUM	NUMBER	Y	Episode number of title.
PRODUCTION_YEAR	NUMBER	Y	Year title was produced.
SERIES_TYPE	NUMBER	Y	Internal use only.
PROGRAM_ID1	VARCHAR2	Y	Client specific primary ID of title.
PROGRAM_ID2	VARCHAR2	Y	Client specific secondary ID of title.
SERIES_ID1	VARCHAR2	Y	Client specific primary ID of Series.
SERIES_ID2	VARCHAR2	Y	Client specific secondary ID of Series.
VERSION_ID1	VARCHAR2	Y	Client specific primary ID of version.
VERSION_ID2	VARCHAR2	Y	Client specific secondary ID of version.
EXPECTED_DURATION	NUMBER	Y	Expected program duration (in seconds).
EXPECTED_ASPECT_RATIO	NUMBER	Y	Expected program aspect ratio.
OWNERS	VARCHAR2	Y	Owner of title.
SLOT_DURATION	NUMBER	Y	Slot allocated to title.
RUN_TIME_DURATION	NUMBER	Y	Run-time duration of title.
COPYRIGHT_STATUS	NUMBER	Y	Title copyright status.
COPYRIGHT_STATUS_DESC	NVARCHAR2	Y	Description of Title copyright status.
CULTURAL_STATUS	VARCHAR2	Y	Internal use only.
CULTURAL_STATUS_DESC	VARCHAR2	Y	Description of Cultural Status of Title.
CREATED_BY	VARCHAR2	N	Name of user who created the title.
CREATED_DATE	DATE	N	Date the title was created.
MODIFIED_BY	VARCHAR2	Y	Name of user who last modified the title.
MODIFIED_DATE	DATE	Y	Date the title was last modified.
MEDIUM_ID_FK	NUMBER	Y	
MEDIUM	VARCHAR2	Y	Medium assigned to title.
SUB_MEDIUM_ID_FK	NUMBER	Y	
SUB_MEDIUM	VARCHAR2	Y	Sub-medium assigned to title.
ATTACHMENT_FILENAMES	CLOB	Y	List of Attachment Filenames.
URL_REFERENCES	CLOB	Y	List of URL References.
DELETED	NUMBER	Y	Date the Title was marked as deleted.
DELETED_BY	VARCHAR2	Y	Identifies the ID of the user that marked the Title as deleted.

DELETED_DATE	DATE	Y	
TITLE_PARENTAL_RATING	VARCHAR2	Y	Parental Rating at the Title level. This may be different to the Parental Rating at Version level.
TITLE_PARENTAL_SUBRATING	VARCHAR2	Y	Parental SubRating at the Title level. This may be different to the Parental SubRating at Version level.

MDD_TRANSMISSION_SCHEDULE

Description: Provides information about the transmissions scheduled for a version or media item.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
SCHEDULE_ID	NUMBER	N	Primary Key. Unique ID of transmission schedule.
VERSION_ID_FK	NUMBER	Y	Foreign Key. Links transmission schedule to MDD_VERSIONS.
MEDIA_ID_FK	NUMBER	Y	Foreign Key. Links transmission schedule to MDD_MEDIA.
NETWORK	VARCHAR2	Y	Transmission network.
TRANSMISSION_DATE	DATE	Y	Transmission date for specific media.
TRANSMISSION_START	DATE	Y	Scheduled start of transmission for specific media.
TRANSMISSION_END	DATE	Y	Scheduled end of transmission for specific media.
TRANSMISSION_SERIES_TITLE	VARCHAR2	Y	Series or one-off title.
TRANSMISSION_TITLE	VARCHAR2	Y	Episode title
PRODUCT_NUMBER	VARCHAR2	Y	Product number for media on schedule.
DURATION_SECONDS	NUMBER	Y	Duration of scheduled transmission (in seconds)
QC_STATUS	VARCHAR2	Y	QC status of scheduled media.

MDD_USER_ACCESS_GROUPS

Description: Provides information about the Schedule Rights for each user.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
USER_ID	VARCHAR2	Y	Mediaflex User.
USER_NAME	VARCHAR2	Y	Mediaflex User full name.
STATUS	VARCHAR2	Y	Mediaflex User account status.
ACCESS_GROUP	VARCHAR2	Y	Access Groups assigned to user.
CREATED	DATE	Y	User account Creation date.
IS_IMFX	VARCHAR2	Y	Indicate with "Y" when item is iMediaflex Access group.

MDD_USER_SCHEDULE_RIGHTS

Description: Provides information about the Schedule Rights for each user.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
USER_ID	VARCHAR2	Y	Mediaflex User
SCHEDULE_RIGHTS_ID	VARCHAR2	Y	ID for internal use only
SCHEDULE_RIGHTS	VARCHAR2	Y	Schedule Rights assigned to user

MDD_USERS

Description: Provides information about Mediaflex users.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
USER_ID	VARCHAR2	Y	Mediaflex user
FULL_NAME	VARCHAR2	Y	Full name of Mediaflex user
TITLE	VARCHAR2	Y	Title of Mediaflex user
PHONE	VARCHAR2	Y	Phone number of Mediaflex user
EMAIL	VARCHAR2	Y	
EXPIRYDATE	DATE	Y	Expiry Date
DEPARTMENT	VARCHAR2	Y	Department of Mediaflex user
AREA_SHORT_CODE	VARCHAR2	Y	
AREA	VARCHAR2	Y	
DBA_MODE	VARCHAR2	Y	Indicates whether the user has TMDDBA rights
IS_DISABLED	VARCHAR2	Y	
LAST_MFX_LOGIN_DATE	DATE	Y	
LAST_IMFX_LOGIN_DATE	DATE	Y	

MDD_VERSION_COUNTRY

Description: Provides details of country(ies) assigned to a version.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
VERSION_ID_FK	NUMBER	N	Foreign Key. Links country to MDD_VERSIONS.

COUNTRY	VARCHAR2	Y	Country(ies) associate with a version.
---------	----------	---	--

MDD_VERSION_LANGUAGE

Description: Provides details of language(s) assigned to a version.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
VERSION_ID_FK	NUMBER	N	Foreign Key. Links language(s) to MDD_VERSIONS.
LANGUAGE	VARCHAR2	Y	Language(s) associated with a particular version.
ROLE	VARCHAR2	Y	Language(s) Role associated with a particular version.

MDD_VERSION_MATRIX_NUMBER

Description: Provides details of Matrix number data linked to a version.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
MAT_NUM_ID	NUMBER	N	Primary Key. Unique ID of Matrix Number
VERSION_ID_FK	NUMBER	Y	Foreign Key. Links Production to MDD_VERSIONS.
MATRIX_PREFIX	VARCHAR2	Y	Matrix Prefix.
MATRIX_NUMBER	VARCHAR2	Y	Matrix number.
MATRIX_SUFFIX	VARCHAR2	Y	Matrix suffix.
CREATED_BY	VARCHAR2	N	Name of user who created the information.
CREATED_DATE	DATE	N	Date the information was entered.
MODIFIED_BY	VARCHAR2	Y	Name of user who last modified the information.
MODIFIED_DATE	DATE	Y	Date the information was last modified.

MDD_VERSION_PLACE

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
VERSION_ID_FK	NUMBER	N	Primary Key. Unique ID of version.
VERSION_ID1_FK	VARCHAR2	Y	Client specific primary identifier for version.
PLACE	VARCHAR2	Y	The Production Place of Version.
PLACE_TYPE	VARCHAR2	Y	The Production Place type of Version.

MDD_VERSION_PRODUCTION_DATES

Description: Provides details of production dates linked to a version.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
PROD_DATE_ID	NUMBER	N	Primary Key. Unique ID of production date.
VERSION_ID_FK	NUMBER	Y	Foreign Key. Links production date to MDD_VERSIONS.
DATE_TYPE_ID	NUMBER	Y	ID for internal use only.
DATE_TYPE	VARCHAR2	Y	Type of Production Date.
DATE_FROM	DATE	Y	Date production from.
DATE_TO	DATE	Y	Date production to.
FROM_DAY	NUMBER	Y	Day production from.
FROM_MONTH	NUMBER	Y	Month production from.
FROM_YEAR	NUMBER	Y	Year production from.
TO_DAY	NUMBER	Y	Day production to.
TO_MONTH	NUMBER	Y	Month production to.
TO_YEAR	NUMBER	Y	Year production to.
CIRCA	NUMBER	Y	Production date circa.
NOTES	VARCHAR2	Y	Notes related to production date.
CREATED_BY	NVARCHAR2	N	Name of user who created the information.
CREATED_DATE	DATE	N	Date the information was entered.
MODIFIED_BY	NVARCHAR2	Y	Name of user who last modified the information.
MODIFIED_DATE	DATE	Y	Date the information was last modified.

MDD_VERSION_RELATED

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
VERSION_ID_FK	NUMBER	N	Foreign Key. Links to MDD_VERSIONS
RELATED_VERSION_ID_FK	NUMBER	N	Related versions ID Foreign Key
RELATED_VERSION_ID1	VARCHAR2	Y	Related versions ID1
RELATED_VERSION_TITLE	VARCHAR2	Y	Related versions Title
RELATED_VERSION_NAME	VARCHAR2	Y	Related versions Name

MDD_VERSION_RIGHTS

Description: Provides details of Rights Agreements

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
RIGHTS_ID	NUMBER	N	Primary Key. Unique ID of Rights Agreement.
RIGHTS_HOLDER	NUMBER	Y	Rights Holder.
CONTACT	VARCHAR2	Y	Rights Contact.
AGREEMENT_DATE	DATE	Y	Agreement Date.
FILE_REF	VARCHAR2	Y	File Reference.
CREATED	DATE	Y	Date when the information got created.
CREATED_BY	VARCHAR2	Y	Name of user who created the information.
VERSION_ID	NUMBER	Y	Version ID.
PERMISSION_TYPE	NUMBER	Y	Type of Permission.
PERM_TYPE_DESC	VARCHAR2	Y	Permission type Description
START_DATE	DATE	Y	Start Date.
END_DATE	DATE	Y	End Date.
GEOGRAPHICAL_COVERAGE	NUMBER	Y	Geographical Coverage.
GEO_COVERAGE_DESC	VARCHAR2	Y	Geographic Coverage Description
PROJECT_CODE	VARCHAR2	Y	Project Code
PROJECT_CODE_DESC	VARCHAR2	Y	Project Code Description

MDD_VERSION_SEGMENTS

Description: Segment details assigned to Version.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
VERSION_ID_FK	NUMBER	Y	Foreign Key. Links to unique ID of version in MDD_VERSIONS.
SEGMENT_NO	NUMBER	Y	Segment number.
PART_NO	NUMBER	Y	Part number of the segment.
SEGMENT_TYPE	NUMBER	Y	Internal use ID.
SEGMENT_TYPE_DESC	NVARCHAR2	Y	Description of segment type. (This will only be available if config table is used)..
SEGMENT_TITLE	VARCHAR2	Y	Title assigned to segment.
SOM_FRAMES	NUMBER	Y	Start of Media in frames..

SOM	VARCHAR2	Y	Start of Media displayed as a timecode..
EOM_FRAMES	NUMBER	Y	End of Media in frames..
EOM	VARCHAR2	Y	End of Media displayed as a timecode..
DURATION_FRAMES	NUMBER	Y	Duration of a segment in frames..
DUR	VARCHAR2	Y	Foreign Key. Duration of segment displayed as a timecode..
USE_IN_DUR_CALC	NUMBER	Y	Indicates if segment should be used to calculate duration.
TX_PART	NUMBER	Y	Indicates if this segment is valid for transmission.

MDD_VERSIONS

Description:

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
VERSION_ID	NUMBER	N	Primary Key. Unique ID of version.
ITEM_TYPE_ID	NUMBER	N	Foreign Key. Links version to MDD_MEDIA_ITEM_TYPES.
TITLE_ID_FK	NUMBER	N	Foreign Key. Links version to MDD_TITLES.
PARENT_VERSION_ID_FK	NUMBER	Y	Foreign Key. Links a sub version to its parent in MDD_VERSIONS.
MASTER_VERSION_ID_FK	NUMBER	Y	
VERSION_TYPE	CHAR	Y	The Version Type will be SM for Supplier Masters.
VERSION_TITLE	VARCHAR2	Y	Episode title for version.
VERSION_SERIES_TITLE	VARCHAR2	Y	Series or one-off title for version.
VERSION_SERIES_NAME	VARCHAR2	Y	The Series or Season Name for the Version.
VERSION_EPISODE	VARCHAR2	Y	The Episode number for the Version.
EPISODE_NUM	NUMBER	Y	
VERSION_ID1	VARCHAR2	Y	Client specific primary identifier for version.
VERSION_ID2	VARCHAR2	Y	Client specific secondary identifier for version.
VERSION_PROGRAM_ID1	VARCHAR2	Y	Client specific primary identifier for program.
VERSION_PROGRAM_ID2	VARCHAR2	Y	Client specific secondary identifier for program.
HOUSE_NUMBER	VARCHAR2	Y	Client Version reference number.
VERSION_NAME	VARCHAR2	Y	Name of version.
EXPECTED_DURATION	NUMBER	N	Expected duration of version (in seconds).
SLOT_DURATION	NUMBER	Y	Slot duration allocated to version (in seconds).
OWNERS	VARCHAR2	Y	Owner(s) of version.
STATUS_ID	NUMBER	Y	ID for internal use only.
STATUS	NVARCHAR2	Y	Status of version, eg Restricted.
EXPECTED_FORMAT	NUMBER	Y	Expected format of version.

ASPECT_RATIO	NUMBER	Y	Aspect ratio code. For internal use only.
ASPECT_RATIO_NAME	VARCHAR2	Y	Aspect ratio of version.
TV_STD	NVARCHAR2	Y	TV Standard of version.
NEXT_TX_DATE	DATE	Y	Next scheduled transmission date for version.
ITV_CAT	VARCHAR2	Y	
ITV_TYPE	NUMBER	Y	
REF_CODE	VARCHAR2	Y	
SUB_MEDIUM	VARCHAR2	Y	Sub-Medium of version.
CREATED_BY	VARCHAR2	N	
CREATED_DT	DATE	N	Date version was created.
MODIFIED_BY	VARCHAR2	Y	
MODIFIED_DT	DATE	Y	Date version was last modified.
COPYRIGHT_STATUS	NUMBER	Y	Version copyright status.
COPYRIGHT_STATUS_DESC	NVARCHAR2	Y	Description of Copyright Status of Version.
CULTURAL_STATUS_ID	VARCHAR2	Y	Version cultural status ID.
CULTURAL_STATUS_DESC	VARCHAR2	Y	Description of Cultural Status of Version.
ALTERNATIVE_TITLES	VARCHAR2	Y	Alternative Titles.
ATTACHMENT_FILENAMES	CLOB	Y	List of Attachment Filenames.
URL_REFERENCES	CLOB	Y	List of URL References.
PRODUCTION_PLACE_TYPE	VARCHAR2	Y	The Production Place type of Version.
PRODUCTION_PLACE	VARCHAR2	Y	The Production Place of Version.
PRODUCTION_COLOUR_ID	NUMBER	Y	
PRODUCTION_COLOUR	NVARCHAR2	Y	The Production Colour of the Version.
PRODUCTION_AUDIO_ID	NUMBER	Y	
PRODUCTION_AUDIO	NVARCHAR2	Y	The Production Audio of the Version.
NOTES	VARCHAR2	Y	Displays Notes saved against Version.
DELETED	NUMBER	Y	Boolean value indicating whether a Version has been marked as deleted.
DELETED_BY	VARCHAR2	Y	Identifies the ID of the user that marked the Version as deleted.
DELETED_DATE	DATE	Y	Date the Version was marked as deleted.
PARENTAL_RATING	VARCHAR2	Y	Parental rating of item.
PARENTAL_SUBRATING	VARCHAR2	Y	Parental Advisory rule.
VERSION_GUID	VARCHAR2	Y	Unique identifier for Version

MDD_XML_METADATA

Description: Provides all XML data held in the system.

COLUMN NAME	DATA TYPE	NULLABLE	COMMENTS
XML_ID	NUMBER	N	Primary Key. Unique ID of metadata.
LINKING_ID_FK	NUMBER	Y	Foreign Key. Can be used to link to other views for more info. Which view, is determined by the XML_LINK_TYPE value
XML_LINK_TYPE	VARCHAR2	Y	Indicates the type of data that the XML is linked to, eg VERSION, JOB, MEDIA etc.
SCHEMA_TYPE	NUMBER	Y	ID for internal use only.
XML_TYPE	VARCHAR2	Y	Description of the XML Schema Type
SCHEMA_NAME	VARCHAR2	Y	Name of the Schema
DATA_TYPE	NUMBER	Y	ID for internal use only.
CREATED_BY	VARCHAR2	Y	
CREATED_DATE	DATE	Y	
MODIFIED_BY	VARCHAR2	Y	
MODIFIED_DATE	DATE	Y	
XML_DATA	XMLTYPE	Y	XML data.
OWN_ID	NUMBER	Y	OBSOLETE - This has been replaced by the LINKING_ID_FK field.
MEDIA_ID_FK	NUMBER	Y	OBSOLETE - This has been replaced by the LINKING_ID_FK field.
VERSION_ID_FK	NUMBER	Y	OBSOLETE - This has been replaced by the LINKING_ID_FK field.