




**VTEC**  
VerticalTec

## GR-POS Series

The leading-edge POS terminal  
takes performance, style and technology  
to a whole new level.



**VTEC**  
VerticalTec





## Slim, style and smart

The patented dual-hinge engineering design lets you easily position the touchscreen to different height and tilt angle. Put it upright, low-profile or lay it flat, perfect fit variety of hospitality and retail applications.



Reduce 50%  
Package size



Dual hinge



## Adding flexibility to meet mission critical needs



## Unmatched reliability

- Rugged aluminum die-cast housing
- Flat screen with sealed housing - provide high level of ingress protection (IP65 front)
- Proven thermal solution



NO FAN



WATER  
DUST PROOF

## Unmatched serviceability

The modular engineering incorporating with cord-free technique makes service and upgrade easily and hassle-free.



CORDLESS



EASY SERVICE



## Intelligent performance

Backed by Intel® platform technology, Glamor provides intelligent computing power, from energy-efficient SoC platform to powerful desktop platform.

Support all types of business operation and meet your application needs.

- Energy-efficient computing solution  
Intel® Celeron® J1900 CPU (Bay Trail)



# Specifications

System Configuration	
Model	GR-615S
Intel CPU	Celeron® J1900 2.0 GHz (Quad-core)
Main memory	204 Pin DDR3L RAM * 2 slots, 2GB RAM, max. 8GB
O/S compatibility	Windows 7 / POSReady 7 / Windows 8.1 Industry / Windows 10 / Linux Kernel 2.6 or above

I/O Connectivity		LCD Panel
Model	GR-615S	
Parallel (option)	by cable output	15" LED-backlit display Flat Resistive Touch (default) Projected Capacitive Touch with tempered glass
USB2.0	2	
USB3.0	2	
eSATAp / USB2.0 combo	1	
RJ45 COM	3	
Gigabit Ethernet	1	
Line out	1	
PS / 2 keyboard	1	
VGA	1	
HDMI	1	
RJ12 cash drawer	1 (Dual cash drawer support)	
DC12V out	1	
DC24V in	1	
Extension I/O Brick	n/a	
Storage		Power Supply
		64GB 2.5" SSD
Power Supply		External DC power adapter. AC90 to 264 V full range.
Optional attachments		
		MSR & iButton identification reader (2-in-1) Fingerprint / RFID / NFC identification reader LCM / VFD customer display 10" / 15" 2nd LCD display 802.11 b / g / n wireless module

