robbyrussell / **oh-my-zsh**

Watch   1,255   ★ Star   34,004   Fork   9,220

<> Code   Issues **180**   Pull requests **509**   Wiki   Pulse   Graphs

Cheatsheet

olivertappin edited this page 23 days ago · 25 revisions

To try it out if you have just cloned it (to your home directory):

```
source ~/.oh-my-zsh/templates/zshrc.zsh-template
```

Commands

Command	Description
tabs	Create a new tab in the current directory (OS X - req enabling access for assistive devices under sys prefs).
take	Create a new directory and change to it, will create intermediate directories as required.
x / extract	Extract an archive (supported types: tar.{bz2,gz,xz,lzma}, bz2, rar, gz, tar, tbz2, tgz, zip, Z, 7z).
zsh_stats	Get a list of the top 20 commands and how many times they have been run.
uninstall_oh_my_zsh	Uninstall Oh-my-zsh.
upgrade_oh_my_zsh	Upgrade Oh-my-zsh.

Alias	Command
alias	list all aliases
..	cd ..
...	cd ../..
....	cd ../../..
.....	cd ../../../..
/	cd /
cd +n	switch to directory number n
1	cd -
2	cd +2

▸ Pages **19**

Merchandise

Get a t-shirt

Get stickers

Clone this wiki locally

https://github.com/robbyrusse

⤓ Clone in Desktop

3	cd +3
4	cd +4
5	cd +5
6	cd +6
7	cd +7
8	cd +8
9	cd +9
md	mkdir -p
rd	rmdir
d	dirs -v (lists last used directories)

See `~/.oh-my-zsh/lib/directories.zsh`

Tab-completion

For options and helpful text of what they do
ls -(tab)
cap (tab)
rake (tab)
ssh (tab)
sudo umount (tab)
kill (tab)
unrar (tab)

Git

Dynamic access to current branch name with the current_branch function
git pull origin $(current_branch)
grb publish $(current_branch) origin

Alias	Command
g	git
ga	git add
gaa	git add --all
gapa	git add --patch
gb	git branch
gba	git branch -a

gbr	git branch --remote
gc	git commit -v
gc!	git commit -v --amend
gca	git commit -v -a
gca!	git commit -v -a --amend
gcl	git config --list
gclean	git clean -fd
gpristine	git reset --hard && git clean -dfx
gcm	git checkout master
gcmsg	git commit -m
gco	git checkout
gcount	git shortlog -sn
gcp	git cherry-pick
gcs	git commit -S
gd	git diff
gdca	git diff --cached
gdt	git diff-tree --no-commit-id --name-only -r
gdt	git difftool
gfa	git fetch --all --prune
gg	git gui citool
gga	git gui citool --amend
ggpnp	git pull origin $(current_branch) && git push origin $(current_branch)
ggpull	git pull origin $(current_branch)
ggl	git pull origin $(current_branch)
ggpur	git pull --rebase origin $(current_branch)
glum	git pull upstream master
ggpush	git push origin $(current_branch)
ggp	git push origin $(current_branch)
ggsup	git branch --set-upstream-to=origin/$(current_branch)
gignore	git update-index --assume-unchanged
gignored	git ls-files -v
git-svn-dcommit-push	git svn dcommit && git push github master:svntrunk
gk	gitk --all --branches
gl	git pull

glg	git log --stat --max-count = 10
glgg	git log --graph --max-count = 10
glgga	git log --graph --decorate --all
glo	git log --oneline --decorate --color
glog	git log --oneline --decorate --color --graph
glp	_git_log_prettily (git log --pretty=$1)
gm	git merge
gmt	git mergetool --no-prompt
gp	git push
gpoat	git push origin --all && git push origin --tags
gr	git remote
grba	git rebase --abort
grbc	git rebase --continue
grbi	git rebase -i
grh	git reset HEAD
grhh	git reset HEAD --hard
grmv	git remote rename
grrm	git remote remove
grset	git remote set-url
grt	cd $(git rev-parse --show-toplevel || echo ".")
grup	git remote update
grv	git remote -v
gsd	git svn dcommit
gsps	git show --pretty = short --show-signature
gsr	git svn rebase
gss	git status -s
gst	git status
gsta	git stash
gstd	git stash drop
gstp	git stash pop
gsts	git stash show --text
gts	git tag -s
gunignore	git update-index --no-assume-unchanged
gunwip	git log -n 1

gup	git pull --rebase
gvt	git verify-tag
gwch	git whatchanged -p --abbrev-commit --pretty = medium
gwip	git add -A; git ls-files --deleted -z

You also find these commands in Dash as a Cheat-sheet.

Editors

Alias	Command
stt	(When using `sublime` plugin) Open current directory in Sublime Text 2/3
v	(When using `vi-mode` plugin) Edit current command line in Vim

Symfony2

Alias	Command
sf	php ./app/console
sfcl	php app/console cache:clear
_sfcontainer	sf container:debug
sfcw	sf cache:warmup
sfgb	sf generate:bundle
sfroute	sf router:debug
_sfsr	sf server:run -vvv

Systemd

systemctl

Command	Description
sc-status NAME	show the status of the NAME process
sc-show NAME	show the NAME systemd .service file
sc-start NAME	start the NAME process
sc-stop NAME	stop the NAME process
sc-restart NAME	restart the NAME process
sc-enable NAME	enable the NAME process to start at boot
sc-disable NAME	disable the NAME process at boot