

robbyrussell / oh-my-zsh

Watch1,255Star34,001Fork9,219

<> Code

! Issues180

🔗 Pull requests509

Wiki

📶 Pulse

📊 Graphs

Themes

Yad Smood edited this page 11 days ago · 44 revisions

All the current themes can be found in the `themes/` directory in the oh-my-zsh distribution. [See list here](#).

In order to enable a theme, set `ZSH_THEME` to the name of the theme in your `~/.zshrc` , before sourcing Oh My Zsh; for example: `ZSH_THEME=robbyrussell`
If you do not want any theme enabled, just set `ZSH_THEME` to blank: `ZSH_THEME=""`

Here is a collection of screenshots and descriptions of themes that have been contributed to Oh My Zsh. There are some missing from this page. If you want to add or edit descriptions, see the [format description](#) at the bottom of this page.

The Themes

robbyrussell

the (default) that Robby uses

```
➔ .oh-my-zsh git:(master) git co -b LH_2039
Switched to a new branch 'LH_2039'
➔ .oh-my-zsh git:(LH_2039) touch x
➔ .oh-my-zsh git:(LH_2039) ✖
```

The rest of the themes, in alphabetical order:

af-magic

Merchandise



[Get a t-shirt](#)



[Get stickers](#)

Clone this wiki locally

<https://github.com/robbyrusse>

[Clone in Desktop](#)

```
~ » cd Projects/AndroidEclipse/Tagesschau

~/Projects/AndroidEclipse/Tagesschau(branch:master*) » ls
AndroidManifest.xml  ic_launcher-web.png  proguard-project.txt  src
assets              libs                 project.properties
bin                  LICENSE              README.md
gen                  lint.xml              res

~/Projects/AndroidEclipse/Tagesschau(branch:master*) » up

~/Projects/AndroidEclipse » apt-get moo

      (__)
      (oo)
    /-----\
   /   |     |   \
  * /   \----\   \
    ~~~~      ~~~~

... "Have you mooed today?" ...

~/Projects/AndroidEclipse »
```

afowler

```
achilles :: ~/code/redcar <master> » ls
bin      Gemfile      lib      plugins  README.md  tasks
CHANGES Gemfile.lock  LICENSE  Rakefile  share      vendor
achilles :: ~/code/redcar <master> » pwd
/home/linopolus/code/redcar
achilles :: ~/code/redcar <master> » scrot -s ~/themes/afowler.png
```

agnoster

(more info)

```
~ ➤ cd testproject
~/testproject ➤ master ➤ gco detached-head-state -q
~/testproject ➤ ~ fdffaf6 ➤ touch dirty-working-directory
~/testproject ➤ ~ fdffaf6± ➤ cd
~ ➤ ssh milly
Welcome to Ubuntu 11.04 (GNU/Linux 2.6.18-308.8.2.el5.028stab101.1 x86_64)
Last login: Wed Sep 26 03:42:49 2012 from 71-215-222-90.mpls.qwest.net
agnoster@milly ➤ ~
Connection to milly.agnoster.net closed.
~ ➤ sudo -s
Password:
~ ➤ root@Arya ➤ ~ ➤ top &
[1] 34523
[1] + 34523 suspended (tty output) top
~ ➤ root@Arya ➤ ~ ➤ rm no-such-file
rm: no-such-file: No such file or directory
~ ➤ root@Arya ➤ ~ ➤ kill %1
[1] + 34523 terminated top
~ ➤ root@Arya ➤ ~ ➤
```

<https://cloud.githubusercontent.com/assets/1441704/11986491/65c9c702-a9d0-11e5-8393-ce262988ab09.png> (Shown with [Solarized Dark colorscheme](#) and [Powerline-patched Menlo 14pt](#) in [iTerm 2](#))

Additional setup:

- Install one of the [patched fonts from Vim-Powerline](#) or [patch your own](#) for the special characters.
- *Optionally* set `DEFAULT_USER` in `~/.zshrc` to your regular username to hide the “user@hostname” info when you’re logged in as yourself on your local machine.

alanpeabody

```
alan@sirius ~/draker/sentalis$ git add .
alan@sirius ~/draker/sentalis$ git ci -m 'Updated bundler'
[integration d64448e] Updated bundler
 2 files changed, 2 insertions(+), 2 deletions(-)
alan@sirius ~/draker/sentalis$
```

integration <ruby-1.8.7@sentalis4rails3>
integration <ruby-1.8.7@sentalis4rails3>
integration <ruby-1.8.7@sentalis4rails3>

amuse

```
~/oh-my-zsh on master @ 15:00:39
$ git remote -v
my_fork git@github.com:dhruvasagar/oh-my-zsh.git (fetch)
my_fork git@github.com:dhruvasagar/oh-my-zsh.git (push)
origin git@github.com:robbyrussell/oh-my-zsh.git (fetch)
origin git@github.com:robbyrussell/oh-my-zsh.git (push)

~/oh-my-zsh on master @ 15:00:41
$ ggpull
remote: Counting objects: 11, done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 9 (delta 5), reused 7 (delta 3)
Unpacking objects: 100% (9/9), done.
From github.com:robbyrussell/oh-my-zsh
 * branch      master       -> FETCH_HEAD
Merge made by the 'recursive' strategy.
 themes/michelebologna.zsh-theme | 44 +++++
 1 file changed, 44 insertions(+)
 create mode 100644 themes/michelebologna.zsh-theme

~/oh-my-zsh on master @ 15:02:42
$
```

Shown in the screenshot with tmux and the [powerline plugin](#) (you might need to install one of the [patched powerline fonts](#) for it to look the same).

arrow

```
redcar > ls
bin      Gemfile      lib      plugins  README.md tasks
CHANGES Gemfile.lock LICENSE  Rakefile share    vendor
redcar > pwd
/home/linopolus/code/redcar
redcar > scrot -s ~/themes/arrow.png
```

aussiegeek

```
[ 1:22 ] [ linopolus@achilles:~/code/redcar(master✓)(ruby-1.9.2-p180) ]
$ ls
bin      Gemfile      lib      plugins  README.md tasks
CHANGES Gemfile.lock LICENSE  Rakefile share    vendor
[ 1:22 ] [ linopolus@achilles:~/code/redcar(master✓)(ruby-1.9.2-p180) ]
$ pwd
/home/linopolus/code/redcar
[ 1:22 ] [ linopolus@achilles:~/code/redcar(master✓)(ruby-1.9.2-p180) ]
$ scrot -s ~/themes/aussiegeek.png
```

avit

```
andrew@quartzite: ~/src/stockboy — ~/src/stockboy — zsh — 1
▶ ls
CHANGELOG.md    LICENSE      lib          tags
Gemfile         README.md   pkg          tmp
Gemfile.lock    Rakefile    spec
Guardfile      doc         stockboy.gemspec

~/src/stockboy master ✓ 10d
▶ |
```

bira


```
bira@fuchikoma ~/.oh-my-zsh <ruby-1.8.7@v2> <master> cd ~/.oh-my-zsh
$ █
Norwood ~/.oh-my-zsh <m
Norwood ~/.oh-my-zsh <m
```

blinks

```
blinks@dhcp-172-31-2-114 ~ZSH/themes [master]
± % git st I1137
# On branch master
# Your branch is ahead of 'origin/master' by 1 commit.
#
nothing to commit (working directory clean)

blinks@dhcp-172-31-2-114 ~ZSH/themes [master]
± % git push I1138
Counting objects: 6, done.
Delta compression using up to 2 threads.
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 685 bytes, done.
Total 4 (delta 2), reused 0 (delta 0)
To git@github.com:blinks/oh-my-zsh.git
 9e601c2..9308a7d master -> master
```

Additional setup: Set up [Solarized](#).

bureau

```
exit
isquariel@isquabook ~/Projects/bookmarklet [23:09:23]
> $ █ 0.10.15 [±time2-style ●●●]
```

To use: In the right prompt you see git status and (if you use nvm) the Node.js version. (I'm using the [Solarized](#) color scheme in this screenshot.)

candy

```
ale@PC-Ale [04:35:01] [~]
-> % cd .oh-my-zsh
ale@PC-Ale [04:35:07] [~/.oh-my-zsh] [master]
-> % touch test
ale@PC-Ale [04:35:16] [~/.oh-my-zsh] [master *]
-> % █
```

clean

```
linopolus:redcar/ (master) $ ls [13:18:39]
bin Gemfile lib plugins README.md tasks
CHANGES Gemfile.lock LICENSE Rakefile share vendor
linopolus:redcar/ (master) $ pwd [13:18:41]
/home/linopolus/code/redcar
linopolus:redcar/ (master) $ scrot -s ~/themes/clear.png [13:18:43]
█
```

cloud

```
• ~ cd Source/some_repo
• some_repo [master] touch Dirtify
• some_repo [master] ✂ git add Dirtify && git commit -m "make repo clean"
[master (root-commit) a406b15] make repo clean
 0 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Dirtify
• some_repo [master] cd
```

crunch

```
{14:30}[1.9.3]~/bt:master ✓ ⇨ touch dirty-repo.txt
{14:30}[1.9.3]~/bt:master ✗ ⇨ []
```

cordial

```
» ~ $
» ~ $ cd ~/.oh-my-zsh/themes
» ~/.oh-my-zsh/themes (master) $
» ~/.oh-my-zsh/themes (master) $ errorcommand
zsh: command not found: errorcommand
» ~/.oh-my-zsh/themes (master) $
» ~/.oh-my-zsh/themes (master) $ ls cordial.zsh-theme
cordial.zsh-theme
» ~/.oh-my-zsh/themes (master) $ gst
On branch master
Your branch is up-to-date with 'origin/master'.
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)

        modified:   ../oh-my-zsh.sh

Untracked files:
  (use "git add <file>..." to include in what will be committed)

        cordial.zsh-theme

no changes added to commit (use "git add" and/or "git commit -a")
» ~/.oh-my-zsh/themes (master) $
```

Additional setup:

- install [node.js](#) to parse `package.json` files
- [github repository](#)

cypher

```
gargamel-2 :: ~ ➤ cd .oh-my-zsh
gargamel-2 :: ~/.oh-my-zsh ➤ []
```

dallas

```
{10-05-12 9:28}[ruby-1.8.7]muscato:~ dallas% []
{10-05-12 9:28}[ruby-1.8.7]muscato:~ dallas% ~aw
{10-05-12 9:28}[ruby-1.8.7]muscato:~aw@master dallas% mate .
{10-05-12 9:28}[ruby-1.8.7]muscato:~aw@master dallas% git status --short
M Capfile
{10-05-12 9:28}[ruby-1.8.7]muscato:~aw@masterXXX dallas% git checkout Capfile
{10-05-12 9:29}[ruby-1.8.7]muscato:~aw@master dallas% rvm 1.8.6
{10-05-12 9:29}[ruby-1.8.6]muscato:~aw@master dallas% rvm 1.8.7
{10-05-12 9:29}[ruby-1.8.7]muscato:~aw@master dallas% rvm 1.9.1
{10-05-12 9:29}[ruby-1.9.1]muscato:~aw@master dallas% ~
{10-05-12 9:29}[ruby-1.9.1]muscato:~ dallas% []
```

darkblood

```
r[robbyrussell@gargamel-2] [/dev/tty001]
^[~]> cd .oh-my-zsh
r[robbyrussell@gargamel-2] [/dev/tty001] [master]
^[~/.oh-my-zsh]> []
```

daveverwer

```
achilles:redcar (master) $ ls
assets  CHANGES  Gemfile  lib  plugins  README.md
bin     env.rb     javamateview  LICENSE  Rakefile  spec
achilles:redcar (master) $ pwd
/home/janke/code/redcar
achilles:redcar (master) $ scrot -u ~/tmp/themes/daveverwer.png
```

dieter

```
22:36:34 dieter@ws .oh-my-zsh dieter ? # branch named dieter, new files
22:36:38 dieter@ws .oh-my-zsh dieter ? false # unlike other themes, last exit code indicators vanish after being shown once
22:36:52 dieter@ws .oh-my-zsh dieter ?
22:36:55 dieter@ws .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@ws .oh-my-zsh dieter ? grep ^host_repr themes/dieter.zsh-theme
host_repr=('dieter-ws' "%{$fg_bold[green]}ws" 'dieter-p4sci-arch' "%{$fg_bold[blue]}p4")
22:37:19 dieter@ws .oh-my-zsh dieter ?
```

Additional setup: Get this small [fix](#) if you don't have it yet. (Fix was [pulled](#) into robbyrussell/oh-my-zsh on 2011-01-08.)

dogenpunk

```
bebop ओम् ~/Development/ruby/t: (19d20h39m|git@master)
3618 ± touch x
bebop ओम् ~/Development/ruby/t: (19d20h39m|git@master!)
3619 ± gco -b screenshot
Switched to a new branch 'screenshot'
bebop ओम् ~/Development/ruby/t: (19d20h39m|git@screenshot)
3620 ±
```

dpoggi

```
Dan@host-24415:~/Documents/Projects/cse480(master)
» rm Gemfile.lock
Dan@host-24415:~/Documents/Projects/cse480(master)
»
```

eastwood

```
*[master][~/oh-my-zsh]$ rvm: system
```

evan

a skinny, topless prompt

```
gargamel :: ~ »
gargamel :: ~ » cd .oh-my-zsh
gargamel :: ~/.oh-my-zsh »
```

fishy

The fish shell prompt with git support

```
cezar@cmbp: ~/Projects/libtwitter — .ts/libtwitter — zsh — zsh — 100x15
cezar@cmbp ~/P/libtwitter> pwd
/Users/cezar/Projects/libtwitter
cezar@cmbp ~/P/libtwitter>
```

flazz

Has git and vi-command mode support (when enabled)

```
Koji :: Code/daitss/core <master> % _ -s
Koji :: Code/daitss/core <master> #
Koji :: Code/daitss/core <master> % foo
zsh: command not found: foo
Koji :: Code/daitss/core <master> %
Koji :: Code/daitss/core <master> % in vi command mode
```

frisk

```
/tmp/example [nobody@myKeyboard] [9:03]
> git init
Initialized empty Git repository in /tmp/example/.git/

/tmp/example [master] [nobody@myKeyboard] [9:03]
> 
```

funky

it's funky...

```
cezar@cmbp: ~/Projects/libtwitter — .ts/libtwitter — zsh — zsh — 100x15
[~/Projects/libtwitter]-[cezar@cmbp]-[0]-[11001]
[::] % pwd
/Users/cezar/Projects/libtwitter
[~/Projects/libtwitter]-[cezar@cmbp]-[0]-[11002]
[::] %
```

gallifrey

```
gallifrey ~ » cd .oh-my-zsh
gallifrey ~/.oh-my-zsh <master*> » nocorrect this-comment-will-fail
zsh: command not found: this-comment-will-fail
gallifrey ~/.oh-my-zsh <master*> » 127 ↵
```

gallois

```
[~]$ cd .oh-my-zsh [ruby-1.9.2-p180]
[~/.oh-my-zsh]$ touch file [master][ruby-1.9.2-p180]
[~/.oh-my-zsh]$ false * [master][ruby-1.9.2-p180]
[~/.oh-my-zsh]$ * [master][ruby-1.9.2-p180]
```


garyblessington

```
~:
~: cd .oh-my-zsh
.oh-my-zsh(master): touch XYZ
.oh-my-zsh(master) X:
```

gentoo

```
igor@funky ~/.oh-my-zsh/themes (master*) % sudo -s
funky themes (master*) #
```

geoffgarside



A screenshot of a terminal window titled "cezar@cmbp: ~/Projects/libtwitter — ..ts/libtwitter — zsh — zsh — 100x15". The terminal shows the following commands and output:

```
[14:04:01] cezar:libtwitter git:(master) $ pwd
/Users/cezar/Projects/libtwitter
[14:04:01] cezar:libtwitter git:(master) $
```

gianu

```
[gianu@madariaga oh-my-zsh (master)]$ ls
MIT-LICENSE.txt README.textile custom lib log oh-my-zsh.sh plugins templates themes tools
[gianu@madariaga oh-my-zsh (master)]$ echo " " >> README.textile
[gianu@madariaga oh-my-zsh (master X)]$ git co -- README.textile
[gianu@madariaga oh-my-zsh (master)]$ pwd
/Users/gianu/workspace/oh-my-zsh
[gianu@madariaga oh-my-zsh (master)]$
```

gnzh


```

gnzh@arch ~ <ruby-1.9.2> <master*>
└─> sudo -s
root@arch /home/gnzh <ruby-1.9.2> <master*>
└─> exit
gnzh@arch ~ <ruby-1.9.2> <master*>
└─> ssh [redacted]
Last login: [redacted]
gnzh@gnzhbook ~ <ruby-1.9.2> <master*>
└─> exit
Connection to [redacted] closed.
gnzh@arch ~ <ruby-1.9.2> <master*>
└─>
gnzh@arch ~ <ruby-1.9.2> <master*>
└─> exit

```

Honukai

```

oskarkrawczyk@mbp: ~/Sites/jsfiddle-vagrant (zsh)

# oskarkrawczyk at mbp.local in ~/Sites/jsfiddle-vagrant on git:master x [10:21:46]
→ ls -l
total 40
-rw-r--r--  1 oskarkrawczyk  staff   509 16 lut  2015 README.md
-rw-r--r--  1 oskarkrawczyk  staff   563 16 lut  2015 Vagrantfile
drwxrwxr-x 19 oskarkrawczyk  staff   646 16 lut  2015 jsfiddle
drwxr-xr-x  7 oskarkrawczyk  staff   238 16 lut  2015 jsfiddle-box
-rw-r--r--  1 oskarkrawczyk  staff   479 16 lut  2015 provision.sh
-rwxr-xr-x  1 oskarkrawczyk  staff   145 16 lut  2015 reset.sh
-rwxr-xr-x  1 oskarkrawczyk  staff  1155 16 lut  2015 setup.sh

# oskarkrawczyk at mbp.local in ~/Sites/jsfiddle-vagrant on git:master x [10:21:53]
→ git status
On branch master
Your branch is up-to-date with 'origin/master'.
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)

        modified:   setup.sh

no changes added to commit (use "git add" and/or "git commit -a")
# oskarkrawczyk at mbp.local in ~/Sites/jsfiddle-vagrant on git:master x [10:29:58]
→ |

```

Additional eye-candy in the [source repo](#).

imajes

```

% cd .oh-my-zsh
% _

```

jnrowe

```

~ git:(master) ▶ date
Wed Dec 30 21:41:31 GMT 2009
~ git:(master) ▶ { return 255 ; }
!255 ~ git:(master) ▶

```

jreese

```
jreese@mach ~ »
jreese@mach ~ » false
jreese@mach ~ » cd .oh-my-zsh
jreese@mach ~/.oh-my-zsh ±master » touch foo
jreese@mach ~/.oh-my-zsh ±master$ »
```

```
jreese@mach ~ »
jreese@mach ~ » false
jreese@mach ~ » cd .oh-my-zsh
jreese@mach ~/.oh-my-zsh ±master » touch foo
jreese@mach ~/.oh-my-zsh ±master$ »
```

jtriley

```
2:54 jtriley@hackintosh /Users/jtriley/py-workspace/StarCluster
% ls
COPYING          StarCluster.egg-info/ completion/      starcluster/
COPYING.LESSER   bin/              docs/           utils/
MANIFEST.in      check.sh*         ez_setup.py
README.rst       clean.sh*         setup.py
```

juanghurtado

git_prompt_ahead()

git_prompt_short_sha()

git_prompt_status()

```
jghurtado@macbook:~/Dropbox/Web/git-test (*) (!)
> git st
D test3
A test4
?? test5
master [fd04122] deleted added untracked
```

junkfood

Totally ripped off Dallas theme

Watson: ~/dotfiles

```
#( 09/02/15@10:24 )( Marc@Watson ):~/dotfiles
git init -q
#( 09/02/15@10:25 )( Marc@Watson ):~/dotfiles@master✓
touch dirty
#( 09/02/15@10:25 )( Marc@Watson ):~/dotfiles@masterXXX
rm dirty
#( 09/02/15@10:25 )( Marc@Watson ):~/dotfiles@master✓
-
```

[+info](#)

kafeitu

```
henryyan@hy-hp: ~/.oh-my-zsh
henryyan@hy-hp: ~/.oh-my-zsh 90x21
→ henryyan@hy-hp  ~/.oh-my-zsh git:(master) ✕ gst
# On branch master
# Changes not staged for commit:
#   (use "git add <file>..." to update what will be committed)
#   (use "git checkout -- <file>..." to discard changes in working directory)
#
#       modified:   themes/kafeitu.zsh-theme
#
no changes added to commit (use "git add" and/or "git commit -a")
```

kardan

```
sagan@galaxy: ~/screen-capture-theme/preview/git-repo — ..view/git-repo — zsh — 100x35
> echo "Theme: kardan" ~/screen-capture-theme/preview/git-repo(master))@galaxy.local
Theme: kardan
> echo "Testing return value." ~/screen-capture-theme/preview/git-repo(master))@galaxy.local
Testing return value.
> false ~/screen-capture-theme/preview/git-repo(master))@galaxy.local
> echo Hello World >> file ~/screen-capture-theme/preview/git-repo(master))@galaxy.local
> touch fkhhfettglkamzudjduz ~/screen-capture-theme/preview/git-repo(master✕))@galaxy.local
> git add fkhhfettglkamzudjduz ~/screen-capture-theme/preview/git-repo(master✕))@galaxy.local
> git add file ~/screen-capture-theme/preview/git-repo(master✕))@galaxy.local
> git commit -m 'Showcasing kardan' &> /dev/null
> git checkout other-branch ~/screen-capture-theme/preview/git-repo(master))@galaxy.local
Switched to branch 'other-branch'
> git checkout master ~/screen-capture-theme/preview/git-repo(other-branch))@galaxy.local
Switched to branch 'master'
> ~/screen-capture-theme/preview/git-repo(master))@galaxy.local
```

kennethreitz

```
λ ~/code/redcar/ master* ls
bin      Gemfile      lib      plugins      Rakefile  share  vendor
CHANGES Gemfile.lock LICENSE possible_themes README.md tasks
λ ~/code/redcar/ master* pwd
/home/linopolus/code/redcar
λ ~/code/redcar/ master* scrot -s ~/themes/kennethreitz.png
```

kolo

```
~ % cd code/builds
Using /home/kolo/.rvm/gems/ruby-1.9.2-p180 with gemset builds
builds [master●●] % touch README.md
builds [master●●●] %
```

kphoen

```
[kevin@kamikaze:~/Python/wlppr on master]
% git add git test
[kevin@kamikaze:~/Python/wlppr on master]
% touch other_test
[kevin@kamikaze:~/Python/wlppr on master]
% false
[kevin@kamikaze:~/Python/wlppr on master]
%
1 ↵ + *
```


lambda

```
λ ~/Development/opensource/oh-my-zsh/ master |
```

linuxonly

```
/home/linopolus/.oh-my-zsh/oh-my-zsh.sh:source:18: datei oder Verzeichnis nicht gefunden
: /home/linopolus/.oh-my-zsh/themes/linuxonly.zsh-theme
linopolus@achilles:~/code/redcar% uname -a
Linux achilles 2.6.38-ARCH #1 SMP PREEMPT Wed Mar 30 08:47:36 CEST 2011 x86_64 AMD Pheno
m(tm) II X6 1090T Processor AuthenticAMD GNU/Linux
linopolus@achilles:~/code/redcar% ls
bin      Gemfile      lib      plugins      Rakefile    share    vendor
CHANGES Gemfile.lock LICENSE possible_themes README.md  tasks
linopolus@achilles:~/code/redcar% pwd
/home/linopolus/code/redcar
linopolus@achilles:~/code/redcar% scrot -s ~/themes/linuxonly.png
```

(As the name states, this only works on linux.)

lukerandall

```
linopolus@achilles code/redcar (master*) » ls
bin      Gemfile      lib      plugins      Rakefile    share    vendor
CHANGES Gemfile.lock LICENSE possible_themes README.md  tasks
linopolus@achilles code/redcar (master*) » pwd
/home/linopolus/code/redcar
linopolus@achilles code/redcar (master*) » scrot -s ~/themes/lukerandall.png
```

macovsky

```
Sa  5 Mär 2011 18:33:06 CET
1.9.2 ~ <ruby-1.9.2> $ Workspace/rails3
1.9.2 ~/Workspace/rails3 <ruby-1.9.2> $ ll
total 0
1160612 0 drwxr-xr-x  4 gregoryigelmund  staff  136  1 Mär 08:59 .
1138918 0 drwxr-xr-x 18 gregoryigelmund  staff  612  3 Mär 14:01 ..
8640689 0 drwxr-xr-x 22 gregoryigelmund  staff  748  1 Mär 09:04 grekko-blog
7965251 0 drwxr-xr-x 21 gregoryigelmund  staff  714 16 Feb 06:24 smapponrails
1.9.2 ~/Workspace/rails3 <ruby-1.9.2> $
```

maran

```
cezar@cmbp: ~/Projects/libtwitter — .ts/libtwitter — zsh — zsh — 100x15
cezar@cmbp.local:/Users/cezar/Projects/libtwitter git:(master) $ pwd
/Users/cezar/Projects/libtwitter
cezar@cmbp.local:/Users/cezar/Projects/libtwitter git:(master) $
```

mh


```
[mh:~/sites]$ cd codeLogger/git/app/controllers
[mh:codeLogger/git/app/controllers]$ ls
application_controller.rb contact_controller.rb page_controller.rb
[mh:codeLogger/git/app/controllers]$ cd ~
[mh:~]$ ls
Autodesk      Dev           Dropbox       Music          Public
Backups      h-theme     Documents     Library        Old Downloads  Sites
Desktop      Downloads    Movies         Pictures       VirtualBox VMs
[mh:~]$
```

michelebologna

```
michele@delta:/tmp/demogitrepo % git status (master) [ 6:54PM]
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)
michele@delta:/tmp/demogitrepo % (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % false (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % true (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % (master) [ 6:54PM]
```

miloshadzic

```
fakeproject|⇒git init
Initialized empty Git repository in /home/milos/play/fakeproject/.git/
fakeproject|master ⇒touch this
fakeproject|master$ ⇒
```

minimal

```
Development/tmp - [master] » touch test
Development/tmp - [master] »
```

mortalscumbag

also tells you when logged in over ssh

```
(ssh) michael@Box < master ●● > : ~/Web/marrs
% git st --short
M Gemfile
M Gemfile.lock
?? new_file.txt

(ssh) michael@Box < master ●● > : ~/Web/marrs
%
```

mrtazz

```
rogue:~oh-my-zsh:% <master x>
```

muse

```

/tmp/t (master ✖) ➤ gst
# On branch master
# Changed but not updated:
#   (use "git add <file>..." to update what will be committed)
#   (use "git checkout -- <file>..." to discard changes in working directory)
#
#       modified:   new.txt
#
# Untracked files:
#   (use "git add <file>..." to include in what will be committed)
#
#       newer.txt
no changes added to commit (use "git add" and/or "git commit -a")
/tmp/t (master ✖) ➤ git add new.txt
/tmp/t (master ✖) ➤ git add .
/tmp/t (master ✖) ➤ git commit -m "Committing all the code!"
dquote> "
[master 7844c40] Committing all the code
 1 files changed, 2 insertions(+), 0 deletions(-)
 create mode 100644 newer.txt
/tmp/t (master ✔) ➤

```

nanotech

```

~ [ cd somewhere/far/far/away          master * ] 12:00 am
far/away [                               master ] 12:00 am

```

nebirhos

```

Terminal
@acer → ~ rvm:(system) cd Projects/dovo
Using /home/istvan/.rvm/gems/ree-1.8.7-2011.03 with gemset dovo-britney
@acer → dovo rvm:(ree-1.8.7@dovo-britney) git:(master) ✖ rvm ree@global
@acer → dovo rvm:(ree-1.8.7@global) git:(master) ✖

```

nicoulaj

```

> cd .oh-my-zsh                                nicoulaj/git/master !
> cd themes                                    .oh-my-zsh/git/nicoulaj-theme !+ (merge)
themes> false                                .oh-my-zsh/git/nicoulaj-theme !+ (merge)
themes> cd /usr/lib/perl/5.10.1/Encode/MIME/Header
..rl/5.10.1/Encode/MIME/Header> _

```

norm

```

λ justin-CT15 ~ → cd .oh-my-zsh
λ justin-CT15 .oh-my-zsh → λ git master* →

```

philips

```

philips:e1000/ (master) $ ls                                [17:56:47]
e1000_ethtool.c      e1000_la          e1000.patch
e1000.h              e1000_main.c      e1000.so
e1000_hw.c           e1000.o           Makefile
e1000_hw.h           e1000_osdep.h
e1000.ko             e1000_param.c
philips:e1000/ (master) $ █                                [17:56:49]


```

pygmalion

```
dlobraico@galatea:~| => cd sandbox -- INSERT --
dlobraico@galatea:~/sandbox| => cd cudatrace -- INSERT --
dlobraico@galatea:~/sandbox/cudatrace|master => touch dirty.txt -- INSERT --
dlobraico@galatea:~/sandbox/cudatrace|master$ => git st -- INSERT --
# On branch master
# Untracked files:
#   (use "git add <file>..." to include in what will be committed)
#
#       dirty.txt
nothing added to commit but untracked files present (use "git add" to track)
dlobraico@galatea:~/sandbox/cudatrace|master$ => -- INSERT --
```

(Shown with [Solarized Dark colorscheme](#).)



risto



rixius



rkj-repos



sammy

```
~$ ruby --version
ruby 1.9.2p290 (2011-07-09 revision 32553) [x86_64-darwin11.2.0]
~$ git --version
git version 1.7.7.4
~$ cd ~/Code/Remote/translink
translink(master)$ ls
Gemfile      LICENSE      Rakefile     doc          test
Gemfile.lock README.md    bin          lib          tmp
translink(master)$
```

simple

```
~/oh-my-zsh(master ✓) touch added
~/oh-my-zsh(master ✗)
```

smt

```
tichu 福 ~
769 o : cd .oh-my-zsh

tichu 福 ~/.oh-my-zsh > 3552423|master✓
770 ± : touch foo [6h26m]

tichu 福 ~/.oh-my-zsh > 3552423|master✗
771 ± : git add foo [6h26m] ★

tichu 福 ~/.oh-my-zsh > 3552423|master✗
772 ± : git commit -m "added foo" [6h26m] +
[master 9d25689] added foo
0 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 foo

tichu 福 ~/.oh-my-zsh > 9d25689|master✓
773 ± :
```

sorin

```
oh-my-zsh git:master > <<<<↵+*✗→=★
```

sporty_256

```
±|master ✓| test_repo
% touch xyz adrian@deliria
±|master ✗| test_repo
% cd ~/Documents/Projects adrian@deliria
Projects
% adrian@deliria
```

steef

```
sprice at starch in ~
$ d

sprice at starch in ~/.dotfiles (master)
$ touch stuff

sprice at starch in ~/.dotfiles (master●)
$
```

sunaku

exit status if nonzero, status & branch if git, `pwd` always


```
sagan@galaxy: ~/screen-capture-theme/preview/git-repo — .view/git-repo — zsh — 100x35
master ~/screen-capture-theme/preview/git-repo> echo "Theme: sunaku"
Theme: sunaku
master ~/screen-capture-theme/preview/git-repo> echo "Testing return value."
Testing return value.
master ~/screen-capture-theme/preview/git-repo> false
exit 1
master ~/screen-capture-theme/preview/git-repo> echo Hello World >> file
!master ~/screen-capture-theme/preview/git-repo> touch liotpcmqpztenxcding
!?master ~/screen-capture-theme/preview/git-repo> git add liotpcmqpztenxcding
!+master ~/screen-capture-theme/preview/git-repo> git add file
+master ~/screen-capture-theme/preview/git-repo> git commit -m 'Showcasing sunaku' &> /dev/null
master ~/screen-capture-theme/preview/git-repo> git checkout other-branch
Switched to branch 'other-branch'
other-branch ~/screen-capture-theme/preview/git-repo> git checkout master
Switched to branch 'master'
master ~/screen-capture-theme/preview/git-repo> 
```

sunrise

Lightweight prompt with exit status and `git status` consistent mode line

```
--- ~ » cd Code/meck
--- Code/meck <master* AMRDM?> » git s
R LICENSE -> LICENSE_new
M Makefile
D NOTICE
D README.md
A new_file
M rebar.config
?? temp
--- Code/meck <master* AMRDM?> » ls
LICENSE_new ebin new_file temp
Makefile erl_crash.dump rebar.config test
doc include src
--- Code/meck <master* AMRDM?> » return 99
--- Code/meck <master* AMRDM?> » 99 ↵

--- ~ » cd Code/meck
--- Code/meck <master* AMRDM?> » git s
R LICENSE -> LICENSE_new
M Makefile
D NOTICE
D README.md
A new_file
M rebar.config
?? temp
--- Code/meck <master* AMRDM?> » ls
LICENSE_new ebin new_file temp
Makefile erl_crash.dump rebar.config test
doc include src
--- Code/meck <master* AMRDM?> » return 99
--- Code/meck <master> AMRDM?> » 99 ↵
```

superjarin

git status, git branch, and ruby, all in a no muss, no fuss prompt! Works with RVM, chruby, and rbenv (just activate the corresponding plugin).

```
[ree-1.8.7] ~/projects/jarinudom.com <master> git co -b hello
Switched to a new branch 'hello'
[ree-1.8.7] ~/projects/jarinudom.com <hello> touch yay.txt
[ree-1.8.7] ~/projects/jarinudom.com <hello> X rvm use ruby-1.9.2-p180
Using /Users/jarinudom/.rvm/gems/ruby-1.9.2-p180
[ruby-1.9.2] ~/projects/jarinudom.com <hello> X rm yay.txt
[ruby-1.9.2] ~/projects/jarinudom.com <hello> 
```

suvash

username, host, directory, git branch and rvm gemset

```
suvash at chautari in ~ using ruby-1.9.2-p290@blog
o pybrew venv use blog
# Using `blog` environment (found in /Users/suvash/.pythonbrew/venvs/Python-2.7.2)
# To leave an environment, simply run `deactivate`
suvash at chautari in ~ using ruby-1.9.2-p290@blog and Python-2.7.2#blog
o
```

terminalparty

There is a party every day.

```
% cd .oh-my-zsh
% ~ Mist
~/.oh-my-zsh (master) Mist
```

theunraveler

Minimal, informative when it needs to be.

```
sagan@galaxy: ~/screen-capture-theme/preview/git-repo -- ..view/git-repo -- zsh -- 100x35
[git-repo] echo "Theme: theunraveler" master
Theme: theunraveler
[git-repo] echo "Testing return value." master
Testing return value.
[git-repo] false master
[git-repo] echo Hello World >> file master
[git-repo] touch kkhtnuavkzginikdlonk master
[git-repo] git add kkhtnuavkzginikdlonk master
[git-repo] git add file master
[git-repo] git commit -m 'Showcasing theunraveler' &> /dev/null master
[git-repo] git checkout other-branch master
Switched to branch 'other-branch'
[git-repo] git checkout master other-branch
Switched to branch 'master'
[git-repo]
```

tjkirch

Based on dst, plus a lightning bolt and return codes.

```
tjkirch@grudge: ~/oh-my-zsh master
$ [19:44:48]
```

tonotdo

```
robbyrussell>» [21:48:16]
robbyrussell>» cd .oh-my-zsh [21:48:18]
robbyrussell>» touch X [21:48:20]
robbyrussell>» [21:48:23]
```

trapd00r

```
root@desktop:pts/0-> /root (0)
> █
```

wedisagree

```
Last login: Tue Jul 26 12:27:23 on ttys001
[~] cd .oh-my-zsh
[.oh-my-zsh] █ 12:28:20
12:28:25  master  🌂★
```

Instructions to further customize the theme are available as comments in the theme file.

wezm

```
sagan@galaxy: ~/screen-capture-theme/preview/git-repo — ..view/git-repo — zsh — 100x35
(master) % echo "Theme: wezm"
Theme: wezm
(master) % echo "Testing return value."
Testing return value.
(master) % false
(master) [1] % echo Hello World >> file
(master) % touch erotbnexqdsyxfythcqo
(master) % git add erotbnexqdsyxfythcqo
(master) % git add file
(master) % git commit -m 'Showcasing wezm' &> /dev/null
(master) % git checkout other-branch
Switched to branch 'other-branch'
(other-branch) % git checkout master
Switched to branch 'master'
(master) % █
```

wuffers

```
{ruby-1.9.2-p290} ~ cd .oh-my-zsh
[master] {ruby-1.9.2-p290} .oh-my-zsh touch x
[master x] {ruby-1.9.2-p290} .oh-my-zsh rm x
[master] {ruby-1.9.2-p290} .oh-my-zsh _
```

xiong-chiamiov

```
cezar@cmbp: ~/Projects/libtwitter — .ts/libtwitter — zsh — zsh — 100×15
[cezar cmbp] - [~/Projects/libtwitter] - [Wed Apr 10, 02:17]
[[$]> pwd
/Users/cezar/Projects/libtwitter
[cezar cmbp] - [~/Projects/libtwitter] - [Wed Apr 10, 02:17]
[[$]>
```

xiong-chiamiov-plus

```
cezar@cmbp: ~/Projects/libtwitter — .ts/libtwitter — zsh — zsh — 100×15
[cezar cmbp] - [~/Projects/libtwitter] - [Wed Apr 10, 02:16]
[[$] <git:(master)> pwd
/Users/cezar/Projects/libtwitter
[cezar cmbp] - [~/Projects/libtwitter] - [Wed Apr 10, 02:16]
[[$] <git:(master)> █
```

ys

Clean, simple, compatible and meaningful. Tested on Linux, Unix and Windows under ANSI colors. It is recommended to use with a dark background.

[\(more info\)](#)


```
test — ys@ys-rmbp — ..ownloads/test — -zsh — 81×31
Last login: Sun Feb 21 03:03:03 on ttys002

# ys @ ys-rmbp in ~ [3:05:51] tty:s003 L:1 N:1 C:0
[$ cd .oh-my-zsh ]

# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys o [3:06:05] tty:s003 L:1 N:2 C:0
[$ ls ]
MIT-LICENSE.txt  custom      oh-my-zsh.sh  themes
README.markdown lib         plugins      tools
cache           log        templates

# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys o [3:06:06] tty:s003 L:1 N:3 C:0
[$ touch test ]

# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys x [3:06:10] tty:s003 L:1 N:4 C:0
[$ asdf ]
zsh: command not found: asdf

# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys x [3:06:12] tty:s003 L:1 N:5 C:127
[$ echo $? ]
127

# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys x [3:06:15] tty:s003 L:1 N:6 C:0
[$ cd ~/Downloads/test ]

# ys @ ys-rmbp in ~/Downloads/test on hg:default o [3:06:31] tty:s003 L:1 N:7 C:0
[$ touch test ]

# ys @ ys-rmbp in ~/Downloads/test on hg:default x [3:06:51] tty:s003 L:1 N:8 C:0
$
```

zhann

```
~ j brizon ruby-1.8.7
/Users/steven/Sandbox/brizon
Using /Users/steven/.rvm/gems/ruby-1.9.3-p0 with gemset brizon
brizon j repo ruby-1.9.3
/Users/steven/Sandbox/chef-repo
chef-repo (newrelic) touch x ruby-1.8.7
chef-repo (newrelic) x _ ruby-1.8.7
```

More themes

You can find more themes [here](#).

(Don’t) Send us your theme! (for now)

We have enough themes for the time being. Please fork the project and add on in there, you can let people know how to grab it from there.

Or put it gist and list it in <https://github.com/robbyrussell/oh-my-zsh/wiki/External-themes> .

Theme Description Format

The theme descriptions in this page should contain:

- The name of the theme
- A screenshot
 - (Preferably in PNG format, and hosted on a GitHub issue)
- Instructions for any configuration besides setting `ZSH_THEME` in `~/.zshrc`
 - For example, font installation, terminal color scheme configuration, or optional

environment variables that affect the theme

- Any dependencies outside Oh My Zsh

We use manually-constructed screenshots because some of the themes require additional terminal configuration to look their best, and so the code in example shell sessions can showcase the theme's features. There is also a separate collection of automatically-generated screenshots linked [at the bottom of this page](#).

Uploading screenshots to GitHub

We host all the screenshot images on GitHub itself, to avoid external dependencies on other hosting services or URLs that might break. We use issue attachments which will get them in to githubusercontent.com. (It's also possible to store image files in a GitHub wiki itself, but this requires you to have Contributor permissions for the repo whose Wiki you're editing. The issue-attachment method can be done by anybody.)

To upload an image to GitHub, just drag and drop it into the text area on an issue you're editing. You can use issue #3619 for this to avoid spamming people with notifications about new issues. The uploaded image will turn in to a link in Markdown format. Edit that to use the special `[![name](image-url)](image-url)` syntax to make the image link to itself, so people can open the image in a new tab to view it full size. (Images inside a wiki page may be displayed scaled down.)

For example:

```
[![wezm](https://cloud.githubusercontent.com/assets/1441704/6315419/915f6ca6-
```

If you have several uploaded screenshot links you need to convert to that self-linked syntax, you can use this `sed` command on the markdown file to programmatically convert them.

```
sed 's/^!\[[a-zA-Z0-9 -]*\](\([^)]*\)) *$/[&](\1)/'
```

Screenshots of Each Theme

[Screenshots of each theme](#) (as of 2013-04-10), in OS X Terminal.app using Consolas 13pt and Pro color scheme, inside a folder containing both a git and a mercurial repo. Each screenshot displays the output of the `pwd` command. It has shortcomings (plugins for some themes might be missing), but it offers a convenient and uniform overview of each theme. Plugins used were battery, rvm, hg prompt, among others.

