

# XCOFDK-py - Release Notes

---

|         |   |     |
|---------|---|-----|
| Version | : | 1.6 |
|---------|---|-----|

---

|      |   |            |
|------|---|------------|
| Date | : | 12.06.2025 |
|------|---|------------|

---

|            |   |  |
|------------|---|--|
| ©Copyright | : | 2023-2025 Farzad Safa ( <a href="mailto:farzad.safa@xcofdk.de">farzad.safa@xcofdk.de</a> ) |
|------------|---|--|

---

|                      |  |  |
|----------------------|--|--|
| All rights reserved. |  |  |
|----------------------|--|--|

---

## Table of Contents

---

- [Table of Contents](#)
  - [Release Highlights](#)
    - [Release Highlights v3.0](#)
    - [Release Highlights v2.1](#)
  - [Release Notes](#)
    - [Release Notes v3.0 - 12.06.2025](#)
    - [Release Notes v2.1 - 04.02.2025](#)
    - [Release Notes v2.0.1 - 19.11.2024](#)
    - [Release Notes v2.0 - 11.11.2024](#)

## Release Highlights

### Release Highlights v3.0

- Complete refactoring of the public API of package `xcofdk`:
  - re-organized the API on a *by-subsystem* basis,
  - interface classes have been introduced:
    - to avoid possible, undesiered issue of cyclic import,
    - to avoid possible layout conflicts when task classes part of a multiple inheritance,
    - to ease access to task (or other) object instances created elsewhere
    - to improve type annotations.
- Introduction of pre-start configuration of the framework by RTE policy items and related API functions:
  - `rtecfg.RtePolicyGetConfig()`
  - `rtecfg.RtePolicyConfigure()`
  - `rtecfg.RtePolicyEnableAutoStop()`
  - `rtecfg.RtePolicyEnableTerminalMode()`
  - `rtecfg.RtePolicyEnableForcedAutoStop()`
  - `rtecfg.RtePolicyDisableSubSystemMessaging()`
  - `rtecfg.RtePolicyDisableSubSystemMultiProcessing()`

- `rtecfg.RtePolicyBypassExperimentalFreeThreadingGuard()`
- `rtecfg.RtePolicyDisableExceptionTrackingOfChildProcesses()`
- Introduction of class `RCTask` (and its derived classes) for rapid construction of task instances by simply passing callable objects (as opposed to mandatory subclassing of the abstract classes `XTask` and `XMainTask`):
  - `class SyncTask`
  - `class AsyncTask`
  - `class SyncCommTask`
  - `class AsyncCommTask`
  - `class MessageDrivenTask`
  - `class XFSyncTask`
  - `class XFAsyncTask`
  - `class XFSyncCommTask`
  - `class XFAsyncCommTask`
  - `class XFMessageDrivenTask`
- Introduction of new API functions/properties of task instances of both classes `RCTask` and `XTask`:
  - `isMainTask()`
  - `isCanceling`
  - `isPendingRun`
  - `Cancel()`
  - `SelfCheck()`
  - `SelfCheckSleep()`
  - `SendMessage()`
  - `BroadcastMessage()`
  - `GetTaskOwnedData()`
  - `SetTaskOwnedData()`
- Provide new API functions to enable access to currently running task instance:
  - `GetCurTask() -> IRCTask | IRCCommTask`
  - `GetCurXTask() -> IXTask`
- Refactoring of class `XProcess`:
  - to enable rapid construction of child processes with no obligation to have to deal with framework-specific data types,
  - to provide the new feature of *exception tracking* of child processes when executed,
  - to provide a new API function to terminate a child process.
- New API functions to wait for termination (of a subset) of running tasks or child processes:
  - `fwapi.JoinTasks()`
  - `fwapi.JoinProcesses()`
- New API function to terminate (a subset) of running child processes:
  - `fwapi.TerminateProcesses()`
- Default start options of the framework properly arranged in a way commonly expected for an application deployed in release mode.
- Two new framework start options are available now:
  - `--fw-log-level`

- `--disable-log-callstack`  
(`--enable-log-callstack` has been removed).

## TOC

---

### Release Highlights v2.1

- Tasks can send messages even if in teardown phase.
- Support of positional and/or keyword arguments passed to tasks when started.
- All user or fatal errors submitted by the framework are given a pre-defined, unique error code.
- Synchronous tasks can be configured to have a cyclic run phase, too.
- Two new framework start options are available now:
  - `--enable-log-callstack`
  - `--suppress-start-preamble`

## TOC

---

## Release Notes

### Release Notes v3.0 - 12.06.2025

- XPY-327 – Update readme and release notes
- XPY-314 – Rename public API module `curxtask` and its API
- XPY-311 – Introduce public API property `IXTask.isMainTask`
- XPY-310 – Introduce public API property `ITask.isPendingRun`
- XPY-308 – Re-organize subpackage `fwapi.rtecfg`
- XPY-298 – Provide framework start option `--disable-log-callstack`
- XPY-299 – Remove framework start option `--enable-log-callstack`
- XPY-297 – Introduce public API subpackage `fwapi.fwctrl`
- XPY-293 – Bugfix: Send failure when a task is going to be stopped
- XPY-290 – Bugfix: Failure regarding list of joinable child processes
- XPY-285 – Provide API functions `SendMessage()` and `BroadcastMessage()` for task instances
- XPY-280 – Refactoring: Implementation of class `XTask`
- XPY-272 – Provide public API function `TerminateProcesses()`
- XPY-269 – Rework default settings of start options
- XPY-266 – Provide basic examples for RC tasks
- XPY-264 – Introduce RTE policy for disabling exception tracking of child processes
- XPY-263 – Refactoring: Implementation of class `XTaskException`
- XPY-258 – Provide public API `XProcess.processException`
- XPY-256 – Provide public API `XProcess.Terminate()`
- XPY-255 – Close host process resources if terminated
- XPY-253 – Refactoring: Implementation of class `XTaskProfile`
- XPY-251 – Provide property `XProcess.aliasName`

- XPY-249 – Introduce public API `XTask.taskCompoundUID`
- XPY-248 – Refactoring: Construction of instances of class `XProcess`
- XPY-246 – Missing return value of `XProcess.Join()`
- XPY-244 – Provide timeout implementation of `XProcess.Join()`
- XPY-242 – Provide public API function `SelfCheck()` of tasks
- XPY-235 – Introduce public API function `JoinProcesses()`
- XPY-234 – Refactoring: Top-level design and layout of subpackage `xcofdk.fwapi`
- XPY-230 – Refactoring: Implementation of `Tostring()`
- XPY-229 – Introduce RTE policy items for disabling specific subsystems
- XPY-225 – Refactoring: Implementation of dependency injection
- XPY-223 – Refactoring: Implementation of class `XProcess`
- XPY-218 – Re-organize existing basic examples for SC tasks
- XPY-217 – Allow message posting even for tasks with no external queue support
- XPY-216 – Introduce public API function `JoinTasks()`
- XPY-215 – Provide public API `GetCurXTask()`
- XPY-212 – Refactoring: Implementation of default logging config
- XPY-210 – Refactoring: Implementation of subsystem `fwerrh`
- XPY-208 – Arrange public availability of framework start option `--fw-log-level`
- XPY-202 – Provide public API `GetCurTask()`
- XPY-195 – Introduce new API function `Cancel()` of tasks
- XPY-189 – Design and implementation of class `RCTask`
- XPY-185 – Introduce read/write API for task-owned, user-specific data of tasks
- XPY-178 – Introduce new public API class `RteConfig`
- XPY-103 – Introduce RTE policy items for both auto-stop and terminal mode
- Total of 64 additional planned PM issues mostly related to stability, ease of use, re-organization and clean code.

## TOC

---

## Release Notes v2.1 - 04.02.2025

- XPY-172 – Bugfix: Resolve typo by wrong getter to access message header.
- XPY-171 – Bugfix: Resolve typo related to cmdline option `'--fibonacci-input'` of example applications.
- XPY-162 – Bugfix: Increment of messaging error counter of multithreaded userapp examples.
- XPY-154 – Support of positional and/or keyword arguments passed to tasks when started.
- XPY-150 – Refactoring: detailed design and implementation of (limited) RTE modes.
- XPY-148 – Enable message sending in teardown-phase of tasks.
- XPY-134 – Rework output format of LC failures.
- XPY-125 – Provide framework start option `'--suppress-start-preamble'`.
- XPY-124 – Provide framework start option `'--enable-log-callstack'`.
- XPY-120 – Bugfix: Error logging not working after start of synchronous tasks.
- XPY-119 – Bugfix: Framework gets stuck if application missed to stop it before joining.
- XPY-115 – Make synchronous tasks may have cyclic run-phase, too.

- XPY-110 – Provide pre-defined error codes for errors reported by the framework.
- Total of 26 additional known and/or planned PM issues mostly related to stability.

## [TOC](#)

---

### Release Notes v2.0.1 - 19.11.2024

- Add command line option of userapp basic examples to print out a usage hint.
- Bugfix regarding scan of command line arguments of userapp basic examples.

## [TOC](#)

---

### Release Notes v2.0 - 11.11.2024

- Created release v2.0.

## [TOC](#)

---