CSCI4998 FINAL YEAR PROJECT · PROGRESS REVIEW

Plan2Brick

From a floor plan and one sentence to validated LEGO scenes

9/9 scenes green | **236/264** objects placed | **4,378** parts | **0** cross-room overlaps

28 October 2026 · Xiao Chuanyi

Repository: lego-nova · Interactive dashboard: out/plan2brick/results.html

CURRENT STATUS

The pipeline is complete end-to-end

The remaining work is the user-facing demo and the baseline evaluation — not the core system.

9/9

candidate scenes green

R1–R3, three candidates each

89.4%

object requests placed

236 / 264; misses are wall-capacity drops

4,378

parts assembled

358–687 parts per scene

0

overlaps · validation errors

0–2 sub-LDU ε notes per scene

Single entry: floor plan or preset + one-sentence brief → scene IR → three candidate topologies → deterministic assembly → validate + three-view render. Every scene in this deck comes from that one command.

WHAT IS NEW

v1.0 single entry, natural-language brief, 3-candidate generation, deterministic solver, scene-level evaluation.

WHY IT MATTERS

The model only touches image→IR; everything after the IR is deterministic and auditable.

STATUS

Single entry and brief were delivered early (10/26); demo and baseline are next.

HOW IT WORKS

One entry, deterministic after the IR

LLM only for image → scene IR; brief parsing, object selection, placement and validation are zero-token.

INPUT
Floor plan / preset + brief
Image or preset; one sentence of natural-language requirements.

›

M3 · IR
Scene IR
Rooms, dimensions, object classes and counts, layout topology.

›

M1 · LIBRARY
Object retrieval
42 items / 16 categories; text + shape search.

›

M4 · SOLVER
Deterministic assembly
Wall slots, per-room AABBs, global exclusion.

›

M5 · OUTPUT
.mpd / .ldr
Buildable LDraw scene, BOM-ready.

›

M6 · VERIFY
Validate + 3 views
Geometry checks, coverage, home/top/front renders.

LLM BOUNDARY

Image → IR is the only model call. `generate` reads the verified M2 cache; missing cache is an explicit error, never a fabricated IR.

DETERMINISTIC CORE

Brief patch → library selection → wall-slot placement → global exclusion. Same input, same scene; every step is inspectable.

MEASURED

9/9 green; 236/264 objects; 4,378 parts; 0 cross-room overlaps; 0 real validation errors.

Pipeline implemented in `novalib/` + `nova.py`; the LDraw compiler underneath is the attributed ldraw-nova compatibility layer.

END-TO-END RESULTS

Three real floor plans, three candidates each

All nine candidates pass validation and have complete three-view renders.

PLAN	BRIEF	COVERAGE · 3 CANDIDATES	PARTS	GATE
R1 11 rooms	Use the dining room as a study.	37/41 · 38/41 · 36/41	666 · 675 · 687	3/3 green ε 0/2/2
R2 6 rooms	Add a desk to the living room.	22/23 · 20/23 · 20/23	441 · 405 · 408	3/3 green ε 0/1/1
R3 7 rooms	Replace the coffee table with a desk in the living room.	21/24 · 21/24 · 21/24	369 · 358 · 369	3/3 green ε 1/1/1

Coverage misses are wall-band capacity drops, not validation failures. ε = sub-LDU floating-point noise ignored by the gate (threshold 1e-3 LDU; real modelling errors ≥1 LDU).

Scenes green	**9 / 9**
Object coverage	**89.4%**
Parts	**4,378**
Cross-room overlaps	**0**
Real validation errors	**0**


WHAT IT LOOKS LIKE

Every candidate passes validation and renders


Top: input floor plan. Bottom: a home-view render of candidate 0. The dashboard has all nine candidates and three views.














R1 · 11 rooms
“Use the dining room as a study.” 37–38/41 objects · 666–687 parts.

R2 · 6 rooms
“Add a desk to the living room.” 20–22/23 objects · 405–441 parts.

R3 · 7 rooms
“Replace the coffee table with a desk.” 21/24 objects · 358–369 parts.


Shown: candidate plan0 for each plan. All nine candidates are green with 0 cross-room overlaps; open `results.html` to switch plans, candidates and views.


M1 · OBJECT LIBRARY

42 items across 16 categories — fully self-checked


Every item validates, renders, and is retrievable by description or by shape.

42 / 16	42/42	42/42	42/42	42/42	56/56
items / categories	validate pass	three-view QC	text self-retrieval	shape self-retrieval	synonym top-1



Bath


Bed


Bookshelf


Cabinet


Chair



Desk



Fridge



Lamp



Plant


Sink


Sofa


Stove


Table


Toilet


TV


Washer

TEXT RETRIEVAL

`library --text "couch"` routes to the sofa category through captions, specs and alias phrases; ranking is auditable.

SHAPE RETRIEVAL

`library --shape 12x8x2.4 --tol .15` returns bed-9650 first (footprint error 0.0049 studs).

WHY IT MATTERS

Selection is deterministic and zero-token; no model call at this layer.

Models are sourced from BrickNet; selection, specs, captions repair, QC renders, synonyms and retrieval are the project's own. No near-duplicates; every item has five captions.

Dimensions are exact; image errors are read-off errors

Synthetic layouts isolate the solver; real layouts isolate the vision step.

Synthetic suite A / B / C

Plan A	**8 / 8 rooms**	**MAE 0.00 m**
Plan B	**6 / 6 rooms**	**MAE 0.00 m**
Plan C	**9 / 9 rooms**	**MAE 0.00 m**

Geometry solver recovers every room and dimension; 0 cross-room overlaps after assembly.

Real plans R1–R3 × image / text

Inputs	**6 / 6 green**	**0 overlaps**
Text arm	**exact dimensions**	**—**
Image arm	**read-off residuals**	**e.g. 5.1 vs 3.8 m**

R1 mid-bedroom depth is read as 5.1 m instead of 3.8 m; the solver places the room correctly from the IR it is given.

Why this matters: the residuals separate vision error from solver error. A stronger vision model can be measured against the same six-cell matrix; R3 calibration was corrected from 66.4 to 54.3 ppm before the final runs.

Synthetic suite: rooms and dimensions are generated, so the solver can be checked exactly. Real suite: image/text pair per plan; both arms produce valid scenes.

CONTROLLED STUDY · RUN 7

14 runs: no semantic gap, large cost and reliability gap

Two model tiers × with/without library + IR scaffold × image/text × three layout complexities.

LAYOUT	SCAFFOLDED TOKENS	NO-SCAFFOLD TOKENS
A	33–40k	148–159k
C	32–38k	133–209k
B	31–35k	138–261k

Model-side token ranges across flash / pro[1m]. Overall scaffold reduction: 3.5–6.5× (reported range across all units).

SEMANTICS

0.00 m

Dimension MAE in every scaffolded cell; no measurable semantic gap at these complexities.

COST

3.5–6.5×

Lower model-side tokens with the library + IR scaffold.

RELIABILITY

0

Tool-level build failures in scaffolded arms; no-scaffold arms repeatedly fail builds.

COMPLEXITY

80.6 vs 90.9%

Coverage, pro vs flash on the denser B IR — the gap grows with complexity.

Honest boundary: the Astra channel has been unavailable since 2026-10-12. The visual V/T experiment is a capability proxy, not a model-to-model Astra comparison; no equivalence is claimed.

CONTRIBUTION BOUNDARY

What is mine, and what is referenced

Built in this project

- **Floor-plan layer:** scene IR, brief parser, deterministic solver, variants, single-item edit.
- **Object library:** 42-item curation, specs, QC, synonyms, text + shape retrieval.
- **Evaluation:** coverage, cross-room overlap, dimension MAE, epsilon gate, three-view QC.
- **Experiments:** Run 7/8, gallery parity, Astra-proxy, Plan2Brick v1.0 results.
- **Engineering:** ldraw-nova compatibility reimplementation (attributed; not claimed as research).

Referenced / external

- **ldraw-nova** — Carlos Antelo, AGPL-3.0; 29 modules / 31 commands reimplemented.
- **LDraw parts library** — part geometry, CCAL terms.
- **BrickNet** — object models and captions; dataset not ours.
- **LeoCAD** — rendering and BOM cross-check.
- **DeepSeek flash / pro[1m]** — model backends; Astra channel unavailable.
- **BrickWright / BrickBench** — related work for positioning, no code reuse.

Safe claim: a floor-plan → validated-scene system with its own library, solver and evaluation. **Not claimed:** ldraw-nova as original work; Astra equivalence; live vision; physical validity; SOTA against BrickWright/BrickBench.

Full attribution: `lego-nova/ATTRIBUTION.md`; upstream license: AGPL-3.0 (`LICENSE`); data/tool terms remain with their owners.

WHAT REMAINS

Three deliverables, three dates

10/31
Mid-term pipeline
done 10/26

11/08
Local demo
2-min recording

11/18
Baseline
evaluation

11/25
Freeze results
report draft

12/02
Term-End
package

11/08 · Local demo

Upload/select plan + brief → three candidates → 3D compare → edit one object → export .ldr/.mpd + BOM. Acceptance: a complete 2-minute recording; other objects unchanged after edit.

11/18 · Baseline evaluation

A/B/C + R1–R3 + six new real plans. Random placement, LLM-direct, and ablations (no library / no IR / no solver). Coverage, collisions, dimension MAE, semantic match, cost/time.

12/02 · Term-End

Report + reproducible artifact + demo video. Numbers traceable to manifests and evaluate JSON. No new gap/gallery/proxy experiments; scope is frozen.

Early delivery: the original 10/28 milestone (single entry + natural-language brief + R1–R3 runs) was completed on 10/26, so the next block is demo and evaluation.

RISKS & LIMITATIONS

Known limits, stated up front

These are the places where a careful reviewer should push — and the answer we will give.

LIMITATION	WHAT IT MEANS / MITIGATION
Cached image → IR	`generate` reads the verified M2 cache; demo is offline-safe. Live vision is optional and fails explicitly if no cache exists — we do not fabricate an IR.
Abstract rectangular plans	No wall thickness, door openings or load-bearing structure. Stated as a limitation; consistent with the prior suite and the current IR contract.
Astra channel unavailable	Only a capability proxy exists. We report it as a proxy and make no equivalence claim.
Edit does not reflow	Replaced objects keep their centre; the demo performs one edit and validates afterwards. The other objects are line-verified unchanged.
Coverage is 89.4%	The missing 28 requests are wall-band capacity drops, not invalid scenes. Both coverage and validity are reported; no 100% claim.
Shape retrieval is geometric	L×S×H + tolerance + aspect/area; good for “find a 12×8×2.4 plate”, not free-form semantic shape matching.

Reporting rule: every scene reports coverage and validity separately; every number in this deck has a manifest or evaluate JSON behind it. We do not trade one metric for the other.

`physical_validity` remains `not_proven`: validate + geometry + BOM checks are not a physics simulation. The safe wording is “passes validation and renders”, not “guaranteed buildable”.

DISCUSSION

Three decisions I need from you

Everything else is on track; these are the choices that change the 11/08–11/18 scope.

1 **Is the demo scope enough?**

Upload/select plan + brief → three candidates → 3D compare → one edit → export .ldr/.mpd + BOM, with a 2-minute recording. Would you add or drop anything?

2 **Is the baseline set right?**

Random placement, LLM-direct, and ablations (no library / no IR / no solver). Is any baseline missing that a reviewer would expect?

3 **Is the evaluation set enough?**

A/B/C + R1–R3 + six new real plans; a 3-person pilot instead of a full user study. Should we add more plans or more people?

4 **Any Astra update?**

If the channel is still unavailable, we report the capability proxy only and keep the equivalence question for Term 2.

Next check-in: around 11/08, with the 2-minute demo recording and the first baseline table. I will send `slides.pdf` and the standalone results page after this meeting.

APPENDIX

Everything is traceable

RESULTS DASHBOARD
`lego-nova/out/plan2brick/results.html`

STANDALONE COPY
`lego-nova/out/plan2brick/results_standalone.html`

RESULT SUMMARY
`lego-nova/out/plan2brick/SUMMARY.md`

FULL RUN RECORD
`lego-nova/RESULTS.md`


RUN 7
`lego-nova/out/gap_report.md`

LIBRARY EVALUATION
`fyp-pipeline/library_qc/EVALUATION.md`

ATTRIBUTION
`lego-nova/ATTRIBUTION.md`

SIX-WEEK PLAN
`google/own_project_plan_1022_zh.md`

Shared document: `google/main.docx` now starts with "Xiao (10/28): Current results (consolidated)", covering the same numbers as this deck.



9/9 candidates — contact sheet

Thank you — questions?