Measurement Report 3.8.9.3

DHI-LM27-E331 @ 0, 0, 2560x1440 — 2026-11-12 03:24:56

Basic Information

Device:	DHI-LM27-E331 @ 0, 0, 2560x1440
Instrument:	SpyderX — LCD PFS Phosphor WLED, RGB LED
Correction:	None
Display profile:	DHI-LM27-E331 #1 2026-11-12 02-41 120cdm2 2.2 F-S XYZLUT+MTX
Display profile luminance:	120.8 cd/m²
Display profile whitepoint:	xy 0.3133 0.3297 (XYZ 95.02 100 108.32), CCT 6469K
Measured luminance:	120.7 cd/m²
Measured whitepoint:	xy 0.3134 0.3293 (XYZ 95.17 100 108.46), CCT 6461K
Assumed target whitepoint:	6500K daylight, xy 0.3128 0.3292 (XYZ 95.02 100 108.77)
Measured black luminance:	0.118 cd/m²
Contrast:	1022.6:1
Testchart:	verify_extended.ti1
Simulation profile:	None
Gamma mapping:	N/A
Whitepoint simulation:	N/A
Chromatic adaptation:	Bradford
Devicelink profile:	None
Evaluation criteria:	RGB
Date:	2026-11-12 03:24:56

Summary

Criteria	Nominal	Recommended	#	Actual	Result
Measured vs. assumed target whitepoint ΔE*00	<= 2	<= 1		0.43	OK ✓✓
Measured vs. display profile whitepoint ΔE*00		<= 1		0.38	
Average ΔE*00	<= 1.5	<= 1		0.25	OK ✓✓
Maximum ΔE*00	<= 4	<= 3	02	1.38	OK ✓✓


✓ Nominal tolerance passed
✓ Recommended tolerance passed

Overview


#	Device Values			Nominal Values			γ		Measured Values			γ	Color distance			
	R	G	B	L*	a*	b*			L*	a*	b*		$\Delta L^*_{00/w}$	$\Delta C'_{00/w}$	$\Delta H'_{00/w}$	ΔE_{00}
01	255	255	255	100	-0.01	0			100	0	0		0	-0.01	0	0.01
02	0	0	0	0	0	0			0.87	-0.14	-1.31		0.5	1.29	0	1.38
03	13	13	13	1.18	-0.26	-0.34	2.22		2.2	-0.65	-0.88	2.01	0.59	0.77	0.02	0.97
04	26	26	26	5.47	-0.43	-0.53	2.22		6.71	-0.45	-1	2.13	0.75	0.36	0.28	0.87
05	38	38	38	12.92	-0.32	-0.89	2.2		13.5	-0.25	-0.89	2.17	0.38	-0.05	0.1	0.39
06	51	51	51	19.87	-0.33	-1.21	2.19		20.37	-0.41	-1.16	2.16	0.35	0.01	-0.13	0.38
07	64	64	64	26.26	-0.04	-0.98	2.19		26.73	-0.13	-0.97	2.16	0.35	0.01	-0.13	0.37
08	77	77	77	32.29	0.04	-0.69	2.18		32.7	-0.18	-0.47	2.16	0.33	-0.14	-0.37	0.52
09	89	89	89	37.9	0.08	-0.67	2.19		37.9	-0.05	-0.64	2.19	0.01	-0.04	-0.2	0.2
10	102	102	102	43.15	0.05	-0.46	2.21		43.36	-0.05	-0.47	2.19	0.2	0.01	-0.15	0.25
11	115	115	115	48.71	-0.05	-0.13	2.19		48.91	-0.18	-0.06	2.18	0.2	0.13	-0.17	0.29
12	128	128	128	54.11	0.16	-0.04	2.18		54.46	-0.02	-0.06	2.16	0.34	-0.17	-0.2	0.43
13	140	140	140	59.25	0.24	-0.07	2.17		59.23	0.19	0.05	2.17	-0.01	-0.07	0.11	0.13
14	153	153	153	64.04	0.23	0.01	2.18		64.17	0.08	0.04	2.17	0.11	-0.22	0.06	0.25
15	166	166	166	68.76	0.17	0.19	2.18		68.94	0.13	0.12	2.17	0.14	-0.09	-0.03	0.17
16	179	179	179	73.42	0.09	0.36	2.19		73.61	0.1	0.39	2.17	0.15	0.04	0	0.15
17	191	191	191	78.02	0.07	0.56	2.19		77.84	0.1	0.61	2.21	-0.12	0.06	-0.04	0.15
18	204	204	204	82.35	0.01	0.68	2.22		82.38	0	0.66	2.22	0.02	-0.02	0.01	0.03
19	217	217	217	86.92	0.04	0.53	2.21		87.01	-0.12	0.62	2.19	0.06	0.11	0.23	0.27
20	230	230	230	91.35	-0.08	0.52	2.21		91.49	0.01	0.41	2.17	0.09	-0.11	-0.12	0.19
21	242	242	242	95.67	-0.08	0.29	2.22		95.56	0.04	0.24	2.28	-0.07	-0.06	-0.17	0.19
22	128	0	0	26.03	55.17	41.64			26.31	54.81	40.65		0.21	-0.22	-0.33	0.44
23	255	0	0	54.33	92.4	82.93			54.36	92.39	82.92		0.03	0	0	0.03
24	255	128	128	69.53	55.87	24.26			69.59	55.71	24.12		0.04	-0.05	-0.03	0.08
25	0	128	0	46.08	-57.87	54.67			46.35	-57.78	54.2		0.26	-0.08	0.11	0.29
26	0	255	0	88.06	-97.17	92.79			88.06	-97.13	92.72		0	-0.01	0.01	0.01
27	128	255	128	91.26	-66.45	52.47			91.17	-65.67	52.17		-0.06	-0.17	-0.09	0.2
28	0	0	128	8.83	51.31	-72.72			9.54	50.16	-72.07		0.44	-0.24	-0.33	0.57
29	0	0	255	25.33	85.24	-120.58			25.27	85.57	-120.7		-0.04	0.04	0.09	0.1

30	128	128	255	58.02	29.64	-66.78		58.2	29.45	-66.41	0.17	-0.1	-0.02	0.19
31	0	128	128	48.09	-37.84	-9.29		48.23	-37.2	-9.68	0.14	-0.19	0.34	0.42
32	0	255	255	90.38	-62.37	-15.08		90.34	-62.38	-15.15	-0.02	0.01	0.04	0.04
33	170	255	255	94.67	-30.99	-8.54		94.68	-30.81	-8.41	0.01	-0.09	-0.05	0.1
34	128	0	128	29.15	65.87	-39.41		29.35	65.52	-39.16	0.15	-0.1	0.02	0.18
35	255	0	255	58.93	109.04	-64.28		58.87	109.37	-64.4	-0.06	0.05	0.02	0.08
36	255	170	255	80.57	47.01	-30.02		80.66	46.79	-29.78	0.06	-0.09	0.04	0.12
37	128	128	0	52.48	-11.17	64.21		52.76	-11.09	63.91	0.27	-0.08	-0.01	0.29
38	255	255	0	97.98	-18.46	107.56		98.02	-18.55	107.91	0.02	0.06	0.01	0.07
39	255	255	170	98.91	-10.46	42.15		98.94	-10.39	41.89	0.02	-0.09	-0.01	0.09
40	170	85	85	47.39	41.93	18.22		47.52	42.2	17.85	0.13	0.03	-0.28	0.31
41	85	170	85	63.54	-49.02	38.84		63.67	-49.23	38.7	0.11	0.02	0.11	0.16
42	85	85	170	38.75	22.22	-49.86		38.98	22.14	-50.01	0.2	0.03	-0.1	0.23
43	85	170	170	64.99	-33.47	-8.46		64.91	-32.99	-8.75	-0.07	-0.16	0.27	0.32
44	170	85	170	49.34	52.66	-32.36		49.45	52.77	-32.47	0.11	0.04	-0.01	0.11
45	170	170	85	69.29	-10.47	47.88		69.28	-10.25	47.6	-0.01	-0.1	-0.1	0.14
46	255	0	170	56.34	99.79	-20.36		56.34	99.94	-20.35	0.01	0.03	0.01	0.03
47	170	255	0	92.41	-56.81	99.37		92.46	-56.59	99.51	0.03	0	-0.09	0.09
48	0	170	255	65.25	-19	-54.67		65.28	-19	-54.66	0.02	0	0	0.02
49	0	255	170	89.12	-81.8	27.83		89.09	-81.48	27.43	-0.02	-0.09	0.11	0.14
50	170	0	255	43.88	94.89	-89.4		43.89	95.11	-89.39	0.02	0.02	0.06	0.06
51	255	170	0	77.42	28.25	92.42		77.56	27.9	92.79	0.1	0.05	0.24	0.27


Correlated Color Temperature



Gamma



RGB Gray Balance



Gamut a*b*

