Measurement Report 3.8.9.3

LPM139M422A @ 0, 0, 3000x2000 — 2026-11-03 16:48:44

Basic Information

Device:	LPM139M422A @ 0, 0, 3000x2000
Instrument:	SpyderX — LCD White LED
Correction:	None
Display profile:	LPM139M422A #1 2026-11-03 14-47 D6500 2.2 M-S XYZLUT+MTX
Display profile luminance:	120 cd/m²
Display profile whitepoint:	xy 0.3125 0.3287 (XYZ 95.07 100 109.12), CCT 6515K
Measured luminance:	119.7 cd/m²
Measured whitepoint:	xy 0.3123 0.3279 (XYZ 95.24 100 109.71), CCT 6533K
Assumed target whitepoint:	6500K daylight, xy 0.3128 0.3292 (XYZ 95.02 100 108.77)
Measured black luminance:	0.0728 cd/m²
Contrast:	1643.1:1
Testchart:	verify_extended.ti1
Simulation profile:	None
Gamma mapping:	N/A
Whitepoint simulation:	N/A
Chromatic adaptation:	Bradford
Devicelink profile:	None
Evaluation criteria:	RGB
Date:	2026-11-03 16:48:44

Summary

Criteria	Nominal	Recommended	#	Actual	Result
Measured vs. assumed target whitepoint ΔE*00	<= 2	<= 1		0.81	OK ✓✓
Measured vs. display profile whitepoint ΔE*00		<= 1		0.57	
Average ΔE*00	<= 1.5	<= 1		0.28	OK ✓✓
Maximum ΔE*00	<= 4	<= 3	02	1.02	OK ✓✓


✓ Nominal tolerance passed
✓ Recommended tolerance passed

Overview


#	Device Values			Nominal Values					Measured Values				Color distance			
	R	G	B	L*	a*	b*	γ		L*	a*	b*	γ	$\Delta L^*_{00/w}$	$\Delta C'_{00/w}$	$\Delta H'_{00/w}$	ΔE_{00}
01	255	255	255	100	0	0			100	0	0		0	0	0	0
02	0	0	0	0	0	0			0.54	0.25	-0.92		0.31	0.97	0	1.02
03	13	13	13	1.15	0.11	-0.16	2.23		1.76	0.27	-0.67	2.08	0.35	0.54	-0.11	0.66
04	26	26	26	5.31	1.14	-1.3	2.23		6.16	0.67	-1.38	2.17	0.51	-0.41	-0.55	0.85
05	38	38	38	12.72	0.27	-0.53	2.21		13.15	0.09	-0.14	2.18	0.28	-0.47	0.04	0.55
06	51	51	51	19.58	0.38	-0.47	2.2		19.91	0.44	-0.39	2.19	0.23	0.02	0.11	0.25
07	64	64	64	25.75	0.17	-0.72	2.21		26.15	0.02	-0.77	2.19	0.29	0.01	-0.23	0.37
08	77	77	77	31.84	0.24	-0.66	2.21		32.18	0.18	-0.83	2.19	0.27	0.12	-0.14	0.33
09	89	89	89	37.71	-0.06	-0.37	2.2		37.78	-0.31	0.11	2.2	0.06	0.1	-0.6	0.61
10	102	102	102	43.26	-0.23	0.05	2.2		43.41	-0.19	0.02	2.19	0.14	-0.06	0.02	0.15
11	115	115	115	48.69	-0.08	0.07	2.19		48.87	0.07	-0.12	2.18	0.18	0.02	0.3	0.35
12	128	128	128	53.86	-0.06	0.18	2.19		54.08	0.06	0.38	2.18	0.21	0.19	-0.19	0.34
13	140	140	140	58.88	-0.3	0.37	2.2		58.8	-0.26	0.17	2.2	-0.08	-0.14	0.15	0.22
14	153	153	153	63.73	-0.21	0.23	2.2		63.89	-0.17	0.1	2.19	0.14	-0.12	0.09	0.2
15	166	166	166	68.4	-0.23	0.13	2.21		68.48	-0.12	0.13	2.21	0.07	-0.15	-0.08	0.19
16	179	179	179	73.1	-0.28	-0.01	2.22		73.33	-0.31	0.02	2.2	0.17	0.05	-0.03	0.18
17	191	191	191	77.92	-0.27	0.11	2.2		77.74	-0.12	-0.02	2.22	-0.13	-0.23	0.1	0.28
18	204	204	204	82.18	-0.25	0.09	2.24		82.12	-0.05	-0.02	2.25	-0.04	-0.3	0.09	0.31
19	217	217	217	86.62	-0.16	-0.01	2.26		86.78	-0.3	-0.12	2.23	0.1	0.23	0.07	0.26
20	230	230	230	91.19	-0.48	0.22	2.25		91.42	-0.61	0.47	2.19	0.15	0.27	-0.15	0.34
21	242	242	242	95.66	-0.21	0.28	2.23		95.58	-0.07	0.06	2.27	-0.05	-0.3	0.05	0.3
22	128	0	0	25.74	48.55	37.58			26.11	48.51	37.51		0.27	-0.02	-0.02	0.28
23	255	0	0	53.18	80.88	67.19			53.22	80.8	67.55		0.03	0.03	0.16	0.16
24	255	128	128	68.52	48.14	22.43			68.47	48.04	22.82		-0.04	0.02	0.23	0.24
25	0	128	0	47.01	-46.94	46.26			47.14	-46.89	45.98		0.12	-0.06	0.07	0.15
26	0	255	0	88.76	-77.83	78.18			88.73	-77.67	78.06		-0.02	-0.03	-0.01	0.04
27	128	255	128	91.81	-55.24	48.36			91.45	-54.2	47.98		-0.22	-0.24	-0.16	0.37
28	0	0	128	9.9	46.53	-69.01			10.18	46.03	-68.55		0.18	-0.14	-0.1	0.23
29	0	0	255	27.11	77.64	-114.97			27.14	77.71	-115.04		0.02	0.01	0.01	0.02

30	128	128	255	57.99	27.99	-64.43		58.14	27.99	-64.1	0.13	-0.07	0.1	0.2
31	0	128	128	48.41	-29.65	-8.77		48.57	-29.51	-8.44	0.16	-0.09	-0.19	0.26
32	0	255	255	91.16	-48.59	-14.24		91.13	-48.61	-14.29	-0.01	0.01	0.02	0.03
33	170	255	255	95.01	-25.75	-7.94		94.97	-25.38	-8.14	-0.02	-0.15	0.21	0.26
34	128	0	128	28.82	58.08	-37.36		29.15	58.3	-36.77	0.26	-0.03	0.27	0.38
35	255	0	255	58.34	96.89	-62.36		58.39	97.04	-62.37	0.05	0.02	0.02	0.06
36	255	170	255	79.9	41.49	-29.36		79.91	41.61	-29.36	0.01	0.03	0.03	0.04
37	128	128	0	52.88	-11.06	53.72		52.91	-10.02	53.38	0.02	-0.16	-0.59	0.61
38	255	255	0	98.01	-17.13	89.99		98.02	-16.98	90.07	0	0.01	-0.08	0.08
39	255	255	170	98.84	-9.98	39.65		98.85	-9.73	39.62	0	-0.03	-0.16	0.16
40	170	85	85	46.53	35.46	16.43		46.64	36.05	16.2	0.11	0.16	-0.3	0.35
41	85	170	85	63.45	-39.82	34.47		63.69	-40.55	34.79	0.2	0.22	0.11	0.32
42	85	85	170	38.65	20.61	-47.34		38.77	20.82	-47.66	0.11	0.11	0.05	0.14
43	85	170	170	64.9	-26.7	-7.75		65	-26.4	-8.06	0.09	-0.1	0.28	0.31
44	170	85	170	48.71	45.74	-30.74		48.73	46.39	-31.24	0.02	0.23	-0.03	0.24
45	170	170	85	68.85	-10	42.44		68.96	-9.66	42.51	0.08	0	-0.23	0.25
46	255	0	170	55.3	87.84	-18.7		55.42	87.99	-19.21	0.11	0.05	-0.16	0.2
47	170	255	0	92.73	-48.38	83.26		92.75	-47.76	83.23	0.01	-0.06	-0.2	0.21
48	0	170	255	65.72	-12.06	-52.53		65.83	-12.1	-52.47	0.09	-0.02	-0.03	0.09
49	0	255	170	89.78	-65.31	26.23		89.78	-65.01	25.72	0	-0.11	0.15	0.19
50	170	0	255	43.79	85.01	-86.76		44.05	85.12	-86.4	0.24	-0.03	0.13	0.28
51	255	170	0	76.65	23.31	76.28		76.91	22.95	76.57	0.19	0.04	0.26	0.32


Correlated Color Temperature



Gamma



RGB Gray Balance



Gamut a*b*

