Measurement Report 3.8.9.3

DHI-LM27-E331 @ 0, 0, 2560x1440 — 2026-10-30 23:28:16

Basic Information

Device:	DHI-LM27-E331 @ 0, 0, 2560x1440
Instrument:	SpyderX — LCD PFS Phosphor WLED, RGB LED
Correction:	None
Display profile:	DHI-LM27-E331 #1 2026-10-30 22-35 120cdm2 2.2 M-S XYZLUT+MTX
Display profile luminance:	119.7 cd/m²
Display profile whitepoint:	xy 0.3114 0.3279 (XYZ 94.99 100 110.01), CCT 6583K
Measured luminance:	119.8 cd/m²
Measured whitepoint:	xy 0.3111 0.3279 (XYZ 94.9 100 110.1), CCT 6599K
Assumed target whitepoint:	6600K daylight, xy 0.3112 0.3276 (XYZ 94.99 100 110.26)
Measured black luminance:	0.1034 cd/m²
Contrast:	1158.6:1
Testchart:	verify_extended.ti1
Simulation profile:	None
Gamma mapping:	N/A
Whitepoint simulation:	N/A
Chromatic adaptation:	Bradford
Devicelink profile:	None
Evaluation criteria:	RGB
Date:	2026-10-30 23:28:16

Summary

Criteria	Nominal	Recommended	#	Actual	Result
Measured vs. assumed target whitepoint ΔE*00	<= 2	<= 1		0.27	OK ✓✓
Measured vs. display profile whitepoint ΔE*00		<= 1		0.24	
Average ΔE*00	<= 1.5	<= 1		0.28	OK ✓✓
Maximum ΔE*00	<= 4	<= 3	02	1.52	OK ✓✓


✓ Nominal tolerance passed
✓ Recommended tolerance passed

Overview


#	Device Values			Nominal Values					Measured Values				Color distance			
	R	G	B	L*	a*	b*	γ		L*	a*	b*	γ	$\Delta L^*_{00/w}$	$\Delta C'_{00/w}$	$\Delta H'_{00/w}$	ΔE_{00}
01	255	255	255	100	0	0			100	0	0		0	-0.01	0	0.01
02	0	0	0	0	0	0			0.76	-0.18	-1.48		0.44	1.45	0	1.52
03	13	13	13	1.33	0.14	-0.39	2.18		2.21	-0.13	-0.81	2.01	0.51	0.38	-0.43	0.77
04	26	26	26	5.68	0.64	-0.68	2.2		6.76	0.65	-0.8	2.13	0.66	0.08	-0.09	0.67
05	38	38	38	13.28	-0.07	-0.59	2.18		13.8	-0.02	-0.55	2.15	0.33	-0.05	0.07	0.35
06	51	51	51	20.02	0.05	-0.51	2.18		20.33	0.14	-0.48	2.16	0.21	0.01	0.14	0.25
07	64	64	64	26.37	-0.5	-0.02	2.18		26.81	-0.75	0.22	2.16	0.33	0.37	-0.21	0.54
08	77	77	77	32.31	-0.35	-0.27	2.18		32.61	-0.39	-0.43	2.17	0.24	0.14	0.1	0.3
09	89	89	89	37.88	0.17	-0.27	2.19		37.89	0.05	-0.25	2.19	0.01	-0.11	-0.14	0.18
10	102	102	102	43.3	-0.27	0.05	2.2		43.56	-0.65	0.41	2.18	0.24	0.63	-0.18	0.7
11	115	115	115	48.65	0.06	-0.16	2.2		48.83	0.05	-0.08	2.19	0.18	-0.07	0.03	0.2
12	128	128	128	53.85	0.01	0.3	2.2		54.16	-0.03	0.35	2.18	0.3	0.05	0.07	0.32
13	140	140	140	58.97	0.09	0.23	2.19		58.92	-0.04	0.38	2.19	-0.04	0.12	0.21	0.24
14	153	153	153	63.85	0.16	0.11	2.19		64.03	0.26	0.32	2.18	0.15	0.23	0.09	0.29
15	166	166	166	68.72	0.31	0.24	2.19		68.86	0.29	0.25	2.18	0.11	-0.03	0.03	0.12
16	179	179	179	73.41	0.27	0.23	2.19		73.58	0.24	0.22	2.17	0.13	-0.04	0.01	0.13
17	191	191	191	78.31	-0.28	0.52	2.16		78.11	-0.33	0.61	2.18	-0.14	0.11	-0.01	0.18
18	204	204	204	82.6	-0.09	0.21	2.19		82.54	-0.25	0.41	2.19	-0.04	0.3	0.07	0.31
19	217	217	217	87.1	-0.17	0.05	2.18		87.29	-0.3	0.17	2.14	0.12	0.22	-0.07	0.26
20	230	230	230	91.53	0.12	0.23	2.16		91.66	0.07	0.26	2.13	0.08	-0.01	0.08	0.11
21	242	242	242	95.9	-0.07	0.08	2.1		95.64	0.23	-0.15	2.24	-0.15	0.24	-0.44	0.53
22	128	0	0	25.65	54.65	41.09			25.97	54.42	40.46		0.24	-0.14	-0.21	0.34
23	255	0	0	54.11	92.04	83.16			54.15	92.09	83.26		0.04	0.02	0.02	0.05
24	255	128	128	69.14	56.19	24.57			69.32	55.69	24.72		0.14	-0.11	0.19	0.26
25	0	128	0	45.86	-57.23	54.59			46.05	-56.96	54.3		0.18	-0.09	0.01	0.2
26	0	255	0	88.07	-96.36	93.14			88.11	-96.31	93.18		0.02	0	-0.02	0.03
27	128	255	128	91.13	-65.84	53.12			91.19	-65.6	53.1		0.03	-0.04	-0.05	0.07
28	0	0	128	8.75	51.03	-71.97			9.38	49.44	-71.23		0.39	-0.31	-0.5	0.65
29	0	0	255	25.43	85.44	-120.43			25.41	85.33	-120.54		-0.01	0	-0.06	0.07

30	128	128	255	57.73	30.64	-67.3		58.02	29.81	-66.86	0.26	-0.17	-0.41	0.43
31	0	128	128	47.76	-37.42	-8.99		47.96	-36.9	-9.09	0.2	-0.18	0.14	0.3
32	0	255	255	90.43	-61.49	-15.01		90.44	-61.71	-15.01	0	0.05	-0.03	0.06
33	170	255	255	94.46	-30.48	-8.68		94.75	-30.45	-8.35	0.17	-0.05	-0.21	0.28
34	128	0	128	28.74	65.35	-39.53		29.01	65.12	-38.7	0.21	-0.14	0.24	0.35
35	255	0	255	58.77	108.96	-64.56		58.74	109.07	-64.63	-0.02	0.02	0	0.03
36	255	170	255	80.45	46.98	-30.2		80.59	46.62	-29.94	0.1	-0.13	0.01	0.16
37	128	128	0	52.15	-10.78	64.13		52.46	-11.01	63.66	0.31	-0.11	0.18	0.37
38	255	255	0	97.96	-18.69	108.04		98.01	-18.64	108.3	0.03	0.04	-0.04	0.07
39	255	255	170	98.84	-10.42	42.2		98.93	-10.46	42.05	0.05	-0.05	0.05	0.09
40	170	85	85	47.33	41.5	18.11		47.37	42.19	18.36	0.04	0.24	-0.03	0.25
41	85	170	85	63.62	-48.48	39.25		63.69	-48.97	39.33	0.06	0.11	0.11	0.17
42	85	85	170	39.03	21.96	-49.13		38.89	22.49	-50.14	-0.12	0.33	0.05	0.33
43	85	170	170	64.74	-32.04	-8.81		64.95	-32.64	-8.66	0.17	0.22	-0.2	0.35
44	170	85	170	49.33	52.35	-31.94		49.33	52.86	-32.65	0	0.21	-0.16	0.27
45	170	170	85	69.13	-10.38	48.2		69.26	-10.22	48.15	0.1	-0.03	-0.1	0.14
46	255	0	170	56.13	99.62	-20.18		56.17	99.63	-20.5	0.03	0.01	-0.1	0.11
47	170	255	0	92.42	-56.39	99.73		92.49	-56.28	99.8	0.05	0	-0.05	0.06
48	0	170	255	65.32	-18.21	-54.71		65.3	-18.48	-54.73	-0.01	0.03	-0.12	0.13
49	0	255	170	89.13	-80.97	28.35		89.16	-80.79	27.71	0.02	-0.08	0.21	0.23
50	170	0	255	43.67	94.91	-89.87		43.86	94.95	-89.57	0.17	-0.03	0.09	0.2
51	255	170	0	77.18	28.3	92.58		77.44	27.7	93.05	0.19	0.05	0.39	0.43


Correlated Color Temperature



Gamma



RGB Gray Balance



Gamut a*b*

