

Measurement Report

3.8.9.3

LPM139M422A @ 0, 0, 3000x2000 — 2026-08-23 16:59:48

Basic Information

Device:	LPM139M422A @ 0, 0, 3000x2000
Instrument:	SpyderX — расширенный диапазон LCD (PFS Phosphor, RGB LED)
Correction:	None
Display profile:	LPM139M422A #1 2026-08-23 16-03 120cdm? D6500 2.2 M-S XYZLUT+MTX
Display profile luminance:	115.9 cd/m²
Display profile whitepoint:	xy 0.3132 0.3294 (XYZ 95.09 100 108.54), CCT 6475K
Measured luminance:	116.2 cd/m²
Measured whitepoint:	xy 0.3129 0.3289 (XYZ 95.13 100 108.92), CCT 6495K
Assumed target whitepoint:	6500K daylight, xy 0.3128 0.3292 (XYZ 95.02 100 108.77)
Measured black luminance:	0.0735 cd/m²
Contrast:	1580.6:1
Testchart:	verify_extended.ti1
Simulation profile:	None
Gamma mapping:	N/A
Whitepoint simulation:	N/A
Chromatic adaptation:	Bradford
Devicelink profile:	None
Evaluation criteria:	RGB
Date:	2026-08-23 16:59:48

Summary

Criteria	Nominal	Recommended	#	Actual	Result
Measured vs. assumed target whitepoint ΔE^*00	≤ 2	≤ 1		0.3	OK ✓✓
Measured vs. display profile whitepoint ΔE^*00		≤ 1		0.25	
Average ΔE^*00	≤ 1.5	≤ 1		0.38	OK ✓✓
Maximum ΔE^*00	≤ 4	≤ 3	04	1.52	OK ✓✓


- ✓ Nominal tolerance passed
- ✓ Recommended tolerance passed

Overview


#	Device Values			Nominal Values				Measured Values					Color distance			
	R	G	B	L*	a*	b*	γ	L*	a*	b*	γ	ΔL* _{00/w}	ΔC* _{00/w}	ΔH* _{00/w}	ΔE ₀₀	
01	255	255	255	100	0	0		100	0	0		0	0	0	0	
02	0	0	0	0	0	0		0.56	0.23	-0.96		0.32	1	0	1.05	
03	13	13	13	1.03	-0.16	-0.45		2.26	1.59	0.63	-1.11	2.12	0.33	0.91	0.95	1.36
04	26	26	26	5.24	-0.74	-1.53		2.24	6.05	0.25	-1.61	2.17	0.49	-0.21	1.43	1.52
05	38	38	38	12.62	-0.78	-0.54		2.21	13.05	0.14	-0.38	2.19	0.28	-0.83	1.07	1.38
06	51	51	51	19.74	-0.93	-0.72		2.19	20.1	-0.47	-0.74	2.18	0.25	-0.52	0.4	0.71
07	64	64	64	25.94	-0.58	-0.71		2.2	26.38	-0.12	-0.95	2.18	0.32	-0.15	0.71	0.79
08	77	77	77	31.92	-0.45	-0.79		2.2	32.27	-0.17	-0.92	2.18	0.28	-0.08	0.43	0.52
09	89	89	89	37.63	-0.58	-0.77		2.2	37.53	-0.1	-1.05	2.21	-0.08	-0.09	0.75	0.76
10	102	102	102	43.23	-1	-0.3		2.2	43.47	-0.86	-0.01	2.19	0.21	-0.23	-0.27	0.41
11	115	115	115	48.71	-0.53	-0.43		2.19	48.9	-0.45	-0.15	2.18	0.19	-0.2	-0.22	0.35
12	128	128	128	53.89	-0.36	-0.63		2.19	54.11	-0.12	-0.75	2.18	0.21	-0.05	0.36	0.42
13	140	140	140	58.93	-0.39	-0.57		2.19	58.89	-0.23	-0.29	2.2	-0.03	-0.36	-0.04	0.36
14	153	153	153	63.67	-0.5	-0.46		2.21	63.89	-0.67	-0.52	2.19	0.18	0.23	-0.07	0.31
15	166	166	166	68.41	-0.46	-0.5		2.21	68.56	-0.39	-0.36	2.2	0.12	-0.17	-0.05	0.21
16	179	179	179	73.11	-0.5	-0.58		2.22	73.45	-0.42	-0.31	2.19	0.25	-0.24	-0.17	0.39
17	191	191	191	77.79	-0.45	-0.57		2.22	77.51	-0.23	-0.9	2.25	-0.2	0.08	0.45	0.5
18	204	204	204	82.22	-0.28	-0.57		2.24	82.22	-0.38	-0.38	2.24	0	-0.03	-0.23	0.23
19	217	217	217	86.78	-0.28	-0.68		2.23	86.93	-0.39	-0.34	2.21	0.1	-0.12	-0.35	0.38
20	230	230	230	91.12	0.02	-0.64		2.27	91.42	0.09	-0.62	2.19	0.18	-0.01	0.11	0.21
21	242	242	242	95.6	-0.04	-0.51		2.26	95.5	0.11	-0.61	2.31	-0.06	0.12	0.22	0.26
22	128	0	0	26.18	48.08	37.26			26.46	48.23	37.22		0.21	0.02	-0.07	0.22

23	255	0	0	54.14	80.62	66.3	54.1	80.81	66.95	-0.04	0.1	0.18	0.21
24	255	128	128	69.01	48.82	22.28	68.98	48.6	22.37	-0.02	-0.05	0.1	0.11
25	0	128	0	46.79	-48.43	45.99	46.92	-48.12	45.8	0.12	-0.09	-0.03	0.16
26	0	255	0	88.23	-79.85	77.66	88.23	-79.7	77.77	0	-0.01	-0.06	0.06
27	128	255	128	91.25	-56.33	47.08	91.07	-55.42	46.69	-0.11	-0.22	-0.12	0.27
28	0	0	128	10.37	45.1	-69.1	10.69	45.22	-68.91	0.2	-0.02	0.13	0.24
29	0	0	255	27.69	75.07	-114.2	27.47	75.7	-114.4	-0.16	0.07	0.2	0.25
30	128	128	255	58.18	26.69	-64.37	58.18	26.96	-63.99	0	-0.06	0.29	0.33
31	0	128	128	48.37	-31.2	-9.23	48.43	-30.2	-9.74	0.06	-0.34	0.53	0.63
32	0	255	255	90.75	-50.48	-14.64	90.7	-50.37	-14.83	-0.03	-0.01	0.12	0.12
33	170	255	255	94.7	-26.77	-8.59	94.68	-26.33	-8.48	-0.01	-0.21	0.02	0.21
34	128	0	128	29.4	57.28	-37.29	29.59	57.79	-37.27	0.15	0.1	0.13	0.22
35	255	0	255	59.35	95.75	-60.83	59.25	96.11	-60.99	-0.09	0.06	0.02	0.12
36	255	170	255	80.3	41.44	-28.95	80.23	41.58	-28.81	-0.05	0.01	0.1	0.12
37	128	128	0	52.54	-10.52	53.1	52.83	-10.36	53.29	0.28	0.05	-0.12	0.31
38	255	255	0	97.9	-16.66	89.58	97.91	-16.62	89.96	0.01	0.07	-0.06	0.09
39	255	255	170	98.76	-9.64	39.43	98.77	-9.47	39.15	0.01	-0.11	-0.07	0.13
40	170	85	85	46.75	35.64	16.03	46.93	35.99	16.39	0.17	0.17	0.12	0.27
41	85	170	85	62.99	-40.65	33.77	63.46	-41.56	34.49	0.4	0.34	0.01	0.52
42	85	85	170	38.91	19.84	-47.62	38.86	20.23	-48.05	-0.04	0.17	0.15	0.15
43	85	170	170	64.54	-27.05	-9.03	64.82	-27.35	-8.75	0.23	0.1	-0.25	0.35
44	170	85	170	48.98	45.25	-31.23	49.05	46.14	-31.29	0.08	0.22	0.23	0.32
45	170	170	85	68.62	-10.05	41.84	68.91	-9.92	42.33	0.22	0.15	-0.16	0.32
46	255	0	170	56.31	87.26	-17.96	56.31	87.63	-18.47	0	0.09	-0.15	0.17
47	170	255	0	92.35	-49.34	82.72	92.38	-48.65	82.98	0.02	-0.02	-0.28	0.28
48	0	170	255	65.38	-13.19	-53.02	65.68	-13.62	-52.61	0.25	-0.09	-0.26	0.34
49	0	255	170	89.32	-67.12	25.29	89.29	-66.74	24.72	-0.02	-0.13	0.17	0.22
50	170	0	255	44.61	83.15	-85.61	44.6	83.72	-85.49	-0.01	0.05	0.2	0.2
51	255	170	0	76.99	23.91	75.98	77.2	23.54	76.53	0.15	0.09	0.3	0.35


Correlated Color Temperature



Gamma



RGB Gray Balance



Gamut a*b*

