# Linguistics unfolded

Ralph Debusmann

Programming Systems Lab
Saarland University, Saarbrücken

#### Grammar formalisms

- should be able to modularize the different dimensions of linguistic description, i.e. to unfold a linguistic description,...
- ...and at the same time, be able to treat the linguistic description in an integrative way.
- existing grammar formalisms are unable to do both
- we will introduce Extensible Dependency Grammar (XDG), which can do both

# Why modularize?

- consider Jeder Mann liebt eine Frau.
- jeder Mann is the surface subject, eine Frau is the surface object
- jeder Mann is in the Vorfeld, eine Frau is in the Mittelfeld
- jeder Mann is the deep subject, eine Frau is the deep object
- generalizations:
  - surface subjects=Vorfeld
  - surface objects=Mittelfeld
  - surface subjects=deep subjects
  - surface objects=deep objects

#### **Topicalization**

- consider Eine Frau liebt jeder Mann.
- jeder Mann is the surface subject, eine Frau is the surface object
- jeder Mann is in the Mittelfeld, eine Frau is in the Vorfeld
- jeder Mann is the deep subject, eine Frau is the deep object
- generalizations:
  - surface subjects=Vorfeld
  - surface objects=Mittelfeld
  - surface subjects=deep subjects
  - surface objects=deep objects

#### **Topicalization**

- consider Eine Frau liebt jeder Mann.
- jeder Mann is the surface subject, eine Frau is the surface object
- jeder Mann is in the Mittelfeld, eine Frau is in the Vorfeld
- jeder Mann is the deep subject, eine Frau is the deep object
- generalizations:
  - surface subjects=Vorfeld
  - surface objects=Mittelfeld
  - surface subjects=deep subjects
  - surface objects=deep objects

#### **Topicalization**

- consider Eine Frau liebt jeder Mann.
- jeder Mann is the surface subject, eine Frau is the surface object
- jeder Mann is in the Mittelfeld, eine Frau is in the Vorfeld
- jeder Mann is the deep subject, eine Frau is the deep object
- generalizations:
  - surface subjects=Vorfeld
  - surface objects=Mittelfeld
  - surface subjects=deep subjects
  - surface objects=deep objects

#### **Passive**

- consider Von jedem Mann wird eine Frau geliebt.
- von jedem Mann is the surface object, eine Frau is the surface subject
- von jedem Mann is in the Vorfeld, eine Frau is in the Mittelfeld
- jedem Mann is the deep subject, eine Frau is the deep object
- generalizations:
  - surface subjects=Vorfeld
  - surface objects=Mittelfeld
  - surface subjects=deep subjects
  - surface objects=deep objects

#### **Passive**

- consider Von jedem Mann wird eine Frau geliebt.
- von jedem Mann is the surface object, eine Frau is the surface subject
- von jedem Mann is in the Vorfeld, eine Frau is in the Mittelfeld
- jedem Mann is the deep subject, eine Frau is the deep object
- generalizations:
  - surface subjects=Vorfeld
  - surface objects=Mittelfeld
  - surface subjects=deep subjects
  - surface objects=deep objects

#### **Passive**

- consider Von jedem Mann wird eine Frau geliebt.
- von jedem Mann is the surface object, eine Frau is the surface subject
- von jedem Mann is in the Vorfeld, eine Frau is in the Mittelfeld
- jedem Mann is the deep subject, eine Frau is the deep object
- generalizations:
  - surface subjects=Vorfeld
  - surface objects=Mittelfeld
  - surface subjects=deep subjects
  - surface objects=deep objects

#### Modularize!


- simple generalizations will backfire when confronted with more complicated constructions
- so don't make them
- instead, properly modularize the different dimensions of linguistic description


# Why integrate?


- consider Peter sieht die Frau mit dem Teleskop
- PP can either attach to sieht or to Frau
- additional information needed for disambiguation
- information may come from any source, i.e. also from semantics (e.g. a database of world knowledge)


 a non-integrated system cannot make use of information from semantics early on:


Peter sieht die Frau mit dem Teleskop













• in an *integrated* system, disambiguating information can come in from any dimension, and can immediately disambiguate the others:

Peter sieht die Frau mit dem Teleskop


 in an integrated system, disambiguating information can come in from any dimension, and can immediately disambiguate the others:




 in an integrated system, disambiguating information can come in from any dimension, and can immediately disambiguate the others:




 in an integrated system, disambiguating information can come in from any dimension, and can immediately disambiguate the others:








grammar formalisms





grammar formalisms















#### **XDG** dimensions

- XDG can be instantiated with any number of dimensions
- dimensions fold out the linguistic dimensions
- in the following, we show an instantiation with three dimensions: surface syntax, deep syntax, and topological fields


# Example surface syntax analysis

 von jedem Mann is the surface object (of geliebt), eine Frau is the surface subject (of wird):




# Example topological fields analysis

• von jedem Mann is in the Vorfeld, eine Frau is in the Mittelfeld of wird:



# Example deep syntax analysis


 jedem Mann is the deep subject, eine Frau is the deep object of geliebt:




#### XDG principles

- an XDG grammar makes use of any number of principles to restrict the well-formedness conditions of analyses
- principles can be either one-dimensional (only restrict one dimension) or multi-dimensional (restrict the relation of two or more dimensions)
- principles can be either lexicalized or not
- the lexicon can be conveniently built up using abstractions like lexical inheritance and crossings (Candito 1996)

# Tree principle (surface syntax)




# Tree principle (surface syntax)




Tree

## Tree principle (topological fields)




### Tree principle (topological fields)




Tree

## DAG principle (deep syntax)




## DAG principle (deep syntax)




DAG


## Valency principle (surface syntax)




### Valency principle (surface syntax)




### Valency principle (surface syntax)




## Valency principle (topological fields)




### Valency principle (topological fields)




## Valency principle (topological fields)




# Valency principle (deep syntax)




### Valency principle (deep syntax)




## Valency principle (deep syntax)




## Climbing principle







## Climbing principle




## Climbing principle




## Syntactic linking






## Syntactic linking



## Syntactic linking




#### Representing semantics

- Von jedem Mann wird eine Frau geliebt.
- semantics (weak reading):  $\forall x. man(x) \rightarrow \exists y. woman(y) \land love(x, y)$
- two dimensions: predicate-argument structure and scope
- in XDG, we can use the same ideas also to represent semantics


```
\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)
```

```
\forall x \ man(x) \Rightarrow \exists y \ woman(y) \land love(x,y)
\forall x \ man(x) \qquad \exists y \ woman(y) \ love(x,y)
```


```
\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)
```




$$\forall x \ man(x) \Rightarrow \exists y \ woman(y) \land love(x,y)$$




```
\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)
```



$$\forall x \ man(x) \Rightarrow \exists y \ woman(y) \land love(x,y)$$





```
\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)
```


$$\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)$$

$$\forall x \bullet \Rightarrow \bullet \quad man(x) \quad \exists y \bullet \land \bullet \quad woman(y) \quad love(x,y)$$


$$\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)$$




$$\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)$$




$$\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)$$




$$\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)$$




 $\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)$ 




 $\forall x \ \text{man}(x) \Rightarrow \exists y \ \text{woman}(y) \land \text{love}(x,y)$ 



### DAG principle (predicate-argument)




### DAG principle (predicate-argument)




DAG


# Tree principle (scope)





# Tree principle (scope)





Tree























# Semantic linking







# Semantic linking




# Semantic linking




### **Contra-dominance**






### **Contra-dominance**




### **Contra-dominance**




### Modularity and integration


- XDG is modular and integrated
- modularity by unfolding the dimensions of linguistic description, one-dimensional principles
- integration by multi-dimensional principles
- integration: inferences can flow from any dimension to any other


# Inferences from syntax to semantics




# Inferences from syntax to semantics













# Inferences from syntax to semantics













### Inferences from semantics to syntax




### Inferences from semantics to syntax













### Inferences from semantics to syntax









#### **Conclusions**

- it is important to distinguish the different dimensions of linguistic description,...
- ...and at the same time to integrate them.
- existing grammar formalisms cannot do both
- XDG can

#### Related work

- handwritten grammars for Arabic, Dutch, German, English (Duchier/Debusmann ACL 2001, Debusmann Diplom 2001, Duchier/Debusmann 2002, Bader/Foeldesi/Pfeiffer/Steigner Softwareprojekt 2004, Odeh Fopra 2004)
- syntax-semantics interface (Korthals/Debusmann COLING 2002, Debusmann PASSI 2003, Debusmann/Duchier/Koller/Kuhlmann/Smolka/Thater COLING 2004, Debusmann/Duchier/Kruijff COLING 2004 DG Workshop)
- interface to Information structure (Kruijff/Duchier EACL 2003)
- grammar induction (NEGRA (German): Korthals Diplom 2003, Möhl Fopra 2004, PDT (Czech): Bojar 2004)
- TAG to XDG encoding (generation: Koller/Striegnitz ACL 2002, parsing: Debusmann/Duchier/Kuhlmann/Thater TAG+7 2004)

#### Future work

- obtain large-scale grammars
- find out how to parse them efficiently with XDG
- many many more issues to solve (e.g. coordination, incremental parsing...)
- but before all that: start writing the dissertation ;-)

# Thank you!