# Thing you should know about Free Software and Software freedom



Lumin @ XDLinux Debian Contributor



#### Difference: non-free & free

Ask me about

# Free Software



#### Utilize: Non-free software

- 个人使用,不可商用
- 商用需授权

注:始终以软件附带的用户协议/许可证为准

#### Trouble of Non-free: License

• 使用受法律 / 用户协议协议限制 (滥用可能会吃传票)

#### Utilize: free software

• 随便用

注:始终以软件附带的用户协议/许可证为准

## Study: Non-free software

Reverse Engineering Non-free Softwares (Binary blob)

```
ef 83 7e fc 2a 0f 84 35 03 00 00 48 8d 41 04 c7
        00 00 c7 00 00
                              00 8b 0d 3b e7 2a
01 2a 00
                        00
                           00
           00 00 85 c9 0f 84 5a 02 00 00 48 8b
00 ba 20 00
74 24 40 48 89 df e8 b5 cf 03
                              00 48 39 5c 24 10
74 1a ba cf 10 00 00 be
                        88 c1 4b 00 48 89 df 89
44 24 28 e8 58 4d 02 00 8b 44 24 28 83 f8
31 48 8b 74 24 38 48 8b 7c 24 10 e8 c0 04 04 00
89 44 24 28 8b 44 24 0c 83 f8 01 0f 84 67
00 83
     f8 02 0f 84 7e 04
                        00
                           00 85 c0 0f 84 e9 02
     31 db 48 8b bc 24
  00
                        98 00
                              00
                                 00 ba 43 11 00
  be 88 c1 4b 00 e8 05
                        4d 02
                              00 48 8b
                                       bc 24 90
     00
        ba 44 11 00
                        be 88 c1 4b 00 e8 ee 4c
  00
                    00
02 00 48 8b bc 24 a0 00
                        00 00 ba 45 11 00 00 be
```

#### Trouble of Non-free: License

- 使用受法律 / 用户协议协议限制
- 禁止逆向工程 (e.g. GIT 历史)

(逆向工程不仅可能破坏商业合作关系,也可能吃传票)

## Study: Free Software

#define BANNER "hello, world!\n"

#include <unistd.h>

```
int
main (int argc, char **argv)
  write(1, BANNER, sizeof(BANNER));
   return 0;
         00 83 f8 02 0f 84 7e 04 00 00 85 c0 0f 84 e9 02
         00 00 31 db 48 8b bc 24 98 00 00 00 ba 43 11 00
         00 be 88 c1 4b 00 e8 05 4d 02 00 48 8b bc 24 90
         00 00 00 ba 44 11 00 00 be 88 c1 4b 00 e8 ee 4c
         02 00 48 8b bc 24 a0 00
                                 00 00 ba 45 11 00 00 be
```

#### Distribute: non-free

- 禁止分发原始版本
- 禁止分发第三方修改版本
- 禁止未授权情况下销售

注:始终以软件附带的用户协议/许可证为准

#### Trouble of Non-free: License

- 使用受法律 / 用户协议协议限制
- 禁止逆向工程 (e.g. GIT 历史)
- 禁止在未受许可的情况下分发 (传票)

#### Distribute: free software

- 随便分发
- 经过第三方修改的仍然可以随便分发

. . . . . .

- 甚至可以直接拿去卖
- 经过第三方修改的仍然可以直接拿去卖

. . . . . .

注:始终以软件附带的用户协议 / 许可证为准

## Compare: Non-free & free

#### Non-free Software

- 使用受法律 / 用户协议协议限制
- 禁止逆向工程
- 禁止在未受许可的情况下分发

#### Free Software

- 随意用
- 随意研究
- 随意修改
- 随意分发

注:始终以软件附带的用户协议/许可证为准

#### Core reason: License

Commercial Software:
 Commercial License

Free SoftwareGPL, BSD, MIT, Apache ...

# Why Should I know this ?

Because you'll live harder without them ...


#### Where Free Software is used

- 互联网基础骨干设施 (Backbone Routers)
- 无数企业的服务器部署 (Server) (互联网公司)
- 交通控制系统,包括铁路与航空 (Traffic Control)
- 超级计算机 (Super Computers)
   (天气预报,动画渲染,蛋白质解析,石油勘探)
- 国际空间站 (Space Station)
- · 各种嵌入式设备,包括您的 Android 手机

Who Launched free software Movement?



#### Richard. M. Stallman







# Either throw Windows out of the computer or throw the computer out of the window

On hearing someone owns a GNU+Linux/Windows dual boot machine

The Adobe flash plug-in is nonfree software, and people should not install it, or suggest installing it, or even tell people it exists


On OpenBSD mailing list

If the users don't control the program, the program controls the users.

Free Software Is Even More Important Now

Who Created Linux ?

# Linus



#### Linus Torvalds







































• • •

#### Who is supporting free software





And Many Other Companies,
And ...

#### And US: 西电开源社区

http://xdlinux.info

Participating:

- 线下活动 ( Hacking Saturday )
- 随机讲座
- 邮件列表 ( Mailing list )
- 随机约吃
- · QQ 群: 2261 98461

#### Not the End of SFD 2015

E楼 II 区 523 教室 19:00

Workshop: Linux Install Party

# Thanks