PART A – MULTIPLE CHOICE QUESTIONS (20
Questions)

1. What is a Linux Filesystem?
A. Database
B. Structure used to organize files and directories
C. Programming Language
D. Web Browser
answer: structure used to organize files and directories

2. Which symbol represents the Linux Root Directory?
A. ~
B. ..
C. /
D. .
answer: /

3. Which directory usually stores user files?
A. /etc
B. /home
C. /bin
D. /tmp
answer:/home
4. Which directory contains configuration files?
A. /var
B. /usr
C. /etc
D. /home
answer: /etc

5. What does the clear command do?
A. Delete files
B. Clear terminal screen
C. Create directory
D. Exit terminal
answer: clear terminal screen

6. What is the purpose of sudo?
A. Change directory
B. Execute command with administrator privileges
C. Show user
D. Show hostname
answer:Execute command with administrator privileges

7. What does pwd stand for?
A. Print Working Data
B. Present Working Directory
C. Personal Work Directory
D. Path Working Directory
answer:Present Working Directory

8. Which command lists files and folders?
A. cd
B. pwd

C. ls
D. rm
answer:ls

9. Which command shows hidden files?
A. ls -l
B. ls -a
C. ls -R
D. pwd
answer: ls -a

10. Which command shows detailed file information?
A. ls -l
B. ls -a

C. ls
D. pwd
answer: ls -l

11. What does ls -la display?
A. Files only
B. Hidden files only
C. Detailed list including hidden files
D. Directories only
answer: Detailed list including hidden files

12. Which command changes directory?
A. ls
B. pwd
C. cd
D. mkdir
answer: cd

13. What does cd .. do?
A. Go home
B. Go to root
C. Move to parent directory
D. Delete directory
answer:Move to parent directory

14. What does cd ~ do?
A. Go root
B. Go parent directory
C. Go home directory
D. Exit terminal
answer: go home directory

15. Which path is an absolute path?
A. Documents
B. Desktop
C. Downloads

D. /home/ubuntu/Documents
answer:/home/ubuntu/Documents

16. Which command creates a directory?
A. touch
B. mkdir
C. rm
D. pwd
answer:mkdir

17. Which option creates parent directories automatically?
A. mkdir -r
B. mkdir -f
C. mkdir -p
D. mkdir -a
answer: mkdir -p

18. What does ls -R do?
A. Remove files
B. Show hidden files
C. Recursive listing
D. Rename files
answer: recursive listing

19. Which command removes an empty directory?
A. rm
B. rmdir
C. pwd
D. ls
answer: rmdir

20. Which command removes a directory and its contents?
A. rm -r
B. rmdir
C. mkdir
D. ls
answer:rm -r

PART B – THEORY QUESTIONS (15 Questions)

1. Define Linux Filesystem.
answer: filesystem is a structure used to analyze the files and folders
2. Explain the Root Directory (/).
answer: the root directory where the starting point of the entire Linux file system.

3. What is the purpose of /home?
answer:its where the normal user's data is stored.

4. What is the purpose of /etc?

answer: in this folder it stores the configuration files in it.

5. Explain the clear command.
answer: it clears the terminal screen

6. What is sudo and why is it used?
answer: sudo which means super user do it allows the normal users to execute the command without root privilages.

7. Explain the pwd command.
answer: its shows you in which current working directory you are in.

8. Differentiate between ls and ls -la.
answer: ls command lsit all files and directories but ls -la command command list in the long format by showing the permission and size etc includimg the hidden files too.

9. Explain cd .., cd ~ and cd /.
answer: cd .. command is used to change the directory from current to the parent directory
cd ~ command change the directory from current to user home directory directly.
cd / it change the directory directly too the root directory

10. What is an Absolute Path?
answer: the path which starts from the root directory to the current directory is called as absolute path

11. What is a Relative Path?
answer: the path which only showing to the current directory is called as relative path

12. Explain the purpose of mkdir -p
answer: this command create parent directory for the current director.

13. Explain the purpose of ls -R.
answer: list files and directories in a recursive list which shows all subdirectories and their contents

14. Differentiate between rmdir and rm -r.
answer: rmdir command delete only the empty directory meanwhile the rm -r command delete the directory and the content inside it.

15. Why is rm -rf considered dangerous?
answer: the rm -rf command delete a directory forcefully ,which lead to delete an entire filesystem of Linux

MINI INTERVIEW / VIVA QUESTIONS

1. What is Linux Filesystem?
answer: filesystem is a structure used to analyze the files and folders

2. What is the Root Directory?
answer: the root directory where the starting point of the entire Linux file system.

3. Difference between ls and ls -la?
ls command lsit all files and directories but ls -la command command list in the long format by showing the permission and size etc includimg the hidden files too.

4. What does cd .. do?
cd .. command is used to change the directory from current to the parent directory

5. What does cd ~ do?
cd ~ command change the directory from current to user home directory directly.

6. What is an Absolute Path?
answer: the path which starts from the root directory to the current directory is called as absolute path

7. What is a Relative Path?
answer: the path which only showing to the current directory is called as relative path

8. What does mkdir -p do?
answer: this command create parent directory for the current director.

9. Difference between rmdir and rm -r?
answer: rmdir command delete only the empty directory meanwhile the rm -r command delete the directory and the content inside it.

10. Why should DevOps engineers be careful with rm -rf?
answer: the rm -rf command delete a directory forcefully ,which lead to delete an entire filesystem of Linux