

Dear participant,

We are looking forward to welcoming you to the **Claude Code Mastery Training** training. To make the most of our time together, we ask you to complete a few preparation steps before the session.

What to prepare

1. An editor or IDE

Use the editor or IDE you like best, as long as it can open and browse TypeScript code. During the training the editor is only used to read code and review changes. All AI work happens in Claude Code in the terminal.

If you have no preference, [Visual Studio Code](#) is a safe choice. The instructions below use VSCode where a step depends on the editor.

2. Bun runtime

The TypeScript BookStore project runs on the **Bun** runtime. Bun ships its own TypeScript support, so you do not need a separate TypeScript install. Most IDEs, VSCode included, handle `.ts` files without extra plugins.

Install Bun by following the instructions at: <https://bun.sh/>

Verify it works by running:

```
bun --version
```

3. Claude Code subscription and plugins

We will be using **Claude Code** as our AI coding assistant during the training. Please set up your account and tools before the session:

- Sign up or log in at claude.ai
- Make sure you have an active **Claude Pro** subscription (required for Claude Code access)
- Install the **Claude Code CLI** by following the instructions at claude.ai/code
- Verify it works by running `claude` in your terminal

- Optional: Claude Code has editor integrations for VSCode and for JetBrains IDEs. They are convenient but not required — the terminal is enough for every exercise. In VSCode, open the Extensions panel (`Ctrl+Shift+X` / `Cmd+Shift+X`), search for "**Claude Code**" by Anthropic, and click **Install**.

4. Git

Make sure **Git** is installed on your machine: <https://git-scm.com/downloads>

Verify it works by running:

```
git --version
```

5. Course materials on GitHub

We will be working with the **BookStore API** starter project during the training. The repository has one branch per language. Clone the TypeScript one into a folder named `bookstore`, before the session:

```
git clone -b ts https://github.com/xebia/ai-assisted-se-claude-exercise bookstore
```

Then enter the folder, install dependencies, and run it to verify everything works:

```
cd bookstore
bun install
bun run start
```

6. uv, Spec Kit and Node (for Exercises 5 to 7)

In Exercise 6 we use [Spec Kit](#), GitHub's spec-driven development toolkit, to specify a frontend for the BookStore API.

Node.js 20+ — <https://nodejs.org/> (the frontend's dev server runs on it)

uv — Exercise 5 starts a small Python MCP server with `uv`, and Spec Kit is a Python tool installed via `uv`:

```
curl -Lsf https://astral.sh/uv/install.sh | sh      # macOS / Linux
# Windows (PowerShell):
# powershell -ExecutionPolicy Bypass -c "irm https://astral.sh/uv/0.9.9/install.ps1 | iex"
```

Then install Spec Kit and set up the frontend project:

```
uv tool install specify-cli --from git+https://github.com/github/spec-kit.git

cd bookstore/web
npm install
specify init --here --force --non-interactive --integration claude
git checkout -- .specify/memory/constitution.md      # must run AFTER init
specify check
```

Exercise 7 uses **agent teams**, an experimental Claude Code feature that is off by default. The file `web/.claude/settings.json` is committed and turns it on for that project only. It needs Claude Code **2.1.178 or newer**. Check both:

```
claude --version
git status --short .claude/settings.json      # must print nothing
```

If `specify init` changed or removed the file, restore it:

```
git checkout -- .claude/settings.json
```

[!IMPORTANT] The `git checkout` must come **after** `specify init`. The constitution is committed at `.specify/memory/constitution.md`, and `specify init --force` overwrites it with its own template. Restoring it from git puts the real one back — and `git status` will tell you if you forget.

Please do this **before the training day**. `specify init` downloads a template bundle from GitHub, and thirty laptops doing that at once on conference wifi is not a good start to a session.

Verify: `specify check` reports no problems, and `npm run dev` starts a server on `http://localhost:5173`.

7. A project of your own (for Exercise 8)

In Exercise 8 you apply the full workflow of the course to one small task in a project of your own. Bring one that builds and has tests, cloned on your laptop, and that you are allowed to use in a training. No project you can bring? The exercise has a BookStore fallback.

Quick checklist

- Your editor or IDE is installed and can open TypeScript files
- Bun is installed (`bun --version` works in your terminal)
- You have an active Claude Pro subscription (\$20/month)
- Claude Code CLI is installed and working (`claude --version` works in your terminal)
- Optional: the Claude Code editor integration is installed
- Git is installed (`git --version` works in your terminal)
- You have cloned the `ts` branch of the exercise repository into a folder named `bookstore`, and the project runs and `bun install` finishes without errors
- Node.js 20+ is installed (`node --version` works in your terminal)
- `uv` is installed (`uv --version` works in your terminal)
- Spec Kit is installed (`specify check` runs without problems)
- `bookstore/web` is set up (`npm install` finished, `.specify/` exists, `.specify/memory/constitution.md` starts with "# BookStore Web Constitution" and `git status` shows it unmodified)
- Claude Code is 2.1.178 or newer, and `web/.claude/settings.json` is present and unmodified (`git status` shows nothing for it)
- A project of your own is cloned on your laptop, and it builds and has tests (for Exercise 8)

Questions?

If you run into any issues during setup, feel free to reach out to us before the training day. We want everyone to hit the ground running from the very first exercise.

See you soon!

The Training Team