

Building Reliable Agents With LangGraph



Snowflake Developers
28.7K subscribers

Subscribe

552



Share

Clip

Save



17,550 views Dec 17, 2024 #AI #ArtificialIntelligence #Snowflake

Autonomous agents powered by Large Language Models (LLMs) offer the potential to grant LLMs control over many kinds of tasks. However, ensuring reliability in these systems has been a significant hurdle. LangGraph is a low-level library designed to construct dependable agents.

This session from BUILD 2024 explores key features of LangGraph that enhance reliability, including robust memory management, seamless human-in-the-loop integration, and advanced control mechanisms. We delve into how these components work together to create more stable and trustworthy LLM-driven autonomous agents.

Building Reliable Agents Using LangGraph

Lance Martin, Software Engineer



LangChain

1 Introduction and Basics: Motivation

A solitary language model is fairly limited...




... e.g., access to tools, external context, multi-step workflows.

So, many LLM applications use a control flow ...




... with steps pre / post-LLM call (tool calls, retrieval, etc).


This control flow forms a “chain”




Chains are reliable! Same control flow every time.




But, we want LLM systems that can pick their own control flow!



Agent ~ = control flow defined by an LLM




Fixed vs LLM-defined control flow




Many kinds of agents!

Router




Fully Autonomous




Less More
Control

But, practical challenges



LangGraph helps you bend the reliability curve




Balance reliability with control


Intuition: Let developer set parts of control flow (reliable)




Intuition: Inject LLM to make it an agent (control)




 LangGraph Express custom control flows as graphs



Pillars



IDE: LangGraph Studio



<https://github.com/langchain-ai/langgraph-studio>

17

LangGraph 🤝 LangChain

LangGraph


Application logic / orchestration





LangChain

Application components (e.g., integrations)






LangChain's AI abstractions and integrations make it the #1 choice for developers when building with GenAI




Building general agents



Router

General tool-calling agent




https://langchain-ai.github.io/langgraph/concepts/high_level/
<https://blog.langchain.dev/planning-for-agents/>

20

2 Custom agent architectures

Many custom agents (RAG, Customer Support)




<https://www.youtube.com/watch?v=E2shgsYwxck>
<https://www.youtube.com/watch?v=-ROS6gfYlts>
<https://www.youtube.com/watch?v=b3XsvoFWp4c>
<https://www.youtube.com/watch?v=hvAPnpSfSGo>


21

3 Memory

Adding memory to your agents




LangGraph supports short-term + long-term memory



<https://langchain-ai.github.io/langgraph/concepts/memory/>

23

Long-term memory template app




<https://github.com/langchain-ai/memory-template>


24

4 Human-in-the-loop

Adding human-in-the-loop




Offload tasks to humans, review / edit state at any node



https://langchain-ai.github.io/langgraph/concepts/human_in_the_loop/
<https://blog.langchain.dev/ux-for-agents-part-2-ambient/>

5 Controllability





Various ways to design multi-agent teams

Single Agent, Many Tools	Multi-Agent, Unconstrained	Multi-Agent, Workflow	Multi-Agent, Supervisor	Supervisor (tool-calling)

https://langchain-ai.github.io/langgraph/concepts/agentic_concepts/
https://langchain-ai.github.io/langgraph/concepts/multi_agent/



Multi-agent supervisor: Fantasy Football



<https://github.com/langchain-ai/ff-take-bot>

29

← → ↻ <https://github.com/langchain-ai/ff-take-bot> 🔍 📄 🌟 🔄 📧 📁 📌 📌 📌

langchain-ai / ff-take-bot 🔍 Type to search 📄 📄 📄 📄 📄 📄 📄 📄 📄 📄

<> Code Issues Pull requests Actions Projects Security Insights

ff-take-bot Public 📄 Watch 3 🍴 Fork 3 ⭐ Star 9

📄 main 1 Branch 0 Tags 🔍 Go to file 📄 Add file <> Code

👤	📄	📅	🕒	🔢
rlancemartin	Update README.md	726380d	7 months ago	8 Commits
ntbk	Update README		7 months ago	
.env.example	Add take-bot		9 months ago	
README.md	Update README.md		7 months ago	
langgraph.json	Add take-bot		9 months ago	
populate_env.sh	Update		7 months ago	
requirements.txt	Add take-bot		9 months ago	
take_bot.py	Add cron		7 months ago	

📄 README 📄 📄 📄

Fantasy Football Take Bot

[Ambient agents](#) represent a shift from chat-based AI interactions to AI that works quietly in the background, monitoring and analyzing information without requiring constant user attention. While chat interfaces limit us to one task at a time, ambient agents can handle multiple tasks simultaneously, working diligently without the pressure of real-time response expectations.

About
No description, website, or topics provided.

📄 Readme
📄 Activity
📄 Custom properties
⭐ 9 stars
👁 3 watching
🍴 3 forks
Report repository

Releases
No releases published

Packages
No packages published


Languages

🟠 Jupyter Notebook 94.7%	🟢 Python 5.2%
🟢 Shell 0.1%	

6 Use-cases



Multi-agent supervisor: Research assistant



<https://github.com/langchain-ai/langchain-academy/blob/main/module-4/research-assistant.ipynb>

30

← → ↺ <https://github.com/langchain-ai/langchain-academy> 🔍 📄 ⭐ ⌂ 📱 🌐 📧

langchain-ai / langchain-academy

🔍 Type to search

Code Issues 18 Pull requests 4 Actions Projects Security Insights

langchain-academy Public

Watch 33

Fork 1k

Star 1.6k

main 14 Branches 0 Tags

Go to file

Add file

Code

About

academy.langchain.com

Readme

Activity

Custom properties

1.6k stars

33 watching

1k forks

Report repository


Releases

No releases published

Packages


No packages published

Contributors 29





lc-chad	Re-add .env.example file	59e8dcd · 3 days ago	252 Commits
.devcontainer	Feature: add python/jupyter dev container	6 months ago	
module-0	Minor typo fix in basics.ipynb	5 months ago	
module-1	Re-add .env.example file	3 days ago	
module-2	Merge branch 'main' of https://github.com/langchain-ai/langchain-academy	last month	
module-3	Add prebuilt to notebooks	3 months ago	
module-4	Update working	3 days ago	
module-5	Update env vars to use LANGSMITH_ prefixes	2 months ago	
module-6	Update env vars to use LANGSMITH_ prefixes	2 months ago	
.gitignore	Merge pull request #79 from langchain-ai/rfm/fix-compose	5 months ago	
README.md	Module 6 does not have a /studio folder	2 weeks ago	
requirements.txt	Add prebuilt to relevant modules	3 months ago	

7 LangGraph within LangChain's Ecosystem



8 LangGraph + LangSmith


Evaluate agent with LangSmith



ReAct v Custom LangGraph agent for Corrective RAG ([Notebook](#) and [CoLab](#)), Custom LangGraph agent for Corrective RAG ([Notebook](#))

9 Deployment

Deploy agents with LangGraph Cloud



33

Reference: <https://blog.langchain.dev/langgraph-cloud/>

Free Course!

<https://academy.langchain.com/courses/intro-to-langgraph>

The screenshot shows the LangChain Academy website. The top navigation bar includes the LangChain logo, 'Docs', 'Community', 'LangSmith', 'All Courses', 'Sign In', and 'Register' buttons. The main header area features the text 'LangChain Academy'. Below this, the 'Introduction to LangGraph' course is highlighted. The course description states: 'Learn the basics of LangGraph - our framework for building agentic and multi-agent applications. Separate from the LangChain package, LangGraph helps developers add better precision and control into agentic workflows.' There is an 'Enroll for free' button. To the right of the text is a video player for the course, showing a thumbnail with a play button and the text 'NEW COURSE Introduction to LangGraph'. Below the video player is a 'Watch on YouTube' button.

Course Curriculum



Welcome to the course!	▼
Module 1: Introduction	▼
Module 2: State and Memory	▼
Module 3: UX and Human-in-the-Loop	▼
Module 4: Building Your Assistant	▼
Module 5: Long-Term Memory	▼

Show more

 **LangGraph**

About this course












-  Free
-  54 lessons
-  6 hours of video content

Welcome to the course!	^
 Course Overview	
 Getting Set Up	
 Getting Set Up (Video Guide)	
 Module 0 Resources	

 **LangGraph**

About this course









Module 1: Introduction

-  Module 1 Introduction
-  Module 1 Resources
-  Lesson 1: Motivation
-  Lesson 2: Simple Graph
-  Lesson 3: LangGraph Studio
-  Lesson 4: Chain
-  Lesson 5: Router
-  Lesson 6: Agent
-  Lesson 7: Agent with Memory
-  [Optional] Lesson 8: Intro to Deployment
-  Module 1 Feedback








Module 2: State and Memory

-  Module 2 Introduction
-  Module 2 Resources
-  Lesson 1: State Schema
-  Lesson 2: State Reducers
-  Lesson 3: Multiple Schemas
-  Lesson 4: Trim and Filter Messages
-  Lesson 5: Chatbot w/ Summarizing Messages and Memory
-  Lesson 6: Chatbot w/ Summarizing Messages and External Memory
-  Module 2 Feedback








Module 3: UX and Human-in-the-Loop

-  Module 3 Introduction
-  Module 3 Resources
-  Lesson 1: Streaming
-  Lesson 2: Breakpoints
-  Lesson 3: Editing State and Human Feedback
-  Lesson 4: Dynamic Breakpoints
-  Lesson 5: Time Travel
-  Module 3 Feedback

Module 4: Building Your Assistant

-  Module 4 Introduction
-  Module 4 Resources
-  Lesson 1: Parallelization
-  Lesson 2: Sub-graphs
-  Lesson 3: Map-reduce
-  Lesson 4: Research Assistant
-  Module 4 Feedback

Module 5: Long-Term Memory

-  Module 5 Resources
-  Lesson 1: Short vs. Long-Term Memory
-  Lesson 2: LangGraph Store
-  Lesson 3: Memory Schema + Profile
-  Lesson 4: Memory Schema + Collection
-  Lesson 5: Build an Agent with Long-Term Memory
-  Module 5 Feedback

LangGraph FAQs

^ Do I need to use LangChain to use LangGraph? What's the difference?

No. LangGraph is an orchestration framework for complex agentic systems and is more low-level and controllable than LangChain agents. On the other hand, LangChain provides a standard interface to interact with models and other components, useful for straight-forward chains and retrieval flows.

^ How is LangGraph different from other agent frameworks?

Other agentic frameworks can work for simple, generic tasks but fall short for complex tasks bespoke to a company's needs. LangGraph provides a more expressive framework to handle companies' unique tasks without restricting users to a single black-box cognitive architecture.

^ Does LangGraph impact the performance of my app?

LangGraph will not add any overhead to your code and is specifically designed with streaming workflows in mind.

^ Is LangGraph open source? Is it free?

Yes. LangGraph is an MIT-licensed open-source library and is free to use.

^ What is LangGraph Platform?


LangGraph Platform is a platform for deploying AI agents that can scale with production volume. It offers easy-to-use APIs for managing agent state, memory, and user interactions— which makes building dynamic experiences more accessible. Once you're ready to ship to production, use LangGraph Platform to gracefully handle large workloads, with features like retries and cost-efficient execution for reliable performance. LangGraph Platform also includes LangGraph Studio, which lets you gain visibility into how agents act, helping you prototype faster.

Ready to start shipping reliable agents faster?

Our platform provides tools for every step of the agent development lifecycle — built to unlock powerful AI in production.

Bring LangChain Academy to Your Company

Nominate your team for a hands-on training—
available in-person at your office or remotely, free of charge.



← → ↺ https://github.com/langchain-ai/langgraph

langchain-ai / langgraph

Q Type [7] to search

<> Code Issues 82 Pull requests 24 Discussions Actions Projects 2 Security Insights

langgraph (Public)

Watch 95 Fork 2.6k Star 14.9k

main 71 Branches 361 Tags

Go to file Add file <> Code

joaquin-borggio-lc	docs: Add pre-req for egress to control plane (#5241)	84e14f4 · 2 days ago	5,800 Commits
.github	Revert "Reapply "docs: deploy from v0 branch for now (#496..."	3 days ago	
docs	docs: Add pre-req for egress to control plane (#5241)	2 days ago	
examples	docs: Time travel and breakpoints (#5215)	2 days ago	
libs	Bump to 0.0.87	2 days ago	
.gitignore	Improve type checking on graph init and invoke/stream (#4...	last month	
.markdown-link-check.config.json	Use create_react_agent (#441)	last year	
AGENTS.md	Refine dependency map	3 weeks ago	
CONTRIBUTING.md	docs: fix a typo (#4908)	27 days ago	
LICENSE	libs: add cli, sdk-py, sdk-js and move core langgraph	last year	
Makefile	lint: use pep 604 union syntax and pep 585 generic syntax (#4...	last month	
README.md	Remove gitmcp badge (#5055)	3 weeks ago	
security.md	x (#210)	last year	

About

Build resilient language agents as graphs.

langchain-ai.github.io/langgraph/

- Readme
- MIT license
- Security policy
- Activity
- Custom properties
- 14.9k stars
- 95 watching
- 2.6k forks
- Report repository

Releases 351

sdk=0.1.72 (Latest) 3 days ago

+ 350 releases

Packages



LangGraph

pypi **v0.5.0** downloads/month **7M** open issues **40** docs **latest**

Trusted by companies shaping the future of agents – including Klarna, Replit, Elastic, and more – LangGraph is a low-level orchestration framework for building, managing, and deploying long-running, stateful agents.

Get started

Install LangGraph:

```
pip install -U langgraph
```

Then, create an agent [using prebuilt components](#):

```
# pip install -qU "langchain[anthropic]" to call the model

from langgraph.prebuilt import create_react_agent

def get_weather(city: str) -> str:
    """Get weather for a given city."""
    return f"It's always sunny in {city}!"

agent = create_react_agent(
    model="anthropic:claude-3-7-sonnet-latest",
    tools=[get_weather],
    prompt="You are a helpful assistant"
)

# Run the agent
agent.invoke(
    {"messages": [{"role": "user", "content": "what is the weather in sf"}]}
)
```

For more information, see the [Quickstart](#). Or, to learn how to build an [agent workflow](#) with a customizable architecture, long-term memory, and other complex task handling, see the [LangGraph basics tutorials](#).

Core benefits

LangGraph provides low-level supporting infrastructure for *any* long-running, stateful workflow or agent. LangGraph does not abstract prompts or architecture, and provides the following central benefits:

- [Durable execution](#): Build agents that persist through failures and can run for extended periods, automatically resuming from exactly where they left off.
- [Human-in-the-loop](#): Seamlessly incorporate human oversight by inspecting and modifying agent state at any point during execution.
- [Comprehensive memory](#): Create truly stateful agents with both short-term working memory for ongoing reasoning and long-term persistent memory across sessions.
- [Debugging with LangSmith](#): Gain deep visibility into complex agent behavior with visualization tools that trace execution paths, capture state transitions, and provide detailed runtime metrics.
- [Production-ready deployment](#): Deploy sophisticated agent systems confidently with scalable infrastructure designed to handle the unique challenges of stateful, long-running workflows.

LangGraph's ecosystem

While LangGraph can be used standalone, it also integrates seamlessly with any LangChain product, giving developers a full suite of tools for building agents. To improve your LLM application development, pair LangGraph with:

- [LangSmith](#) — Helpful for agent evals and observability. Debug poor-performing LLM app runs, evaluate agent trajectories, gain visibility in production, and improve performance over time.
- [LangGraph Platform](#) — Deploy and scale agents effortlessly with a purpose-built deployment platform for long running, stateful workflows. Discover, reuse, configure, and share agents across teams — and iterate quickly with visual prototyping in [LangGraph Studio](#).
- [LangChain](#) — Provides integrations and composable components to streamline LLM application development.

Note

Looking for the JS version of LangGraph? See the [JS repo](#) and the [JS docs](#).

+ 31,343

Contributors 212



+ 198 contributors

Deployments 500+

- ✓ Preview 29 minutes ago
- ✓ Production 2 days ago

+ more deployments

Languages

