

Use OpenAI AgentKit AgentBuilder with Ollama: Tutorial with MCP



Fahd Mirza
47.6K subscribers

Join

Subscribe

58



Share

Ask

Download





1,291 views Oct 7, 2025 #agentkit #openaiagentbuilder




This video is a step-by-step tutorial to install and use AgentKit AgentBuilder with Ollama.

The screenshot shows the OpenAI website's announcement for AgentKit. The header includes the OpenAI logo and a 'Log in' button. The main heading is 'Introducing AgentKit' with the subtitle 'New tools for building, deploying, and optimizing agents.' Below this, there is a video player with a 'Listen to article' button and a '5:13' duration. The text below the video states: 'Today we're launching AgentKit, a complete set of tools for developers and enterprises to build, deploy, and optimize agents. Until now, building agents meant juggling fragmented tools—complex o... Ask ChatGPT ... g, custom connectors, manual eval pipelines, prompt tuning, and weeks of...'. The left sidebar contains links to Research, Safety, For Business, For Developers, ChatGPT, Sora, Stories, Company, and News.




The screenshot shows the OpenAI AgentBuilder interface. The top bar includes 'New workflow', 'v1 · production', 'New chat', and 'Close preview'. The main area is titled 'Preview' and shows a workflow diagram with two nodes: 'Start' and 'My agent'. The 'My agent' node is expanded, showing a 'Reasoning' step and a 'Suva' step. The 'Suva' step is further expanded, showing a response ID 'resp_05f3268f5b7fdac...'. At the bottom, there is a 'Send a message...' input field and a 'Send' button.


Use platform.openai.com and start building your agent out





I have created an MCP server running on another public URL shown below






Using the MCP in the builder allows you to connect to various MCP servers via the internet

```

Ubuntu@0360-kci2-ty6k-prmx100037: ~
$ ollama list
NAME                                ID                                SIZE  MODIFIED
embeddinggemma:latest              85462619ee72                     621 MB 3 weeks ago
gpt-oss:20b                         aa4295ac10c3                     13 GB  3 weeks ago
Ubuntu@0360-kci2-ty6k-prmx100037: ~

```



We have our MCP server running locally


```

Ubuntu@0360-kci2-ty6k-prmx100037: ~/mcp-ollama
(ai) Ubuntu@0360-kci2-ty6k-prmx100037:~/mcp-ollama$ export OLLAMA_URL="http://127.0.0.1:11434"
export OLLAMA_MODEL="gpt-oss:20b"
unset API_KEY
python server.py
INFO: Started server process [1139890]
INFO: Waiting for application startup.
[10/08/25 00:40:29] INFO StreamableHTTP session manager started streamable_http_manager.py:110
INFO: Application startup complete.
INFO: Uvicorn running on http://127.0.0.1:8000 (Press CTRL+C to quit)
INFO: 127.0.0.1:47152 - "POST /mcp HTTP/1.1" 200 OK
[10/08/25 00:43:35] INFO Terminating session: None streamable_http.py:630
INFO: 127.0.0.1:47152 - "POST /mcp HTTP/1.1" 202 Accepted streamable_http.py:630
INFO: Terminating session: None
INFO: 127.0.0.1:47152 - "GET /mcp HTTP/1.1" 200 OK
INFO: 127.0.0.1:32822 - "POST /mcp HTTP/1.1" 200 OK
[10/08/25 00:43:45] INFO Processing request of type ListToolsRequest server.py:664
INFO: Terminating session: None streamable_http.py:630
INFO: 127.0.0.1:52946 - "POST /mcp HTTP/1.1" 200 OK
[10/08/25 00:44:07] INFO Processing request of type CallToolRequest server.py:664
[10/08/25 00:44:11] INFO HTTP Request: POST http://127.0.0.1:11434/api/chat "HTTP/1.1 client.py:1740
200 OK"
INFO: Terminating session: None streamable_http.py:630
INFO: 127.0.0.1:58728 - "POST /mcp HTTP/1.1" 200 OK
[10/08/25 00:44:56] INFO Processing request of type PingRequest server.py:664
INFO: Terminating session: None streamable_http.py:630
INFO: 127.0.0.1:38974 - "POST /mcp HTTP/1.1" 200 OK

```

```

Ubuntu@0360-kci2-ty6k-prmx100037: ~/mcp-ollama
INFO: 52.255.109.80:0 - "POST /mcp HTTP/1.1" 200 OK
INFO: Terminating session: None streamable_http.py:630
INFO: 52.255.109.86:0 - "POST /mcp HTTP/1.1" 202 Accepted
[10/08/25 01:24:57] INFO Terminating session: None streamable_http.py:630
INFO: 52.255.109.81:0 - "POST /mcp HTTP/1.1" 200 OK
INFO: Processing request of type ListToolsRequest server.py:664
INFO: Terminating session: None streamable_http.py:630
INFO: 40.84.181.32:0 - "POST /mcp HTTP/1.1" 200 OK
[10/08/25 01:41:37] INFO Terminating session: None streamable_http.py:630
INFO: 40.84.181.38:0 - "POST /mcp HTTP/1.1" 200 OK
[10/08/25 01:41:38] INFO Terminating session: None streamable_http.py:630
INFO: 40.84.181.38:0 - "POST /mcp HTTP/1.1" 202 Accepted
INFO: Terminating session: None streamable_http.py:630
INFO: 40.84.181.36:0 - "POST /mcp HTTP/1.1" 200 OK I
INFO: Processing request of type ListToolsRequest server.py:664
INFO: Terminating session: None streamable_http.py:630
INFO: 52.255.109.80:0 - "POST /mcp HTTP/1.1" 200 OK
[10/08/25 01:43:55] INFO Terminating session: None streamable_http.py:630
INFO: 52.255.109.94:0 - "POST /mcp HTTP/1.1" 200 OK
INFO: Terminating session: None streamable_http.py:630
INFO: 52.255.109.80:0 - "POST /mcp HTTP/1.1" 202 Accepted
INFO: Terminating session: None streamable_http.py:630
INFO: 52.255.109.94:0 - "POST /mcp HTTP/1.1" 200 OK
[10/08/25 01:43:56] INFO Processing request of type ListToolsRequest server.py:664
INFO: Terminating session: None streamable_http.py:630

```

```

Ubuntu@0360-kci2-ty6k-prmx100037: ~/mcp-ollama
(ai) Ubuntu@0360-kci2-ty6k-prmx100037:~/mcp-ollama$ mcp dev server.py
Need to install the following packages:
@modelcontextprotocol/inspector@0.17.0
Ok to proceed? (y) y

npm warn deprecated node-domexception@1.0.0: Use your platform's native DOMException instead
Starting MCP inspector...
Proxy server listening on localhost:6277
Session token: 91f8fb3dc9387673c77e04a4804994d405e31254f993462333fc09f29b76f2bd
Use this token to authenticate requests or set DANGEROUSLY_OMIT_AUTH=true to disable auth

MCP Inspector is up and running at:
http://localhost:6274/?MCP_PROXY_AUTH_TOKEN=91f8fb3dc9387673c77e04a4804994d405e31254f993462333fc09f29b76f2bd

Opening browser...
New StreamableHttp connection request
Query parameters: {"url":"http://127.0.0.1:8000/mcp","transportType":"streamable-http"}
Created StreamableHttp client transport
Client <-> Proxy sessionId: b3b9a371-9ba2-4f76-9b0c-02ce1e908740
Received POST message for sessionId b3b9a371-9ba2-4f76-9b0c-02ce1e908740
Received GET message for sessionId b3b9a371-9ba2-4f76-9b0c-02ce1e908740
Received POST message for sessionId b3b9a371-9ba2-4f76-9b0c-02ce1e908740
Received POST message for sessionId b3b9a371-9ba2-4f76-9b0c-02ce1e908740
Received POST message for sessionId b3b9a371-9ba2-4f76-9b0c-02ce1e908740

```