

Use Claude-Code with Ollama with Router Locally



Fahd Mirza
47.4K subscribers

Join

Subscribe

104



Share


Ask

Download





3,144 views Oct 3, 2025 #claudecode

This video installs Claude-Code-Router with Ollama, which is used to route Claude Code requests to different models and customize any request.



It transforms Anthropic style requests so you can use other providers





```
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$ ollama list
NAME          ID          SIZE    MODIFIED
qwen2.5-coder:14b 9ec8897f747e 9.0 GB  6 minutes ago
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$
```

```
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$ node --version && npm --version
v22.20.0
10.9.3
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$
```

```
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$ npm install -g @musistudio/claude-code-router
npm warn deprecated node-domexception@1.0.0: Use your platform's native DOMException instead

added 157 packages in 6s

46 packages are looking for funding
  run `npm fund` for details
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$
```

Run this command to install the Claude Code Router

```
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router
46 packages are looking for funding
  run `npm fund` for details
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$ ccr --version

Usage: ccr [command]

Commands:
  start      Start server
  stop       Stop server
  restart    Restart server
  status     Show server status
  statusline Integrated statusline
  code       Execute claude command
  ui         Open the web UI in browser
  -v, version Show version information
  -h, help   Show help information

Example:
  ccr start
  ccr code "Write a Hello World"
  ccr ui

Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$ ccr -v
claude-code-router version: 1.0.50
Ubuntu@0146-dsm-prmx30007: ~/.claude-code-router$
```

```
Ubuntu@0146-dsm-prxm30007: ~/claude-code-router
total 12
drwxrwxr-x  2 Ubuntu Ubuntu 4096 Sep 29 02:09 .
drwxr-x--- 34 Ubuntu Ubuntu 4096 Sep 29 02:08 ..
-rw-rw-r--  1 Ubuntu Ubuntu  953 Sep 29 02:10 config.json
Ubuntu@0146-dsm-prxm30007: ~/claude-code-router$
```

```
{ } config.json x
{ } config.json > [ ] Providers > { } 1 > api_key
2   "Providers": [
3     {
4       "api_base_url": "http://localhost:11434/v1/chat/completions",
5       "api_key": "ollama",
6       "models": ["qwen2.5-coder:14b"]
7     },
8   ],
9   {
10    "name": "gemini",
11    "api_base_url": "https://generativelanguage.googleapis.com/v1beta/models/",
12    "api_key": "YOUR_GEMINI_API_KEY",
13    "models": ["gemini-2.5-flash", "gemini-2.5-pro"],
14    "transformer": { "use": ["gemini"] }
15  },
16  {
17    "name": "openai",
18    "api_base_url": "https://api.openai.com/v1/chat/completions",
19    "api_key": "$OPENAI_API_KEY",
20    "models": ["gpt-5", "gpt-5-mini"]
21  }
22 ],
23 "Router": {
24   "default": "openai,gpt-5-mini",
25   "background": "ollama,qwen2.5-coder:latest",
26   "think": "openai,gpt-5",
27   "longContext": "gemini,gemini-2.5-pro",
28   "longContextThreshold": 60000,
29   "webSearch": "gemini,gemini-2.5-flash"
30 }
31 }
```

This file can be copied from the repository, we add Ollama to it as above and below

```
FILE EDIT Selection View Go Run Terminal Help
{ } config.json x
{ } config.json > { } Router > default
2   "Providers": [
3     {
4       "api_base_url": "http://localhost:11434/v1/chat/completions",
5       "api_key": "ollama",
6       "models": ["qwen2.5-coder:14b"]
7     },
8   ],
9   {
10    "name": "gemini",
11    "api_base_url": "https://generativelanguage.googleapis.com/v1beta/models/",
12    "api_key": "YOUR_GEMINI_API_KEY",
13    "models": ["gemini-2.5-flash", "gemini-2.5-pro"],
14    "transformer": { "use": ["gemini"] }
15  },
16  {
17    "name": "openai",
18    "api_base_url": "https://api.openai.com/v1/chat/completions",
19    "api_key": "$OPENAI_API_KEY",
20    "models": ["gpt-5", "gpt-5-mini"]
21  }
22 ],
23 "Router": [
24   "default": "ollama,qwen2.5-coder:14b",
25   "background": "ollama,qwen2.5-coder:14b",
26   "think": "openai,gpt-5",
27   "longContext": "gemini,gemini-2.5-pro",
28   "longContextThreshold": 60000,
29   "webSearch": "gemini,gemini-2.5-flash"
30 ]
31 }
```

This is now ready for Ollama use

```
Ubuntu@0146-dsm-prmx30007: ~/claude-code-router
Ubuntu@0146-dsm-prmx30007:~/claude-code-router$ ccr code
Service not running, starting service...

Do you trust the files in this folder?

/home/Ubuntu/.claude-code-router

Claude Code may read, write, or execute files contained in this directory. This can pose security risks,
so only use files from trusted sources.

Learn more ( https://docs.claude.com/s/claude-code-security )

> 1. Yes, proceed
   2. No, exit

Enter to confirm · Esc to exit
```

It will now start running the background service

```
Ubuntu@0146-dsm-prmx30007: ~/claude-code-router
* Welcome to Claude Code!

/help for help, /status for your current setup
cwd: /home/Ubuntu/.claude-code-router

Overrides (via env):
• API timeout: 600000ms
• API Base URL: http://127.0.0.1:3456

Tips for getting started:

Run /init to create a CLAUDE.md file with instructions for Claude
Use Claude to help with file analysis, editing, bash commands and git
Be as specific as you would with another engineer for the best results

> Try "how does <filepath> work?"

? for shortcuts
```

Make sure that you have installed Claude Code earlier, CCR is a middleware that still needs the main Claude Code agent

```
Ubuntu@0146-dsm-prmx30007: ~/claude-code-router

Tips for getting started:

Run /init to create a CLAUDE.md file with instructions for Claude
Use Claude to help with file analysis, editing, bash commands and git
Be as specific as you would with another engineer for the best results

> write me a hello world python code

• {
  "name": "Edit",
  "arguments": {
    "path": "./hello_world.py",
    "content": "print('Hello World')"
  }
}

>

? for shortcuts
```

We can now see the response from the CCR using Ollama models



Cloud

Embedding

Vision

Tools

Thinking

Popular ▾

gpt-oss

OpenAI's open-weight models designed for powerful reasoning, agentic tasks, and versatile developer use cases.

tools

thinking

cloud

20b

120b

2.9M Pulls

5 Tags

Updated 1 week ago

deepseek-r1

DeepSeek-R1 is a family of open reasoning models with performance approaching that of leading models, such as O3 and Gemini 2.5 Pro.

tools

thinking

1.5b

7b

8b

14b

32b

70b

671b

63.7M Pulls

35 Tags

Updated 2 months ago

gemma3

The current, most capable model that runs on a single GPU.

vision

270m

1b

4b

12b

27b

18.6M Pulls

26 Tags

Updated 1 month ago