

ADD-ON SAP BUSINESS ONE · XEICORE

# XEI.ItemGenerator – Installation, License, Menus and Authorizations

XEI.ItemGenerator · Version 1.4.0

# Contents

Requirements
Installation
License
Menus
Authorizations
Support

# Requirements

| | |
|---|---|
| SAP Business One | 10.0 or later |
| Database | Microsoft SQL Server or SAP HANA (on SAP HANA, a test during installation is recommended) |
| System | Microsoft .NET Framework 4.8 on the SAP client PC |
| Program languages | Italian, English, German, French, Spanish |

# Installation


1. Download the `XEI.ItemGenerator.zip` package.
2. In SAP Business One open the **Extension Manager**, import the package and assign it to the company.
3. On first start the add-on creates its tables, fields, objects and authorization entries by itself.
4. When it has finished, **restart the SAP client once**: the base and variant windows read the add-on fields when SAP starts.

Each add-on update is installed the same way, with the same restart.

# License

The add-on works with a **license code** issued by XEI. After requesting the trial you receive by email a trial code valid for 30 days.

- Without a valid code the add-on is **locked**: its menu contains only *About* and *License*, and at startup the **License** window opens by itself with the status and the reason.
- The window shows the **company code** and the **server code**: with *Copy* you send them to license@xeisrl.com to receive the license code.
- An SAP **superuser** pastes the code received into *Enter a license code* and presses *Save code*: the add-on is unlocked immediately, without restarting SAP.
- The code is valid for the company (database) where it is pasted: each company needs its own code.
- The same window opens at any time from the *License* menu: status, expiry date, number and scope of the license.




*The License window with the add-on locked: reason, company and server codes, field for the code.*

# Menus


The entries are in **Modules › Administration › Add-Ons › XEI-Addon › Code Configurator** and, the same, in **Inventory › Item Management › Code Configurator**.

| Entry | Function |
|---|---|
| 0. Settings | add-on options (user manual, chapter 3) |
| 1. Base Definition | bases and values: the code tree (chapter 5) |
| 2. Variants and Options | variants with their options (chapter 4) |
| 3. Variant Structures | groups of variants to ask for a value (chapter 4) |
| 4. Generate Items | composition and creation of the items (chapter 9) |
| 5. Consistency Check | recalculation of the compositions of the generated items (chapter 14) |
| 6. Check Configuration | check of the whole configuration (chapter 12) |
| 7. Excel Import / Export | configuration in an Excel file (chapter 13) |
| About, Translations, License | entries common to all XEI add-ons (only under XEI-Addon); License: license status and code |

With a right-click there are also **Configure Item...** on the rows of sales quotations and sales orders (chapter 10) and **Generate Similar Items...** in the Item Master Data of a generated item (chapter 11).

# Authorizations

In **Administration › System Initialization › Authorizations › General Authorizations** the add-on adds the **Configuratore codici XEI** branch. For each entry you can assign *Full Authorization*, *Read-Only Authorization* or *No Authorization*. Superusers always have full access.




*The configurator branch in General Authorizations, for a user with no authorizations.*

| Entry | Full | Read-only |
|---|---|---|
| Definizione basi | edit the bases | view |
| Definizione varianti | edit the variants | view |
| Strutture varianti | edit the structures | view |
| Generazione articoli | create items (also from sales quotations and sales orders) | compose the list without creating |
| Configurazione, verifica, import/export | save the settings, import from Excel, consistency check | view the settings, check, export |

Without authorization the menu entry shows “Function not authorized” in the status bar.

# Support

For licenses: license@xeisrl.com. For support: info@xeisrl.com. In your request, state the add-on version (*About* menu) and describe the problem.