Java6

承接实验四的代码

```
try {
    String path="file:G:/httpRequest4j.jar";
    URLClassLoader classload= null;
    classload = new URLClassLoader(new URL[]{new URL(path)});
    Class a=classload.loadClass( name: "Reuqest");
    Object b = a.newInstance();
    Method methon = a.getMethod( name: "main",String[].class);
    for(int i=1;i<28;i++){
        String name=new String (String.valueOf(i));
        if(i<10){
            name="0"+name;
        }
        String[] arguments = {"10.20.37.87:5001","32213182"+name};
        Object c = methon.invoke(b,new Object[] {arguments});
```

创建一个新类加上线程接口并重写方法

```
import java.lang.reflect.InvocationTargetException;
import java.lang.reflect.Method;
import java.net.MalformedURLException;
import java.net.URL;
import java.net.URLClassLoader;

public class send implements Runnable {  3 个用法

    @Override
    public void run() {
```

将发射代码放进 run 方法中



在主类中创建新线程，并调用线程


java3
版本控制
当前文件
项目
Main.java
send.java
java3 H:\java\jav
.idea
out
src
Main
send
.gitignore
java3.iml
外部库
临时文件和控制台
public class Main {
public static void main(String[] args) throws Exception {
Thread a=new Thread(new send());
Thread b=new Thread(new send());
Thread c=new Thread(new send());
a.start();
b.start();
c.start();
Thread.sleep(millis: 1000);
}
}
运行
Main
进程已结束，退出代码为 0
java3 > src > Main
12:1 LF UTF-8 4 个空格

启动服务器


C:\WINDOWS\py.exe
* Serving Flask app 'server'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://10.22.76.121:5001
Press CTRL+C to quit

执行线程


public class Main {
public static void main(String[] args) throws Exception {
Thread a=new Thread(new send());
a.start();
Thread.sleep(millis: 1000);
}
}
Received message: 3221318203
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318204
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318205
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318206
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318207
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318208
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318209
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318210
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318211
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318212
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318213
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318214
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318215
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318216
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318217
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318218
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318219
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318220
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318221
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318222
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318223
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318224
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318225
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318226
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -
Received message: 3221318227
10.22.76.121 - - [19/Apr/2024 19:45:41] "POST / HTTP/1.1" 200 -

成功接收到消息